


PRESENTED TO

Mr Folsom

*By the Royal College of Physicians
of London.*





THE
NOMENCLATURE OF DISEASES

DRAWN UP BY

A JOINT COMMITTEE

APPOINTED BY

THE ROYAL COLLEGE OF PHYSICIANS
OF
LONDON.

(Subject to Decennial Revision.)

SECOND EDITION,

BEING THE

FIRST REVISION.

LONDON:

PRINTED BY HARRISON AND SONS, ST. MARTIN'S LANE,
Printers in Ordinary to Her Majesty.

1884.

8. A. h. 2



7748

PREFACE TO THE FIRST EDITION,

1869.

FOR perfecting the statistical registration of diseases, with a view to the discovery of statistical truths concerning their history, nature, and phenomena, the want of a generally recognised Nomenclature of Diseases has long been felt as an indispensable condition.

The advantages accruing from accurate statistics of disease are likely to be the greater and the surer in proportion as the field of investigation is the wider.

The statistics of a single town may be instructive; but more instruction will be obtained from the compared statistics of various and many towns. This is alike true of different districts of the same country, and of different countries and climates: and the most instructive sanitary statistics would be those which related to the whole of the inhabited portions of the globe.

For the registration of such statistical facts it is clearly requisite that there should be a uniform Nomenclature of Diseases, co-extensive with the area of investigation; and taking the largest area, the universal globe, the Nomenclature would need to be one that can be understood and used by the educated people of all nations.

Among the great ends of such a uniform Nomenclature must be reckoned that of fixing definitely, for all places, the things about which medical observation is exercised, and of forming a steady basis upon which medical experience may be safely built.

Another main use of the statistical registration of diseases on a wide scale, is that it must tend to throw light upon the causes of disease, many of which causes, when duly recognised, may be capable of prevention, removal, or diminution.

When a general and uniform Nomenclature of Disease has once been carefully framed, when we are sure that medical observation is occupying itself everywhere with the selfsame diseases, the value of statistical tables becomes very high, as representing the course of events in disease under various circumstances of time, place, season, climate, manners and customs, age, sex, race, and treatment.

This general, or common, or *standard* nomenclature need not be imposed upon every nation and people as its proper nomenclature. It could not. It would be unintelligible by the people at large, and embarrassing to those by whom the necessary returns must be made. But the nomenclature proper or peculiar to each country, and which may be called its *national* nomenclature, should be readily convertible into the *standard* nomenclature.

The one, or the other, of these standard and national nomenclatures may first be framed by an English (or by any other) Committee, or the two may be framed simultaneously.

The Committee appointed by the Royal College of Physicians of London have prepared a Nomenclature suitable to England, and to all countries where the English language is in common use. For each name they have supplied the corresponding Latin term, which is the language of ancient science, and probably the fittest language for a nomen-

clature common to all the world ; and also the equivalent term in the three modern languages which are the richest in medical learning and literature, the French, the German, and the Italian languages : and in this way they hope to have laid the foundation for a Nomenclature of Diseases in any language extant on the earth.

In the English list of names, it seemed desirable that as little deviation as possible should be made from those employed by the Registrar-General of England ; otherwise his settled plans and his forms of returns, which have been followed for thirty years, would require to be remodelled ; the comparison of future with past returns would be made difficult and perplexing, if not impossible ; and a damaging break would be caused in evidence which becomes more and more trustworthy and valuable, in proportion as it is prolonged and continuous.

Again, it is desirable that all lists should consist, as much as may be possible, of short names—names comprised in one word, or in the fewest words ; also, in the nomenclature proper, or national, that they should be names in common and popular use, especially when these are single, or short, and distinctive, and imply no erroneous or doubtful theories.

Names are not necessarily to be excluded, however, merely because they may seem to express only vague or imperfect knowledge ; such names as DROPSY, CONVULSIONS, PALSY—disorders which may severally depend upon various and different morbid changes within the body, not always easy of recognition. It has been well observed by Dr. FARR, whose aid has been of great value to the Committee, that the refusal to sanction such terms as these in the registration of diseases, ‘would have an obvious

tendency to encourage reckless conjecture' in making returns.

Some names (as SMALL-POX) speak for themselves : many (as DIPHTHERIA) require to be defined, for the sole purpose, however, of identification : to others (as BRIGHT'S DISEASE) it is expedient, for the same purpose only, to append synonyms.

When fixed names have been given to diseases, their classification becomes a matter of some importance.

A good classification aids and simplifies the registration of diseases ; helpstowards a more easy comparison and knowledge of them, and towards the storing of experience respecting them ; and facilitates the discovery of general principles from the collected, grouped, and compared phenomena.

But a good classification is a very difficult matter.

Diseases might be classified according to their symptoms ; to their causes ; to their intimate nature ; to the tissues, or to the systems, of the body that are affected ; or to the parts of the body as they lie anatomically.

After much consideration, the Committee have resolved 'that the proposed classification of diseases should be based upon anatomical considerations.'

In subservience to this anatomical distribution, diseases may also be grouped as being general or local.

General diseases are such as affect the whole frame rather than any special part of it. Local diseases are such as occupy special parts of the body.

General diseases may be conveniently subdivided into two sections, A and B.

Section A comprehends those disorders which appear to involve a morbid condition of the blood, and which

present for the most part, but not all of them, the following characters. They run a definite course, are attended with fever, and frequently with eruptions on the skin, are more or less readily communicable from person to person, and possess the singular and important property of generally protecting those who suffer them from a second attack. They are apt to occur epidemically. Of these epidemic visitations, Dr. FARR observes, that they distinguish one country from another, one year from another, have formed epochs in chronology, have decimated armies and disabled fleets, have influenced the fate of cities—nay, of empires.

Section B comprises, for the most part, disorders which are apt to invade different parts of the same body simultaneously or in succession. These are sometimes spoken of as constitutional diseases, and they often manifest a tendency to transmission by inheritance.

The construction of this Nomenclature has been so long in hand, that it may be proper and not uninteresting to record the circumstances of its origin and progress.

The idea which led to the formation of a general Nomenclature of Diseases originated in a correspondence between Dr. DUMBRECK, of the Medical Department of the Army, and Dr. SIBSON, respecting the need of such a Nomenclature for use in the Army Medical Service.

But at the *Comitia majora* of the Royal College of Physicians, held on the ninth day of July, 1857, it was resolved, on the motion of Dr. NAIRNE, in consequence of a letter addressed to the College by the Hospitals Committee of the Epidemiological Society, ‘That a Committee be appointed to prepare a Nomenclature of Diseases, and

that such Committee have full power to co-operate with other bodies.'

The following Fellows of the College were appointed members of the Committee by the President of the College :—

DR. MAYO— <i>President</i> .	DR. BABINGTON.
DR. ALDERSON— <i>Treasurer</i> ,	DR. ADDISON.
now <i>President</i> .	DR. NAIRNE.
DR. HAWKINS— <i>Registrar</i> .	DR. BARKER.
DR. JEAFFRESON,	DR. BUDD.
DR. PITMAN,	DR. GUILL.
DR. BENCE JONES,	DR. BALY.
DR. RISDON BENNETT	DR. BARCLAY.
DR. MUNK— <i>Librarian</i> .	DR. SIBSON.
	DR. PARKES.

At the first meeting of the Committee DR. SIBSON was appointed Secretary.

The following representative members afterwards consented to co-operate in carrying into effect the objects of the Committee :—

MR. STANLEY, President of the Royal College of Surgeons.

DR. DRUITT, Representative of the Master of the Worshipful Society of Apothecaries.

SIR JOHN LIDDELL, Director-General of the Medical Department of the Navy.

DR. LOGAN, C.B., Director-General of the Medical Department of the Army.

SIR J. RANALD MARTIN, C.B., Physician to the Secretary of State for India in Council.

DR. FARR, Representative of the Registrar-General.

MR. SIMON, Medical Officer of Health, now the Medical Officer of the Privy Council.

MR. HOLMES, Secretary of the Hospitals Committee of the Epidemiological Society.

The Meetings of the Committee were suspended in 1858, in consequence of the passing of the Medical Act of that year, and of the alterations thereby rendered necessary in the constitution and regulations of the College.

They were resumed in 1863, and the following members were then or subsequently added to the Committee:—

SIR THOMAS WATSON, BART., President of the Royal College of Physicians.

MR. LUKE, President of the Royal College of Surgeons.

DR. BRYSON, R.N., C.B., Director-General of the Medical Department of the Navy.

DR. BALFOUR, Deputy Inspector-General of Hospitals, and Head of the Statistical Branch at the Army Medical Board.

DR. STARK, Representative of the Registrar-General of Scotland.

DR. N. M. BURKE, Representative of the Registrar-General of Ireland.

DR. MACKAY, R.N., Deputy Inspector-General of Hospitals and Fleets.

MR. MOORE, Surgeon to the Middlesex Hospital.

DR. C. J. B. WILLIAMS.

DR. QUAIN.

DR. BARLOW.

DR. KIRKES.

DR. ARTHUR FARRE.

DR. WILKS.

DR. BLACK.

DR. BRISTOWE.

DR. FREDERIC WEBER.

DR. HENRY THOMPSON.

DR. CHARLES WEST.

DR. HERMANN WEBER.

DR. CHAMBERS.

DR. GUENEAU DE MUSSY.

DR. MONRO.

DR. MCWILLIAM.

DR. GEORGE JOHNSON.

A classification sub-committee was formed, consisting of—

SIR THOMAS WATSON, BART.

DR. C. J. B. WILLIAMS.

DR. FARR.

DR. QUAIN.

MR. SIMON.

MR. HOLMES.

DR. BARCLAY.

DR. SIBSON.

DR. BALFOUR

A definition sub-committee was also formed, consisting of—

DR. BARLOW.	DR. SIBSON.
DR. ARTHUR FARRE.	DR. PARKES.
DR. WEST.	DR. KIRKES.
DR. CHAMBERS.	DR. WILKS.
DR. MONRO.	DR. BRISTOWE.
DR. GEORGE JOHNSON.	MR. MOORE.
DR. BARCLAY.	MR. HOLMES.
DR. BALFOUR.	

MR. GASKILL and Dr. NAIRNE (Commissioners in Lunacy) attended the meetings of the Committee when the subject of INSANITY was under consideration.

MR. CARTWRIGHT and Mr. TOMES attended the meetings of the Committee when the diseases of the TEETH were under consideration.

The Latin Nomenclature was prepared by Dr. HENRY THOMPSON, and revised by Dr. BLACK.

The French Nomenclature was prepared by Dr. GUÉNEAU DE MUSSY.

The German Nomenclature was drawn up by Dr. HERMANN WEBER, and revised by Dr. FREDERIC WEBER.

The Italian Nomenclature was drawn up by Dr. FREDERIC WEBER, and was revised by Professor PACINI of Florence, at the personal request of Dr. Farr, and by Professor POLLI of Milan.

The List of Deformities was drawn up by Dr. ARTHUR FARRE.

The Botanical Terms were revised by Dr. HOOKER.

The entire work has been edited by the Secretary, Dr. SIBSON.

Dr. BARCLAY took part with the Secretary in editing the whole of the Nomenclature, but more especially the Medical portion.

The Surgical portions of the Nomenclature were prepared, and in conjunction with the Secretary, edited by Mr. MOORE and Mr. HOLMES.

Official changes during the period of the existence of the Committee led also to the introduction into it of the following additional members :—

Mr. PARTRIDGE, as President of the Royal College of Surgeons; and

Dr. BIRKETT,

Dr. OWEN REES,

Dr. HANDFIELD JONES,

Dr. BASHAM,

Dr. HERBERT DAVIES,

Dr. GUY,


Dr. PEACOCK,

Dr. WEGG,

as Censors of the College.

Dr. ALDERSON'S first official act, after his election as President of the College, was to appoint Sir THOMAS WATSON Chairman of the Committee.

THOMAS WATSON, *Chairman*.



PREFACE TO THE SECOND EDITION.

THE Revision of the Nomenclature of Diseases began to be considered in October, 1880.

A Committee was nominated by the President of the College, and consisted, at first, of the following members :—

DR. BENNETT (now SIR RISDON BENNETT)—*President*.

DR. PITMAN (now SIR HENRY PITMAN)—*Registrar*.

DR. BARCLAY (now *Treasurer*).

DR. BRISTOWE.

DR. GOWERS.

DR. PEACOCK.

DR. BUZZARD.

DR. ANDREW.

DR. STONE.

DR. PAYNE.

DR. SAVAGE.

DR. BUCKNILL.

DR. BARNES.

SIR JOSEPH FAYRER.

DR. RADCLIFFE.

DR. GALABIN.

DR. MAHOMED.

DR. DICKINSON.

DR. LAUDER BRUNTON.

DR. PYE-SMITH.

DR. STEVENSON.

DR. HERMANN WEBER.

DR. ORD.

MR. SIMON, C.B.

DR. BUCHANAN (Local Government Board).

DR. WILLIAM OGLE (Registrar-General's Office).

DR. REID (now SIR J. W. REID, K.C.B.) (Director of the Medical Department of the Navy).

DR. KIDD (Deputy Inspector-General, Army Medical Department).

MR. HUTCHINSON.

DR. ORD was appointed Secretary.

The following gentlemen subsequently consented to assist in the work of the Committee, and were appointed members :—

MR. ERICHSEN (President of the Royal College of Surgeons).	
MR. MARSHALL (President of the Royal College of Surgeons).	
MR. HOLMES.	MR. NETTLESHIP.
MR. HULKE.	MR. DALBY.
MR. C. S. TOMES.	MR. MARCUS BECK.
DR. COBBOLD.	MR. WALSHAM.
MR. JAMES N. DICK (Deputy Inspector-General, R.N.).	

SIR WILLIAM JENNER, K.C.B., on becoming President of the College, joined the Committee, but appointed SIR RISDON BENNETT to be Chairman of the Committee.

The Committee nominated a Sub-Committee on Classification, consisting of the following members :—

DR. BARCLAY— <i>Chairman</i> .	DR. BRISTOWE.
MR. HULKE.	MR. DICK.
DR. BUCHANAN.	DR. KIDD.
DR. WM. OGLE.	DR. ORD— <i>Secretary</i> .

On this Committee DR. LLOYD, Fleet-Surgeon, R.N., subsequently replaced MR. DICK.

The Committees, during their sittings, received valuable aid from DR. FOLSOM, U.S.A. ; DR. BILLINGS, of the Surgeon-General's Department, Washington ; DR. GRAHAM, Registrar-General, Ireland ; SIR JOSEPH FAYRER, and DR. GAVIN MILROY.

The following Sub-Committees were appointed to consider the arrangement of Local Diseases :—

For Diseases of the Nervous System, DR. RADCLIFFE, DR. BUZZARD, DR. GOWERS ;
For Mental Diseases, DR. BUCKNILL, DR. SAVAGE ;
For Diseases of the Eye, MR. HULKE, MR. NETTLESHIP ;

For Diseases of the Circulatory System, DR. PEACOCK, DR. ANDREW;

For Diseases of the Absorbent and Digestive Systems, DR. PAYNE, DR. PYE-SMITH;

For Diseases of the Urinary System, MR. HOLMES, DR. DICKINSON;

For Diseases of the Female Organs of Generation, DR. BARNES, DR. GALABIN;

For Diseases of the Skin, DR. PYE-SMITH, DR. ORD;

For Poisons, DR. STEVENSON, DR. LAUDER BRUNTON;

For Injuries and Operations, MR. ERICHSEN, MR. MARCUS BECK;

For Parasites, DR. COBBOLD, DR. ORD.

The Section of Diseases of the Ear was revised by MR. DALBY.

The Section of Diseases of the Teeth by MR. C. S. TOMES.

The Section of Diseases of the Bones by MR. WALSHAM.

The List of New Growths was drawn up by MR. HULKE.

The Processes of Syphilis and Tubercle by DR. BRISTOWE.

The following gentlemen consented to undertake the revision of the translation of the Nomenclature :—

For the Latin, DR. GREENHILL;

For the French, DR. H. GUENEAU DE MUSSY, DR. CHEPMELL;

For the German, DR. HERMANN WEBER, DR. PORT;

For the Italian, DR. FREDERIC WEBER, DR. PANTALEONI, of Rome.

The entire work has been edited by the Secretary,
DR. ORD.



MEMORANDUM OF THE SUB-COMMITTEE ON CLASSIFICATION.

A.—AS RELATES TO THE SECTION ENTITLED IN THE FIRST EDITION “GENERAL DISEASES.”

1. As regards the question, What should be comprehended in a Nomenclature of Diseases? we are of opinion that it should include the names of all known diseases, and the names of all morbid processes and states component of diseases; that it should cover all known causes of disease; that it should, by means of its internal arrangement, indicate the relation of causes and effects in the production of disease.

2. As regards the classification of names, it has been already recognised that the uses subserved by a Nomenclature require more than a simple enumeration or catalogue of diseases. Some of the chief uses of a Nomenclature may be with convenience set for a moment in our view. The first line of the Preface to the first edition of the book under revision, declares the “perfecting the statistical registration of diseases” to be the object of the undertaking. This object has certainly not been as yet attained. No complete statistical registration of diseases has been attempted. Failing completeness, we have to note the existence of several important departments of registration having, individually, distinct objects. The Registrar-General’s Department tabulates

deaths and causes of death ; the Army and Navy Medical Departments tabulate diseases as well as deaths occurring in the two services ; under the Local Government Board a certain regard is had to the prevalence of diseases in various parts of the kingdom. The inquiries conducted by these authorities have, in addition to their statistical value, a common etiological intent. The reports of the Registrars of Hospitals and of Medical Officers of Infirmaries, on the other hand, being more particularly constructed to further the study of disease, deal chiefly with the distribution of morbid processes within the body, and, in estimating the fatality of diseases, seek rather to find the proportion of deaths to attacks than the proportion of the number of attacks or deaths to the population.

The complexity of the arrangement by which the Nomenclature should be fitted to these several purposes grows at each step. Deaths are, in at least the final reports of the Registrar-General, recorded under one name only,—under the name of that disease which is the most obvious cause, whether ultimate or proximate. The registration of the Army and Navy Medical Departments in recording sickness as well as deaths calls for many more names. There are many diseases, skin-diseases for example, which are not likely to be returned as causes of death, and these must be provided for. In the ultimate returns of these departments, as in the Registrar-General's, each case comes under one name only, so that one kind of classification will meet the requirements of both registrations, and the only real difference is numerical. But the registration of hospitals and allied institutions takes note equally of ultimate and proximate causes of death, endeavours to state the complications of diseases, and seeks alike in fatal

and not-fatal sickness to show the distribution of morbid processes among the organs of the body. Instead of simple returns under one name for each individual, ill or dead, there is required a, commonly, multiple return for each disease or morbid process, as affecting several parts at once, or for each organ as the seat of more than one nameable process.

Keeping before us the necessary co-existence of those two dissimilar methods, we have endeavoured to make such arrangements as may serve each. But regarding the infinitely greater numerical importance and the public claims of the former, we have drawn our main lines of classification with a preponderant subordination to its objects.

The changes which we have to propose (i) in naming, and (ii) in classification, are as follows:—

(i). In naming.

A The general omission of definitions.

B The omission of most of the varieties of diseases.

C The omission of the terms.

Febricula	(12).
Equinia Mitis	(25).
Puerperal Fever	(32).
Puerperal Ephemera	(33).
Gonorrhoeal Rheumatism	(35).
Synovial Rheumatism	(36).
Muscular Rheumatism	(37).
Chronic Rheumatism	(38).
Chronic Gout.	(40).
Gouty Synovitis	(41).
Lupus.	(46).
Rodent Ulcer.	(47).
Ergotism	(between 52 and 53)
General Dropsy	(57).

- D The substitution of Epidemic Diarrhoea for Simple Cholera (17).
 of Splenic Fever for Malignant Pustule (26).
 of Osteo-arthritis for Chronic Osteo-arthritis (42).
 of Malignant New Growth, Non-Malignant New Growth, and Cyst, for Cancer (44), Colloid (45), Non-Malignant Tumours and Cysts (p. 19, *et seq.*), Lupus, and Rodent Ulcer. The list of the New Growths and Cysts to be removed from its present position and to be placed for reference at the end of the book, with the list of parasites, of poisons, of injuries, etc.
- The list of the processes of Syphilis and Tubercle, similarly, to be placed for reference at the end of the book.

- E The addition of Epidemic Rose-rash (Rötheln) (5),
 of Typho-malarial fever (17),
 of Malarial cachexia (23),
 of Myxœdema (68),
 of Parangi (71),
 of Leucocythæmia (76),
 of Hæmophilia (77),
 of Idiopathic anæmia (75),
 of Glycosuria (79),
 of the effects of certain external and internal causes of disease.

For the collection of names thus altered we have next to propose a new title. The term "General Diseases" fails to express the nature of the group which it heads. It is used apparently in the signification "not local." The Latin translation, "*Morbi corporis universi*," certainly conveys more clearly the idea intended. But even this term does not include all the species of the original or of the proposed group. We have, therefore, used a re-translation of the Latin, with an additional phrase to cover the cases not included by the term "*morbi corporis universi*." Our proposed version is "Diseases of the

Whole Body, and Diseases which may be distributed in several parts at one time (General Diseases).”

(ii). In classification.

Bearing in mind the needs of the Registrar-General, and the suggestions of the United States National Board of Health, we have drawn up a classification of this part of the Nomenclature on the basis of etiology. In the first place we have established four Groups, viz. :—

- A Diseases dependent on Morbid Poisons. (Specific Febrile Diseases.)
- B Diseases dependent on External agents other than Morbid Poisons.
- C Developmental Diseases.
- D Not classified, or Miscellaneous Diseases.

Within these groups we have, by further division into sub-groups, indicated several closer alliances of causal relation.

Group A contains five sub-groups. The first and most typical comprehends the Exanthemata, with other specific febrile diseases closely resembling them ; the second, malarial fevers ; the third, septic diseases ; the fourth, venereal diseases ; the fifth, febrile diseases communicable from animals to man.

Group B contains four sub-groups of diseases produced by parasites, poisons, injuries, and errors of diet respectively.

Group C is not sub-divided.

In Group D lines are used to indicate alliances or isolation.

No names are proposed for the sub-groups.

The collection of groups thus formed and constituted does not include many morbid states or processes which are often found existing in several parts of the body at one time. We may cite Inflammation as such a one. Under the system by which one nominal return records each death, a case in which several parts have been affected by inflammation,—by way of example, lung, pleura, and pericardium,—will, if it prove fatal, appear as a case of inflammation of only one of those parts—will appear as pneumonia, or pleuro-pneumonia, or pleuritis, or pericarditis, according to the apparently predominant share taken by any of the inflammations in causing the death. If “inflammation” were added to the list of what we may call for brevity’s sake “general diseases,” and the return were to be made under that head, the information conveyed would still be imperfect, and vagueness in returns would be fostered. But in Hospital reports it is most desirable that the exact distribution of multiple inflammations should be recorded. We have, therefore, prepared an additional table of “Morbid States and Processes, as such.” This table is a modification of the list to be found at pages 29 and 31 of the first edition, placed there as a guide to the order of return under the several sections of Local Diseases. In some of its items, as, for instance, in “Parasitic Invasion,” it overlaps the Section of “General Diseases.” We have been content to allow such overlapping, seeing that the list will still remain as a guide to the internal arrangement of the Sections of “Local Diseases,” and will, in this sense, be an independent

Section. Again, we have made this table precedent and introductory to the Section of "General Diseases" on the ground that its constituents are in various associations the elements of all the diseases subsequently tabulated. It contains, so to speak, the alphabet out of which the diseases are spelled. We trust that its introduction here may be justified on the principle that the enumerations of this book should be as entire and complete as possible, and on the representation that for the purposes of Hospital registration the Section "General Diseases" and the Section "Local Diseases" are insufficient, and that this table will supply the deficiency. The table is intended to form, in complementary conjunction with the other sections, the basis of a cross tabulation, in which the horizontal lines of this alphabet may cut the vertical lines of an anatomical alphabet. By this means it will be possible in returns of Diseases to delineate completely their comparative distribution within the body.

B.—AS RELATES TO LOCAL DISEASES.

As regards the general arrangement of Local Diseases, but few—as few as possible—changes have been made. The Diseases of the Lymphatic System, previously scattered through several sections, have been gathered into one, to which a note of anatomical distribution is subjoined. The Diseases of the Spleen, Thymus, Thyroid Body, and Supra-renal Capsules have been brought into nearness with the Diseases of the Lymphatic System, and the whole group has been placed next in order to the

Diseases of the Digestive System. The Diseases of the Male Urethra have been transferred, with Diseases of the Prostate, to Diseases of the Male Generative Organs. The Section of Affections Connected with Pregnancy has been omitted. As regards the internal arrangement of the several sections of Local Diseases, it may be first stated that the names are placed in each section according to the order set forth in the enumeration at page 3. Next, that while the Sub-Committee fully admit the wisdom of the remark at page vii of the Preface to the First Edition, to the effect that—"Names are not necessarily to be excluded merely because they may seem to express only vague or imperfect knowledge," they have felt it right to indicate, as strongly as possible, the necessity of avoiding the use of the names of symptoms, wherever the names of diseases or of causes of symptoms can with reasonable certainty be substituted. In framing the Section of Diseases of the Nervous System, they have gone so far as to make two sub-sections: the first for cases in which the actual morbid process is determined; the second for single symptoms, or for several symptoms grouped under one name, the cause not being accurately determined. Taking, for example, the first name in the Second Section, they would indicate that the name Apoplexy should be used only when the morbid condition cannot be recognised; that wherever one of its several possible causes, such as cerebral hæmorrhage, can be recognised or demonstrated, the return should be made under such cause. No other section has been thus distinctly sub-divided, but in the order of names, the separation between definitely recognised states or causes, on the one hand, and symptoms on the other, is every-

where indicated; symptoms being placed after morbid processes.

INDEX.

The Index, which is in some senses the real Nomenclature, includes every name, and, of compound names, every part. Many names now expunged from the List of Diseases are retained in italics; and several names still to some extent in use, but not included in the general list, are also inserted in italics, with references, in each case, directing the return of the conditions covered by the disused or not recognised name under the now recognised name.

LATIN SYNONYMS.

DR. HENRY THOMPSON (whose extreme care and accuracy had been conspicuously shown in the former edition) was invited again to superintend the Latin Synonyms, and upon his declining to undertake the task a second time, it was put into the hands of Dr. Greenhill.

MEMORANDUM OF THE REVISER OF THE LATIN SYNONYMS.

With respect to the Latin Synonyms, as one of the main reasons for introducing them was to render the Nomenclature more accessible to foreigners, it was thought better to endeavour to make them as useful as possible, by employing the terms that are commonly accepted as constituting the current medical language of the present day. By adopting this method, a very heterogeneous collection of words has been put together ; one set being genuine Greek or Latin terms, of which some still retain their original meaning, while others are used in a sense altogether different ; another set of words has been introduced in a more or less Latinized form from other languages ; a third has been legitimately formed chiefly on the Greek model, to represent diseases that were unknown in ancient times ; and a fourth has been barbarously formed with the same object, and has now obtained such a degree of popularity that it would be practically impossible to expel them from the medical vocabulary. But, notwithstanding the medley of words

thus introduced, which must necessarily be offensive to scholars, it was believed that the utility of this Nomenclature would be seriously lessened if any other method should be adopted. At the same time it is hoped that the careful reader will be able to notice, that, when two or more words, or forms of the same word, presented themselves for adoption, every care has been taken to select that which seemed most in accordance with classical usage. An occasional want of uniformity in words and forms of expression will be noticed, which, however, is believed to be of no real importance, and which, in a work of this kind, is almost unavoidable.

EXPLANATIONS.



THE following Explanations are offered for the guidance of persons using the Nomenclature for purposes of registration of diseases :—

The name of the disease to be registered should first be sought in the Alphabetical Index at the end of the book. It will be observed that the names in the Index are printed, for the most part, in Egyptian type, a smaller number being printed in *Italics*. The Egyptian type denotes names which are recognised in this Nomenclature; the *Italics* names which are not recognised. To the names in *Italics* are added references showing under what recognised names the disease supposed to be indicated should be returned. The numbers not included in brackets show the page on which the name under which the return should be made is to be found. The numbers included in brackets show other pages on which the name is recorded, for purpose of cross-reference, but not for ordinary return.

In referring from the Index to the body of the book it will be observed that the name of every disease is preceded by a number, and that some names are printed in Roman type, others in *Italics*. The names printed in Roman type are to be returned just as they stand; the names printed in *Italics* are not to be returned as they stand. To each of them is prefixed a number included in brackets marking the position of the proper return. The names in *Italics* indicate, for the most part, local manifestations of general diseases, and the references are intended to ensure the return of such local manifestations under their common casual name—to aid, in fact, the primary classification of registered names of diseases.*

It will be obvious that the names in *Italics* are placed in the several sections of local diseases in order to effect completeness of classification, and ultimately to help reference.

* For example, in the list of diseases of the Stomach, on page 103, Malignant New Growth of that organ is included, but is printed in *Italics*. In making return, it should be placed among other Malignant New Growths, to which the prefixed number (63) in brackets refers it.

Where varieties are observable in the forms of disease such varieties are indicated by their being "indented"—*i.e.*, printed below and somewhat to the right of the principal heading, each being preceded by a distinguishing letter. Such lists are given by way of example, and are not to be regarded as exhaustive.

Diseases should only be returned under such general names as "Dropsy," "Convulsions," "Palsy," when the morbid conditions upon which they depend are unknown, but when the cause has been ascertained, the case should be registered under the head of the primary disease, the secondary affections being also specified.

New Growths are to be returned under Nos. 62 and 63 among "General Diseases." For the sub-division of New Growths the table at page 307 is to be consulted, and the return should always include the particular New Growth and its anatomical position.

Cysts are returned among "Local Diseases."

Surgical Operations, Parasites, Malformations, the list of Cysts and New Growths (Tumours), and the processes of Syphilis and Tubercle are placed in an Appendix.

Notes in explanation of particular cases are given in various parts of the work.

Arrangement of Local Diseases.

The attention of persons making use of this Nomenclature is especially called to the "Enumeration" on page 3. That list includes nearly all the important morbid states and processes which affect the various organs, and is, therefore, a key to the general arrangement of such states and processes which is adopted throughout the book.

CONTENTS.

	PAGE
AN ENUMERATION OF MORBID STATES AND PROCESSES AS SUCH, IRRESPECTIVE OF THE PART OR PARTS AFFECTED .	3
DISEASES OF THE WHOLE BODY, AND DISEASES WHICH MAY BE DISTRI- BUTED IN SEVERAL PARTS OF THE BODY AT ONE TIME (GENERAL DISEASES)	
	5
GROUP A.—DISEASES DEPENDENT ON MORBID POISONS (SPECIFIC FEBRILE DISEASES)	5
SUB-GROUP 1	5
SUB-GROUP 2	9
SUB-GROUP 3	9
SUB-GROUP 4	9
SUB-GROUP 5	11
GROUP B.—DISEASES DEPENDENT ON EXTERNAL AGENTS OTHER THAN MORBID POISONS	11
SUB-GROUP 1—DISEASES DEPENDENT ON PARASITES .	11
SUB-GROUP 2—EFFECTS OF POISONS	11
SUB-GROUP 3—EFFECTS OF INJURIES AND CLIMATE .	13
SUB-GROUP 4—DISEASES PRODUCED BY ERRORS OF DIET .	13
GROUP C.—DEVELOPMENTAL DISEASES	15
GROUP D.—NOT CLASSIFIED	15

LOCAL DISEASES PAGE

DISEASES OF THE NERVOUS SYSTEM.	19
SUB-SECTION 1	19
SUB-SECTION 2	25
SUB-SECTION 3—MENTAL DISEASES	29
DISEASES OF THE EYE	33
DISEASES OF THE CONJUNCTIVA	33
" " CORNEA	35
" " SCLEROTIC	37
" " IRIS	39
" " CHOROID AND CILIARY BODY	41
" " OPTIC NERVE	43
" " RETINA	45
" " LENS AND ITS CAPSULE	45
" " VITREOUS HUMOUR	47
AFFECTIONS OF THE GLOBE	47
DISORDERS OF VISION	49
" THE MUSCULAR APPARATUS	51
AFFECTIONS OF THE LACRYMAL APPARATUS	51
" " LACRYMAL GLAND	51
" " LACRYMAL TRACTS	53
" " LACRYMAL SAC	53
" " NASAL DUCT	53
DISEASES OF THE EYELIDS	55
" ORBIT AND NEIGHBOURING PARTS	57
DISEASES OF THE EAR	59
DISEASES OF THE EXTERNAL EAR	59
" " MIDDLE EAR	61
" " INTERNAL EAR	63
DISEASES OF THE NOSE	63
DISEASES OF THE CIRCULATORY SYSTEM.	67
DISEASES OF THE HEART AND ITS MEMBRANES	67
DISEASES OF THE MEMBRANES	67
" " MUSCULAR SUBSTANCE OF THE HEART	69
DISEASES OF THE BLOOD-VESSELS	73
DISEASES OF THE ARTERIES	73
" " VEINS	75

	PAGE
DISEASES OF THE RESPIRATORY SYSTEM	77
DISEASES OF THE RESPIRATORY SYSTEM, NOT STRICTLY LOCAL .	77
" " LARYNX	79
" " TRACHEA AND BRONCHI	81
" " LUNG	83
" " PLEURA	87
DISEASES OF THE DIGESTIVE SYSTEM	87
DISEASES OF THE LIPS	87
" " MOUTH	89
" " JAWS, INCLUDING THE ANTRUM	91
" " TEETH, ALVEOLI, AND GUMS	91
DISEASES OF THE DENTAL PULP	91
" " DENTINE AND CEMENTUM	93
" " DENTAL PERIOSTEUM	93
" " PERIOSTEUM, GUMS, AND ALVEOLI	93
ERRORS OF FORM, NUMBER, ATTACHMENT, AND DEVELOPMENT OF THE DENTAL TISSUES AND ALVEOLI	95
DISEASES OF THE TONGUE	97
" " PALATE AND FAUCES	97
" " SALIVARY GLANDS	99
" " PHARYNX AND ŒSOPHAGUS	101
" " STOMACH	103
" " INTESTINES	105
" " RECTUM AND ANUS	109
" " LIVER	113
" " HEPATIC DUCTS AND GALL-BLADDER	115
" " PANCREAS	117
" " PERITONÆUM	117
DISEASES OF THE LYMPHATIC SYSTEM	119
DISEASES OF THE SPLEEN	119
" " LYMPHATICS	121
" " THYMUS	123
DISEASES OF THE THYROID BODY	123
DISEASES OF THE SUPRA-RENAL CAPSULES	125
DISEASES OF THE URINARY SYSTEM	127
DISEASES OF THE KIDNEY AND DUCTS	127
URINARY DISORDERS	129
DISEASES OF THE BLADDER	131

DISEASES OF THE GENERATIVE SYSTEM	135
---	-----

DISEASES OF THE MALE ORGANS 135

DISEASES OF THE URETHRA	135
" " PROSTATE GLAND.	137
" " PENIS	137
" " SCROTUM	139
" " SPERMATIC CORD	139
" " TUNICA VAGINALIS	141
" " TESTICLE	141

DISEASES OF THE FEMALE ORGANS 143

DISEASES OF THE OVARY	143
" " FALLOPIAN TUBE	145
" " UTERINE LIGAMENTS AND OF THE ADJACENT PERITONÆUM AND CELLULAR TISSUE	147
" " UTERUS, INCLUDING THE CERVIX	147
" " VAGINA	151
" " VULVA	153

FUNCTIONAL AND SYMPTOMATIC DISORDERS OF THE FEMALE ORGANS OF GENERATION 157

AFFÉCTIONS CONNECTED WITH PREGNANCY	159
" " " PARTURITION	161
" " " CONSEQUENT ON PARTURITION	167

DISEASES OF THE FEMALE BREAST 171

DISEASES OF THE MALE BREAST 173

DISEASES OF THE ORGANS OF LOCOMOTION 175

DISEASES OF BONES (EXCLUSIVE OF THE SPINE)	175
" " JOINTS (" ")	177
" " THE SPINE	181
" " MUSCLES	183
" " TENDONS AND FASCLE	185
" " BURSÆ AND SHEATHS OF TENDONS	187

DISEASES OF THE CONNECTIVE TISSUE 189

DISEASES OF THE SKIN 189

PARASITIC DISEASES OF THE SKIN 197

	PAGE
POISONS	199
METALS AND THEIR SALTS	199
CAUSTIC ALKALIES	201
NON-METALS AND THEIR COMPOUNDS	201
ACIDS AND ACID SALTS	201
ORGANIC SUBSTANCES	203
VEGETABLE POISONS	203
ANIMAL POISONS	207
POISONOUS GASES AND VAPOURS	209
MECHANICAL IRRITANTS	211
IRRITANT DRUGS	211
POISONED WOUNDS	211
INJURIES	215
GENERAL INJURIES	215
LOCAL INJURIES	217
ENUMERATION OF	217
<i>First Section.</i>	
INJURIES OF NERVES	219
" BLOOD-VESSELS	219
INJURIES OF ARTERIES	219
" VEINS	221
INJURIES OF LYMPHATIC SYSTEM	221
" SECRETING GLANDS AND VISCERA	221
" MUSCLES	223
TENDONS AND THEIR SHEATHS	223
" SKIN AND SUBCUTANEOUS TISSUE	223
" MUCOUS MEMBRANE AND SUBMUCOUS TISSUE	225
<i>Second Section.</i>	
INJURIES OF THE HEAD AND FACE	225
A. OF THE HEAD	225
B. " " FACE AND MOUTH	227
INJURIES OF THE EYE	229
" " EAR	231
" " NECK, EXCLUSIVE OF THE VERTEBRAL COLUMN	231
" " CHEST	233
" " BACK	237
" " ABDOMEN	239
" " PELVIS AND ORGANS OF GENERATION	241
" " UPPER EXTREMITIES	243
" " LOWER EXTREMITIES	245

APPENDIX 251

SURGICAL OPERATIONS 251

REMOVAL OF TUMOURS FROM PARTS	251
OPERATIONS FOR HYDATID CYST	251
REMOVAL OF FOREIGN BODIES	251
OPENING OF ABSCESS	251
OPERATIONS ON NERVES	253
OPERATIONS ON THE EYE AND ITS APPENDAGES	253
OPERATIONS ON THE EYELIDS	253
" " OTHER APPENDAGES OF THE EYE	253
" " EYEBALL	253
OPERATIONS ON THE EAR	255
" " NOSE	257
" " OTHER PARTS OF THE HEAD AND FACE, INCLUDING THE MOUTH	257
OPERATIONS ON THE CIRCULATORY ORGANS	259
OPERATIONS ON ARTERIES	259
" FOR THE CURE OF ANEURYSMS	261
" ON VEINS	261
" FOR HEMORRHAGE	261
OPERATIONS ON THE RESPIRATORY ORGANS	263
" " DIGESTIVE ORGANS	263
" " LYMPHATIC ORGANS	267
" " THYROID BODY	269
" " URINARY ORGANS	269
" " GENERATIVE ORGANS	271
I. MALE	271
II. FEMALE	273
OBSTETRIC OPERATIONS	275
OPERATIONS ON THE BREAST	279
" " ORGANS OF LOCOMOTION	279
OPERATIONS ON BONES	279
" " JOINTS	279
" " MUSCLES, TENDONS, FASCIE, AND BURSÆ	281
" " CONNECTIVE TISSUE	281
" " LIMBS AS A WHOLE	281
AMPUTATIONS	281
OPERATIONS ON THE SKIN	283
OPERATIONS NOT CLASSIFIED	283

	PAGE
HUMAN PARASITES	284
ENTOZOA	284
CLASS A. TREMATODA	284
" B. CESTODA	285
" C. NEMATODA	286
" D. ACANTHOCEPHALA	287
" E. INSECTA PARASITICA	287
ECTOZOA	288
CLASS E. INSECTA PARASITICA	288
" F. ARACHNIDA PARASITICA (CHIEFLY ECTOZOAL)	289
" G. SUCTORIA PARASITICA	290
EPIPHYTA AND ENTOPHYTA	290

MALFORMATIONS 293

MALFORMATIONS RESULTING FROM INCOMPLETE DEVELOPMENT OR GROWTH.	293
OF THE NERVOUS SYSTEM	293
" " ORGANS OF SPECIAL SENSE	293
" " VASCULAR SYSTEM	293
" " RESPIRATORY SYSTEM	295
" " DIGESTIVE SYSTEM	295
" " URINARY SYSTEM	297
" " MALE ORGANS OF GENERATION	297
" " FEMALE ORGANS OF GENERATION	297
" " OTHER MALFORMATIONS OF THIS CLASS	297
MALFORMATIONS ASSOCIATED WITH INCOMPLETE COALESCENCE OF PARTS WHICH SHOULD BECOME CONJOINED	299
A. ON THE VENTRAL MEDIAN PLANE AND VISCERAL ARCHES	299
B. " " DORSAL MEDIAN PLANE	299
MALFORMATIONS RESULTING FROM COALESCENCE OF PARTS WHICH SHOULD REMAIN DISTINCT	301
MALFORMATIONS RESULTING FROM THE EXTENSION OF A COM- MISSURE BETWEEN THE LATERAL HALVES OF PARTS	301
MALFORMATIONS RESULTING FROM THE COALESCENCE OF TWO FÆTUSES, OR FROM EXCESS IN NUMBER OF THE PARTS OF ONE FÆTUS	301
MALFORMATIONS CONSISTING IN THE DISPROPORTIONATE GROWTH OF PARTS	303
CONGENITAL DISPLACEMENTS AND UNUSUAL POSITION OF PARTS OF THE FÆTUS	303
CONGENITAL DISTORTIONS	305

CLASSIFICATION OF TUMOURS . 307


CLASS I. EXTRAVASATION TUMOURS	307
„ II. TRANSUDATION AND EXUDATION TUMOURS	307
„ III. RETENTION TUMOURS OR CYSTS	307
„ IV. PROLIFERATION TUMOURS	309

PROCESSES OF SYPHILIS	313
---------------------------------	-----

PROCESSES OF TUBERCLE	315
---------------------------------	-----

INDEX	317
-----------------	-----

NOMENCLATURE OF DISEASES.



CONDITIONUM ET ACTIONUM MORBIDARUM ELENCHUS SIMPLICITER, NULLA PARTIS AFFECTÆ RATIONE HABITA.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
Atrophia	Atrophie	Atrophie	Atrofia
Hyperæmia	Hyperémie	Hyperaemie	Iperemia
a. Activa	Active	Active	Acuta
b. Passiva	Passive	Passive	Passiva
Hæmorrhagia	Hémorrhagie	Hæmorrhagie	Emorragia
Anæmia	Anémie	Anaemie. <i>Syn.</i> Blutarmuth	Anemia
Hydrops	Hydropisie	Wassersucht	Idropisia
Inflammatiō	Inflammation	Entzündung	Inflamrazione
Effusio serosa	Epanchement sé- reux	Seröser Erguss	Effusione sierosa
Effusio plastica	Epanchement plas- tique	Plastischer Erguss	Effusione plastica
Suppuratio	Suppuration	Eiterung	Suppurazione
Ulceratio	Ulcération	Geschwürsbil- dung	Ulcerazione
Gangræna	Gangrène	Brand. <i>Syn.</i> Gan- grän	Gangrena
Cicatrizatio.	Cicatrisation	Vernarbung	Cicatrizzamento
Degeneratio	Dégénérescence	Degeneration. <i>Syn.</i> Entartung	Degenerazione
a. Adiposa	Graisseuse	Fettige	Grassosa.
b. Calcarea	Calcaire	Kalkförmige	Calcarea
c. Fibrosa	Fibroïde	Fibroïde	Fibroïde
d. Mucosa	Muqueuse	Schleim-	Mucosa
e. Colloides	Colloïde	Colloid-	Colloïde
f. Lardacea	Lardacée	Speckige oder amy- loïde	Lardacea
g. Pigmentaria.	Pigmenteuse	Pigment-	Sostanza colorante
Neoplasma.	Néoplasie	Neubildung	Tessuti di nuova formazione
Formatio cystica	Formation cysti- que	Cystenbildung	Formazione cis- tica
Tuberculosis	Tuberculose	Tuberculose	Tubercolosi
Affectiones mecha- nicæ	Lésions mécani- ques	Mechanische Af- fectionen	Affezioni meca- niche
a. Luxatio	Déplacement (Luxation)	Lageveränderungen (Verrenkung)	Deviazioni (Lussazione)
b. Dilatatio	Dilatation	Erweiterung	Dilatazione
c. Contractio	Contraction	Zusammenziehung	Contrazione
d. Strictura	Rétrécissement	Strictur	Restringimento
e. Compressio	Compression	Compression	Compressione
f. Obturatio	Occlusion	Einkeilung	Tamponamento

AN ENUMERATION OF
MORBID STATES AND PROCESSES
AS SUCH, IRRESPECTIVE OF THE PART
OR PARTS AFFECTED.

Hypertrophy.

Atrophy.

Hyperæmia.

a. Active.

b. Passive.

Hæmorrhage.

Anæmia.

Dropsy.

Inflammation.

Serous effusion.

Plastic effusion.

Suppuration.

Ulceration (caries).

Gangrene (necrosis).

Cicatrization.

Degeneration.

a. Fatty.

b. Calcareous.

c. Fibroid.

d. Mucous.

e. Colloid.

f. Lardaceous.

g. Pigmentary.

New growth.

Cyst-formation.

Tuberculosis.

Mechanical affections.

a. Displacement (dislocation).

b. Dilatation.

c. Contraction.

d. Stricture.

e. Compression.

f. Plugging (impaction).

LATIN EQ.	FRENCH	GERMAN	ITALIAN
<i>g.</i> Perforatio.	Perforation	Durchbohrung	Perforamento
<i>h.</i> Laceratio	Déchirure	Zerreissung	Lacerazione
<i>i.</i> Diruptio	Rupture	Zerreissung	Rottura
<i>j.</i> Fractura	Fracture	Fractur	Frattura
Concretum	Concrétion	Concretion	Concrezione
Calculus	Calcul	Stein	Calcolo
Coagulum	Caillot	Gerinnsel	Coagolo
Morbus parasiticus	Maladie parasi- taire	Parasitäre-Erk- rankungen	Malattia parassi- tica
Evolutio imperfecta	D'arret de déve- loppement	Bildungsfehler	Evoluzione imper- fetta
Deformitas ingenta	Vice de confor- mation	Missbildung	Vizi di confor- mazione
Actionum naturalium vitia	Vices fonctionnels	Functionsstörun- gen	Disordini funzio- nati
<i>a.</i> Plus æquo	par excès	mit Uebermass	per eccesso
<i>b.</i> Minus æquo	par diminution	mit Mangel	per difetto
<i>c.</i> Minus recte	par imperfection	mit Verkehrung	di perversione

MORBI CORPORIS UNIVERSI, ET II QUIBUS PLURES CORPORIS PARTES EODEM TEMPORE AFFICIUNTUR. (MORBI GENERALES.)

ORDO I.

MORBI QUI EX VENENIS MORBIDIS ORIUNTUR.

Classis 1.

1. Variola	Variole. <i>Syn.</i> Petite vérole.	Blattern. <i>Syn.</i> Menschen- pocken	Vajuolo
2. Vaccinia	Vaccine	Kuhpocken	Vaccina
3. Varicella	Varicelle	Windpocken. <i>Syn.</i> Wasserpocken, Varicellen	Varicella
4. Morbilli	Rougeole	Masern	Rosolia Fersa
5. Rubeola Notha. <i>Idem valet</i> Roseola epidemica	Roséole	Epidemische Ro- seola, Rötheln	Roseola epidemica
6. Scarlatina, <i>sive</i> febris rubra	Scarlatine	Scharlachfieber	Febbre scarlattina

g. Perforation.

h. Laceration.

i. Rupture.

j. Fracture.

Concretion.

Calculus (Stone).

Coagulum (Clot).

Parasitic invasion.

Errors of development.

Malformation.

Disorders of function.

a. Of excess.

b. Of defect.

c. Of perversion.

DISEASES OF THE WHOLE BODY, AND DISEASES WHICH MAY BE DISTRIBUTED IN SEVERAL PARTS AT ONE TIME.— (GENERAL DISEASES.)

GROUP A.

DISEASES DEPENDENT ON MORBID POISONS.—(SPECIFIC FEBRILE DISEASES.)

Sub-Group 1.

1. Small-pox.

Note.—In every case the presence or absence of marks of vaccination, and, when marks are present, their number, size, and character should be noted.

2. Cow-pox.

3. Chicken-pox.

4. Measles.

5. Epidemic rose rash. *Synonyms*, R \ddot{o} theln, German measles. Called, by some authors, Rubeola, Rubella.

6. Scarlet fever. *Synonym*, Scarlatina.

LATIN EQ.	FRENCH.	GERMAN.	ITALIAN.
7. Denguis	Dengue	Dengue	Dengue
8. Typhus	Typhus	Exanthematischer Typhus. <i>Syn.</i> Fleckfieber	Tifo petecchiale
9. Pestis	Peste	Pest	Peste
10. Febris recidiva	Fièvre à rechutes	Typhus recurrens	Febbre recidive
11. Catarrhus epide- micus	Grippe	Grippe. <i>Syn.</i> In- fluenza	Influenza. <i>Sin.</i> Catarrho epi- demice
12. Pertussis	Coqueluche	Keuchhusten. <i>Syn.</i> Stick- husten	Tosse convulsiva <i>Sin.</i> T. canina
13. Parotitis	Oreillon	Mumps. <i>Syn.</i> Ziegenpeter	Parotitide. <i>Sin.</i> Orecchioni
14. Diphtheria	Diphthérie	Diphtherische Entzündung der Rachenschleimhaut. <i>Syn.</i> Diphtheritis	Difterite
15. Febris cerebrospinalis. <i>Idem</i> <i>valet</i> Meningitis epidemica cerebrospinalis	Meningite cérébrospinale épidémique. <i>Syn.</i> Fièvre pourpurée maligne	Epidemische Meningitis. <i>Syn.</i> Epidemische Cerebro-spinal-Meningitis Genickkrampf	Febbre cerebrospinale. <i>Sin.</i> Meningitide cerebro-spinale
16. Febris continua, simplex	Fièvre continue simple	Fieber von unbestimmtem Character	Febbre continua semplice
V. Febricula	Fièvre éphémère	Febricula	Febricola. <i>Sin.</i> Febbre effimera
17. Febris enterica. <i>Idem</i> <i>valet</i> Febris typhoides	Fièvre typhoïde ou Dothiénentérie	Abdominaltyphus. <i>Syn.</i> Îleotyphus	Tifo enterico. <i>Sin.</i> Febbre tifoide
Febris typhomalarialis	Fievre paludéenne typhoïde	Typhöses Malariafieber	Tifo malarico
18. Febris flava	Fièvre jaune épidémique	Gelbes Fieber. <i>Syn.</i> Gelbfieber	Febbre gialla
19. Cholera pestifera. <i>Idem</i> <i>valet</i> Cholera asiatica, Cholera epidemica	Choléra. <i>Autrement,</i> Choléra asiatique, Choléra épidémique	Cholera ; Asiatische Cholera	Coléra asiatico

7. Dengue. *Synonym*, Break-bone fever.
8. Typhus.
9. Plague.
10. Relapsing Fever. *Synonym*, Famine fever.
11. Influenza. *Synonym*, Epidemic catarrh.
12. Whooping-cough.
13. Mumps.
14. Diphtheria.
15. Cerebro-spinal fever. *Synonym*, Epidemic cerebro-spinal meningitis.
16. Simple continued fever. *Definition*. Continued fever having no obvious distinguishing character.
Variety: Febricula.
17. Enteric fever. *Synonyms*, Typhoid fever, Gastric fever, Pythogenic fever.
Note.—Fevers symptomatic of worms, teething, or other sources of irritation should not be included under this head; nor should Enteric fever occurring in children be returned as “Infantile remittent fever.”
Typho-malarial fever.
Note.—A combination of Malarial and Enteric fevers occurring in some countries has received and is generally known by the name of Typho-malarial fever. It is returned under this head in the classification of the United States.
18. Yellow fever.
19. Cholera. *Synonyms*, Asiatic cholera, Epidemic cholera.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
20. Cholera sporadica	Choléra sporadique	Sporadische Cholera	Coléra sporadico
21. Diarrhœa epidemica	Diarrhée épidémique	Epidemischer Durchfall	Diarrea epidemica
22. Dysenteria	Dysentérie	Ruhr. <i>Syn.</i> Dysenterie	Dissenteria

Classis 2.

23. Febris malarialis	Fièvre paludéenne	Malariafieber Wechselfieber	Febbre da malaria
<i>a.</i> F. intermittens	Fièvre intermittente	Kaltes Fieber. <i>Syn.</i> Intermittens	Febbre intermittente
<i>b.</i> F. remittens	Fièvre rémittente	Bösartiges endemisches Fieber	Febbre remittente
<i>c.</i> Cachexia malarialis	Cachexie paludéenne	Malariakachexie	Cachessia malarica
24. Beriberia	Béri-Béri	Beri-Beri	Beri-Beri

Classis 3.

25. Phagedæna	Affection phagédénique	Phagedaenischer Zustand	Fagedena
26. Erysipelas	Érysipèle	Erysipelas. <i>Syn.</i> Rothlauf	Risipola
27. Pyæmia	Pyohémie	Pyæmie	Piemia. <i>Sin.</i> Piemasia
28. Septicæmia	Septicémie	Septicæmie	Setticemia

Classis 4.

29. Syphilis	Syphilis	Syphilis	Sifilide
<i>a.</i> Syphilis primaria	Syphilis primitiva	Primäre Syphilis	S. primaria
<i>b.</i> Syphilis secundaria	Syphilis secondaire	Secundäre Syphilis. <i>Syn.</i> Constitutionelle Syphilis	S. secundaria

20. Sporadic cholera. *Synonyms*, Simple cholera, Cholera nostras, Cholera infantum.
21. Epidemic diarrhoea.
22. Dysentery.

Sub-Group 2.

23. Malarial fever.
- a. Intermittent. *Synonym*, Ague.
- b. Remittent.
- c. Malarial cachexia

24. Beri-Beri.

Sub-Group 3.

25. Phagedæna.
- Varieties*: a. Sloughing phagedæna.
- b. Hospital gangrene.
26. Erysipelas.
- Varieties*: a. Simple.
- b. Phlegmonous.
27. Pyæmia.

28. Septicæmia.
- Puerperal fever.*

Note.—The term “Puerperal fever” should no longer be used. Pyæmia, Septicæmia, and Erysipelas occurring in puerperal women should be described as “Puerperal pyæmia,” “Puerperal septicæmia,” and “Puerperal erysipelas” respectively. The other conditions included under the term “Puerperal fever” should be returned according to No. 513, p. 117, under Diseases of Parturition, the word “Puerperal” being in all cases prefixed to the word denoting the local process.

Sub-Group 4.

29. Syphilis. *Synonym*, Pox.
- a. Primary. Hard chancre or infecting sore.
- b. Secondary, or Constitutional.

Note.—“Tertiary syphilis” is a term sometimes applied to the later symptoms when separated by an interval of apparent health from the ordinary Secondary syphilis. *Note.*—For list of processes, see p. 313.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
30. Gonorrhœa	Gonorrhée. <i>Syn.</i> Blennorrhagie	Tripper. <i>Syn.</i> Go- norrhœe	Gonorrhea
<hr/>			
<i>Classis 5.</i>			
31. Hydrophobia	Hydrophobie	Hundswuth. <i>Syn.</i> Wasserscheu	Idrofobia
32. Equinia	Morve	Rotz	Ciamurro
V.-Farciminum	Farcin	Wurm	Farcino
33. Equinia mitis	Morve bénigne	Rotz	Equinia
34. Febris splenica. <i>Idem valet</i> Morbus lanarius	Charbon	Milzbrandfieber	Febbre splenica. Malattia degli scardassori di lana
V.-Pustula maligna	Pustule maligne	Milzbrand. <i>Syn.</i> Pustula maligna, Karbunkel- krankheit	Pustola maligna

ORDO II.

MORBI QUI E CAUSIS EXTERNIS (VENENIS SOLUM MORBIDIS
EXCEPTIS) ORIUNTUR.

Classis 1.

MORBI PARASITICI.

35. Parasiti animales	Parasite animal	Thierische Pa- rasiten	Parassiti animali
36. Parasiti vegetabiles	Parasite végé- tal	Pflanzliche Pa- rasiten	Parassiti . vege- tabili

Classis 2.

VENENORUM EFFECTUS.

37. Venena animalia	Poisons d'ori- gine animale	Thierische Gifte	Veleni animali
38. Venena vegetabilia	Poisons d'ori- gine végétale	Pflanzliche Gifte	Veleni vegetabili
39. Venena inorganica	Poisons de na- ture inorgani- que	Anorganische Gifte	Veleni inorganici

30. Gonorrhœa. *Synonyms*, Clap, Blennorrhœa, Blennorrhagia.

Sub-Group 5.

31. Hydrophobia. *Synonym*, Rabies.
32. Glanders.
Variety: Farcy.
33. Horse-pox.
34. Splenic fever. *Synonyms*, Charbon, Wool-sorter's disease.
Variety: Malignant pustule.

Note.—Although the term Anthrax is used by authors as a synonym of Splenic fever and Charbon, it is not here included, being already generally accepted as the classical equivalent of Carbuncle. To the latter meaning, according to this Nomenclature, its use should be restricted.

GROUP B.

DISEASES DEPENDENT ON EXTERNAL AGENTS OTHER THAN MORBID POISONS.

Sub-Group 1.

DISEASES DEPENDENT ON PARASITES.

35. Animal parasites.
36. Vegetable parasites.
For a list of the parasites infesting the human body, see p. 284, *et seq.*

Sub-Group 2.

EFFECTS OF POISONS.

37. Animal poisons.
38. Vegetable poisons.
39. Inorganic poisons.
For a list of poisons, see p. 199, *et seq.*

Classis 3.

LÆSIONUM ET AËRUM EFFECTUS.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
40. Corporum extraneorum effectus	Effets de la présence de corps étrangers	Wirkungen von Fremdkörpern	Effetti della presenza di corpi estranei
41. LæSIONUM mechanicarum effectus	Effets de lésions mécaniques	Wirkungen von mechanischen Einflüssen	Effetti di corpi meccanici
a. Generales	Généraux	Allgemeine	Generali
b. Locales	Locaux	Locale	Topici
42. Nimii nisus et intentionis effectus	De travail et d'efforts excessifs	Wirkungen von übermässiger Anstrengung und Spannung	Effetti d'eccessivo sforzo
43. Veneris immodicæ effectus	Effets d'excès vénériens	Wirkungen von geschlechtlichen Ausschweifungen	Effetti d'eccessi venerei
44. Caloris effectus	Effets de la chaleur	Wirkungen von Hitze	Effetti dal caldo
45. Frigoris effectus	Effets du froid	Wirkungen von Kälte	Effetti dal freddo
46. Electricitatis effectus	Effets de l'électricité	Wirkungen von Electricität	Effetti d'elettricità
47. Rerum chemicarum effectus	Effets d'agents chimiques	Wirkungen von chemischen Agentien	Effetti d'agenti chimici
48. Aërum effectus	Effets du climat	Wirkungen des Klimas	Effetti d'influenze climateriche

Classis 4.

MORBI DIÆTETICI.

49. Acrasia, sive cibi nimietas	Excès de table	Ueberladung	Crapula
50. Fames	Faim et privation	Hunger	Inedia
51. Scorbutus	Scorbut	Scorbut	Scorbuto
52. Alcoholismus	Alcoöl	Alcoholismus	Alcoolismo
V.—Delirium tremens, sive alcoholicum	Delirium tremens	Delirium tremens— <i>Syn.</i> Säufer wahnsinn	Delirium tremens

Sub-Group 3.

EFFECTS OF INJURIES AND CLIMATE.

40. Effects of the presence of foreign bodies.
41. Effects of mechanical injuries.
 - a. General.
 - b. Local.
42. Effects of excessive exertion and strain.
43. Effects of excessive venery.
44. Effects of heat.
45. Effects of cold.
46. Effects of electricity.
47. Effects of chemical agents.
48. Effects of climate.

For list of injuries, see p. 215, *et seq.*

Sub-Group 4.

DISEASES PRODUCED BY ERRORS OF DIET.

49. Surfeit.
50. Starvation.
51. Scurvy.
52. Alcoholism.
Variety: Delirium tremens.

ORDO III.

MORBI EX EVOLUTIONE.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
53. Partus intemptivus	Naissance avant terme	Frühgeburt	Parto prematuro
54. Deformitates in-genitæ	Vices de conformation	Missbildungen	Vizi di conformazione
55. Debilitas	Débilité	Schwäche	Debolezza
56. Senectus	Marasme sénile	Hohes Alter	Vecchiaja

ORDO IV.

MORBI NON IN CLASSES DISTRIBUTI.

57. Rheumatismus acutus. <i>Idem valet</i> Febris rheumatica	Rhumatisme articulaire aigu	Acuter Gelenk-rheumatismus. <i>Syn.</i> Rheumatisches Fieber	Reumatismo articolare acuto
58. Rheumatismus	Rhumatisme	Rheumatismus	Reumopatia
59. Podagra	Goutte	Gicht	Podagra
60. Osteoarthritis	Arthrite sèche	Deformirende Gelenkentzündung	Osteo-artrite
61. <i>Cystis</i>	<i>Kyste</i>	<i>Cyste</i>	<i>Cistide</i>
62. Tumores non maligni	Tumeurs non-malignes	Gutartige Geschwülste	Tumori non-maligni
63. Tumores maligni, item, Cancer Sarcoma, etc.	Tumeurs malignes	Bösartige Geschwülste, einschliesslich Krebs, Sarkom, etc.	Tumori maligni, Cancro, Sarcoma, etc.
64. Tuberculum	Tubercule	Tuberkel	Tubercolo
65. Struma	Scrofule	Scrophulose	Scrofolo
66. Rachitis	Rachitisme	Rhachitis. <i>Syn.</i> Englische Krankheit	Rachitide
67. Cretinismus	Crétinisme	Crethinismus	Cretinismo
68. Myxoedema	Myxoedéma	Myxoedem	Mixedema

GROUP C.

DEVELOPMENTAL DISEASES.

53. Immaturity at birth. *Synonym*, Premature birth.
54. Malformations.
See list at p. 293.
55. Debility.
56. Old age.
-

GROUP D.

NOT CLASSIFIED.

57. Rheumatic fever. *Synonym*, Acute rheumatism.

58. Rheumatism.
Note.—Under this term it is proposed to include such affections as are generally described as subacute and chronic rheumatism.
59. Gout.
60. Osteo - arthritis. *Synonyms*, Arthritis nodosa, Arthritis deformans, Rheumatoid arthritis.
61. *Cyst*.
To be returned under the several anatomical systems.
62. Non-malignant new growth.

63. Malignant new growth, including Cancer, Sarcoma, &c.
Note.—For list of new growths and cysts, see p. 307.

64. Tubercle.
Note.—For list of processes, see p. 315.
65. Scrofula.
66. Rickets.

67. Cretinism.

68. Myxoedema.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
69. Lepra vera. <i>Idem</i> <i>valet</i> Elephantia- sis Græcorum	Lèpre vraie. <i>Syn.</i> Eléphantiasis des Grecs	Aussatz	Lebbra. <i>Sin.</i> Elefantiasi dei Greci
70. Morula	Pian	Framboesia	Framboësia
71. Parangia	Parangia	Parangi	Parangi
72. Purpura	Purpura	Purpura	Porpora
73. Anæmia	Anémie	Anaemie. <i>Syn.</i> Blutarmuth	Anemia
74. Chlorosis. <i>Idem va-</i> <i>let</i> Fœminarum pallor luteus	Chlorose. <i>Syn.</i> Pales couleurs	Chlorose. <i>Syn.</i> Bleichsucht	Clorosi
75. Anæmia idiopathica	Anémie grave	Progressive per- niciöse anaemie	Anemia idiopathica
76. Leucocythæmia	Leucocythémie	Leukaemie	Lencocitemia
77. Hæmophilia	Hémophilie	Bluterkrankheit. <i>Syn.</i> Haemophilie	Emofilia
78. Diabetes mellitus	Diabete sucré	Zuckerharnruhr	Diabete mellito
79. Glycosuria	Glycosurie	Glycosurie	Glicosuria

69. Leprosy. *Synonym*, Elephantiasis Græcorum.
Varieties : *a.* Tubercular.
b. Anæsthetic.
Note.—Elephantiasis Arabum is a different disease, and is to be returned under No. 62, and p. 309.
70. Yaws.
71. Parangi.
-
72. Purpura.
73. Anæmia.
74. Chlorosis. *Synonym*, Green sickness.
75. Idiopathic anæmia. *Synonym*, Pernicious anæmia.
76. Leucocythæmia. *Synonym*, Leuchæmia.
77. Hæmophilia.
-
78. Diabetes mellitus. *Synonym*, Persistent glycosuria.
79. Glycosuria.
-

PARTIUM SINGULARUM MORBI.
(MORBI LOCALES).

NERVORUM APPARATUS MORBI.

CLASSIS 1.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
80. Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
81. Atrophia	Atrophie	Atrophie	Atrofia
82. Congestio	Congestion	Congestion	Congestione
83. Hæmorrhagia	Hémorrhagie	Hæmorrhagie	Emorragia
84. Anæmia	Anémie	Anaemie	Anemia
85. Hydrops	Hydropisie	Wassersucht	Idropisia
V. <i>a.</i> -Hydrocephalus chronicus <i>sive</i> longus	Hydrocéphale chro- nique	Chronischer Hydro- cephalus	Idrocefalo cronico
1. Ingenitus	Congénitale	Angeborener	Congenito
2. Actionis morbidæ effectus <i>sive</i> acqui- situs	Acquise	Erworbener	Acquisite
<i>b.</i> -Hydrorrhachis interna	Hydrorachis interne	Hydrorrhachis in- terna	Idrorachitide in- terna

LOCAL DISEASES.

DISEASES OF THE NERVOUS SYSTEM.

The diseases printed in *Italics* under this heading are inserted for the sake of local classification only, and are not to be registered here, but at the place referred to in each instance by number.

It has been found necessary to divide this section into three sub-sections. The first contains the names of morbid states and processes affecting the several parts of the nervous system; the second, the names of symptoms and groups of symptoms related with such pathological conditions or with other conditions not accurately known; the third, the names of mental diseases.

Cases should be returned according to the first sub-section when the pathological conditions shall have been verified by post-mortem examination, or may be inferred with certainty from the symptoms. But cases wanting such verification should be returned according to the second and third sub-sections.

SUB-SECTION 1.

The names refer, unless it be otherwise indicated, to affections of the Brain and Spinal Cord, their membranes, and the nerves; and, in returns, the parts affected should be specified.

80. *Hypertrophy.

81. *Atrophy.

82. *Congestion.

83. *Hæmorrhage.

84. *Anæmia.

85. *Dropsy.

Varieties :

a. Chronic hydrocephalus.

1. Congenital.

2. Acquired.

b. Hydrorrhachis interna.

* The part affected should be specified according to the following order:—
Dura mater, Arachnoid, Pia mater, Cerebrum, Corpus striatum, Thalamus, Cerebellum, Pons Varolii, Medulla oblongata, Spinal cord, Nerves, Cerebral ventricles.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
86. Inflammatio	Inflammation	Entzündung	Infiammazione
1. Cerebri et medullæ spinalis membranarum. <i>Idem valet</i> Meningitis cerebrospinalis	Méningite cérébro-spinale	Cerebrospinal - meningitis	Meningitide cerebrospinale
2. Cerebri et ejus membranarum. <i>Idem valet</i> Meningo-encephalitis	du cerveau et de ses membranes. Meningo - encephalite	des Gehirns und seiner Häute	del cervello e sue membrane
3. Cerebri membranarum. <i>Idem valet</i> Meningitis	Méningite	Gehirnhautentzündung. <i>Syn.</i> Meningitis	Meningitide
V.—a. Duræ matris	de la dure-mère	der Dura Mater <i>Syn.</i> Pachymeningitis	della dura madre
V.—b. Piæ matris et membranæ arachnoidis	de la pie mère et de l'arachnoïde	der Pia Mater und Arachnoidea <i>Syn.</i> Leptomenigitis	della pia madre e dell' aracnoïde
(64.) V.—c. <i>Meningitis tuberculosa</i> . <i>Id. valet</i> <i>Hydrocephalus acutus</i>	<i>Méningite tuberculeuse</i>	<i>Tuberculöse Hirnhautentzündung.</i> <i>Syn.</i> <i>Acuter Wasserkopf</i>	<i>Meningitide tuberculosa.</i> <i>Sin.</i> <i>Idrocefalo acuto</i>
(29.) V.—d. <i>Meningitis syphilitica</i>	<i>Méningite syphilitique</i>	<i>Syphilitische Meningitis</i>	<i>Meningitide sifilitica</i>
4. Cerebri inflammatio. <i>Idem valet</i> Encephalitis	Cérébrite	Entzündung der Hirnsubstanz	Infiammazione del cervello
5. Meningomyelitis	Méningo-myélite	Entzündung des Rückenmarks und seiner Häute. <i>Syn.</i> Meningomyelitis	Meningo-mielitide
6. Meningitis spinalis	Méningite spinale	Entzündung der Rückenmarkshäute. <i>Syn.</i> Meningitis spinalis	Meningitide spinale
V.—a. Pachymeningitis	Pachyméningite	Pachymeningitis	Pachimeningitide
(64.) V.—b. <i>Tuberculosa</i>	<i>Tuberculeuse</i>	<i>Tuberculöse</i>	<i>Tuberculosa</i>
(29.) V.—c. <i>Syphilitica</i>	<i>Syphilitique</i>	<i>Syphilitische</i>	<i>Sifilitica</i>
7. Myelitis	Myélite	Entzündung des Rückenmarks. <i>Syn.</i> Myelitis	Mielitide
V. Cornuum anteriorum. <i>Idem valet</i> Poliomyelitis anterior	Des cornes antérieurs. <i>Syn.</i> Polio - myélite antérieure	Der Vorderhörner. <i>Syn.</i> Poliomyelitis anterior Essentielle Kinderlähmung	Polio - mielitide anteriore
8. Neuritis	Névrite	Neuritis	Neuritide
(15.) <i>Febris cerebrospinalis</i>	<i>Méningite cérébro-spinale épidémique</i>	<i>Epidemische Meningitis</i>	<i>Febbre cerebro-spinale</i>
87. Cerebri abscessus	Abcès du cerveau	Abscess (des Gehirns)	Ascesso cerebrale
a. Ex auri morbo	Suite de maladie de l'oreille	Von Affectionen des Felsenbeins	da malattia dell' orecchio
(27.) b. <i>Pyæmicus</i>	<i>d'origine pyohémique</i>	<i>Pyæmischer</i>	<i>Piemico</i>

86. Inflammation.

1. Of the membranes of the brain and spinal cord.
Synonym. Cerebro-spinal meningitis.

2. Of the brain and its membranes. *Synonym,* Meningo-encephalitis.

3. Of the cerebral membranes. *Synonym,* Meningitis.

Varieties:

a. Of the dura mater. *Synonym,* Pachymeningitis.

b. Of the pia mater and arachnoid.

(64.) c. *Tubercular meningitis.* *Synonym,* *Acute hydrocephalus.*

(29.) d. *Syphilitic meningitis.*

4. Of the brain. *Synonym,* Encephalitis.

5. Of the spinal cord and its membranes. *Synonym,* Meningo-myelitis.

6. Spinal meningitis.

Varieties:

a. Pachymeningitis.

(64.) b. *Tubercular.*

(29.) c. *Syphilitic.*

7. Myelitis.

Variety:

Of the anterior cornua. *Synonyms,* Anterior poliomyelitis, Tephromyelitis, Anterior cornual myelitis (Essential paralysis, Infantile paralysis).

8. Neuritis.

(15.) *Cerebro-spinal fever.*

87. Abscess of the brain.

Varieties:

a. From disease of the ear.

(27.) b. *Pyæmic.*

LATIN Eq.	FRENCH	GERMAN	ITALIAN
88. Mollities	Ramollissement	Erweichung (des Gehirns)	Rammollimento
1. rubens	1. rouge	1. rothe	1. rosso
2. albens	2. blanc	2. weisse	2. bianco
3. flavens	3. jaune	3. gelbe	3. giallo
89. Sclerosis	Sclérose	Sclerose	Sclerosi
1. Circumscripta	Circonscrite. <i>Syn.</i> Rubanée, en plaques dissémi- nées	Inselförmige mul- tiple	Isolata
2. Diffusa	Diffuse	Diffuse	Diffusa
3. Miliaria	Miliaire	Miliare	Miliare
Distributiones variæ			
a. Cornuum ante- riorum materiæ cineræ medullæ spinalis	Des cornes anté- rieurs de la moëlle	Der grauen Vor- derhörner des Rückenmarks. <i>Syn.</i> Progressive Muskelatrophie	Delle colonne au- teriori
b. Columnarum lateralium	Des cordons laté- raux	Der Seitenstränge. <i>Syn.</i> Spastische Spinalparalyse	Delle colonne late- rali
c. Columnarum posteriorum	Des cordons posté- rieurs (ataxie lo- comotrice, mala- die de Duch- enne). <i>Syn.</i> Tabes dorsalis	Der Hinterstränge. <i>Syn.</i> Tabes dor- salis	Delle colonne pos- teriori (atassia locomotrice. <i>Syn.</i> Tabes dorsale)
d. Nervorum	Des nerfs	Der Nerven	Dei nervi
90. Cystis	Kyste	Cyste	Ciste
(62.) Tumores non maligni	Tumeurs non-ma- lignes	Gutartige Ge- schwülste	Tumori non-ma- ligni
(63.) Tumores maligni	Tumeurs malignes	Bösartige Ge- schwülste	Tumori maligni
(64.) Tubercula deposita	Dépôt tuberculeux	Tuberculöse Ablagerung	Deposito tubercolare
1. Tubercula miliaria, sive Granulosa	Miliaire, Granu- lation tuberculeuse	Miliar- oder gra- nulärer Tuberkel	Tubercolo miliare
2. Tubercula flava	Tubercule jaune	Gelber Tuberkel	Tubercolo giallo
(29.) Morbus syphiliticus	Maladie syphili- tique	Syphilitische Af- fection	Malattia sifilitica
(35-36.) Morbus para- siticus	Maladie parasi- taire	Parasitäre Erkrankungen	Malattia parassi- tica
(40-48.) Læsiones	Blessures	Verletzungen	Lesioni

88. Softening, of brain or cord.

1. Red.
2. White.
3. Yellow.

89. *Sclerosis. *Synonym*, Chronic interstitial inflammation, formerly called Grey degeneration.*Varieties :*1. Insular. *Synonym*, Disseminated.

2. Diffuse.
3. Miliary.

Varying distributions :

a. Of the anterior cornua of the grey matter of the spinal cord (Progressive muscular atrophy).

b. Of the lateral columns (Spastic spinal paralysis).

c. Of the posterior columns (Locomotor ataxy. *Synonym*, Tabes dorsalis).

d. Of nerves.

*90. Cyst.

* (62.) *Non-malignant New Growth.* } Return according to the
 list of tumours at
 * (63.) *Malignant New Growth.* } page 307.

* (64.) *Tuberculosis.*1. *Miliary or granular tubercle.**Note.*—To be referred to Tubercular meningitis.2. *Yellow tubercle.** (29.) *Syphilitic disease.** (35-36.) *Parasitic disease.*

Return cases of this kind according to list at p. 284.

* (40-48.) *Injuries.*

Return according to list at pages 219, 227, and 237.

* The part affected should be specified according to the following order:—
 Dura mater, Arachnoid, Pia mater, Cerebrum, Corpus striatum, Thalamus,
 Cerebellum, Pons Varolii, Medulla oblongata, Spinal cord, Nerves, Cerebral
 ventricles.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(44.) <i>Nimii caloris effectus</i>	<i>Effets de chaleur excessive</i>	<i>Wirkung grosser Hitze</i>	<i>Effetti d'eccessivo caldo</i>
a. <i>Solis ictus. Idem valet Insolatio</i>	<i>Coup de soleil. Syn. Insolation</i>	<i>Sonnenstich</i>	<i>Colpo di sole</i>
b. <i>Apoplexia e calore</i>	<i>Apoplexie suite de chaleur</i>	<i>Hitzschlag</i>	<i>Apoplessia da afa</i>
(54.) <i>Deformitates inge-nitæ</i>	<i>Vices de confor-mation</i>	<i>Missbildungen</i>	<i>Vizi di conforma-zione</i>
a. <i>Meningocele</i>	<i>Méningocèle</i>	<i>Meningocele</i>	<i>Meningocele</i>
b. <i>Encephalocele.</i>	<i>Encephalocèle</i>	<i>Encephalocele</i>	<i>Encefalocele</i>
c. <i>Spina bifida</i>	<i>Spina bifida</i>	<i>Spina bifida</i>	<i>Spina bifida</i>
(299-310.) <i>Arteriarum cerebralium morbi</i>	<i>Maladies des ar-tères cérébrales</i>	<i>Krankheiten der Gehirnarterien</i>	<i>Malattie delle ar-terie cerebrali</i>
311-320.) <i>Venarum et sinuum cerebrali-um morbi</i>	<i>Maladies des veines et sinus céré-braux</i>	<i>Erkrankungen der Gehirnvenen und der Sinuse</i>	<i>Malattie delle vene cerebrali e dei seni</i>

CLASSIS 2.

91. Apoplexia	Apoplexie	Apoplexie. <i>Syn.</i> Hirnschlag	Apoplessia
92. Paralysis	Paralysie	Paralyse. <i>Syn.</i> Lähmung	Paralisi
93. Hemiplegia	Hémiplégie	Hemiplegie. <i>Syn.</i> Halbseitige Lähmung	Emiplegia
94. Paraplegia	Paraplégie	Paraplegie	Paraplegia
V. Hemiparaplegia	Hémiparaplégie	Hemiparaplegia	Emiparaplegia
95. Paralysis localis	Paralysie locale	Oertliche Läh-mung	Paralisi locale
96. Ophthalmoplegia externa	Ophthalmoplégie externe	Ophthalmoplegia externa	Oftalmoplegia esterna
97. Paralysis glosso-labiopharyngea	Paralysie bulbaire. <i>Syn.</i> Labio-glosso-laryngée	Glosso-labio-pharyngealparalyse <i>Syn.</i> Bulbärpa-ralyse	Paralisi glosso-labio-faringea
98. Paralysis ascen-dens acuta	Paralysie aiguë ascendante	Acute aufstei-gende Spinal-paralyse	Paralisi acuta ascendente
99. Paralysis post morbum acutum	Paralysie suite de maladie aiguë	Paralyse nach acuten Krank-heiten	Paralisi in seguito a malattie acute
V. Paralysis diph-therica	Paralysie diphthé-ritique	Diphtheritische Lähmung	Paralisi difteri-tica

(44.) *Heat-stroke.**Varieties :*a. *Sunstroke.* *Synonym, Insolatio.*b. *Heat-apoplexy.**(54.) *Malformations.*

Return according to list at pages 293, 299, 301, 303.

a. *Meningocele.*b. *Encephalocele.*c. *Spina bifida.*(299-310.) *Diseases of the cerebral arteries.*(311-320.) *Diseases of the cerebral veins and sinuses.*

SUB-SECTION 2.

91. *Apoplexy.* *Synonym, Stroke.*92. *Paralysis.* *Synonym, Palsy.**Note.*—This term is to be used only when exact information is wanting.93. *Hemiplegia.*94. *Paraplegia.**Variety:* *Hemiparaplegia.*95. *Local paralysis.*96. *Ophthalmoplegia externa.*97. *Glosso-labio-pharyngeal paralysis.* *Synonym, Bulbar paralysis.**Note.*—The nerves affected should be specified.98. *Acute ascending paralysis.*99. *Paralysis after acute disease.**Variety:* *Diphtheritic paralysis.*

* The part affected should be specified according to the following order:—*Dura mater, Arachnoid, Pia mater, Cerebrum, Corpus striatum, Thalamus, Cerebellum, Pons Varolii, Medulla oblongata, Spinal cord, Nerves, Cerebral ventricles.*

LATIN EQ.	FRENCH	GERMAN	ITALIAN
100. Paralysis toxica	Paralysie toxique	Toxische Spinal-paralyse	Paralisi tossica
<i>a.</i> Paralysis ex plumbo	Paralysie saturnine	Bleilähmung	Paralisi litargiorosa
V. Paralysis carpum debilitans	Paralysie des extenseurs de l'avant-bras	Handextensoren-lähmung	Paralisi degli estensori della mano
101. Paralysis pseudo-hypertrophica	Paralysie pseudo-hypertrophique	Pseudo-Hypertrophie der Muskeln	Paralisi pseudo-ipertrofica
102. Anæsthesia	Anesthésie	Anaesthesie	Anestesia
103. Anæsthesia generalis	Anesthésie générale	Allgemeine Anaesthesie	Anestesia generale
104. Hemianæsthesia	Hémianesthésie	Hemianaesthesie	Emianestesia
105. Anæsthesia localis	Anesthésie locale	Lokale Anaesthesie	Anestesia topica
106. Eclampsia	Éclampsie	Eklampsie	Eclampsia
107. Convulsio (<i>sive</i> Membrorum distentio) infantilis	Convulsions de l'enfance	Kinderkrämpfe	Convulsioni dei bambini
108. Laryngismus stridulus. <i>Idem valent</i> Spasmus glottidis, Angina spasmodica	Spasme de la glotte. <i>Syn.</i> Angine spasmodique	Millar'sches Asthma. <i>Syn.</i> Krampf der Glottis, Spasmus glottidis	Spasmo della glottide
109. Musculorum spasmus	Spasme musculaire	Muskelkrampf	Spasmo muscolore
1. Tonicus	Tonique	Tonischer	Tonico
2. Clonicus	Clonique	Klonischer	Clonico
V.			
<i>a.</i> Notariorum spasmus	Crampe des écrivains	Schreibekrampf	Spasmo degli scrivani
<i>b.</i> Spasmus histrionicus	Crampe faciale	Mimischer Gesichtskrampf	Spasmo istrionico
<i>c.</i> Balbuties	Bégalement	Stammeln	Balbutie
<i>d.</i> Torticollis	Torticollis	Nickkrampf. <i>Syn.</i> Torticollis	Torticolli
<i>e.</i> Athetosis	Athétose	Athetosis	Atetosi
<i>f.</i> Post hemiplegiam chorea	Chorée post-hémiplégique	Chorea nach Hemiplegie	Corea post-emiplegica
110. Tremor ex hydrargyro	Tremblement mercuriel	Quecksilberzittern	Tremito mercuriale
111. Paralysis agitans	Paralysie agitans	Paralysis agitans	Paralisi tremola

100. Toxic paralysis.

a. Lead palsy.

Variety: Wrist-drop.

101. Pseudo-hypertrophic paralysis.

102. Anæsthesia.

Note.—This term is to be used only when exact information is wanting.

103. General anæsthesia.

104. Hemi-anæsthesia.

105. Local anæsthesia.

Note.—The distribution should be specified.106. Eclampsia. *Synonym*, Symptomatic convulsions.*Note*.—When the cause is known, the return should be made under the head of that cause.

107. Infantile convulsions.

108. Laryngismus stridulus. *Synonyms*, Spasm of the glottis, Spasmodic croup.109. Spasm of muscle. *Synonym*, Cramp.*Note*.—The muscles affected should be specified.

1. Tonic.

2. Clonic.

Varieties of spasm:a. Writer's cramp. *Synonym*, Scrivener's palsy.

b. Histrionic spasm.

c. Stammering.

d. Wry-neck. *Synonym*, Torticollis.

e. Athetosis.

f. Post-hemiplegic chorea.

110. Mercurial tremor.

111. Paralysis agitans. *Synonym*, Shaking palsy.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
112. Aphasia	Aphasie	Aphasie	Afasia
113. Mutitas	Mutisme, Mutité	Stummheit	Mutezza
114. Hyperæsthesia	Hyperesthésie	Hyperaesthesia	Iperesthesia
115. Hyperæsthesia generalis	Hyperesthésie générale	Allgemeine Hyperaesthesia	Iperesthesia generale
116. Hyperæsthesia localis	Hyperesthésie locale	Lokale Hyperaesthesia	Iperesthesia locale
117. Neuralgia	Névralgie	Neuralgie	Neuralgia
V.:			
a. Neuralgia faciei	Névralgie faciale	Gesichts- Neuralgie	Faciale neuralgia
b. Ischias	Sciaticque	Ischias	Sciatica
118. Vertigo	Vertige	Schwindel	Vertigine
V. Auditoria	Auriculaire. <i>Syn.</i> Maladie de Ménière	Ohrenschwindel. <i>Syn.</i> Ménièresche Krankheit	Uditoria
119. Hemicrania	Migraine	Hemicranie. <i>Syn.</i> Migraine	Micrania
120. Tetanus.	Tétanos	Tetanus. <i>Syn.</i> Starrkrampf	Tetano
V. Trismus	Trismus	Trismus. <i>Syn.</i> Kieferklemme	Trismo
121. Tetania	Tétanie	Tetanie	Tetano
(31.) <i>Hydrophobia</i>	<i>Hydrophobie</i>	<i>Hydrophobie.</i> <i>Syn.</i> <i>Wasserscheu</i>	<i>Idrofobia</i>
122. Epilepsia	Épilepsie. Haut Mal	Epilepsie. Fall- sucht	Epilessia
123. Chorea.	Chorée. Danse de St. Guy	Veitstanz. <i>Syn.</i> Chorea	Corea
V.-Hemichorea	Hémichorée	Hemichorea	Emicorea
124. Hysteria	Hystérie	Hysterie	Isterismo
V.-Hysteroepilepsia.	Hystéro-épilepsie	Hysteroepilepsie	Istero-epilessia
125. Catalepsis	Catalepsie	Catalepsie	Catalepsia
126. Syncope, <i>sive</i> Animæ defectio	Syncope	Syncope	Sincope

CLASSIS 3.

MENTIS AFFECTUS.

127. Hypochondriasis	Hypochondrie	Hypochondrie	Ipocondriasi
128. Insania	Folie, Aliénation mentale	Irresein	Insania

112. Aphasia.

113. Dumbness.

114. Hyperæsthesia.

Note.—This term is to be used only when exact information is wanting.

115. General hyperæsthesia.

116. Local hyperæsthesia.

Note.—The distribution should be specified.

117. Neuralgia.

Note.—The locality should be specified.

Varieties :

a. Facial. *Synonym*, Tic douloureux.

b. Sciatica.

118. Vertigo.

Variety : Auditory. *Synonym*, Ménière's disease.

119. Megrim. *Synonym*, Paroxysmal sick-headache.

120. Tetanus. *Synonym*, Lock-jaw.

Variety : Trismus.

121. Tetany.

(31.) *Hydrophobia*.

122. Epilepsy. *Synonym*, Falling sickness.

123. Chorea. *Synonym*, St. Vitus's dance.

Variety : Hemichorea.

124. Hysteria.

Variety : Hystero-epilepsy.

125. Catalepsy.

125A. Somnambulism.

126. Syncope.

SUB-SECTION 3.

MENTAL DISEASES.

127. Hypochondriasis.

128. Insanity.

Note.—This term should be employed only when the case does not manifestly come under one of the following heads:—

LATIN EQ.	FRENCH	GERMAN	ITALIAN
129. Mania	Manie	Manie. <i>Syn.</i> Tob-sucht	Pazzia
130. Melancholia	Mélancholie	Melancholie	Malinconia
131. Dementia, ex aliqua causa prodiens	Démence	Blödsinn, mit Einschluss des erworbenen	Demenza
132. Amentia. <i>Idem</i> valet Mentis imbecillitas in- genita	Idiotisme	Idiotismus (angeborener)	Idiotismo (innato)
133. Insanorum paralysis generalis	Paralyse des aliénés. <i>Syn.</i> Paralyse générale	Allgemeine progressive Paralyse. <i>Syn.</i> Paralyse der Irren	Paralisi generale de' pazzi
134. Puerperarum insania	Folie puerpérale	Puerperales Irresein	Insania puerperale
135. Epilepticorum insania	Délire épileptique	Epileptisches Irresein	Insania epilettica
136. Pubescentium insania	Hypochondrie des jeunes	Pubertätsirresein	Insania pubescente
137. Insania climacterica	Aliénation climaterique	Klimakterisches Irresein	Insania climaterica
138. Insania senilis	Démence sénile	Seniles Irresein	Insania senile
139. Insania toxica, ex alcohole, podagra, plumbo, etc.	Délire alcoölique, goutteux, saturnin	Irresein aus Intoxicationen durch Alkohol, Gicht, Blei	Insania tossica, da alcoole, gotta, piombo
(52). V.— <i>Delirium tremens, sive Alcoholicum</i>	<i>Delirium tremens</i>	<i>Delirium tremens.</i> <i>Syn.</i> <i>Säuferwahn-sinn.</i>	<i>Delirio tremolo</i>
140. Insania traumatica	Délire traumatique	Traumatisches Irresein	Insania traumatica
141. Insania cum manifesta cerebri depravatione conjuncta	Folie suite de maladie organique du cerveau	Irresein verbunden mit organischen Veränderungen im Gehirn	Insania accompagnata da certa o certe lesioni del cervello
142. Insania febres, viscerum inflammationes, etc., subsequens	Aliénation mentale suite de fièvres, d'inflammation des viscères, etc.	Consecutives Irresein nach fieberhaften Processen, entzündlichen Organerkrankungen, u.s.w.	Insania in seguito a febbri, a infiammazioni dei visceri, etc.

- 129. Mania.
- 130. Melancholia.
- 131. Dementia, including Acquired imbecility.
- 132. Idiocy. *Synonym*, Congenital imbecility.
- 133. General paralysis of the insane.
- 134. Puerperal insanity.
- 135. Epileptic insanity.
- 136. Insanity of puberty.
- 137. Climacteric insanity.
- 138. Senile insanity.
- 139. Toxic insanity, from alcohol, gout, lead, etc.

Variety :

- (52.) *Delirium tremens*.

- 140. Traumatic insanity.
- 141. Insanity associated with obvious morbid change or changes in the brain.
- 142. Consecutive insanity, from fevers, visceral inflammations, etc.

Note.—So-called cases of Monomania should be named according as the prevailing symptoms are those of Mania, Melancholia, or Dementia; and distinct hereditary tendency should be mentioned.

OCULORUM MORBI.

TUNICÆ CONJUNCTIVÆ MORBI.

	LATIN EQ.	FRENCH	GERMAN	ITALIAN
	143. Hyperæmia	Hyperémie	Hyperæmie	Iperemia
	144. Ecchymosis	Ecchymose	Ekchymosis	Ecchimosi
	145. Œdema sub tunica conjunctiva	Œdème sous-conjonctival.	Oedem	Edema del tessuto subcongiuntivo.
	a. Chemosis	Chemosis	Chemosis	Chemosi
	V. { Inflammationis Passiva	Inflammatoire Passif	Entzündliche Passive	Infiammateria Passiva
	146. Emphysema	Emphysème	Emphysem	Eufisema
	147. Conjunctivitis. <i>Idem valet Ophthalmia</i>	Conjonctivite. <i>Syn.</i> Ophthalmie	Entzündung der Bindehaut. <i>Syn.</i> Augentzündung	Congiuntivite
	a. Catarrhalis. <i>Idem valet Mucopurulenta</i>	Ophthalmie catarrhale <i>Syn.</i> Muco-purulente	Catarrhalische Augentzündung	Oftalmia catarrale
	b. Purulenta	Ophthalmie purulente	Purulente Augentzündung	Oftalmia purulenta
	1. Simplex	Simple	Einfache	Semplice
(30.)	2. <i>Gonorrhœica</i>	<i>Ophthalmie blennorrhagique</i>	<i>Gonorrhœische</i>	<i>Oftalmia gonorrhœica</i>
	3. Neonatorum	Des nouveau-nés	Der Neugeborenen	Dei neonati
	c. Membranosa	Membraneuse	Membranöse	Membranosa
(14.)	<i>Diphtherica</i>	<i>Diphthéritique</i>	<i>Diphtheritische</i>	<i>Difteritica</i>
	d. Phlyctenularis. <i>Idem valet Pustularis, herpetica, scrofulosa</i>	Phlycténulaire <i>Syn.</i> Pustuleuse, herpétique, scrofuléuse	Phlyctenuläre. <i>Syn.</i> Pustuläre, herpetische, scrophulöse	Flittenuläre. <i>Syn.</i> Pustulare, Erpetica, scrofolosa
	e. Chronica	Chronique	Chronische	Cronica
	f. Granularis. <i>Idem valet Trachoma</i>	Granuleuse. <i>Syn.</i> Trachoma	Granulöse. <i>Syn.</i> Trachom	Granulare. <i>Syn.</i> Tracoma
	1. Papillaris	Papillaire	Papilläres	Papillare
	2. Follicularis	Folliculaire	Folliculäres	Folliculare
	g. Xerophthalmia	Xérophthalmie	Xerophthalmus	Serottalmia
(62.)	<i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
	a. Pterygium (Unguis, Cels.)	Ptérygion	Pterygium. <i>Syn.</i> Flügelfell	Pterigio
	b. Pinguecula	Pinguecula	Pinguecula	Pinguecula
(63.)	<i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>

DISEASES OF THE EYE.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by number.

DISEASES OF THE CONJUNCTIVA.

143. Hyperæmia.

144. Ecchymosis.

145. *Œdema.

a. Chemosis. { Inflammatory.
Passive.

146. *Emphysema.

147. Conjunctivitis. *Synonym*, Ophthalmia.

a. Catarrhal. *Synonym*, Muco-purulent.

b. Purulent.

(30.) 1. Simple.
2. *Gonorrhæal*.

3. Of new-born infants.

(14.) c. Membranous.
Diphtheritic.

d. Phlyctenular. *Synonyms*, Pustular, herpetic, scrofulous.

e. Chronic.

f. Granular. *Synonym*, Trachoma.

1. Papillary.

2. Follicular.

g. Xerophthalmia.

(62.) *Non-malignant New Growth*.

a. Pterygium.

b. Pinguecula.

(63.) *Malignant New Growth*.

} Return according to the
list of tumours at p. 307.

* When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(35, 36) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>
148. <i>Maculae metallicae in conjunctiva</i>	<i>Taches métalliques</i>	<i>Metallische Flecken</i>	<i>Macchie metalliche</i>
a. <i>Ex argenti nitrate</i>	<i>Nitrate d'argent</i>	<i>Von Höllenstein</i>	<i>Da nitrato d'argento</i>
b. <i>Ex plumbo</i>	<i>Plomb</i>	<i>Von Blei</i>	<i>Da piombo</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
a. <i>Corpora adentitia</i>	<i>Corps étrangers</i>	<i>Fremdkörper</i>	<i>Corpi estranei</i>
(54.) <i>Deformitates ingentitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>

TUNICÆ CORNEÆ MORBI.

149. <i>Keratitis</i>	<i>Kératite</i>	<i>Hornhautentzündung</i>	<i>Cheratitis</i>
a. <i>Exterior</i>	<i>Superficielle</i>	<i>Oberflächliche</i>	<i>Superficiale</i>
b. <i>Ex vulnere</i>	<i>Traumatique</i>	<i>Traumatische</i>	<i>Traumatica</i>
c. <i>Suppurans</i>	<i>Kératite suppurée</i>	<i>Suppurative</i>	<i>Cheratitis con suppurazione</i>
1. <i>Circumscripta. Idem valet Onyx</i>	<i>Circonscrite. Syn. Onyx, abcès</i>	<i>Umschriebene. Syn. Onyx, Abscess</i>	<i>Circoscritta. Sin. Onice</i>
2. <i>Diffusa</i>	<i>Diffuse</i>	<i>Diffuse</i>	<i>Diffusa</i>
d. <i>Interior</i>	<i>Kératite interstitielle</i>	<i>Interstitielle</i>	<i>Cheratitis interstiziale</i>
<i>Idem valet Parenchymatosa</i>	<i>Syn. Parenchymateuse</i>	<i>Syn. Parenchymatöse</i>	<i>Sin. Parenchimatosa</i>
(29.) e. <i>Syphilitica</i>	<i>Syphilitique</i>	<i>Syphilitische</i>	<i>Sifilitica</i>
f. <i>Vascularis</i>	<i>Vasculaire</i>	<i>Vasculäre</i>	<i>Vascolare</i>
1. <i>Pannus</i>	<i>Pannus</i>	<i>Pannus</i>	<i>Panno</i>
2. <i>Keratitis vascularis profunda</i>	<i>Kératite vasculaire profonde</i>	<i>Tiefliegende vasculäre Hornhautentzündung</i>	<i>Keratitis vascolare profunda</i>
150. <i>Ulcus</i>	<i>Keratite ulcéreuse</i>	<i>Geschwür</i>	<i>Ulcera</i>
a. <i>Acutum</i>	<i>Aiguë</i>	<i>Acutes</i>	<i>Acuta</i>
b. <i>Chronicum</i>	<i>Chronique</i>	<i>Chronisches</i>	<i>Cronica</i>
1. <i>Vasculare sive phlyctenulare</i>	<i>Vasculaire ou phlycténulaire</i>	<i>Mit Gefäß oder Phlyctänenbildung</i>	<i>Vascolare o flittenulare</i>
2. <i>Non vasculare</i>	<i>Non-vasculaire</i>	<i>Ohne Gefäßbildung</i>	<i>Non-vascolare</i>
c. <i>Serpiginosum</i>	<i>Serpigineuse</i>	<i>Serpiginöses</i>	<i>Serpiginosa</i>
d. <i>Suppurans</i>	<i>Suppurative</i>	<i>Eiterndes</i>	<i>Suppurante</i>
e. <i>Cum sphacelo</i>	<i>Phlegmoneuse</i>	<i>Zerfallendes</i>	<i>Gangrena</i>

(35, 36.) *Parasitic disease.*

Return such cases according to the list at
p. 284.

148. Metallic deposits.

a. From nitrate of silver.

b. From lead.

(40-48.) *Injuries.*

Return such cases according to the list at p. 229.

a. *Foreign bodies.*

(54.) *Malformations.*

Return such cases according to the list at pp.
293, 299, 303.

DISEASES OF THE CORNEA.

149. Keratitis.

a. Superficial.

b. Traumatic.

c. Suppurative.

1. Circumscribed. *Synonyms*, Onyx, abscess.

2. Diffuse.

d. Interstitial. *Synonym*, Parenchymatous.

(29.) e. *Syphilitic.*

Return according to table at p. 313.

f. Vascular.

1. Pannus.

2. Deep vascular keratitis.

150. Ulcer.

a. Acute.

b. Chronic.

Varieties:

1. Vascular or phlyctenular.

2. Non-vascular.

c. Serpiginous.

d. Suppurating.

e. Sloughing.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
151. Arcus senilis	Arc-sénile	Arcus senilis	Arco senile
152. Hydrophthalmus anterior	Hydrophthalmie antérieure	Hydrophthalmus anterior	Idrottalmo anteriore
153. Cornea cacuminata. <i>Idem valet</i> Keratoconus	Conicité de la cornée	Keratokonius	Cornea conica
154. Cornea opaca. <i>Idem valet</i> Albugo, Nebula, Leucoma	Opacité de la cor-née	Trübung. <i>Syn.</i> Leucom	Leucoma
a. Pellicula calcarea transversa	Pellicule calcaire transverse	Bandförmige Hornhauttrü-bung	Tunica calcarea transversa
b. Ex plumbo	Dépôt saturnin	von Blei	da piombo
155. Staphyloma, <i>sive</i> Uvatio	Staphylôme	Staphyloma	Stafiloma
156. Fistula	Fistule	Fistel	Fistola
(62.) Tumores non maligni	Tumeurs non-ma-lignes	Gutartige Ge-schwülste	Tumori non-ma-ligni
(63.) Tumores maligni	Tumeurs malignes	Bösartige Ge-schwülste	Tumori maligni
(40-48.) Læsiones	Lésions	Verletzungen	Lesioni
(40) a. Corpora adventitia	Corps étrangers	Fremde Körper	Corpi estranei

TUNICÆ SCLEROTICÆ MORBI.

157. Inflammatio	Inflammation	Entzündung	Inflammazione
a. Episcleritis	Episclérite	Episcleritis	Episclerotitide
b. Sclerotitis	Scélrotite	Sclerotitis	Sclerotitide
158. Staphyloma, <i>sive</i> Uvatio	Staphylome	Staphyloma	Stafiloma
a. Anterior	Antérieur	Vorderes	Anteriore
b. Æquatoria	Equatorial	Aequatorielles	Equatoriale
c. Posterior	Postérieur	Hinteres	Posteriore
(62.) Tumores non maligni	Tumeurs non-ma-lignes	Gutartige Ge-schwülste	Tumori non-ma-ligni
(63.) Tumores maligni	Tumeurs malignes	Bösartige Ge-schwülste	Tumori maligni
(29.) Syphilis	Syphilis	Syphilis	Sifilide
(40-48.) Læsiones	Lésions	Verletzungen	Lesioni

151. Arcus senilis.
 152. Hydrophthalmos anterior. *Synonym*, Kerato-globus.
 153. Conical cornea. *Synonym*, Kerato-conus.
 154. Opacity. *Synonyms*, Albugo, Nebula, Leucoma.

a. Transverse calcareous film.

b. From lead.

155. Staphyloma.

156. Fistula.

- | | |
|--|---|
| (62.) <i>Non-malignant New Growth.</i> | } Return according to the
list of tumours at p. 307. |
| (63.) <i>Malignant New Growth.</i> | |

(40-48.) *Injuries.*

Return such cases according to the list at
p. 231.

(40.) *a.* *Foreign bodies.*

DISEASES OF THE SCLEROTIC.

157. Inflammation.

a. Episcleritis.

b. Sclerotitis.

158. Staphyloma.

a. Anterior.

b. Equatorial.

c. Posterior.

- | | |
|--|---|
| (62.) <i>Non-malignant New Growth.</i> | } Return according to the
list of tumours at p. 307. |
| (63.) <i>Malignant New Growth.</i> | |

(29.) *Syphilis.*

(40-48.) *Injuries.*

Return such cases according to the list at
p. 229.

IRIDIS MORBI.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
159. Atrophia	Atrophie	Atrophie	Atrofia
160. Hæmorrhagia	Hémorrhagie	Hæmorrhagie	Emorragia
161. Iritis	Iritis	Iritis	Iritide
a. Ex vulnere	Iritis traumaticus	Traumatische Iritis	Iritide traumatica
(29.) b. Syphilitica	Iritis syphilitique	Syphilitische Iritis	Iritide sifilitica
(58.) c. Rheumatica	Iritis rhumatis- male	Rheumatische Iritis	Iritide reumatica
(59.) d. Arthritica	Iritis arthritique	Gichtische Iritis	Iritide artritica
e. Serosa. <i>Idem</i> valet Keratitis punctata	Iritis séreuse	Seröse Iritis	Iritide sierosa
(64.) f. Tuberculosa, sive strumosa	Iritis scrofulense	Scrophulöse Iritis	Iritide scrofolosa
(30) g. Gonorrhœica	Iritis bleunorrhæ- gique	Gonorrhœische Iritis	Iritide gonorrhœica
h. Sympathetica	Iritis parsympathie	Sympathische Iritis	Iritide simpatica
162. Synechia	Synéchie	Synechie	Sinechia
a. Posterior	Postérieure	Vordere	Posteriore
b. Anterior	Antérieure	Hintere	Anteriore
163. Myosis	Myose	Myosis	Miosi
a. Senilis	Senile	Senile	Senile
b. Ex synechiis pos- terioribus	Resultant de syné- chies postérieures	Durch hintere Syn- echien	Da sinechia pos- teriore
c. Ex eserina, aut aliis myoticis	Resultant de l'ésé- rine ou autres myotiques	Durch Eserin und andere Myotica	Da eserina o altri miotici
d. Paralytica (dila- toris paralysis)	Paralytique (para- lysie du dilateur)	Paralytische (Läh- mung des Er- weiterers)	Paralitica
e. Spinalis. <i>Idem</i> valet Tabica	Spinale. <i>Syn.</i> Tabique	Spinale. <i>Syn.</i> Tabetische	Spinale. <i>Sin.</i> Ta- betica
164. Mydriasis	Mydriase	Mydriasis	Midriasi
a. Anæmica	Anémique	Anaemische	Anemica
b. Traumatica	Traumatique	Traumatische	Traumatica
c. Ex atropia, aut aliis mydriaticis	Causée par l'atro- pine ou autres mydriatiques	Durch Atropin oder andere My- driatica	Da atropina o altri remedi midriatici
d. Paralytica	Paralytique. Im- mobilité reflexe du sphincter	Paralytische. Reflectorische Pupillenstarre	Paralitica (Paralisi dello sfintere). Immobilità re- flessa
165. Iridoplegia. <i>Idem</i> valet Iridis para- lysis	Iridoplégie. <i>Syn.</i> Paralysie de l'iris	Iridoplegie. <i>Syn.</i> Lähmung der Iris	Iridoplegia

DISEASES OF THE IRIS.

159. Atrophy.

160. Hæmorrhage.

161. Iritis.

a. Traumatic.

(29.) *b.* *Syphilitic.*

(58.) *c.* *Rheumatic.*

(59.) *d.* *Gouty.*

e. Serous. *Synonym, Keratitis punctata.*

(64.) *f.* *Tubercular.* *Synonym, Scrofulous.*

(30.) *g.* *Gonorrhæal.*

h. Sympathetic.

162. Synechia.

a. Posterior.

b. Anterior.

163. *Myosis.

a. Senile.

b. From posterior synechiæ.

c. From eserine or other myotics.

d. Paralytic. (Paralysis of dilator.)

e. Spinal. *Synonym, Tabetic.*

164. *Mydriasis.

a. Anæmic.

b. Traumatic.

c. From atropine or other mydriatics.

d. Paralytic. (Paralysis of sphincter.)

Variety: Reflex immobility.

165. *Iridoplegia. *Synonym, Paralysis of iris.*

* When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
166. <i>Iris tremula</i>	Tremblement de l'iris	Irizzittern	Iride tremola
(62.) <i>Tumores non maligni</i>	Tumeurs non-malignes	Gutartige Geschwülste	Tumori non-maligni
(63.) <i>Tumores maligni</i>	Tumeurs malignes	Bösartige Geschwülste	Tumori maligni
(40-48.) <i>Lasiones</i>	Lésions	Verletzungen	Lesioni
(54.) <i>Deformitates ingentæ</i>	Vices de conformation	Missbildungen	Vizi di conformazione
a. <i>Irideremia</i>	Iridérémie	Irideremie	Irideremia
b. <i>Coloboma</i>	Colobome	Colobom	Coloboma
c. <i>Membrana pupillaris persistens</i>	Persistance de la membrane pupillaire	Persistirende Pupillarmembran	Membrana pupillare persistente
d. <i>Polycoria</i>	Polycorie	Polycorie	Policoria

TUNICÆ CHOROIDIS ET CORPORIS CILIARIS MORBI.

167. <i>Atrophia</i>	Atrophie	Atrophie	Atrofia
168. <i>Hæmorrhagia</i>	Extravasation de sang	Hæmorrhagie	Einorrhagia
169. <i>Choroiditis</i>	Choroidite	Choroiditis	Coroiditide
a. <i>Serosa. Idem valet Iridochoroiditis</i>	Séreuse. Syn. Irido-choroidite	Seröse. Syn. Irido-choroiditis	Sierosa
b. <i>Plastica</i>	Plastique	Plastische	Plastica
c. <i>Suppurans</i>	Suppurative	Eitrige	Suppurativa
(29.) d. <i>Syphilitica</i>	Syphilitique	Syphilitische	Sifilitica
(64.) e. <i>Tuberculosa, sive strumosa</i>	Tuberculeuse	Tuberculöse	Tubercolare
(62.) <i>Tumores non maligni</i>	Tumeurs non-malignes	Gutartige Geschwülste	Tumori non-maligni
(63.) <i>Tumores maligni</i>	Tumeurs malignes	Bösartige Geschwülste	Tumori maligni
(40-48.) <i>Lasiones</i>	Lésions	Verletzungen	Lesioni
a. <i>Diruptio</i>	Déchirure	Ruptur	Rottura
(54.) <i>Deformitates ingentæ</i>	Vices de conformation	Missbildungen	Vizi di conformazione
a. <i>Coloboma</i>	Colobome	Colobom	Coloboma
b. <i>Albinismus</i>	Albinisme	Albinismus	Albinismo

166. Tremulous iris.

(62.) *Non-malignant New Growth.* }
 (63.) *Malignant New Growth.* } Return according to the
 list of tumours at p. 307.

(40-48.) *Injuries.*

Return such cases according to the list at
 p. 231.

(54.) *Malformations.*

Return such cases according to the list at
 pp. 293, 299, 303.

a. *Irideremia.*

b. *Coloboma.*

c. *Persistent pupillary membrane.*

d. *Polycoria.*

DISEASES OF CHOROID AND CILIARY BODY.

167. *Atrophy.

168. Hæmorrhage.

169. *Choroiditis.

a. Serous. *Synonym, Irido-choroiditis.*

b. Plastic.

c. Suppurative.

(29.) d. *Syphilitic.*

(64.) e. *Tubercular.*

(62.) *Non-malignant New Growth.* }
 (63.) *Malignant New Growth.* } Return according to the
 list of tumours at p. 307.

(40-48.) *Injuries.*

Return such cases according to the list at
 p. 227.

a. *Rupture.*

(54.) *Malformations.*

Return such cases according to the list at
 pp. 293, 299.

a. *Coloboma.*

b. *Albinism.*

* When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
170. Hypopyon	Hypopion	Hypopyon	Ipopio
171. Glaucoma	Glaucome	Glaucom	Glaucoma
<i>a. Simplex, sine dolore aut congestione</i>	Simple, sans douleur ni congestion	Einfaches, ohne Schmerz oder Congestion	Semplice, senza dolore o congestione
<i>b. Ex inflammatione</i>	Inflammatoire	Entzündliches	Infiammatorio
1. Acutum	Aigu	Acutes	Acuto
2. Chronicum sive longum	Chronique	Chronisches	Cronico
V.—Fulminans	Foudroyant	Fulminirendes	Fulminante
<i>c. Hæmorrhagicum</i>	Hémorrhagique	Hæmorrhagisches	Emorragico
<i>d. Secundarium</i>	Secondaire	Secundäres	Secondario

NERVI OPTICI ET RETINÆ MORBI.

NERVI.

172. Atrophia disci optici aut papillæ	Atrophie du disque optique ou de la papille	Atrophie der Sehnervenscheibe oder Papille	Atrofia della papilla
173. Disci optici congestio	Congestion du disque optique	Congestion der Sehnervenscheibe	Congestione
174. Disci optici œdema.	Œdème du disque optique	Oedem der Sehnervenscheibe. <i>Syn.</i> Stauungspapille	Edema della papilla
175. Inflammatio. <i>Idem valet</i> Neuritis optica sive papillitis	Inflammation. <i>Syn.</i> Névrite optique ou papillite	Entzündung. <i>Syn.</i> Optische Neuritis	Infiammazione. <i>Sin.</i> Neurite ottica o papillite
176. Neuroretinitis	Névro-rétinite	Neuroretinitis	Neuro-retinitide
(62.) Tumores non maligni	Tumeurs non-malignes	Gutartige Geschwülste	Tumori non-maligni
(63.) Tumores maligni	Tumeurs malignes	Bösartige Geschwülste	Tumori maligni
(54.) Deformitates congenitæ	Vices de conformation	Missbildungen	Vizi di conformazione
<i>a. Thecæ coloboma</i>	Colobome de la gaine	Colobom der Scheide	Coloboma dell'involucro

170. Hypopyon.

NOTE.—This condition is placed here separately, and not under the diseases of any particular part, its relations being too various to allow of more definite position.

171. *Glaucoma.

NOTE.—This affection is placed here separately, and not under the diseases of any particular part, its relations being too various to allow of more definite position.

a. Simple, without pain or congestion.

b. Inflammatory.

1. Acute.

2. Chronic.

Variety : Fulminans.

c. Hæmorrhagic.

d. Secondary.

DISEASES OF THE OPTIC NERVE AND RETINA.

NERVE.

172. Atrophy of optic disc or papilla.

173. Congestion of optic disc.

174. Œdema of optic disc.

175. *Inflammation. *Synonyms*, Optic neuritis or papillitis,

176. *Neuro-retinitis.

(62.) *Non-malignant New Growth.*

(63.) *Malignant New Growth.*

} Return according to the
list of tumours at p. 307.

(54.) *Malformations.*

Return such cases according to the list at
p. 293, 299.

a. *Coloboma of the sheath.*

* When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified.

RETINÆ.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
177. Atrophia	Atrophie	Atrophie	Atrofia
178. Hæmorrhagia	Hémorrhagie	Hæmorrhagie	Emorragia
179. Retinæ ischæmia	Ischémie de la Rétine	Ischaemie der Netzhaut	Ischemia della retina
180. Separatio. <i>Idem</i> <i>valet</i> Hydrops subretinalis.	Décollement. <i>Syn.</i> Hydropsie sous rétinienne	Netzhautabhe- bung. <i>Syn.</i> Hy- drops subreti- nalis	Distano. <i>Sim.</i> Idro- pisia infraretinale
181. Retinitis	Rétinite	Retinitis	Retinitide
a. Hæmorrhagica	Hæmorrhagique	Hæmorrhagische	Emorragica
(550-551.) b. Albuminurica	Albuminurie	Nephritische	Albuminurica
(78.) c. Diabetica	Diabétique	Diabetische	Diabetica
(76.) d. Leucocythæmia	Leucocythémie	Leucocythaemische	Leucocitemica
(29.) e. Syphilitica	Syphilitique	Syphilitische	Sifilitica
f. Pigmentaria	Pigmentaire	Pigmentäre	Pigmentoria
(62.) Tumores non ma- ligni	Tumeurs non-ma- lignes	Gutartige Ge- schwülste	Tumori non-ma- ligni
(63.) Tumores maligni	Tumeurs malignes	Bösartige Ge- schwülste	Tumori maligni
(40-48.) Læsiones	Lésions	Verletzungen	Lesioni
(54.) Deformatates in- genitæ	Vices de confor- mation	Missbildungen	Vizi di conforma- zione
a. Nervorum fibræ opacæ	Opacité de fibres nerveuses	Markhaltige Ner- venfasern	Fibre opache del nervo

LENTIS EJUSQUE CAPSULÆ MORBI.

182. Cataracta (Suffu- sio, <i>Cels.</i>)	Cataracte	Staar	Cateratta
1. Vera sive lenticularis	Lenticulaire ou véritable	Linsen-oder wahrer Staar	Cateratta vera o lenticolare
a. Polaris anterior.	Polaire antérieure	Vorderer Polarstaar	Polare anteriore
V. Pyramidalis	Pyramidale	Pyramidenstaar	Piramidale
b. Polaris posterior.	Polaire postérieure	Hinterer Polarstaar	Polare posteriore
c. Nuclearis	Du noyau	Kernstaar	Nucleolare
d. Corticalis	Corticale	Rindenstaar	Corticale
e. Dura. <i>Idem valet</i> Senilis	Dure. <i>Syn.</i> Sénile	Harter. <i>Syn.</i> Seniler	Dura

RETINA.

177. *Atrophy.

178. *Hæmorrhage.

179. Ischæmia retinæ.

180. Detachment. *Synonym*, Subretinal dropsy.

181. *Retinitis.

a. Hæmorrhagic.

(550-551.) b. *Albuminuric*.

(78.) c. *Diabetic*.

(76.) d. *Leucocythæmic*.

(29.) e. *Syphilitic*.

f. *Pigmentary*.

(62.) *Non-malignant New Growth*.

(63.) *Malignant New Growth*.

} Return according to the
list of tumours at p. 307.

(40-48.) *Injuries*.

Return such cases according to the list at
p. 229.

(54.) *Malformations*.

Return cases of this class according to the list
at pp. 293, 299.

a. *Medullated nerve-fibres*. *Synonym*, *Opaque nerve-fibres*.

DISEASES OF THE LENS AND ITS CAPSULE.

182. *Cataract.

1. Lenticular or true cataract.

a. Anterior polar.

Variety: Pyramidal.

b. Posterior polar.

c. Nuclear.

d. Cortical.

e. Hard. *Synonym*, Senile.

* When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
<i>f. Mollis</i>	Molle	Weicher	Molle
<i>g. Lamellaris. Idem valet Zonularis</i>	Lamellaire	Schichtstaar. <i>Syn.</i> Faserschichten- staar	Lamellare
(78.) <i>h. Diabetica</i>	<i>Diabétique</i>	<i>Diabetischer</i>	<i>Diabetica</i>
<i>i. Traumatica sive ex vulnere</i>	Traumatique	Traumatischer	Traumatica
<i>k. Morgagniana</i>	Morgagnienne	Morgagnischer	del Morgagni
<i>l. Contracta</i>	Ratatinée	Geschrumpfte	Corrugata
<i>m. Calcarea</i>	Calcaire	Kalkstaar	Calcarea
2. Cataracta capsularis	Cataracte capsu- laire	Kapselstaar	Cateratta cristal- loidea
183. Aphakia	Aphakie	Aphakie	Afachia
184. Luxatio	Luxation	Dislocation	Lussazione
(54.) <i>Deformitates in- genitæ</i>	<i>Vices de confor- mation</i>	<i>Missbildungen</i>	<i>Vizi di conforma- zione</i>

CORPORIS VITREI MORBI.

185. Hæmorrhagia	Hémorrhagie	Hæmorrhagie	Emorragia
186. Hyalitis	Hyalodite	Hyalitis	Ialoidite
187. Synchysis	Synchysis	Glaskörperver- flüssigung. <i>Syn.</i> Synchyse	Sinchisi
188. Vasa nova in cor- pore vitreo	Nouvelle forma- tion de vais- seaux dans le corps vitré	Gefässneubil- dungen im Glaskörper	Vasi nuovi dell' ialoidea
189. Opacitates	Opacités	Glaskörpertrü- bungen	Opacità
(35.) <i>Morbus parasiticus</i>	<i>Maladie para- sitaire</i>	<i>Parasitäre Er- krankungen</i>	<i>Malattia paras- itica</i>
(54.) <i>Deformitates in- genitæ</i>	<i>Vices de confor- mation</i>	<i>Missbildungen</i>	<i>Vizi di conforma- zione</i>
<i>a. Arteria hyaloides persistens</i>	<i>Persistence de l'artère hya- loïdienne</i>	<i>Persistenz der Arteria hyaloidea</i>	<i>Persistenza dell' arteria ioloidea</i>

GLOBI MORBI.

190. Panophthalmitis	Panophthalmie	Panophthalmitis	Panoftalmite
191. Globi contractio. <i>Idem valet</i> Phthisis Globi	Phthisie ou atro- phie du globe	Schwund des Augapfels. <i>Syn.</i> Phthisis bulbi	Tisi o atrofia del globo

f. Soft.

g. Lamellar. *Synonym*, Zonular.

(78.)

h. Diabetic.

i. Traumatic.

k. Morgagnian.

l. Shrunken.

m. Calcareous.

2. Capsular cataract.

183. Aphakia.

184. Dislocation.

(54.) *Malformations*.

Return such cases according to the list at
p. 293.

DISEASES OF THE VITREOUS HUMOUR.

185. *Hæmorrhage.

186. *Hyalitis.

187. *Synchysis.

188. New blood-vessels in vitreous.

189. *Opacities.

In all cases of disease of the vitreous, state
whether any and what other disease of the eye
is present.

(35.) *Parasitic disease*.

Return cases of this kind according to list at
p. 284, *et seq*.

(54.) *Malformations*.

Return such cases according to the list at
p. 293.

a. Persistent hyaloid artery.

AFFECTIONS OF THE GLOBE.

190. Panophthalmitis.

191. Shrunken eyeball. *Synonym*, Phthisis bulbi.

* When the cause of this condition is known, the return should be made
under the head of such cause, the local condition being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
192. Ossis in oculo formatio	Ossification du globe	Vorknöcherung im Innern des Auges	Ossa formantisi nell'occhio
(54.) <i>Deformitates ingenuæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
<i>a. Anophthalmus</i>	<i>Anophthalmie</i>	<i>Anophthalmus</i>	<i>Anoftalmo</i>
<i>b. Microphthalmus</i>	<i>Microphthalmie</i>	<i>Mikrophthalmus</i>	<i>Microftalmo</i>

VISUS DEFECTIOES.

193. Ametropia	Amétropie	Ametropie	Ametropia
<i>a. Myopia, sive visus brevior</i>	Myopie	Kurzsichtigkeit	Miopia
<i>b. Hypermetropia</i>	Hypermétropie	Hypermetropie	Ipermetropia
<i>c. Astigmatismus</i>	Astigmatisme	Astigmatismus	Astigmatismo
1. Myopicus	Myope	Myopischer	Miopico
2. Hypermetropicus	Hypermétrope	Hypermetropischer	Ipermetropico
3. Mistus	Mixte	Gemischter	Misto
4. Abnormis	Irrégulier	Unregelmässiger	Irregolare
<i>d. Presbyopia, sive visus longior</i>	Presbytie	Fernsichtigkeit	Presbiopia
<i>e. Anisometropia</i>	Anisométropie	Anisometropie	Anisometropia
194. Asthenopia	Asthénopie	Asthenopia	Astenopia
<i>a. Muscularis</i>	Musculaire	Muskuläre	Muscolare
<i>b. Accommodativa</i>	Accommodative	Aceommodative	Accomodativa
195. Accommodationis morbi	Désordres de l'accommodation	Accommodationsstörungen	Disordini d'accomodazione
<i>a. Spasmodiei</i>	Spasmodique	Spasmodische	Spasmodiei
<i>b. Paralytici</i>	Paralitique	Paralytische	Paralitici
196. Macropsia	Macropsie	Makropsie	Macropsia
197. Micropsia	Micropsie	Mikropsie	Micropsia
198. Nyctalopia	Nyctalopie	Nyctalopie	Nittalopia
199. Niphablepsia	Cécité due à la neige	Schneebblindheit	Cecità nevale
200. Hemeralopia	Héméralopie	Hemeralopie	Emeralopia
201. Achromatopsia, sive falsa colorum cognitio	Dyschromatopsie ou Daltonisme, Achromatopsie	Farbenblindheit	Incapacità a distinguere colori. Daltonismo.
<i>a. Coloris rubri cum viridi confusio</i>	Rouge-verte	Roth-Grünblindheit	Rosso-verde

192. Formation of bone in the eye. (State part affected.)

(54.) *Malformations.*

Return such cases according to the list at
pp. 293, 299.

a. Anophthalmos.

b. Microphthalmos.

DISORDERS OF VISION.

193. Ametropia.

a. Myopia.

b. Hypermetropia.

c. Astigmatism.

1. Myopic.

2. Hypermetropic.

3. Mixed.

4. Irregular.

d. Presbyopia.

e. Anisometropia.

194. Asthenopia.

a. Muscular.

b. Accommodative.

195. Disorders of accommodation.

a. Spasmodic.

**b. Paralytic.*

196. Macropsia.

197. Micropsia.

198. Night-blindness. *Synonym, Nyctalopia.*

199. Snow-blindness.

200. Day-blindness. *Synonym, Hemeralopia.*

201. *Colour-blindness.

a. Red-green.

* When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified.

APR 6 1909

50

LATIN EQ.

b. Cærulei } cum flavo
 c. Violacei }
 d. Ex toto

FRENCH

Bleue
 Violette
 Absolue

GERMAN

Blau } Gelb-
 Violett } blindheit
 Totale

ITALIAN

Turchino }
 Violetto } giallo
 Totale

202. Chromatopsia	Chromatopsie	Chromatopsie	Cromatopsia
203. Muscæ volitantes	Mouches volantes	Mückensehen	Mosche volanti
204. Photopsia	Photopsie	Photopsie	Fotopsia
205. Diplopia	Diplopie	Diplopie	Diplopia
206. Hemiopia. <i>Idem</i> valet Hemia- nopsia	Hémiopie	Hemiopie	Emiopia
207. Amblyopia	Amblyopie	Amblyopie	Ambliopia
208. Amaurosis	Amaurose	Amaurose	Amaurosi
209. Irritatio sympa- thetica	Irritation sym- pathique	Sympathische Reizung	Irritazione sim- patica
210. Globi neuralgia	Névralgie du globe	Neuralgie des Augapfels	Nevralgia del bulbo

MUSCULORUM APPARATUS MORBI.

211. Strabismus	Strabisme	Strabismus. <i>Syn.</i> Schielen	Strabismo
a. Paralyticus	Paralitique	Paralytischer	Paralitico
b. Spasmodicus	Spasmodique	Spasmodischer	Spasmodico
c. Concomitans	Concomitant	Concomitirender	Concomitante
212. Nystagmus	Nystagmus	Nystagmus	Nistagmo
a. Ingenitus	Congénital	Angeborener	Congenito
b. Acquisitus	Acquis	Erworbener	Acquissito

LACRYMARUM APPARATUS MORBI.

Glandulæ lacry-
malis

213. Inflammatio. <i>Idem</i> valet Dacryoa- denitis	Inflammation. <i>Syn.</i> Dacryadénite	Entzündung. <i>Syn.</i> Dacryoadenitis	Infiammazione
214. Abscessus	Abcès	Abscess	Ascesso

- b. Blue }
 c. Violet } -yellow.
 d. Total.

State whether congenital or acquired. If acquired, to be returned under the disease of optic nerve causing it.

202. Chromatopsia.
 203. *Muscæ volitantes.
 204. Photopsia.
 205. *Diplopia.
 206. Hemioptia. *Synonym*, Hemianopsia.

207. *Amblyopia.

208. *Amaurosis.

Note.—The terms Amblyopia and Amaurosis are to be used only when the cause of blindness is unknown.

209. Sympathetic irritation.

210. *Neuralgia of eyeball.

DISORDERS OF THE MUSCULAR APPARATUS.

211. Squint. *Synonym*, Strabismus.

a. Paralytic.

Classify according to the nerve or nerves affected.

b. Spasmodic.

Classify according to the nerve or nerves affected.

c. Concomitant.

State, in all cases of Squint, whether it be convergent, divergent, or irregular.

212. *Nystagmus.

a. Congenital.

b. Acquired.

AFFECTIONS OF THE LACRYMAL APPARATUS.

Of lacrymal gland.

213. Inflammation. *Synonym*, Dacryoadenitis.

214. Abscess.

* When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
215. Ductuum excernentium distensio. <i>Idem valet.</i> Dacryops	Distension des conduits excrétoires. <i>Syn.</i> Dacryops	Ausdehnung der Drüsenausfüh- rungsgänge. <i>Syn.</i> Dacryops	Dacriopia
216. Fistula Tractuum (<i>sive</i> viarum) lacry- malium	Fistule	Fistel	Fistola
217. Punctorum eversio	Renversement des points lacry- maux	Auswärtskehrung der Thränen- punkte	Eversione dei punti
218. Punctorum et canaliculorum strictura et ob- literation (atresia) Sinus lacrymalis	Rétrécissement et atrésie (oblitéra- tion) des points et des conduits	Strictur und Ob- literation der Thränenpunkte und Röhrchen	Atresia dei punti e del canale la- grimale
219. Dacryocystitis. <i>Syn.</i> Mucocele	Dacryocystite (mucocèle)	Dacryocystitis	Dacriocistite
220. Abscessus	Abcès	Abscess	Ascesso
221. Fistula Ductus nasalis	Fistule	Fistel	Fistola
222. Strictura	Rétrécissement	Strictur	Stringimento
223. Membranæ mucosæ densatio	Epaississement de la muqueuse	Verdickung der Schleimhaut	Ingrossamento della membrana interna
224. Dacryolithi	Dacryolithe	Thränenstein	Dacriolite
225. Corpus adventi- tium in puncto	Corps étranger dans le point	Fremdkörper im Thränenpunkt	Corpo estraneo nel orifizio lag- rimale
226. Epiphora	Epiphora	Thränenträufeln	Epifora
(62.) Tumores non ma- ligni	Tumeurs non-ma- lignes	Gutartige Ge- schwülste	Tumori non-ma- ligni
(63.) Tumores maligni	Tumeurs malignes	Bösartige Ge- schwülste	Tumori maligni
(36.) Morbus parasiticus (fungus) in cana- liculo aut simi	Maladie parasi- taire (fongus) du conduit ou du sac	Parasitäre Er- krankung (Pilze) im Thränen- röhrchen oder Sack	Fungo nel canale o nel sacco
(54.) Deformatates in- genitæ	Vices de confor- mation	Missbildungen	Vizi di conforma- zione
a. Punctum duplex	Point lacrymal bifide	Doppelter Thränen- punkt	Orifizio lagrimale doppio
(40-48.) Læsiones	Lésions	Verletzungen	Lesioni

215. Distension of excretory ducts. *Synonym*, Dacryops.

216. Fistula.

Of lacrymal tracts.

217. Eversion of puncta.

218. Stricture and obliteration (atresia) of puncta and canaliculi.

Of lacrymal sac.

219. Dacryocystitis. *Synonym*, Mucocoele.

220. Abscess.

221. Fistula.

Of nasal duct.

222. Stricture.

223. Thickening of lining membrane.

224. Dacryo-lithiasis.

225. Foreign body in punctum.

226. *Epiphora.

Of the several parts.

(62.) *Non-malignant New Growth.*

(63.) *Malignant New Growth.*

} Return according to the
list of tumours at p.307.

(36.) *Parasitic disease (fungus) in canaliculus or sac.*

(54.) *Malformations.*

Return such cases according to the list at
pp. 293, 303.

a. *Double punctum.*

(40-48.) *Injuries.*

Return such cases according to the list a
p. 231.

* When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified.

PALPEBRARUM MORBI.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
227. Hæmatoma	Hématome	Haematom	Ematoma
228. Emphysema	Emphysème	Emphysem	Enfisema
229. Blepharitis, <i>sive</i> Tarsi ophthalmia	Inflammation des fibro-cartilages tarses	Tarsalenzündung der Augenlider	Oftalmia tarsale
230. Lippitudo	Lippitudo	Chronische Con- junctivalblen- norrhoe	Occhi lipposi
231. Hordeolus	Orgelet	Gerstenkorn	Orzajolo
232. Abscessus	Abcès	Abscess	Ascesso
(853.) <i>Carbunculus</i> . Idem valet <i>Anthrax</i>	<i>Anthrax</i>	<i>Carbunkel.</i> Syn. <i>Anthrax</i>	<i>Antraxe</i>
233. Trichiasis	Trichiasis	Trichiasis	Trichiasi
234. Entropion	Entropion	Entropium	Entropio
a. Spasmodicum	Spasmodique	Spastisches	Spasmodico
b. Organicum	Organique	Organisches	Organico
235. Ectropion	Ectropion	Ectropium	Ectropio
236. Madarosis	Madarosis	Madarosis	Madarosi
237. Blepharophimosis	Blépharoprimose	Augenlider- krampf	Blefarospasmo
238. Symblepharon	Symblépharon	Symblepharon	Simplefarone
239. Ankyloblepharon	Ankyloblépharon	Ankyloblepharon	Anchiloblefaro
240. Ptosis	Ptosis	Ptosis	Ptosi
a. Traumatica, <i>sive</i> ex vulnere	Traumatique	Traumatische	Traumatica
b. Paralytica	Paralytique	Paralytische	Paralitica
241. Chalazion. <i>Idem</i> valet Cystis tarsalis, Cystis meibomiana	Chalazion ou grê- lon. Syn. Kyste de la glande Meibomienne	Chalazion. Syn. Hagelkorn	Calazio. Sin. Ciste Meibomiana
(62.) <i>Tumores non ma- ligni</i>	<i>Tumeurs non-ma- lignes</i>	<i>Gutartige</i> Ge- <i>schwülste</i>	<i>Tumori non-ma- ligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumores malignes</i>	<i>Bösartige</i> Ge- <i>schwülste</i>	<i>Tumori maligni</i>
(860.) <i>Xanthelasma</i>	<i>Xanthélasma</i>	<i>Xanthelasma</i>	<i>Xantelasma</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>

DISEASES OF THE EYELIDS.

227. Hæmatoma. *Synonym*, Black eye.
 228. *Emphysema.
 229. Blepharitis. *Synonyms*, Tinea tarsi, ophthalmia tarsi.

 230. Blear-eye. *Synonym*, Lippitudo.

 231. Styte. *Synonym*, Hordeolum.
 232. Abscess.
 (853.) Carbuncle. *Synonym*, Anthrax.

 233. Trichiasis.
 234. Entropion.
 a. Spasmodic.
 b. Organic.
 235. Ectropion.
 236. Madarosis.
 237. Blepharophimosis.

 238. Symblepharon.
 Note.—If congenital, return under No. 54.
 239. Ankyloblepharon.
 240. Ptosis.
 a. Traumatic.
 b. Paralytic.
 241. Chalazion. *Synonyms*, Tarsal cyst, Meibomian cyst.

(62.) Non-malignant New Growth.	} Return according to the list of tumours at p. 307.
(63.) Malignant New Growth.	

(860.) Xanthelasma.
(29.) Syphilis.
Return according to table at p. 313.

* When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(35-36.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>
(35.) <i>a. Phthiriasis</i>	<i>Phthiriasie</i>	<i>Pediculosis. Syn. Phthiriasis</i>	<i>Ftiriasi</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(54.) <i>Deformitates ingenitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
<i>a. Ablepharon</i>	<i>Ablépharon</i>	<i>Ablepharon</i>	<i>Abléfaro</i>
<i>b. Coloboma</i>	<i>Colobome</i>	<i>Colobom</i>	<i>Coloboma</i>
<i>c. Ptosis ingenita</i>	<i>Ptosis congénitale</i>	<i>Augeborene Ptosis</i>	<i>Ptosi congenita</i>
<i>d. Epicanthis</i>	<i>Epicanthis</i>	<i>Epicanthis</i>	<i>Epicante</i>
242. <i>Blepharospasmus</i>	<i>Blépharospasme</i>	<i>Lidkrampf</i>	<i>Blefarospasmo</i>

ORBITÆ ET PARTIUM VICINARUM MORBI.

243. <i>Hæmorrhagia</i>	<i>Hémorrhagie</i>	<i>Hæmorrhagie</i>	<i>Emorragia</i>
244. <i>Emphysema</i>	<i>Emphysème</i>	<i>Emphysem</i>	<i>Emfisema</i>
245. <i>Phlegmone</i>	<i>Phlegmon</i>	<i>Cellulitis</i>	<i>Cellulite</i>
<i>a. Traumatica, sive ex vulnere</i>	<i>Traumatique</i>	<i>Traumatische</i>	<i>Traumatica</i>
<i>b. Ex extensione</i>	<i>Par extension</i>	<i>Durch Continuität</i>	<i>Da estensione</i>
<i>c. Idiopathica</i>	<i>Idiopathique</i>	<i>Idiopathische</i>	<i>Idiopathica</i>
(29.) <i>d. Gumma syphiliticum</i>	<i>Gomme syphilitique</i>	<i>Syphilitisches Gumma</i>	<i>Gomma sifilitico</i>
246. <i>Abscessus</i>	<i>Abcès</i>	<i>Abscess</i>	<i>Ascesso</i>
247. <i>Erysipelas</i>	<i>Erysipèle</i>	<i>Erysipelas</i>	<i>Risipola</i>
248. <i>Periostitis</i>	<i>Periostite</i>	<i>Periostitis</i>	<i>Periostitè</i>
249. <i>Caries</i>	<i>Carie</i>	<i>Caries</i>	<i>Carie</i>
250. <i>Necrosis</i>	<i>Nécrose</i>	<i>Nekrose</i>	<i>Necrosi</i>
251. <i>Sinuum frontalem distensio</i>	<i>Distension des sinus frontaux</i>	<i>Erweiterung der Frontalsinuse</i>	<i>Distensione dei seni frontali</i>
<i>a. Chronica</i>	<i>Chronique</i>	<i>Chronische</i>	<i>Cronica</i>
<i>b. Abscessus</i>	<i>Abcès</i>	<i>Durch Eiter</i>	<i>Ascesso</i>
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige schwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige schwülste</i>	<i>Tumori maligni</i>
252. <i>Proptosis V.-Pulsatilis</i>	<i>Exophtalmie Pulsatile</i>	<i>Exophtthalmus Pulsirender</i>	<i>Exoftalmia Pulsatile</i>

(35-36.) *Parasitic disease.*

Return such cases according to the list at
p. 289.

(35.) a. *Phthiriasis.*

(40-48.) *Injuries.*

Return such cases according to the list at
p. 229.

(54.) *Malformations.*

Return such cases according to the list at
pp. 293, 299.

a. *Ablepharon.*

b. *Coloboma.*

c. *Congenital ptosis.*

d. *Epicanthus.*

242. **Blepharospasm.*

DISEASES OF THE ORBIT AND NEIGHBOURING PARTS.

243. *Hæmorrhage.*

244. **Emphysema.*

245. *Cellulitis.*

a. *Traumatic.*

b. *By extension.*

c. *Idiopathic.*

(29.) d. *Syphilitic gumma.*

246. *Abscess.*

247. **Erysipelas.*

248. **Periostitis.*

249. *Caries.*

250. *Necrosis.*

251. *Distension of frontal sinuses.*

a. *Chronic.*

b. *Abscess.*

(62.) *Non-malignant New Growth.*

(63.) *Malignant New Growth.*

} Return according to the
list of tumours at p. 307.

252. **Proptosis.*

Variety: Pulsatile.

* When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
a. Aneurysma	anévrisme	Aneurysma	Aneurisma
b. Arteriæ et venæ inter se communica- tio	Intercommunica- tion arterio- veineuse	Communication zwischen Arterie und Vene	Intercommunica- zione arterio- venosa
c. Sinuum venoso- rum obstructio	Obstruction des sinus veineux	Stauung in den venösen Sinusen	Ostruzione dei seni venosi
(542.) Bronchocele ex- ophthalmica. Idem valet Gravesii morbus, Basedovii morbus	Goitre exophthal- mique. Syn. Ma- ladie de Graves, Maladie de Base- dow	Basedow'sche Krankheit	Bronchocele exof- thalmica. Sin. Malattia del Graves, Malattia del Basedow
(40-48.) Læsiones	Lésions	Verletzungen	Lesioni

AURIS MORBI.

AURIS EXTERNÆ MORBI.

AURICULÆ ET AURIS FORAMINIS.

253. Auris hæmatoma	Hématome de l'oreille	Haematom des Ohrs	Ematoma dell' orecchio
254. Inflammatio	Inflammation	Entzündung	Inflammazione
a. Acuta	Aiguë	Acute	Acuta
b. Chronica, sive longa	Chronique	Chronische	Cronica
255. Abscessus	Abcès	Abscess	Ascesso
256. Cystis sebacea	Tumeur sébacée	Talgdrüsenge- schwulst	Tumore sebaceo
(62.) Tumores non ma- ligni	Tumeurs non-ma- lignes	Gutartige Ge- schwülste	Tumori non-ma- ligni
a. Polypus	Polype	Polyp	Polipo
b. Exostosis	Exostose	Exostose	Esostosi
(63.) Tumores maligni	Tumeurs malignes	Bösartige Ge- schwülste	Tumori maligni
(29.) Syphilis	Syphilis	Syphilis	Sifilide
257. Cerumen nimium	Accumulation de cérumen	Ansammlung von Ohrenschmalz	Accumulamento del cerume
(59.) Deposita podagrica	Dépôts gouteux	Gichtische Ab- lagerungen	Depositi artritici

- a. Aneurysm.
- b. Arterio-venous intercommunication.

c. Obstruction of venous sinuses.

(542.) *Exophthalmic goître.* Synonyms, *Graves's disease*,
Basedow's disease.

(40-48.) *Injuries.*

Return such cases according to the list at
p. 231.

DISEASES OF THE EAR.

Register the diseases here printed in *Italics*, not under this heading, but at
the place referred to in each instance by number.

DISEASES OF THE EXTERNAL EAR.

* AURICLE AND EXTERNAL MEATUS.

253. *Hæmatoma* of the auricle.

254. *Inflammation.*

a. *Acute.*

b. *Chronic.*

255. *Abscess.*

256. *Sebaceous cyst.*

(62.) *Non-malignant New Growth.*

a. *Polypus.*

Return under Fibroma,
p. 309, Adenoma, p. 311, or
Simple Granulation-tumour,
p. 311, according to structure.

b. *Exostosis.*

(63.) *Malignant New Growth.*

} Return according to
the list of tumours
at p. 307, *et seq.*

(29.) *Syphilis.*

257. Accumulation of wax in external meatus.

(59.) *Gouty deposit.*

* Specify in all cases which of these parts is affected.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(35-36.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parasitica</i>
(36.) <i>a. Aspergillus</i>	<i>Aspergillus</i>	<i>Aspergillus</i>	<i>Aspergillo</i>
(54.) <i>Deformitates ingenuitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di configurazione</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
<i>a. Corpora adventitia in foramine</i>	<i>Corps étrangers du conduit auditif externe</i>	<i>Fremde Körper</i>	<i>Corpie strani nel meato esterno</i>

AURIS MEDLÆ MORBI.

TYMPANI, MEMBRANÆ TYMPANI, OSSICULORUM, TUBÆ EUSTACHIANÆ ET CELLULARUM MASTOIDEARUM.

258. <i>Inflammatio</i>	<i>Inflammation</i>	<i>Entzündung</i>	<i>Infiammazione</i>
1. <i>Non suppurans. Idem valet Catarrhus</i>	<i>Non-suppurative. Syn. Catarrhe</i>	<i>Nicht eitrige. Syn. Katarrh</i>	<i>Catarro non suppurativo</i>
2. <i>Suppurans</i>	<i>Suppurative</i>	<i>Eitrige</i>	<i>Suppurativo</i>
<i>a. Cellularum mastoidearum</i>	<i>Maladies des cellules mastoïdiennes</i>	<i>Innerhalb der Cellulæ mastoïdæ</i>	<i>Malattie delle cellule mastoidee</i>
259. <i>Membranæ tympani ulceratio</i>	<i>Ulcération du tympan</i>	<i>Verschwärung des Trommelfells</i>	<i>Ulcerazione della membrana del timpano</i>
260. <i>Ossiculorum necrosis</i>	<i>Nécrose des osselets</i>	<i>Nekrose der Gehörknöchelchen</i>	<i>Necrosi degli ossetti</i>
261. <i>Ossiculorum ankylosis</i>	<i>Ankylose des osselets</i>	<i>Ankylose der Gehörknöchelchen</i>	<i>Anchilosi degli ossetti</i>
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
<i>a. Polypus</i>	<i>Polype</i>	<i>Polyp</i>	<i>Polipo</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
262. <i>Tubæ Eustachianæ obstructio</i>	<i>Obstruction de la trompe d'Eustache</i>	<i>Verstopfung der Eustachischen Ohrtrumpete</i>	<i>Ostruzione della tromba Eustachiana</i>

(35-36.) *Parasitic disease.*

Return cases of this kind according to the list
at p. 284, *et seq.*

(36.) *a. Aspergillus.*(54.) *Malformations.*

Return cases of this kind according to the list
at p. 293.

(40-48.) *Injuries.*

Return cases of this kind according to the list
at p. 231.

a. Foreign bodies in external meatus.

DISEASES OF THE MIDDLE EAR.

* TYMPANUM, MEMBRANA TYMPANI, OSSICLES, EUSTACHIAN
TUBE, AND MASTOID CELLS.

258. Inflammation.

1. Non-suppurative. *Synonym, Catarrh.*

2. Suppurative.

a. Within the mastoid cells.

259. Ulceration of membrana tympani.

260. Necrosis of ossicles.

261. Ankylosis of ossicles.

(62.) *Non-malignant New Growth.**a. Polypus.*

Return under Fibroma,
p. 309, or Adenoma, p. 311,
according to structure.

} Return according to
the list of tumours
at p. 307, *et seq.*

(63.) *Malignant New Growth.*(29.) *Syphilis.*

Return according to table at p. 313.

262. †Obstruction of Eustachian tube.

* Specify in all cases which of these parts is affected.

† When the cause of this condition is known, the return should be made
under the head of such cause, the local condition being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
263. Membrana tympani perforata	Perforation du tympan	Durchbohrung des Trommelfells	Perforamento della membrana del timpano
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>

AURIS INTERNÆ MORBI.

264. Necrosis	Nécrose	Nekrose	Necrosi
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
(62.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(54.) <i>Deformitates ingentæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
265. Tinnitus	Bourdonnement	Ohrensausen	Tinnito
266. Surditas	Surdité	Taubheit	Sordità
a. Surdorum mutitas	Surdi-muté	Taubstummheit	Sordo-mutismo
(118.) <i>Vertigo auditoria.</i> Idem valet <i>Menierii morbus</i>	<i>Maladie de Ménière</i>	<i>Ohrenschwindel.</i> Syn. <i>Ménière'sche Krankheit</i>	<i>Vertigine uditoria.</i> Sin. <i>Malattia del Ménière</i>

NASI MORBI.

267. Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
a. Cutis et glandularum sebacearum	de la peau et des glandes sébacées	der Haut und der Talgdrüsen	della cute e glandole sebacee
b. Membranæ mucosæ	de la muqueuse	der Schleimhaut	della membrana mucosa
268. Epistaxis	Epistaxis	Nasenbluten. Syn. Epistaxis	Epistassi
269. Inflammatio	Inflammation	Entzündung	Infiammazione
270. Abscessus	Abcès	Abscess	Ascesso

263. Perforation of membrana tympani.

(40-48.) *Injuries.*

Return such cases according to the list at p. 231.

DISEASES OF THE INTERNAL EAR.

264. Necrosis.

(29.) *Syphilis.*

Return according to table at p. 313.

(62.) *Malignant New Growth.*

Return according to the list of tumours at p. 307.

(54.) *Malformations.*

Return such cases according to the list at p. 293.

265. *Tinnitus.

266. *Deafness.

a. Deaf-dumbness.

(118.) *Auditory vertigo.* *Synonym, Ménière's disease.*

† DISEASES OF THE NOSE.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by number.

267. Hypertrophy.

Note—The word Lipoma is sometimes used as a synonym for this affection. But this term, being already appropriated in this nomenclature to fatty tumour, is therefore inapplicable here.

a. Of skin and sebaceous glands.

b. Of mucous membrane.

268. Epistaxis.

269. Inflammation.

a. Nasal catarrh. *Synonym, Coryza.*

270. Abscess.

* When the cause of this symptom is known, the return should be made under the head of such cause, the local condition being also specified.

† In returns of diseases of the nose the part affected should be stated according to the following order :—Skin and nostrils, mucous membrane, and naso-pharyngeal orifice ; olfactory membrane and nerves ; bones and cartilages.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
271. Ulceratio	Ulcération	Geschwürsbildung	Ulcerazione
272. Ozæna	Ozène	Ozaena	Ozena
273. Necrosis	Nécrose	Nekrose	Necrosi
a. Ossium nasalum	des os propres du nez	der Nasenknochen	delle ossa nasali
b. Ossis ethmoïdis et vomeris	de l'ethmoïde et du vomer	des Siebbeins und des Pflugscharbeins	dell' etmoide e del vomere
c. Cartilaginum	des cartilages	der Nasenknorpel	delle cartilagini
274. Cystis sebacea	Kyste sébacé	Talgcyste	Ciste sebacea
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
a. <i>Verruca.</i>	<i>Verrue</i>	<i>Warze</i>	<i>Verruca</i>
b. <i>Nasi aut nasi cum pharynge polypus</i>	<i>Polype nasal ou naso-pharyngéal</i>	<i>Polyp der Nase oder im Nasenrachenraum</i>	<i>Polipo del naso o naso-faringeo</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
275. Septum perforatum	Perforation de la cloison	Perforation des Septum	Perforazione del setto
276. Rhinolithi	Calculs des fosses nasales	Rhinolithen	Rinoliti
(54.) <i>Deformitates in-genitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(40.) a. <i>Corpora adventitia</i>	<i>Corps étrangers</i>	<i>Fremde Körper</i>	<i>Corpie estranei</i>
277. Odoratus perditus aut depravatus	Perte ou perversion de l'odorat	Verlust oder Abnormität des Geruchsinns	Perdita o perversimento dell' odorato

271. Ulceration.
272. *Ozæna.
273. Necrosis.
- a. Of nasal bones.
- b. Of ethmoid and vomer.
- c. Of cartilages.
274. Sebaceous cyst.
- (62.) *Non-malignant New Growth.*
- a. *Wart.*
- b. *Polypus, nasal or nasopharyngeal.*
- Return under Fibroma, p. 309, Adenoma, p. 311, or Lipoma, p. 309, according to structure.
- (63.) *Malignant New Growth.*
- Return according to table at p. 307.
- (29.) *Syphilis.*
275. Perforation of the septum.
276. Rhinoliths.
- (54.) *Malformations.*
- Return such cases according to the list at pp. 293, 299, 303.
- (40-48.) *Injuries.*
- Return such cases according to the list at pp. 227, 229.
- (40.) a. *Foreign bodies.*
277. *Loss or perversion of the sense of smell. *Synonym, Anosmia.*

* When the cause of this condition is known, the case should be returned under the head of the primary disease, the secondary affection being also specified.

SANGUINIS APPARATUS MORBI.

CORDIS EJUSQUE MEMBRANARUM MORBI.

MEMBRANARUM MORBI.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
278. Hæmopericardium	Hémopéricarde	Haemopericardium	Emopericardio
279. Hydropericardium	Hydropéricarde	Herzwassersucht. <i>Syn.</i> Hydropericardium	Idropericardio
280. Inflammatio	Inflammation	Entzündung	Inflamazione
1. Pericarditis cum endocardite	Péri- et endo-cardite	Peri- und Endocarditis	Peri- ed endo-carditide
2. Pericarditis	Péricardite	Pericarditis	Pericarditide
V.—Suppurans	Péricardite suppurée	Eiterige Pericarditis	Pericarditide suppurativa
(27). <i>Pyæmica</i>	<i>Pyo-hémique</i>	<i>Pyämische Pericarditis</i>	<i>Pericarditide piemica</i>
3. Endocarditis	Endocardite	Endocarditis	Endocarditide
281. Pericardium adhærens	Péricarde adhérent	Verwachsung des Pericardiums	Aderenza pericardica
282. Pneumopericardium	Pneumo-péricarde	Pneumo-pericardium	Pneumo-pericardio
283. Valvarum morbi	Maladies des valvules	Klappenerkrankungen	Malattie delle valvole
1. Aorticarum	Aortiques	Der Aortenklappen	Aortiche
2. Mitralium	Mitrales	Der Mitralklappen	Mitrali
3. Pulmonalium	Pulmonaires	Der Pulmonalarterie	Polmonali
4. Tricuspidum	Tricuspidés	Der Tricuspidalklappen	Tricuspidali
V.			
a. Excrescentia	Végétations	Vegetationen	Escrescenze
b. Habitus crassior et fibrosior	Épaississement fibroïde	Fibröse Verdickung	Ingrossamento fibroide
c. Ulceratio	Ulcération	Geschwürsbildung	Ulcerazione
d. Atheroma, (Degeneratio adiposa et calcarea)	Athérome, Calcification (Dégénérescence graisseuse ou calcaire)	Atheroma, Verknocherung, (Fettige und kalkige Entartung)	Ateroma, Ossificazione (Degenerazione grassa e calcarea)

DISEASES OF THE CIRCULATORY SYSTEM.

Register the diseases printed here in *Italics*, not under this section, but at the place referred to in each instance by number.

DISEASES OF THE HEART AND ITS MEMBRANES.

DISEASES OF THE MEMBRANES.

278. *Hæmopericardium*.

279. *Hydropericardium*.

280. *Inflammation*.

1. *Peri- and Endo-carditis*.

2. *Pericarditis*.

Varieties: *Suppurative*.

(27.) *Pyæmic*.

3. *Endocarditis*.

281. *Adherent pericardium*.

Note.—This includes partial adhesions, whatever their nature may be.

282. *Pneumopericardium*.

283. *Valvular disease*. -
Anatomical distribution.

1. *Aortic*.

2. *Mitral*.

3. *Pulmonic*.

4. *Tricuspid*.

Varieties:

a. *Vegetations*.

b. *Fibroid thickening and contraction*.

c. *Ulceration*.

d. *Atheroma* (chronic inflammation with fatty and calcareous degeneration).

LATIN EQ.	FRENCH	GERMAN	ITALIAN
<i>e. Aneurysma</i>	Anévrisme	Aneurysma	Aneurisma
<i>f. Laceratio</i>	Déchirure	Zerreissung. <i>Syn.</i> Ruptur	Lacerazione
<i>g. Ostiorum dilatatio simplex</i>	Dilatation simple	Einfache Erweiterung der Einmündung	Dilatazione semplice dell' orifizio
(54.) <i>h. Deformitates ingeniæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
(29.) <i>Morbus syphiliticus</i>	<i>Maladie syphilitique</i>	<i>Syphilitische Erkrankung</i>	<i>Malattia sifilitica</i>
(35.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>
(13.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Ferite</i>
284. <i>Cordis coagula</i>	<i>Caillots dans le cœur</i>	<i>Gerinnungen im Herzen</i>	<i>Coagoli di sangue nel cuore</i>
<i>a. Thrombus</i>	<i>Thrombus</i>	<i>Thrombus</i>	<i>Trombo</i>
<i>b. Embolus</i>	<i>Embolie</i>	<i>Embolus</i>	<i>Embolo</i>

CORDIS SUBSTANTIÆ MUSCULARIS MORBI.

285. <i>Hypertrophia</i>	<i>Hypertrophie</i>	<i>Hypertrophie</i>	<i>Ipertrofia</i>
<i>a. Lateris sinistri</i>	<i>Côté gauche</i>	<i>Der linken Seite</i>	<i>Del ventricolo sinistro</i>
<i>b. Lateris dextri</i>	<i>Côté droit</i>	<i>Der rechten Seite</i>	<i>Del ventricolo destro</i>
286. <i>Atrophia</i>	<i>Atrophie</i>	<i>Atrophie</i>	<i>Atrofia</i>
287. <i>Inflammatio. Idem valet Myocarditis</i>	<i>Inflammation. Syn. Myocardite</i>	<i>Entzündung. Syn. Myocarditis</i>	<i>Infiammazione. Syn. Miocardite</i>
288. <i>Abscessus</i>	<i>Abcès</i>	<i>Abscess</i>	<i>Ascesso</i>
289. <i>Degeneratio</i>	<i>Degenerescence</i>	<i>Entartung</i>	<i>Degenerazione</i>
<i>a. Adiposa</i>	<i>Graisseeuse</i>	<i>Fettige</i>	<i>Grassosa</i>
<i>b. Fibrosa</i>	<i>Fibroïde</i>	<i>Fibröse</i>	<i>Fibroïde</i>
<i>c. Pigmentaria</i>	<i>Pigmenteuse</i>	<i>Pigment</i>	<i>Sostanza colorante</i>

e. Aneurysm (of valves).

f. Laceration.

g. Simple dilatation of orifice.

(54.) *h. Malformation.*

Note.—It should be specially recorded whether the valve-disease gave rise to obstruction or to regurgitation, or both.

(62.) **Non-malignant New Growth.* } Return according to the
(63.) **Malignant New Growth.* } list of tumours at p. 307.

(64.) **Tubercle.*

(29.) **Syphilitic disease.*

Return according to the table at p. 313.

(35.) **Parasitic disease.*

Return according to the table at p. 284, *et seq.*

(13.) *Injuries.*

284. Clots in the Heart.

a. Thrombus.

b. Embolus.

Note.—Cases are to be returned under this head only when the condition has evidently existed during life. The names should not be applied to post-mortem clots.

DISEASES OF THE MUSCULAR SUBSTANCE OF THE HEART.

285. Hypertrophy :

a. of left side.

b. of right side.

286. Atrophy.

287. Inflammation. *Synonym, Myocarditis.*

288. Abscess.

289. Degeneration.

a. Fatty.

b. Fibroid.

c. Pigmentary.

* State the seat of the affection, and whether it was or was not accompanied by peri- or endo-carditis.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
290. Arteriarum coronariarum morbus	Maladies des artères cardiaques	Krankheiten der Kranzarterien	Malattie delle arterie coronarie
<i>a. Aneurysma</i>	<i>Anévrisme</i>	<i>Aneurysma</i>	<i>Aneurisma</i>
291. Adipis nimia abundantia	Surcharge de graisse	Uebermässige Fettablagerung	Eccesso di grasso
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
(29.) <i>Morbus syphiliticus</i>	<i>Maladie syphilitique</i>	<i>Syphilitische Erkrankung</i>	<i>Malattia sifilitica</i>
292. Dilatatio	Dilatation	Dilatation	Dilatazione
<i>a. Lateris sinistri</i>	<i>Côté gauche</i>	<i>Der linken Seite</i>	<i>Del ventricolo sinistro</i>
<i>b. Lateris dextri</i>	<i>Côté droit</i>	<i>Der rechten Seite</i>	<i>Del ventricolo destro</i>
293. Aneurysma	Anévrisme	Aneurysma	Aneurisma
294. Diruptio	Rupture	Ruptur. <i>Syn.</i> Zerreissung	Rottura
(35.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattiaparassitica</i>
(54.) <i>Deformitates in-genitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Ferite</i>
(542.) <i>Bronchocele exophthalmica. Idem valent Gravesii Morbus, Basedovii Morbus</i>	<i>Goître exophthalmique. Syn. Maladie de Graves, de Basedow</i>	<i>Basedow'sche Krankheit</i>	<i>Broncocele esofthalmica. Sin. Malattia del Graves, del Basedow</i>
295. Cyanosis, sive morbus cæruleus	Cyanose	Cyanose. <i>Syn.</i> Blausucht	Cianosi
296. Angina pectoris	Angine de poitrine	Angina pectoris	Angina pectoris
297. Syncope, idem valet animæ defectio	Syncope	Syncope. <i>Syn.</i> Ohnmacht	Sincope
298. Cordis palpitatio et tumultus	Palpitations et irrégularité des battemens du cœur	Herzklopfen und Unregelmässigkeit in der Herzthätigkeit	Palpitazione ed irregolarità del cuore

290. Disease of the coronary arteries.

a. Aneurysm.

291. Excessive growth of fat.

(62.) *Non-malignant New Growth.* }
 (63.) *Malignant New Growth.* } Return according to the
 list of tumours at p. 307.

(64.) *Tubercle.*

(29.) *Syphilitic disease.*

292. Dilatation :

a. of left side.

b. of right side.

293. Aneurysm (of the heart).

294. Rupture.

Note.—In returning cases of aneurysm and rupture, the situation ought to be stated.

(35.) *Parasitic disease.*

Return cases of this class according to the list at p. 284.

(54.) *Malformations.*

Return cases of this kind according to the list at pp. 293, 295, 303.

(40-48.) *Injuries.*

Return cases of this kind according to the list at pp. 235, 237.

(542.) *Exophthalmic goitre.* Synonyms, *Graves's disease*, *Basedow's disease.*

295. *Cyanosis.

296. *Angina pectoris.

297. *Syncope. *Synonym*, Fainting fit.

298. *Palpitation and irregularity of the action of the heart.

* When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified

VASORUM SANGUIFERORUM MORBI.

ARTERIARUM MORBI.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
299. Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
<i>a.</i> Tunicæ muscularis	de la tunique musculaire	Der Muskelhaut	della tonaca muscolare
<i>b.</i> Tunicæ fibrosæ	de la tunique fibreuse	Der fibrösen Haut	della tonaca fibrösa
300. Arteritis	Artérite	Entzündung der Arterien. <i>Syn.</i> Arteritis	Arteritide
V.-1. Periarteritis	Peri-artérite	Periarteritis	Peri-arteritide
2. Endarteritis	Endo-artérite	Endarteritis	Endo-arteritide
301. Degeneratio	Dégénérescence	Entartung	Degenerazione
<i>a.</i> Atheroma (adiposa et calcarea)	Athérome (grais-seux et calcaire)	Atheroma (fettiges und kalkförmiges)	Ateroma (grassosa e calcarea)
<i>b.</i> Calcarea primitiva	Calcaire primitivo	Primäre kalkförmige	Calcarea primario
<i>c.</i> Lardacea	Lardacée	Speckige	Lardaceo
<i>d.</i> Sclerotica	Sclerosique	Sclerotische	Sclerotica
(64.) Tuberculosis	Tuberculose	Tuberculose	Tubercolosi
(29.) Morbus syphiliticus	Maladie syphilitique	Syphilitische Erkrankung	Malattia sifilitica
302. Dilatio	Dilatation	Erweiterung. <i>Syn.</i> Dilatation	Dilatazione
303. Coarctatio et obliteratio	Rétrécissement ou oblitération	Verengerung und Obliteration	Ristringimento e oblitterazione
304. Occlusio ex compressu	Occlusion par compression	Verschliessung durch Compression	Chiusura da compressione
305. Aneurysma	Anévrisme	Aneurysma. <i>Syn.</i> Schlagadergeschwulst	Aneurisma
<i>a.</i> Fusiforme	Fusifforme	Fusifforme	Fusifforme
<i>b.</i> Sacculatum	Saccifforme	Saccifforme. <i>Syn.</i> Sackartiges Aneurysma	Saccato
<i>c.</i> Diffusum	Diffus	Diffusum. <i>Syn.</i> Diffuses Aneurysma	Diffuso

DISEASES OF THE BLOOD-VESSELS.

The vessel affected should in all cases be specified *

DISEASES OF THE ARTERIES.

299. Hypertrophy.

a. Of muscular coat.

b. Of fibrous coats.

300. Arteritis.

Varieties :

1. Periarteritis.

2. Endarteritis.

301. Degeneration.

a. Atheroma (fatty and calcareous). *Synonym,*
Endarteritis deformans.

b. Primary calcareous.

c. Lardaceous.

d. Arterio-capillary fibrosis.

(64.) *Tuberculosis.*

(29.) *Syphilitic disease.*

302. Dilatation.

303. Narrowing and obliteration.

304. Occlusion by compression.

305. Aneurysm.

a. Fusiform.

b. Saccular.

c. Diffused (cavity bounded by the surrounding tissues).

Note.—When the aneurysm has burst, state the part or viscus into or through which the rupture has taken place.

* Order of return : Arch of aorta, descending thoracic aorta and thoracic branches ; abdominal aorta and abdominal branches ; arteries of head and neck, of upper extremity, of lower extremity. Order of veins to correspond. But the cerebral arteries and sinuses are to be returned with the brain ; the ophthalmic vessels with the eye.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
<i>d.</i> Dirupta ex parte arteria. <i>Idem valet</i> Aneurysma dissecans	Anévrisme disséquant	Aneurysma dissecans	Rottura parziale dell'arteria
<i>e.</i> Miliare	Miliaire	Miliäres	Miliario
306. Aneurysma traumaticum, <i>sive</i> ex vulnere	Anévrisme traumaticue	Traumatisches Aneurysma	Aneurisma traumatico
307. Arteriæ diruptio	Rupture	Zerreissung. <i>Syn.</i> Ruptur der Arterie	Rottura dell'arteria
1. Omnium tunicarum	De toutes les tuniques	Aller Häute	Di tutte le tonache
<i>a.</i> Ex ipsius vitio	Par maladie de l'artère	Durch Krankheit der Arterie	Da malattia dell'arteria
<i>b.</i> Ex morbo extraneo	Par maladie extérieure à l'artère	Durch Krankheit ausserhalb der Arterie	Da malattia al di fuori dell'arteria
2. Interiorum solum tunicarum	De la seule tunique interne	Der innern Haut allein	Dell'interna tonaca soltanto
308. Obstructio ex im- pactis coagulatis	Par enchassement de caillots	Durch Gerinnsel	Da otturazione
1. Thrombus	Thrombose	Thrombose	Trombosi
2. Embolus	Embolie	Embolie	Embolismo
309. Aneurysma circoi- des	Anévrisme circoide	Aneurysma circoideum	Aneurisma circoide
310. Aneurysma ex anastomosi	Anévrisme par anastomose	Anastomosirendes Aneurysma	Aneurisma per anastomosi
(54.) Deformatates in- genitæ	Vices de conformation	Missbildungen	Vizi di conformazione
(40-48.) Læsiones	Lésions	Verletzungen	Ferite

VENARUM MORBI.

311. Phlebitis	Phlébite	Phlebitis. <i>Syn.</i> Venenentzündung	Flebitide
<i>a.</i> Plastica	Adhésive	Adhaesive	Adesiva
<i>b.</i> Suppurans	Suppurative	Eiterige	Suppurativa
V.-Periphlebitis	Periphlébite	Periphlebitis	Periflebitide
312. Phlegmasia dolens	Phlegmasia alba dolens	Phlegmasia alba dolens	Flemmasia dolente
313. Varix	Varice	Erweiterung. <i>Syn.</i> Varix	Varice
314. Obstructio	Obstruction	Verstopfung	Ostruzione

d. Dissecting.

e. Miliary.

386. Traumatic aneurysm.

307. Rupture of artery.

1. Of all coats.

a. From disease of artery.

b. From disease external to artery.

2. Of inner coats only.

308. Obstruction or occlusion by clot.

1. Thrombosis.

2. Embolism.

309. Cirroid aneurysm.

310. Aneurysm by anastomosis.

(54.) *Malformations.*

Return such cases according to the list at
p. 295.

(40-48.) *Injuries.*

Return such cases according to the list at
pp. 219, 221.

DISEASES OF THE VEINS.

311. Phlebitis.

a. Plastic.

b. Suppurative.

Variety: Periphlebitis.

312. Phlegmasia dolens.

313. Varix.

314. Obstruction.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
315. Obliteratio	Oblitération	Obliteration	Chiusura, tura- mento
316. Thrombosis	Thrombose	Thrombose	Trombosi
V.-Phlebolithi	Phlébolithes	Venensteine	Fleboliti
(35-36.) <i>Morbus parasiticus</i>	<i>Maladie parasite</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parasitica</i>
317. Nævus	Nævus	Naevus	Neo
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
<i>a. Aëris irruptio</i>	<i>Entrée d'air</i>	<i>Lufteintritt</i>	<i>Entrata d'aria</i>
318. Aneurysma arteriam inter venamque	Anévrisme artériel-oso-veineux	Aneurysma arterio-venosum	Aneurisma arterio-venoso
319. Aneurysma vari- cosum	Anévrisme vari- queux	Varicöses Aneu- rysma	Aneurisma vari- coso
<i>a. Traumaticum, sive ex vulnere</i>	Traumatique	Traumatisches	Traumatico
<i>b. Spontanæum</i>	Spontané	Spontanes	Spontaneo
320. Varix aneurysmaticus	Varice anévris- male	Varix aneurysma- ticus	Varice aneurisma- tica
<i>a. Traumaticus, sive ex vulnere</i>	Traumatique	Traumatischer	Traumatica
<i>b. Spontanæus</i>	Spontanée	Spontaner	Spontanea

SPIRITUS ORGANORUM MORBI.

SPIRITUS ORGANORUM MORBI AD PARTES SINGULAS NON RESTRICTI.

(11.) <i>Catarrhus epidemicus</i>	<i>Grippe</i>	<i>Grippe. Syn. Influenza</i>	<i>Influenza</i>
321. Angina trachealis	Croup	Croup. <i>Syn. Häutige Bräune</i>	Laringitide membranacea
(14.) <i>Diphtheria</i>	<i>Diphthérie</i>	<i>Diphtheritis</i>	<i>Difteritide</i>
(12.) <i>Pertussis</i>	<i>Coqueluche</i>	<i>Keuchhusten</i>	<i>Tosse convulsiva</i>
322. Asthma ex fœnisicio	Asthme de foin. <i>Syn. Asthme d'été</i>	Heu-Asthma	Asma dei mietitori
(1005.) <i>Asphyxia</i>	<i>Asphyxie</i>	<i>Asphyxie</i>	<i>Asfissia</i>

315. Obliteration.

316. Thrombosis.

Variety: Phleboliths.

(35-36.) *Parasitic disease*.

Return such cases according to the list at
p. 284, *et seq.*

317. Nævus.

(40-48.) *Injuries*.

Return such cases according to the list at
p. 221.

a. Entrance of air.

318. Arterio-venous aneurysm.

319. Varicose aneurysm.

Varieties:

a. Traumatic.

b. Spontaneous.

320. Aneurysmal varix.

Varieties:

a. Traumatic.

b. Spontaneous.

DISEASES OF THE RESPIRATORY SYSTEM.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by number.

DISEASES OF THE RESPIRATORY SYSTEM NOT STRICTLY LOCAL.

(11.) *Influenza*.

321. Croup.

(14.) *Diphtheria*.

(12.) *Whooping cough*.

322. Hay-asthma. *Synonym*, Hay-fever.

(1005.) **Asphyxia*.

* When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified.

LARYNGIS MORBI.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
323. Glottidis oedema	Oedème de la glotte	Oedem der Glottis	Edema della glottide
<i>a. Acutum</i>	Aigu	Acutes	Acuta
<i>b. Chronicum longum sive</i>	Chronique	Chronisches	Cronica
324. Inflammatio	Inflammation	Entzündung	Inflamazione
1. Laryngitis	Laryngite	Entzündung des Kehlkopfs	Laringitide
<i>a. Acuta</i>	Aiguë	Acute	Acuta
<i>b. Chronica longa sive</i>	Chronique	Chronische	Cronica
<i>c. Catarrhalis</i>	Catarrhale	Catarrh	Catarro
2. Perichondritis	Perichondrite	Perichondritis	Pericondritide
(14.) <i>Diphtheria</i>	<i>Diphthérie</i>	<i>Diphtheritis</i>	<i>Difterite</i>
325. Abscessus	Abcès	Abscess	Ascesso
326. Ulceratio	Ulcération	Geschwürsbildung	Ulcerazione
327. Cartilaginum necrosis	Nécrose des cartilages	Nekrose der Knorpel	Necrosi delle cartilagini
328. Cartilaginum ossificatio	Ossification des cartilages	Verknöcherung der Knorpel	Ossificazione delle cartilagini
329. Cartilaginum ary-tænoidium ankylosis	Ankylose des cartilages ary-ténoïdes	Ankylose der Giessbeckenknorpel	Anchilosi delle cartilagini arite-noidee
330. Cystis	Kyste	Cyste	Ciste
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
(29.) <i>Syphilis.</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
331. Coarctatio	Rétrécissement	Verengung	Stringimento
<i>a. ex compressu</i>	par compression	durch Compression	da compressione
<i>b. ex strictura</i>	par étroitesse, diminution du calibre	durch Stricture	da restringimento
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
<i>a. Corpora adventitia</i>	<i>Corps étrangers</i>	<i>Fremde Körper</i>	<i>Corpi estranei</i>
(54.) <i>Deformatas in-genitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>

DISEASES OF THE LARYNX.

323. Œdema glottidis.

a. Acute.

b. Chronic.

324. Inflammation.

a. Laryngitis.

a. Acute.

b. Chronic.

c. Catarrhal.

b. Perichondritis.

(14.) *Diphtheria*.

325. Abscess.

326. Ulceration.

327. Necrosis of cartilages.

328. Ossification of cartilages.

329. Ankylosis of arytaenoid cartilages.

330. Cyst.

(62.) *Non-malignant New Growth*.(63.) *Malignant New Growth*.} Return according to the
list of tumours at p. 307.(64.) *Tubercle*.

Return according to the table at p. 315.

(29.) *Syphilis*.

Return according to the table at p. 313.

331. Narrowing.

a. By compression.

b. By stricture.

(40-48.) *Injuries*.Return cases of this kind according to the list
at page 233.a. *Foreign bodies*.(54.) *Malformations*.Return cases of this kind according to the list
at page 295.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
332. Aphonia	Aphonie	Stimmlosigkeit	Afonia
333. Laryngis paralysis	Paralysie du larynx	Lähmung des Kehlkopfs	Paralisi della laringe
334. Glottidis spasmus	Spasme de la glotte	Spasmus glottidis. <i>Syn.</i> Kehlkopfkrampf	Spasmo della glottide
335. Anæsthesia	Anésthésie	Anaesthesie	Anestesia
336. Hyperæsthesia	Hyperésthésie	Hyperaesthesie	Iperestesia
337. Neuralgia	Névralgie	Neuralgie	Neuralgia

TRACHEÆ ET BRONCHIORUM MORBI.

338. Bronchitis	Bronchite	Bronchitis	Bronchitide
a. Acuta	Aiguë	Acute	Acuta
b. Chronica <i>sive</i> longa	Chronique	Chronische	Cronica
c. Catarrhalis	Catarrhe bronchique	Bronchialcatarrh	Catarro-bronchiale
d. Plastica	Pseudo-membraneuse	Bronchialcroup	Plastico
(14.) <i>Diphtheria</i>	<i>Diphthérie</i>	<i>Diphtheritis</i>	<i>Difterite</i>
339. Ulcus	Ulcère	Geschwür	Ulcerà
340. Cartilaginum necrosis	Nécrose des cartilages	Nekrose der Knorpel	Necrosi delle cartilagini
341. Cartilaginum ossificatio	Ossification des cartilages	Verknöcherung der Knorpel	Ossificazione delle cartilagini
342. Cartilaginum molities	Ramollissement des cartilages	Erweichung der Knorpel	Rammolimento delle cartilagini
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
343. Bronchiorum dilatatio. <i>Idem</i> valet Bronchiectasis	Dilatation des bronches	Erweiterung der Bronchien. <i>Syn.</i> Bronchiektasie	Dilatazione dei bronchi. <i>Sin.</i> Bronchietasia
344. Coarctatio	Rétrécissement	Verengerung	Ristringimento
(35.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>

LATIN EQ.		FRENCH	GERMAN	ITALIAN
(54.) <i>Deformitates</i>	<i>in-</i>	<i>Vices de confor-</i>	<i>Missbildungen</i>	<i>Vizi di conforma-</i>
<i>genitæ</i>		<i>mation</i>		<i>zione</i>
(40-48.) <i>Læsiones</i>		<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(40.) <i>a. Corpora adventitia</i>		<i>Corps étrangers de</i>	<i>Fremde Körper in</i>	<i>Corpi estranei</i>
<i>in trachea aut bron-</i>		<i>la trachée ou des</i>	<i>der Trachea oder</i>	<i>nella trachea o</i>
<i>chiis</i>		<i>bronches</i>	<i>den Bronchien</i>	<i>nei bronchi</i>
345. <i>Asthma spasmo-</i>		<i>Asthme spasmo-</i>	<i>Nervöses Asthma</i>	<i>Asma spasmodico</i>
<i>dicum</i>		<i>dique</i>		

PULMONIS MORBI.

346. <i>Congestio passiva</i>		<i>Congestion pas-</i>	<i>Passive Conges-</i>	<i>Congestione pas-</i>
		<i>sive</i>	<i>tion</i>	<i>siva</i>
347. <i>Hæmorrhagia</i>		<i>Pneumo - hémor-</i>	<i>Lungenblutung</i>	<i>Stravaso polmo-</i>
		<i>rhagie</i>		<i>nale</i>
<i>a. Hæmoptysis</i>		<i>Hémoptysie</i>	<i>Bluthusten</i>	<i>Emottisia</i>
<i>b. Apoplexia pulmo-</i>		<i>Apoplexié pulmo-</i>	<i>Apoplexie der</i>	<i>Apoplessia polmo-</i>
<i>nalis</i>		<i>naire</i>	<i>Lunge</i>	<i>nale</i>
348. <i>Œdema</i>		<i>Œdème</i>	<i>Oedem</i>	<i>Edema</i>
349. <i>Pneumonia, sive</i>		<i>Pneumonie</i>	<i>Lungenentzündung. Syn.</i>	<i>Pneumonitide</i>
<i>peripneumonia</i>			<i>Pneumonie</i>	
<i>a. Lobularis. Idem</i>		<i>Lobulaire. Syn.</i>	<i>Lobuläre. Syn.</i>	<i>Lobolare. Sin.</i>
<i>valet Catarrhalis</i>		<i>Catarrhale</i>	<i>Katarrhalische</i>	<i>Catarrale</i>
<i>b. Lobaris. Idem</i>		<i>Lobaire. Syn.</i>	<i>Lobäre. Syn.</i>	<i>Lobare</i>
<i>valet Anginosa</i>		<i>Croupeuse</i>	<i>Croupöse</i>	
350. <i>Abscessus</i>		<i>Abcès</i>	<i>Abscess</i>	<i>Ascesso</i>
351. <i>Vomica</i>		<i>Vomique</i>	<i>Caverne</i>	<i>Vomica</i>
(27.) <i>Pyæmia</i>		<i>Pyohémie</i>	<i>Pyæmie</i>	<i>Piemia</i>
352. <i>Gangræna</i>		<i>Gangrène</i>	<i>Brand. Syn. Gan-</i>	<i>Gangrena</i>
			<i>grän</i>	
353. <i>Cirrhosis. Idem</i>		<i>Cirrhose. Syn.</i>	<i>Cirrhose. Syn.</i>	<i>Cirrosi. Sin. Tisi</i>
<i>valet Phthisis</i>		<i>Phthisie fibroïde</i>	<i>Lungenschump-</i>	<i>fibroïdea</i>
<i>fibrosa</i>			<i>fung</i>	
354. <i>Induratio fusca</i>		<i>Induration brune</i>	<i>Braune Induration</i>	<i>Indurimento bruno</i>
355. <i>Induratio nigra</i>		<i>Induration ardoise</i>	<i>Schwarze Indura-</i>	<i>Indurimento nero</i>
			<i>tion</i>	

(54.) *Malformations.*

Return cases of this kind according to the list at page 295.

(40-48.) *Injuries.*

Return such cases according to the list at p. 233.

(40.) *a. Foreign bodies in trachea or bronchi.*

345. *Spasmodic asthma.

DISEASES OF THE LUNG.

Note.—It should be stated whether one lung or both be affected; and, if one only, whether the right or left, and in what lobe or lobes.

346. Passive congestion.

347. Hæmorrhage.

*a. Hæmoptysis.**b. Pulmonary apoplexy.*

348. Œdema.

349. Pneumonia.

*Varieties:**a. Lobular. Synonym, Catarrhal.**b. Lobar. Synonym, Croupous.*

Note.—The term “secondary” has been applied to Pneumonia when it occurs as a complication of some other disease: such cases ought to be returned under the head of the primary affection.

350. Abscess.

351. Vomica.

(27.) *Pyæmia.*

352. Gangrene.

353. Cirrhosis. *Synonyms, Fibroid phthisis, Chronic interstitial inflammation.*

354. Brown induration.

355. Black induration. *Synonym, Iron-grey induration.*

* When the cause of this symptom is known, the return should be made under the head of such cause, the local condition being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
356. Phthisis pneumonica acuta	Phthisie pulmonaire aiguë	Acute pneumonische Phthisis	Tisi acuta pneumonica
357. Phthisis pneumonica chronica, <i>sive</i> longa	Phthisie pulmonaire chronique	Chronische pneumonische Phthisis	Tisi cronica pneumonica
358. Aneurysma	Anévrisme	Aneurysma	Aneurisma
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
359. Emphysema	Emphysème	Emphysem	Emfisema
<i>a. Vesiculare</i>	Vésiculaire	Vesiculäres	Vesicolare
<i>b. Interlobulare</i>	Interlobulaire	Interlobuläres	Interlobulare
360. Apneumatosi	Apneumatose	Apneumatosi	Apneumatosi
361. Atelectasis, <i>sive</i> explicatio imperfecta	Atélectasie	Atelectase	Atelettasia
362. Collapsio	Collapsus	Collaps	Collasso
363. Embolus	Embolie	Embolie	Embolismo
(35.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>
(54.) <i>Deformitates in-genitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
(40-48.) <i>Lesiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
364. Fabrorum molariorum phthisis	Phthisie des travailleurs à la pierre de grès	Schwindsucht der Mühlsteinarbeiter	Tisi degli scalpellini
365. Cultrariorum asthma	Phthisie des aiguisseurs	Asthma der Schleifer	Asma degli arrotini
366. Metallariorum asthma	Asthme des mineurs	Asthma der Bergleute	Asma de' minatori
367. Alia incommoda e corporum irritantium aut mechanice aut chemice aut aliter noxiarum inhalatione	Autres affections dues à l'inhalation de matières irritantes ou vénéneuses	Andere Affectionen verursacht durch die Einathmung mechanischer, chemischer, oder sonstig schädlicher reizender Substanzen	Altre affezioni dovuti all'inhalazione d'irritanti meccanici chimici od in altro modo velenosi

356. Acute pneumonic phthisis.
357. Chronic pneumonic phthisis.
358. Aneurysm (of branches of Pulmonary artery).
- (62.) *Non-malignant New Growth.*
- (63.) *Malignant New Growth.*
- } Return according to the
list of tumours at p. 307.
- (64.) *Tubercle.*
- Return according to the list at p. 315.
- (29.) *Syphilis.*
- Return according to the list at p. 313.
359. Emphysema.
- a. Vesicular.
- b. Interlobular.
360. Apneumatosiis.
361. Atelectasis.
362. Collapse.
363. Embolism. (Infarct.)
- (35.) *Parasitic disease.*
- Return cases of this kind according to the list
at page 284.
- (54.) *Malformations.*
- Return cases of this kind according to the list
at pages 295, 303.
- (40-48.) *Injuries.*
- Return cases of this kind according to the list
at pages 235, 237.
364. Millstone-maker's phthisis.
365. Grinders' asthma.
366. Miners' asthma.
367. Other affections due to inhalation of mechanical,
chemical, or otherwise poisonous, irritants.

PLEURÆ MORBI.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
368. Hydrothorax	Hydrothorax	Hydrothorax	Idrotorace
369. Pleuritis	Pleurésie	Pleuritis. <i>Syn.</i> Rippenfellentzündung	Pleuritide
<i>a. Acuta</i>	Aiguë	Acute	Acuta
<i>b. Chronica, sive longa</i>	Chronique	Chronische	Chronica
370. Empyema	Empyème	Empyem	Empiema
371. Adhærentia, item densatio et calci- ficatio	Adhérences, avec épaississement et calsification	Adhaesionen. <i>Syn.</i> Verwachsungen mit Einschluss der Verdickung und Verknö- cherung	Aderenze, com- presi ingrossa- menti ed calcifi- cazioni
(62.) <i>Tumores non ma- ligni</i>	<i>Tumeurs non-ma- lignes</i>	<i>Gutartige Ge- schwülste</i>	<i>Tumori non-ma- ligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Ge- schwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
372. Pneumothorax	Pneumothorax	Pneumothorax	Pneumotorace
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>

CONCOCTIONIS APPARATUS MORBI.

LABRORUM MORBI.

373. Ulcus	Ulcère	Geschwür	Ulcera
374. Fissura	Fissure	Fissur	Fissura
(62.) <i>Tumores non ma- ligni</i>	<i>Tumeurs non-ma- lignes</i>	<i>Gutartige Ge- schwülste</i>	<i>Tumori non-ma- ligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Ge- schwülste</i>	<i>Tumori maligni</i>

DISEASES OF THE PLEURA.

Note.—It should be stated whether one or both pleuræ be affected, and, if one only, whether the right or the left.

368. Hydrothorax.

369. Pleurisy.

Varieties :

a. Acute.

b. Chronic.

370. Empyema.

371. Adhesions, including thickening and calcification.

(62.) *Non-malignant New Growth.* }
 (63.) *Malignant New Growth.* } Return according to the
 list of tumours at p. 307.

(64.) *Tubercle.*

Return according to table at p. 315.

(29.) *Syphilis.*

Return according to table at p. 313.

372. Pneumothorax.

The cause of this condition should be stated.

(40-48.) *Injuries.*

Return cases of this kind according to the list
 at page 235.

DISEASES OF THE DIGESTIVE SYSTEM.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by number.

DISEASES OF THE LIPS.

It should be stated whether the upper or lower lip or both
 are affected.

373. Ulcer.

374. Fissure.

(62.) *Non-malignant New Growth.* }
 (63.) *Malignant New Growth.* } Return according to the
 list of tumours at p. 307.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
(54.) <i>Deformatates in- genitæ</i>	<i>Vices de confor- mation</i>	<i>Missbildungen</i>	<i>Vizi di conforma- zione</i>
<i>a. Labrum leporinum</i>	<i>Bec de lièvre</i>	<i>Hasenscharte</i>	<i>Labbro leporino</i>
(92.) <i>Paralysis</i>	<i>Paralysie</i>	<i>Paralyse</i>	<i>Paralisi</i>

ORIS MORBI.

375. Stomatitis	Stomatite	Stomatitis. <i>Syn.</i> Entzündung der Mund- schleimhaut	Stomatitide
(14.) <i>Diphtheria</i>	<i>Diphthérie</i>	<i>Diphtheritis</i>	<i>Difterite</i>
376. Stomatitis ulcerans	Stomatite ulcé- reuse	Ulcerative Stoma- titis	Stomatitide ulce- rosa
377. Stomatitis vesi- culosa	Stomatite vésicu- leuse	Vesiculäre Stoma- titis	Stomatide vesico- lare
378. Noma, sive oris gangræna. <i>Idem</i> <i>valent</i> Stomatitis gangrænosa, Cancrum oris	Gangrène de la bouche	Noma. <i>Syn.</i> Wasserkrebs	Cancro della bocca
379. Cystis	Kyste	Cyste	Ciste
<i>a. Ranula</i>	Grenouillette	Ranula	Ranula
(62.) <i>Tumores non ma- ligni</i>	<i>Tumeurs non-ma- lignes</i>	<i>Gutartige</i> <i>Ge-</i> <i>schwülste</i>	<i>Tumori non-ma- lignii</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige</i> <i>Ge-</i> <i>schwülste</i>	<i>Tumori maligni</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
(35-36.) <i>Morbus parasi- ticus</i>	<i>Maladie para- itaire</i>	<i>Parasitäre Er- krankungen</i>	<i>Malattia paras- itica</i>
(36.) <i>a. Aphthæ</i>	<i>Muguet parasitaire</i>	<i>Parasitischer Soor</i>	<i>Afte parassitiche</i>

(29.) *Syphilis.*

Return according to table at p. 313.

(54.) *Malformations.*

Return such cases according to the list at p. 299.

a. *Hare-lip.*

(92.) **Paralysis.*

DISEASES OF THE MOUTH.

Note.—If the affection of the mouth, throat, or parts connected therewith depend on syphilis, scurvy, local irritants, or any other definite cause, the fact should be stated.

375. *Stomatitis.*

(14.) *Diphtheria.*

376. *Ulcerative stomatitis.*

377. *Vesicular stomatitis.* *Synonyms,* Herpes of the mouth, Follicular stomatitis.

378. *Noma.* *Synonyms,* Gangrenous stomatitis, Cancrum oris.

379. *Cyst.*

a. *Ranula.*

(62.) *Non-malignant New Growth.*

(63.) *Malignant New Growth.*

} Return according to the list of tumours at p. 307.

(29.) *Syphilis.*

Return according to table at p. 313.

(35-36.) *Parasitic disease.*

Return cases of this class according to the list at p. 290.

(36.) a. *Thrush.* *Synonym,* *Aphthæ.* *Parasite,* *Oidium albicans.*

Note.—The use of the term Thrush should be restricted to this disease.

* When the cause of this condition is known, the return should be made under the head of such cause, the local affection being also specified.

MAXILLARUM MORBI, ITEM ANTRI.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
380. Ossium faciei hypertrophia V.—Leontiasis ossea.	Hypertrophie des os de la face Léontiasis osseuse	Hypertrophie der Gesichtsknochen Leontiasis ossea	Ipertrofia delle ossa della faccia Leontiasi ossea
381. Antri abscessus	Abcès de l'antre d'Highmore	Abscess der Kieferhöhle	Ascesso dell'antro
382. Cystis	Kyste	Cyste	Ciste
(62.) Tumores non maligni	Tumeurs non-malignes	Gutartige Geschwülste	Tumori non-maligni
(63.) Tumores maligni	Tumeurs malignes	Bösartige Geschwülste	Tumori maligni
(40.) Corpora adventitia in antro	Corps étrangers de l'antre d'Highmore	Fremde Körper in der Highmorshöhle	Corpi estranei nell'antro Highmorianano
(54.) Deformitates in-genitæ	Vices de conformation	Missbildungen	Vizi di conformazione
a. Maxilla lambdoides	Machoire en V	V-förmiger Kiefer	Mascella in forma di V
b. Latera minus symmetrica	Asymétrie latérale	Seitliche Asymmetrie	Assimmetria laterale

DENTIUM, ALVEOLORUM ET GINGIVARUM MORBI.

383. Dentitio	Dentition	Zahnen	Dentizione
---------------	-----------	--------	------------

MEDULLÆ DENTIUM MORBI.

384. Inflammatio	Inflammation	Entzündung	Infiammazione
385. Ulceratio	Ulcération	Verschwörung oder Geschwürsbildung	Ulcerazione
386. Gangræna	Gangrène	Gangrän. Syn. Brand	Gangrena
(62) Tumores non maligni a. Polypus	Tumeurs non-malignes Polype	Gutartige Geschwülste Polyp	Tumori non-maligni Polipo
387. Degenerationes 1. Adiposa 2. Calcarea	Dégénérescence Graisseuse Calcaire	Entartungen Fettige Kalkförmige Entartung	Degenerazione Grassosa Calcarea

DISEASES OF THE JAWS, INCLUDING THE ANTRUM.

The affections of the alveoli are to be returned with those of the teeth. (See pp. 93, 95, 97.)

380. Hypertrophy of the bones of the face.

Variety: Leontiasis ossea.

381. Abscess of the antrum.

382. Cyst.

(62.) *Non-malignant New Growth.* } Return according to the
(63.) *Malignant New Growth.* } list of tumours at p. 307.

(40.) *Foreign bodies in the antrum.*

Return under Injuries, at p. 229.

(54.) *Malformations.*

Return such cases according to the list at p. 297.

a. *V-shaped maxilla.*

b. *Lateral asymmetry.*

DISEASES OF THE TEETH, ALVEOLI, AND GUMS.

383. Teething.

Note.—Any affection, such as convulsions and paralysis, induced by this condition should be specified.

OF THE DENTAL PULP.

384. Inflammation.

385. Ulceration.

386. Gangrene.

(62.) *Non-malignant New Growth.*

Return according to the list of tumours at 307, *et seq.*

a. *Polypus.*

Return under Fibroma, polypoid, p. 309.

387. Degenerations.

1. Fatty.

2. Calcareous.

DENTINÆ ET CÆMENTI MORBI.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
388. Caries	Carie	Caries	Carie
389. Necrosis	Nécrose	Nekrose	Necrosi
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
<i>Exostosis</i>	<i>Exostose</i>	<i>Exostose</i>	<i>Esostosi</i>
<i>Odontoma.</i>	<i>Odontome</i>	<i>Odontom</i>	<i>Odontoma</i>
1. <i>Calcificatum</i>	<i>Calcifié</i>	<i>Verkalktes</i>	<i>Calcificato</i>
2. <i>Cysticum aut fibrosum non calcificatum</i>	<i>Kystique ou fibreux, non calcifié</i>	<i>Nicht verkalktes cystisches oder fibröses</i>	<i>Non-calcificato cistico o fibroso</i>
390. Extenuatio	Absorption	Absorption	Atrofia

PERIOSTEI DENTIIUM MORBI.

391. Inflammatio	Inflammation	Entzündung	Infiammazione
392. Abscessus. <i>Idem valet Parulis</i>	Abcès	Abscess	Ascesso

PERIOSTEI, GINGIVARUM, ET ALVEOLORUM MORBI.

393. Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
394. Atrophia	Atrophie	Atrophie	Atrofia
395. Inflammatio	Inflammation	Entzündung	Infiammazione
(883.) <i>a. Mercurialis</i>	<i>Hydrargyrique</i>	<i>Mercurielle</i>	<i>Mercuriale</i>
(895.) <i>b. Phosphorica</i>	<i>Phosphorée</i>	<i>Durch Phosphor</i>	<i>Fosforica</i>
(58.) <i>c. Rheumatica</i>	<i>Rhumatisme</i>	<i>Rheumatische</i>	<i>Reumatica</i>
(29.) <i>d. Syphilitica</i>	<i>Syphilitique</i>	<i>Syphilitische</i>	<i>Sifilitica</i>
(51.) <i>e. Scorbutica</i>	<i>Scorbutique</i>	<i>Scorbutische</i>	<i>Scorbutica</i>
(1-8.) <i>f. Exanthematica</i>	<i>Exanthématique</i>	<i>Exanthematische</i>	<i>Esantematica</i>
396. Suppuratio	Suppuration	Vereiterung	Suppurazione
397. Gingivarum durities	Induration, chez l'enfant	Verhärtung	Induramento (nell' infanzia)
398. Ulceratio	Ulcération	Verschwärung	Ulcerazione
399. Caries	Carie	Caries	Carie
400. Necrosis	Nécrose	Nekrose	Necrosi
401. Gangræna	Gangrène	Brand. <i>Syn. Gangrän</i>	Gangrena

OF DENTINE AND CEMENTUM.

388. Caries.

389. Necrosis.

(62.) *Non-malignant New Growth.**Exostosis.**Odontoma.*1. *Calcified.*2. *Uncalcified cystic or fibrous.*

} Return according to
the list of tumours
at pp. 307, 309.

390. Absorption.

OF THE DENTAL PERIOSTEUM.

391. Inflammation.

392. Abscess. *Synonym*, Gum-boil.

OF THE PERIOSTEUM, GUMS, AND ALVEOLI.

Note.—Whenever these parts are affected separately, the locality of the affection should be noted in the return.

393. Hypertrophy.

394. Atrophy.

395. Inflammation.

(883.) *a. Mercurial.*(895.) *b. Phosphoric.*(58.) *c. Rheumatic.*(29.) *d. Syphilitic.*(51.) *e. Scorbutic.*(1-8.) *f. Exanthematous.*

396. Suppuration.

397. Induration of gums.

398. Ulceration.

399. Caries.

400. Necrosis.

401. Gangrene.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
<i>a. Epulis</i>	<i>Épulis</i>	<i>Epulis</i>	<i>Epulide</i>
<i>b. Polypus</i>	<i>Polype</i>	<i>Polyp</i>	<i>Polipo</i>
<i>c. Nævus</i>	<i>Tumeur nævoïde</i>	<i>Naevus</i>	<i>Tumore nevoide</i>
<i>d. Papilloma.</i>	<i>Papillome</i>	<i>Papillom</i>	<i>Papilloma</i>
<i>e. Exostosis</i>	<i>Exostose</i>	<i>Exostose</i>	<i>Esostosi</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
(882.) <i>Cærulea ex plumbo gingiva</i>	<i>Liséé bleu saturé</i>	<i>Blauer Rand durch Blei</i>	<i>Gengiva plumbea</i>

DENTES IPSI ET ALVEOLI QUOAD FORMAM, NUMERUM, NEXUM, ET EVOLUTIONEM
MINUS RECTE ORDINATI.

(29.) <i>Dentes syphilitici</i>	<i>Dents syphilitiques</i>	<i>Syphilitische Zähne</i>	<i>Denti sifilitici</i>
402. <i>Structura abnormis</i>	<i>Structure anormale</i>	<i>Abnorme Struktur</i>	<i>Struttura anormale</i>
1. <i>Corticis dentium</i>	<i>de l'émail</i>	<i>des Zahnschmelzes</i>	<i>dello smalto</i>
2. <i>Dentinae</i>	<i>de la dentine</i>	<i>des Zahnbeins</i>	<i>della dentina</i>
3. <i>Cæmenti</i>	<i>du ciment</i>	<i>der Wurzelrinde</i>	<i>del cemento</i>
403. <i>Favosimiles dentes</i>	<i>Dents alvéolées</i>	<i>Zahnfäule</i>	<i>Denti a cellette</i>
404. <i>Dentium forma abnormis</i>	<i>Conformation anormale</i>	<i>Abnorme Form der Zähne</i>	<i>Forma anormale</i>
405. <i>Supra numerum justum dentes</i>	<i>Dents surnuméraires</i>	<i>Ueberzählige Zähne</i>	<i>Denti supranumerari</i>
406. <i>Dentium aut omnium aut aliquorum defectus</i>	<i>Défaut de dents total ou partiel</i>	<i>Ausbleiben der Zähne, vollständiges oder theilweises</i>	<i>Soppressione totale o parziale</i>
407. <i>Dentes minus recte positi</i>	<i>Position anormale</i>	<i>Falsche Stellung der Zähne</i>	<i>Malpositura dei denti</i>
408. <i>Dentes impacti</i>	<i>Enfoncement des dents</i>	<i>Eingekeilte Zähne</i>	<i>Inchiovatura di denti</i>
409. <i>Cystis dentigera</i>	<i>Kyste renfermant une ou plusieurs dents</i>	<i>Zahnführende Cyste</i>	<i>Ciste dentigena</i>

(62.) *Non-malignant New Growth.*a. *Epulis.*

Return under Fibroma,
p. 309, or Myeloid, p. 313,
according to structure.

b. *Polypus.*

Return under Fibroma,
p. 309.

c. *Nævroid tumour.*d. *Papilloma.*e. *Exostosis.*

Return according to
the list of tumours
at p. 307, *et seq.*

(63.) *Malignant New Growth.*(29.) *Syphilis.*

Return according to table at p. 313.

(882.) *Blue line from lead.*

See list of poisons, page 199.

ERRORS OF FORM, NUMBER, ATTACHMENT, AND DEVELOP-
MENT OF THE DENTAL TISSUES AND ALVEOLI.

(29.) *Syphilitic teeth.*

402. Abnormal structure :

1. of enamel,
2. of dentine,
3. of cementum.

403. Honeycombed teeth.

404. Abnormal form of teeth.

405. Supernumerary teeth.

406. Suppression of teeth, total or partial

407. Malposition of teeth.

408. Impaction of teeth.

409. Dentigerous cyst.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
410. Alveolorum evolutio abnormalis	Développement anormal des alvéoles	Abnorme Entwicklung der Alveolen	Svilluppo anormale degli alveoli
(40-48.) <i>Maxillarum et dentium lésiones</i>	<i>Lésions des mâchoires et des dents</i>	<i>Verletzungen der Kiefer und Zähne</i>	<i>Lesioni delle mascelle e dei denti</i>
411. Odontalgia	Mal de dents	Zahnschmerz	Mal di denti

LINGUÆ MORBI.

412. Hypertrophia. <i>Idem valet Macroglossa</i>	Hypertrophie. <i>Syn. Macro-</i> glossie	Hypertrophie. <i>Syn. Macro-</i> glossie	Ipertrofia. <i>Sin.</i> Macroglossa
413. Atrophia	Atrophie	Atrophie	Atrofia
414. Inflammatio. <i>Idem valet Glossitis</i>	Glossite	Zungenentzündung	Glossitide
415. Abscessus	Abcès	Abscess	Ascesso
416. Ulcus	Ulcère	Geschwür	Ulcerà
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
<i>a. Syphilis primaria</i>	<i>Syphilis primitive</i>	<i>Primäre Syphilis</i>	<i>Sifilide primaria</i>
<i>b. Syphilis secundaria</i>	<i>Syphilis secondaire</i>	<i>Secundäre Syphilis</i>	<i>Sifilide secundaria</i>

(54.) <i>Deformitates in-genitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
<i>a. Lingua frenata</i>	<i>Filet</i>	<i>Anwachsung der Zunge</i>	<i>Brevità del frenulo</i>
(92.) <i>Paralysis</i>	<i>Paralysie</i>	<i>Lähmung</i>	<i>Paralisi</i>
(102.) <i>Anæsthesia</i>	<i>Anésthésie</i>	<i>Anæsthesie</i>	<i>Anestesia</i>
417. Gustus perditus aut depravatus	Perte ou perversion du goût	Verlust oder Abnormität	Perdita o perversimento del gusto

PALATI ET FAUCIUM MORBI.

418. Tonsillarum hypertrophia	Hypertrophie des amygdalæ	Hypertrophie der Tonsillen	Tonsille ipertrofiche
419. Uva descendens	Élongation de la luette	Verlängerung des Zäpfchens	Ugola allungata
420. Faucium resolutio	Relâchement du gosier	Erschlaffung der Fauces	Rilassatezza delle fauci

410. Abnormal development of alveoli.

(40-48.) *Injuries of jaws and teeth.*

Return such cases according to the list at p. 229.

411. *Toothache. *Synonym*, Odontalgia.

DISEASES OF THE TONGUE.

412. Hypertrophy. *Synonym*, Macroglossa.

413. Atrophy.

414. Inflammation. *Synonym*, Glossitis.

415. Abscess.

416. Ulcer.

(62.) *Non-malignant New Growth.* } Return according to the
list of tumours at p. 307.

(63.) *Malignant New Growth.*

(29.) *Syphilis.*

Return according to table at p. 313.

a. *Primary.*

b. *Secondary, or Constitutional.*

416A. Leucoplacia. *Synonyms*, Tylosis, Ichthyosis linguæ.

(54.) *Malformations.*

Return such cases according to the list at p. 303.

a. *Tongue-tie.*

(92.) **Paralysis.*

(102.) **Anæsthesia.*

417. *Loss or perversion of the sense of taste.

DISEASES OF THE PALATE AND FAUCES.

418. Hypertrophy of tonsils.

419. Elongated uvula.

420. Relaxed throat.

* When the cause of this condition is known, the return should be made under the head of such cause, the local affection being also specified.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
421. Faucium dolor. <i>Idem valet</i> Fau- cium inflammatio catarrhalis	Mal de gorge	Halsschmerz	Angina delle fauci
422. Cynanche tonsil- laris	Esquinancie	Angina tonsillaris. <i>Syn.</i> Parenchy- matöse und phlegmonöse Entzündung des Rachens	Angina tonsillare
423. Tonsillitis follicu- laris	Amygdalite folli- culaire	Folliculäre Ent- zündung der Mandeln	Tonsillitide folli- colare
424. Faucium ulceratio	Ulcérations	Geschwürige Halsentzün- dung	Angina ulcerosa
425. Cynanche gangræ- nosa. <i>Idem valet</i> Cynanche putris.	Angine gangré- neuse. <i>Syn.</i> — maligne	Angina maligna. <i>Syn.</i> gangræ- nosa	Angina maligna
(14.) <i>Diphtheria</i>	<i>Diphthérie</i>	<i>Diphtheritis</i>	<i>Difterite</i>
(62.) <i>Tumores non ma- ligni</i>	<i>Tumeurs non-ma- lignes</i>	<i>Gutartige Ge- schwülste</i>	<i>Tumori non-ma- ligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Ge- schwülste</i>	<i>Tumori maligni</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
426. Faucium strictura, item cicatrices et adhærentia.	Rétrécissement du gosier	Strictur oder Ver- engerung der Fauces	Ristringimento delle fauci
(54.) <i>Deformitates in- genitæ</i>	<i>Vices de confor- mation</i>	<i>Missbildungen</i>	<i>Vizi di conforma- zione</i>
<i>a. Palatum fissum</i>	<i>Fente congénitale du palais</i>	<i>Wolfsrachen</i>	<i>Palato fesso</i>
(92.) <i>Paralysis</i>	<i>Paralysie</i>	<i>Lähmung</i>	<i>Paralisi</i>

GLANDULARUM SALIVOSARUM MORBI.

427. Inflammatio	Inflammation	Entzündung	Infiammazione
428. Abscessus	Abcès	Abscess	Ascesso
429. Fistula salivosa	Fistule salivaire	Speichelfistel	Fistola salivale
(13.) <i>Parotitis</i>	<i>Oreillons</i>	<i>Mumps. Syn. Ziegenpeter</i>	<i>Parotitide o Orec- chioni</i>
430. Cystis	Kyste	Cyste	Cistide
<i>a. Ranula</i>	<i>Grenouillette</i>	<i>Ranula</i>	<i>Ranula</i>

421. Sore throat. *Synonym*, Catarrhal inflammation of fauces.
422. Quinsy. *Synonym*, Suppurative tonsillitis.
423. Follicular tonsillitis.
424. Ulceration of the fauces.
425. Sloughing sore throat. *Synonym*, Putrid sore throat.
Note.—This affection must be distinguished from malignant scarlet fever.
- (14.) *Diphtheria*.
- (62.) *Non-malignant New Growth*.
- (63.) *Malignant New Growth*.
- } Return according to the
list of tumours at p. 307.
- (29.) *Syphilis*.
 Return according to the table at p. 313.
426. Stricture of the fauces, including cicatrices and adhesions.
- (54.) *Malformations*.
 Return such cases according to the list at
 pp. 295, 299.
a. Cleft palate.
- (92.) **Paralysis*.

DISEASES OF THE SALIVARY GLANDS.†

427. Inflammation.
428. Abscess.
429. Salivary fistula.
- (13.) *Mumps*.
430. Cyst.
a. Ranula.

* When the cause of this affection is known, the return should be made under the head of such cause, the local condition being also specified.

† The gland affected should be specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
431. Calculus salivus	Calcul salivaire	Speichelstein	Calcolo salivale
432. Saliva frequens. <i>Idem valet Ptyalismus</i>	Salivation	Speichelfluss	Ptialismo o Salivazione

PHARYNGIS ET ŒSOPHAGI MORBI.

433. Pharyngitis follicularis	Pharyngite folliculeuse	Folliculäre Rachenentzündung	Inflammation follicolare della faringe
434. Post pharyngem abscessus	Abcès rétro-pharyngien	Retropharyngealabscess	Asscesso retro-faringeale
435. Ulceratio	Ulcération	Verschwärung	Ulcerazione
(14.) <i>Diphtheria</i>	<i>Diphthérie</i>	<i>Diphtheritis</i>	<i>Difterite</i>
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
436. Dilatio, item diverticula	Dilatation, y compris les diverticules	Erweiterung, mit Einschluss der Divertikel	Dilatazione, compresi diverticoli
437. Strictura	Rétrécissement	Strictur	Ristringimento
438. Perforatio	Perforation de l'œsophage	Perforation	Perforazione
439. Œsophagi varix	Varices de l'œsophage	Varicen in der Speiseröhre	Varice dell' esofago
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(40.) a. <i>Corpora adventitia</i>	<i>Corps étrangers</i>	<i>Fremde Körper</i>	<i>Corpi estranei</i>
(47.) b. <i>Exedentia</i>	<i>Lésion par substances corrosives</i>	<i>Verletzung durch ätzende Substanzen</i>	<i>Lesioni prodotte da sostanze corrosive</i>
(54.) <i>Deformitates in-genitæ</i>	<i>Vices de conformation.</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
440. Dysphagia, sive Devorandi difficultas	Dysphagie	Dysphagie. Syn. Schlingbeschwerden	Disfagia
(92.) <i>Paralysis</i>	<i>Paralysie</i>	<i>Lähmung</i>	<i>Paralisi</i>

- (62.) *Non-malignant New Growth.* }
 (63.) *Malignant New Growth.* } Return according to the
 list of tumours at p. 307.

431. Salivary calculus.

432. *Salivation. *Synonym*, Ptyalism.

DISEASES OF THE PHARYNX AND ŒSOPHAGUS.

433. Follicular inflammation of the pharynx.

434. Post-pharyngeal abscess.

435. Ulceration.

(14.) *Diphtheria.*

- (62.) *Non-malignant New Growth.* }
 (63.) *Malignant New Growth.* } Return according to the
 list of tumours at p. 307.

(29.) *Syphilis.*

Return according to the table at p. 313.

436. Dilatation, including diverticula.

437. *Stricture.

438. *Perforation.

439. Varix of the œsophagus.

(40-48.) *Injuries.*

(40.) *a. By foreign bodies.*

(47.) *b. By corrosive substances.*

Return such cases according to the list at
 p. 233.

(54.) *Malformations.*

Return such cases according to the list at
 p. 295.

440. *Dysphagia.

(92.) **Paralysis.*

* When the cause of this affection is known, the return should be made under the head of such cause, the local condition being also specified.

VENTRICULI MORBI.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
441. Hæmorrhagia	Hémorrhagie	Blutung. <i>Syn.</i> Hæmorrhagie	Emorragia
442. Inflammatio <i>Idem</i> <i>valet</i> Gastritis	Gastrite	Magenentzündung	Gastritide
V.			
1. Acuta	Aiguë	Acute	Acuta
2. Chronica, <i>sive</i> longa	Chronique	Chronische	Cronica
3. Catarrhalis	Catarrhale	Katarrhalische	Catarrale
4. Phlegmonodes <i>aut</i> suppurans	Phlegmoneuse, ou suppurative	Phlegmonöse oder eitrige	Flemmonosa o suppurativa
443. Ulceratio	Ulcération	Geschwürsbildung	Ulcerazione
V.			
Ulcus perforans	Ulcère perforant	Perforirendes Geschwür	Ulcera perforante
444. Morbus lardaceus	Mal lardacé	Speckige Degeneration	Lardacea
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
445. Dilatatio	Dilatation	Erweiterung	Dilatazione
446. Coarctatio	Contraction	Verengerung	Contrazione
447. Strictura	Rétrécissement	Strictur	Ristringimento
a. Cardiae	du cardia	der Cardia	del cardia
b. Pylori	du pylore	des Pylorus	del piloro
448. Perforatio	Perforation	Perforation	Perforazione
449. Laceratio aut disruptio spontanea	Rupture, ou déchirure spontanée	Spontane Zerrei- sung oder Ruptur	Lacerazione o rottura spontanea
450. Fistula gastrica	Fistule gastrique	Magenfistel	Fistola gastrica
451. Hernia	Hernie	Bruch	Ernia
(35-36.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>
40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>

DISEASES OF THE STOMACH.

441. Hæmorrhage.

442. Inflammation. *Synonym, Gastritis.*

Varieties :

1. Acute.

2. Chronic.

3. Catarrhal.

4. Phlegmonous or suppurative.

443. Ulceration.

Variety :

Perforating ulcer.

444. Lardaceous disease.

(62.) *Non-malignant New Growth.*

(63.) *Malignant New Growth.*

} Return according to the
list of tumours at p. 307.

445. *Dilatation.

446. *Contraction.

447. *Stricture :

a. of cardia.

b. of pylorus.

448. *Perforation.

449. Spontaneous laceration or rupture.

450. Gastric fistula.

451. Hernia.

(35-36.) *Parasitic disease.*

Return such cases according to the list at
p. 284, *et seq.*

(40-48.) *Injuries.*

Return such cases according to the list at
p. 239.

* When the cause of this condition is known, the return should be made under the head of such cause, the local affection being also specified.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
452. Dyspepsia	Dyspepsie	Dyspepsie	Dispepsia
453. Gastrodynia	Gastrodynie	Gastrodynie. <i>Syn.</i> Cardialgie	Gastrodinia
454. Pyrosis	Pyrosis	Sodbrennen	Piroso
455. Vomitus	Vomissement	Erbrechen	Vomito

INTESTINORUM MORBI.

456. Hæmorrhagia, item Mælena	Hémorrhagie Mélæna	Hæmorrhagie Melaena	Emorragia Melena
457. Inflammatio	Inflammation	Entzündung	Infiammazione
1. Catarrhalis. <i>Idem</i> <i>valet</i> Muco- enteritis	Catarrhale. <i>Syn.</i> Muco-entérite	Katarrhalische. <i>Syn.</i> Darmkatarrh	Catarrale
(14.) 2. <i>Diphtherica</i>	<i>Diphthéritique</i>	<i>Diphtheritische.</i> <i>Syn.</i> Darmdiph- therie	<i>Difteritica</i>
3. Ulcerans	Ulcéreuse	Ulcerative	Ulcerosa
a. Enteritis	Entérite	Enteritis. <i>Syn.</i> Dünndarm- zündung	Enteritide
b. Typhlitis. <i>Idem</i> <i>valet</i> Cæci intes- tini inflammatio	Typhlite, Peri- typhlite	Blinddarmentzün- dung	Tiflitide
c. Colitis	Colite	Dickdarmentzün- dung	Colitide
458. Ulcus	Ulcère	Geschwür	Ulcera
459. Abscessus sub pe- ritonæo ortus; item, Perityphli- tis suppurans	Abcès sous-péri- tonéal	Abscessim Subpe- ritonealgewebe	Ascesso nel tes- suto sotto-peri- toneale
460. Morbus lardaceus	Dégénérescence lardacée	Speckige Degene- ration	Lardacea
(62.) <i>Tumores non ma- ligni</i>	<i>Tumeurs non-ma- lignes</i>	<i>Gutartige</i> Ge- <i>schwülste</i>	<i>Tumori non-ma- ligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige</i> Ge- <i>schwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
461. Dilatatio	Dilatation	Erweiterung	Dilatazione
a. Coli diverticula	Diverticules ou poches du colon	Divertikel oder Ausstülpungen am Dickdarm	Diverticoli o tasche del intestino colon
462. Tympanites	Tympanite	Tympanites. <i>Syn.</i> Meteorismus	Timpanite

452. *Dyspepsia. *Synonym*, Indigestion.
 453. *Gastrodynia *Synonym*, Stomach-ache.
 454. *Pyrosis. *Synonym*, Water-brash.
 455. *Vomiting.

DISEASES OF THE INTESTINES.

456. Hæmorrhage, including
 Melæna.
 457. Inflammation.
 1. Catarrhal. *Synonym*, Muco-enteritis.
 (14.) 2. *Diphtheritic*.
 3. Ulcerative.
 a. Enteritis.
 b. Typhlitis. *Synonym*. Inflammation of the
 cæcum.
 c. Colitis.
 458. Ulcer.
 459. Abscess in the sub-peritoneal tissue, including
 suppurative perityphlitis.
 460. Lardaceous disease.
 (62.) *Non-malignant New Growth.* }
 (63.) *Malignant New Growth.* } Return according to the
 } list of tumours at p. 307.
 (64.) *Tubercle.*
 Return according to table at p. 315.
 461. Dilatation.
 a. Diverticula, or pouches of the colon.

462. †Tympanites.

Note.—Cause to be stated, if known.

* These, being names of symptoms, should be used only when the cause is unknown. When the cause is known, the return should be made under the head of such cause, the local condition being also specified.

† When the cause of this affection is known, the return should be made under the head of such cause, the local affection being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
463. Obstructio	Obstruction	Verstopfung	Ostruzione
464. Strictura	Rétrécissement	Strictur	Ristringimento
465. Intussusceptio. <i>Idem valet In-</i> <i>vaginatio</i>	Intussusception. <i>Syn.</i> Invagina- tion	Intussusception. <i>Syn.</i> Einstül- pung	Invaginamento
466. Volvulus. <i>Idem</i> <i>valet Ileus</i>	Iléus, ou Vol- vulus	Volvulus. <i>Syn.</i> Achselfdreh- mung	Volvolo
467. Strangulatio in- terna	Etranglement in- terne	Innere Einschnü- rung	Strozzamento in- terno
468. Hernia	Hernie	Bruch	Ernia
a. Reponendi patiens	Réductible	Reducirbarer	Reducibile
b. Reponendi non pa- tiens	Irréductible	Nichtreducirbarer	Irreducibile
c. Obstructa	Engouée	Obstruirter	Intassata
d. Inflammata	Enflammée	Entzündeter	Inflammata
e. Strangulata	Étranglée	Eingeklemmter	Strozzata
1. Diaphragmatica	Diaphragmatique	Zwerchfellbruch	Diaframmatica
2. Epigastrica	Épigastrique	Epigastrischer Bruch	Epigastrica
3. Ventralis	Ventrale	Bauchbruch	Ventrale
4. Umbilicaris	Ombilicale	Nabelbruch	Ombelicale
5. Lumbaris	Lombaire	Lendenbruch	Lombare
6. Inguinalis	Inguinale	Leistenbruch	Inguinale
a. Obliqua	Oblique	Aeusserer Lei- stenbruch	Obliqua
b. Recta	Directe	Innerer Leisten- bruch	Diretta
c. Imperfecta	Incomplète	Unvollständiger Leistenbruch	Incompleta
d. Scrotalis, <i>aut</i> labialis	Scrotale, ou labiale	Hodensackbruch	Scrotale
e. Ingenita	Congénitale	Angeborener	Congenitale
f. Infantilis	De l'enfance	Der Kinder	Infantile
7. Femoralis	Fémorale	Schenkelbruch	Femorale
8. Obturatoria	Obturatrice	Bruch des eirunden Loches	Otturatoria
9. Perinealis	Périnéale	Mittelfleischbruch	Perineale
10. Vaginalis	Vaginale	Scheidenbruch	Vaginale
11. Ischiadica	Ischiatique	Bruch des Hüft- beinausschnittes	Ischiatica
(515.) 12. Omentalis	Épiploïque	Netzbruch	Omentale

463. *Obstruction.
464. Stricture.
465. Intussusception. *Synonym*, Invagination.
466. Volvulus. *Synonym*, Twist of the gut.
467. Internal strangulation.
468. Hernia. *Syn.* Rupture.
- a. Reducible.
 - b. Irreducible.
 - c. Obstructed.
 - d. Inflamed.
 - e. Strangulated.
 - 1. Diaphragmatic.
 - 2. Epigastric.
 - 3. Ventral.
 - 4. Umbilical.
 - 5. Lumbar.
 - 6. Inguinal.
 - a. Oblique.
 - b. Direct.
 - c. Incomplete.
 - d. Scrotal, or labial
 - e. Congenital.
 - f. Infantile.
 - 7. Femoral.
 - 8. Obturator.
 - 9. Perineal.
 - 10. Vaginal.
 - 11. Ischiatic.
- (515.) 12. *Omental*. See p. 119.
13. *Post-peritoneal*. *Syn.* Retroperitoneal.

* When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
469. Velamentorum herniarum morbi	Maladies des sacs herniaires	Krankheiten des Bruchsackes	Malattie dei sac- chi erniarii
a. Inflammatio	Inflammation	Entzündung	Infiammazione
b. Cohærentia	Adhèrence	Verwachsung	Aderenze
c. Suppuratio	Suppuration	Vereiterung	Suppurazione
d. Hydrops	Hydropisie	Wassersucht	Idropisia
e. Laceratio	Déchirure	Zerreissung	Lacerazione
470. Perforatio	Perforation	Perforation	Perforazione
471. Fistula	Fistule	Fistel	Fistola
472. Concreta	Concrétions	Concretionen	Concrezioni
(40-48.) <i>Lasiones</i>	<i>Blessures</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(40.) <i>Corpora adventitia</i>	<i>Corps étrangers</i>	<i>Fremde Körper</i>	<i>Corpi estranei</i>
(35-36.) <i>Morbus parasiticus</i>	<i>Maladie parasite</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>
(54.) <i>Deformitates ingenuitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi de conformazione</i>
(19.) <i>Cholera</i>	<i>Choléra</i>	<i>Cholera</i>	<i>Colera</i>
(21.) <i>Diarrhœa epidemica</i>	<i>Diarrhée épidémique</i>	<i>Epidemischer Durchfall</i>	<i>Diarrea epidemica</i>
(22.) <i>Dysenteria</i>	<i>Dysentérie</i>	<i>Ruhr. Syn. Dysenterie</i>	<i>Dissenteria</i>
473. <i>Diarrhœa, sive alvus soluta</i>	<i>Diarrhée</i>	<i>Durchfall. Syn. Diarrhœe</i>	<i>Diarrea</i>
474. <i>Constipatio, sive alvus adstricta</i>	<i>Constipation</i>	<i>Verstopfung</i>	<i>Costipazione</i>
475. <i>Colica (Colum, Plin.)</i>	<i>Colique</i>	<i>Kolik</i>	<i>Colica</i>
(882.) V.— <i>Colica (sive colum) ex plumbo</i>	<i>Colique de plomb</i>	<i>Blei-Kolik</i>	<i>Colica litargirosa</i>
476. <i>Paralysis</i>	<i>Paralyse</i>	<i>Lähmung</i>	<i>Paralisi</i>

RECTI INTESTINI ET ANI MORBI.

477. Hæmorrhagia	Hémorrhagie	Blutung	Emorragia
478. Abscessus	Abcès	Abscess	Ascesso
479. Ulceratio	Ulcération	Geschwürsbildung	Ulcerazione

469. Diseases of hernial sacs.

- a. Inflammation.
- b. Adhesion.
- c. Suppuration.
- d. Dropsy.
- e. Laceration.

470. Perforation.

471. Fistula.

472. Concretions.

(40-48.) *Injuries.*

Return such cases according to the list at
p. 239.

(40.) *Foreign bodies.*(35-36.) *Parasitic disease.*

Return such cases according to the list at
p. 284.

(54.) *Malformations.*

Return such cases according to the list at
pp. 295, 303.

(19.) *Cholera.*(21.) *Epidemic diarrhœa.*(22.) *Dysentery.*

473. *Diarrhœa.

474. *Constipation.

475. *Colic.

(882.) *Variety: Lead colic.*

476. *Paralysis.

DISEASES OF THE RECTUM AND ANUS.

477. Hæmorrhage.

478. Abscess.

479. Ulceration.

* These, being names of symptoms, are to be used only when the cause is unknown. When the cause is known, the return should be made under the head of such cause, the local condition being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
<i>a. Ani condyloma</i>	<i>Condylome de l'anus</i>	<i>Condylom Afters</i>	<i>Condiloma dell' ano</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
<i>a. Recti intestini</i>	<i>du rectum</i>	<i>des Mastdarms</i>	<i>dell' intestino retto</i>
<i>b. Ani.</i>	<i>de l'anus</i>	<i>des Afters</i>	<i>dell' ano</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
480. <i>Hæmorrhoides</i>	<i>Hémorroides</i>	<i>Haemorrhoiden</i>	<i>Emorroidi</i>
<i>a. Interiores</i>	<i>Internes</i>	<i>Innere</i>	<i>Interne</i>
<i>b. Exteriores</i>	<i>Externes</i>	<i>Aeusserere</i>	<i>Esterne</i>
481. <i>Prolapsio</i>	<i>Prolapsus</i>	<i>Vorfall. Syn. Pro-laps</i>	<i>Procidenza</i>
482. <i>Stricture</i>	<i>Rétrécissement</i>	<i>Strictur</i>	<i>Ristringimento</i>
483. <i>Fistula in ano</i>	<i>Fistule à l'anus</i>	<i>Afterfistel. Syn. Fistula ani</i>	<i>Fistola dell' ano</i>
484. <i>Ani rhagades</i>	<i>Fissure à l'anus</i>	<i>Fissura ani. Syn. Fissur des Afters</i>	<i>Fissure dell' ano</i>
(583.) <i>Fistula rectum inter et vesicam</i>	<i>Fistule recto-vesicale</i>	<i>Fistula recto-vesicalis. Syn. Mastdarmblasen-fistel</i>	<i>Fistola recto-vesicale</i>
(595.) <i>Fistula rectum inter et urethram</i>	<i>Fistule recto-uréthrale</i>	<i>Fistula recto-urethralis. Syn. Mastdarmharnröhrenfistel</i>	<i>Fistola recto-uretrale</i>
(679.) <i>Fistula rectum inter et vaginam</i>	<i>Fistule recto-vaginale</i>	<i>Fistula recto-vaginalis. Syn. Mastdarmscheiden-fistel</i>	<i>Fistola recto-vaginale</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(40.) <i>Corpora adventitia in recto intestino</i>	<i>Corps étrangers du rectum</i>	<i>Fremde Körper</i>	<i>Corpie estranei dell' intestino retto</i>
(35-36.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>

- (62.) *Non-malignant New Growth.* }
 *a. *Condyloma of the anus.* } Return according to
 (63.) *Malignant New Growth.* } the list of tumours
 a. *Of rectum,* } at p. 307, *et seq.*
 b. *Of anus.* }
- (29.) *Syphilis.* Return according to the table at p. 313.
480. Piles. *Synonym, Hæmorrhoids.*
 a. *Internal.*
 b. *External.*
481. Prolapsus.
482. †Stricture.
483. Fistula in ano.
484. Fissure of the anus.
- (583.) *Recto-vesical fistula.*
- (595.) *Recto-urethral fistula.*
- (679.) *Recto-vaginal fistula.*
- (40-48.) *Injuries.*
 Return such cases according to the list at
 pp. 239, 241.
- (40.) *Foreign bodies in the rectum.* See *Injuries*, p. 241.
- (35-36.) *Parasitic disease.*
 Return such cases according to the list at
 p. 284, *et seq.*

* When this condition is caused by syphilis or gonorrhœa, the return must be made under those names, pp. 9-11.

† When the cause of this affection is known, the return should be made under the head of such cause, the local affection being also specified.

LATIN EQ.		FRENCH	GERMAN	ITALIAN
(54.) <i>Deformatates</i>	<i>in-</i>	<i>Vices de confor-</i>	<i>Missbildungen</i>	<i>Vizi di conforma-</i>
<i>genitæ</i>		<i>mation</i>		<i>zione</i>
485. Ani spasmus		Spasme du sphincter	Krampf des Sphincter Ani	Spasmo dello sfintere dell' ano
486. Neuralgia		Névralgie	Neuralgie	Nevralgia
487. Ani pruritus		Prurit	Pruritus Ani	Prurito all' ano

JECORIS MORBI.

488. Hypertrophia		Hypertrophie	Hypertrophie	Ipertrofia
489. Atrophia		Atrophie	Atrophie	Atrofia
490. Congestio		Congestion	Hyperaemie der Leber, mit Einschluss der Muskatusleber	Congestione del fegato
491. Atrophia acuta flava. <i>Idem valet</i> Icterus gravis		Atrophie aiguë. <i>Syn.</i> Ictère grave	Acute gelbe Atrophie	Atrofia acuta
492. Inflammatio		Inflammation	Entzündung	Inflamrazione
a. Hepatitis		Hépatite	Leberentzündung. <i>Syn.</i> Hepatitis	Epatitide
b. Perihepatitis		Périhépatite	Perihepatitis	Peri-epatitide
c. Cirrhosis.		Cirrhose. <i>Syn.</i> Hépatite chronique interstitielle	Cirrhosis. <i>Syn.</i> Chronische interstitielle Leberentzündung	Cirrosi. <i>Sin.</i> Epatitide cronica interstiziale

V.

1. Jecur claviforme		Foie granuleux	Granulirte Leber	Fegato granelloso
2. Cirrhosis hypertrophica		Hypertrophique	Hypertrophische Cirrhosis	Ipertrofia
493. Abscessus		Abcès	Abscess	Ascesso
(27.) <i>Pyæmia</i>		<i>Pyohémie</i>	<i>Pyæmie</i>	<i>Piemia</i>
494. Jecur adiposum		Foie gras	Fettleber. <i>Syn.</i> Fettige Entartung der Leber	Fegato grassoso
495. Jecur lardaceum. <i>Idem valet</i> Jecoris morbus amyloides, Jecur cereum		Foie lardicé	Speckleber. <i>Syn.</i> Speckige oder amyloide Entartung der Leber	Fegato lardaceo. <i>Sin.</i> Malattia amiloidea del fegato
496. Cystis		Kyste	Cyste	Cistite

(54.) *Malformations.*

Return such cases according to the list at
p. 295.

485. *Spasm of the sphincter ani.

486. *Neuralgia.

487. *Pruritus ani.

DISEASES OF THE LIVER.

488. Hypertrophy.

489. Atrophy.

490. Congestion, including nutmeg liver.

491. Acute yellow atrophy. *Synonym*, Icterus gravis.

492. Inflammation.

a. Hepatitis.

b. Perihepatitis.

c. Cirrhosis. *Syn.*, Chronic interstitial hepatitis.

Varieties :

a. Hobnail liver.

b. Hypertrophic cirrhosis.

493. Abscess.

Note.—When abscess of the liver is associated with dysentery, injury, or any other condition, the fact should be stated.

(27.) *Pyæmia.*

494. Fatty liver.

495. Lardaceous liver. *Synonyms*, Amyloid disease of the liver; Waxy liver.

496. Cyst.

* This, being the name of a symptom, should be used only when the cause is unknown. Otherwise the return should be made under the head of the cause, the symptom being also stated.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
497. <i>Venæ portæ inflammatio</i>	<i>Inflammation de la veine porte</i>	<i>Entzündung der Pfortader</i>	<i>Infiammazione della vena porta</i>
498. <i>Venæ portæ obstructio</i>	<i>Obstruction de la veine porte</i>	<i>Verstopfung der Pfortader</i>	<i>Ostruzione della vena porta</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(35.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>
<i>a. Hydatidis</i>	<i>Hydatide</i>	<i>Leberechinococcus</i>	<i>Idatide</i>
(54.) <i>Deformitates in genitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
499. <i>Icterus.</i>	<i>Jaunisse. Ictère</i>	<i>Gelbsucht. Icterus</i>	<i>Itterizia</i>

DUCTUUM JECORIS ET VESICULÆ FELLIS MORBI.

500. <i>Inflammatio</i>	<i>Inflammation</i>	<i>Entzündung</i>	<i>Infiammazione</i>
501. <i>Ulceratio</i>	<i>Ulcération</i>	<i>Geschwürsbildung</i>	<i>Ulcerazione</i>
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
502. <i>Vesiculæ fellis dilatatio</i>	<i>Dilatation de la vésicule du fiel</i>	<i>Erweiterung der Gallenblase</i>	<i>Dilatazione della vescichetta del fiele</i>
503. <i>Strictura</i>	<i>Rétrécissement</i>	<i>Strictur</i>	<i>Ristringimento</i>
504. <i>Perforatio</i>	<i>Perforation</i>	<i>Perforation</i>	<i>Perforazione</i>
<i>a. Fistula biliaris</i>	<i>Fistule biliaire</i>	<i>Gallenfistel</i>	<i>Fistola biliare</i>
505. <i>Ductus obliterated</i>	<i>Oblitération du conduit</i>	<i>Obliteration des Gallengangs</i>	<i>Obliterazione del condotto</i>

- (62.) *Non-malignant New Growth.* }
 (63.) *Malignant New Growth.* } Return according to the
 list of tumours at p. 307.

(64.) *Tubercle.*

Return according to the table at p. 315.

(29.) *Syphilis.*

Return according to the table at p. 313.

497. Inflammation of the vena portæ. *Synonym, Pylephlebitis.*

498. *Obstruction of the vena portæ.

(40-48.) *Injuries.*

Return such cases according to the list at
p. 239.

(35.) *Parasitic disease.*

Return such cases according to the list at
p. 284, *et seq.*

a. Hydatid.

(54.) *Malformation.*

Return such cases according to the list at
p. 295.

499. †Jaundice. *Synonym, Icterus.*

DISEASES OF THE HEPATIC DUCTS AND GALL- BLADDER.

500. Inflammation.

501. Ulceration.

- (62.) *Non-malignant New Growth.* }
 (63.) *Malignant New Growth.* } Return according to the
 list of tumours at p. 307.

502. Dilatation of the gall-bladder.

503. Stricture.

504. Perforation.

a. Biliary fistula.

505. Obliteration of duct.

* When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified.

† This, being the name of a symptom, should be used only when the cause is unknown. Otherwise the return should be made under the head of the cause, the symptom being also stated.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
506. Obstructio	Obstruction	Verstopfung	Ostruzione
507. Calculi biliares, sive fellei	Calculs biliaires	Gallensteine	Calcoli biliari
a. Colica biliaris	Coliques hépa- tiques	Abgang von Gal- lensteinen durch den Gallengang	Passagio di calcoli attraverso il con- dotto
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(35-36.) <i>Morbus parasi- ticus</i>	<i>Maladie parasi- taire</i>	<i>Parasitäre Er- krankungen</i>	<i>Malattia parassi- tica</i>
(35.) a. <i>Distoma hepa- ticum</i>	<i>Distome hépatique</i>	<i>Distoma hepaticum</i>	<i>Distoma epatico</i>
(54.) <i>Deformitates in- genitæ</i>	<i>Vices de confor- mation</i>	<i>Missbildungen</i>	<i>Vizi di conforma- zione</i>

PANCREATIS MORBI.

508. Abscessus	Abcès	Abscess	Ascesso
509. Cystis	Kyste	Cyste	Ciste
(62.) <i>Tumores non ma- ligni</i>	<i>Tumeurs non-ma- lignes</i>	<i>Gutartige Ge- schwülste</i>	<i>Tumori non-ma- ligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Ge- schwülste</i>	<i>Tumori maligni</i>
510. Ductus obstructio	Obstruction du canal pancréa- tique	Verstopfung des Ductus	Ostruzione del condotto
511. Calculus	Calcul	Stein	Calcolo

PERITONÆI MORBI.

512. Ascites	Ascite	Ascites. <i>Syn.</i> Bauchwasser- sucht	Ascite
513. Peritonitis	Péritonite	Bauchfellent- zündung	Peritonitide.
a. Acuta	Aiguë	Acute	Acuta
b. Chronica, sive longa	Chronique	Chronische Perito- nitis	Cronica
c. Suppurans	Suppurative	Eiterige Peritonitis	Suppurativa
(64.) d. <i>Tuberculosa</i>	<i>Tuberculeuse</i>	<i>Tuberkulöse</i>	<i>Tuberculosa</i>
e. Purperarum	Puerpérale	Puerperale	Puerperale

506. †Obstruction.

507. Gallstones.

a. Biliary colic.

(40-48.) *Injuries.*

Return such cases according to the list at p. 239.

(35-36.) *Parasitic disease.*

Return such cases according to the list at p. 284, *et seq.*

(35.) a. *Fluke.*

(54.) *Malformations.*

Return such cases according to the list at p. 295.

DISEASES OF THE PANCREAS.

508. Abscess.

509. Cyst.

(62.) <i>Non-malignant New Growth.</i>	} Return according to the list of tumours at p. 307.
(63.) <i>Malignant New Growth</i>	

510. Obstruction of the duct.

511. Calculus.

DISEASES OF THE PERITONÆUM.

512. *Ascites.

513. Peritonitis.

a. Acute.

b. Chronic.

c. Suppurative.

(64.) d. *Tubercular.*

e. Puerperal.

* When the cause of this condition is known the return should be made under the head of such cause, the local affection being also specified.

† When the cause of this condition is known, the return should be made under the head of such cause, the local condition being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
514. Adhærentia	Adhérences du péritoine	Verwachsungen des Bauchfells	Aderenze del peri- toneo
515. Hernia omentalis	Hernie épiploïque	Netzbruch	Ernia omentale
(35.) <i>Morbus parasiticus</i>	<i>Maladie parasi- taire</i>	<i>Parasitäre Er- krankungen</i>	<i>Malattia parassi- tica</i>
(62.) <i>Tumores non ma- ligni</i>	<i>Tumeurs non-ma- lignes</i>	<i>Gutartige Ge- schwülste</i>	<i>Tumori non-ma- ligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Ge- schwülste</i>	<i>Tumori maligni</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(54.) <i>Deformatates in- genitæ</i>	<i>Vices de conforma- tion</i>	<i>Missbildungen</i>	<i>Vizi di conforma- zione</i>

ORGANORUM LYMPHATICORUM MORBI.

LIENIS MORBI.

516. Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
517. Durities et ampli- ficatio ex febre intermittente	Induration et aug- mentation de volume suite de fièvre paludé- enne	Induration und Vergrösserung durch Wechsel- fieber	Indurimento e aumento di vo- lume in seguito a febbre inter- mittente
(76.) <i>Leucocythæmia.</i> <i>Idem valet Leu- chæmia</i>	<i>Leucocythémie.</i> <i>Syn. Leukémie</i>	<i>Leukaemie</i>	<i>Leucocitemia</i>
518. Atrophia	Atrophie	Atrophie	Atrofia
519. Congestio	Congestion	Anschwellung. <i>Syn. Milztumor</i>	Congestione
520. Splenitis	Splénite	Milzentzündung	Splenitide
521. Abscessus	Abcès	Abscess	Ascesso
(27.) <i>Pyæmia</i>	<i>Pyohémie</i>	<i>Pyæmie</i>	<i>Piemia</i>
522. Lien lardaceus. <i>Idem valet,</i> Lienis morbus amyloides, Lien cereus	Dégénérescence lardacée	Speckige Entar- tung. <i>Syn.</i> Amyloide Ent- artung	Milza lardacea. <i>Sin. Malattia</i> amiloide
523. Cystis	Kyste	Cyste	Ciste

514. Adhesions.

515. Omental hernia.

(35.) *Parasitic disease.*

Return cases of this kind according to the list
at p. 284, *et seq.*

(62.) <i>Non-malignant New Growth.</i>	} Return according to the list of tumours at p. 307.
(63.) <i>Malignant New Growth.</i>	

Note.—When peritonitis is associated with
tumours, the fact should be stated.

(40-48.) *Injuries.*

Return cases of this kind according to the list
at p. 239.

(54.) *Malformations.*

Return cases of this kind according to the list
at pp. 295, 299, 303.

DISEASES OF THE LYMPHATIC SYSTEM.

Register the diseases printed here in *Italics*, not under this heading, but at
the place referred to in each case by number.

DISEASES OF THE SPLEEN.

516. Hypertrophy.

517. Induration and enlargement from ague. *Synonym,*
Ague-cake.(76.) *Leucocythæmia.* *Synonym, Leuchæmia.*

518. Atrophy.

519. Congestion.

520. Splenitis.

521. Abscess.

(27.) *Pyæmia.*522. Lardaceous spleen. *Synonyms, Amyloid disease of*
the spleen; Waxy spleen; Sago spleen.

523. Cyst.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercoli</i>
524. <i>Embolus</i>	<i>Embolie</i>	<i>Embolie</i>	<i>Embolismo</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(35.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>
(54.) <i>Deformatates in-genitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>

GLANDULARUM LYMPHATICARUM MORBI.

525. <i>Glandularum hypertrophia</i>	<i>Hypertrophie des ganglions lymphatiques</i>	<i>Anschwellung der Lymphdrüsen</i>	<i>Ipertrofia delle glandule</i>
526. <i>Glandularum atrophia</i>	<i>Atrophie des ganglions</i>	<i>Atrophie der Drüsen</i>	<i>Atrofia delle glandule</i>
527. <i>Vasorum lymphiferorum inflammatio. Idem valet Lymphangitis</i>	<i>Inflammation des lymphatiques (angioleucite)</i>	<i>Entzündung der Lymphgefäße. Syn. Lymphangitis</i>	<i>Infiammazione dei linfatici</i>
528. <i>Vasorum lymphiferorum suppuratio</i>	<i>Suppuration des lymphatiques</i>	<i>Vereiterung der Lymphgefäße</i>	<i>Suppurazione dei linfatici</i>
529. <i>Glandularum inflammatio</i>	<i>Inflammation des ganglions</i>	<i>Entzündung der Lymphdrüsen</i>	<i>Infiammazione delle glandule</i>
530. <i>Glandularum suppuratio</i>	<i>Suppuration des ganglions</i>	<i>Vereiterung der Lymphdrüsen. Syn. Lymphadenitis</i>	<i>Suppurazione delle glandule</i>
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercoli</i>

- (62.) *Non-malignant New Growth.* }
 (63.) *Malignant New Growth.* } Return according to the
 list of tumours at p. 307.

(64.) *Tubercle.*

Return according to the table at p. 315.

524. Embolism. (Infarct.)

(40-48.) *Injuries.*

Return such cases according to the list at
p. 239.

(35.) *Parasitic disease.*

Return such cases according to the list at
p. 284, *et seq.*

(54.) *Malformations.*

Return such cases according to the list at
p. 303.

DISEASES OF THE LYMPHATICS.

The locality of the vessels or glands affected should in each case
be indicated.*

525. Hypertrophy of lymph-glands.

526. Atrophy of lymph-glands.

527. Inflammation of lymph-vessels. *Synonym*, Lymph-
angitis.

528. Suppuration of lymph-vessels.

529. †Inflammation of lymph-glands. }
 530. Suppuration of lymph-glands. } *Synonym*, Bubo.

(62.) *Non-malignant New Growth.* }
 (63.) *Malignant New Growth.* } Return according to the
 list of tumours at p. 307.

(64.) *Tubercle.*

Return according to the Table at p. 315.

* Order of return : Lymph-vessels of head and neck, of thorax, of abdomen,
of upper and lower extremity ; thoracic duct ; glands of head and neck, of
thorax, of abdomen, of axilla, of groin.

† If this condition be due to gonorrhœa, the return must be made under
that head, No. 30, p. 11.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(65.) <i>Glandulæ in caseum conversæ</i> (scrofula)	<i>Dégénérescence caséuse</i> (scrofule)	<i>Verkäsung</i> (Skrofulose)	<i>Degenerazione caseosa</i> (scrofolà)
531. Lymphadenoma. <i>Idem</i> valet Hodg- kini morbus	Lymphadénome. <i>Syn.</i> Maladie de Hodgkin	Lymphadenom. <i>Syn.</i> Lympho- sarcom	Limfadenoma. <i>Sin.</i> Malattia del Hodgkin
(29.) <i>Syphilis</i> <i>a. Bubo syphiliticus</i>	<i>Syphilis</i> <i>Bubon syphilitique</i>	<i>Syphilis</i> <i>Syphilitischer Bubo</i>	<i>Sifilide</i> <i>Bubone sifilitico</i>
532. Vasa obstructa <i>a. Ductus thoracis</i> <i>obstructus</i>	Obstruction des lymphatiques Obstructions du canal thoracique	Obstruction der Lymphgefäße Verstopfung des Ductus thoracicus	Ostruzione de' vasi linfatici Ostruzione del con- dotto toracico
533. Vasa obliterated	Oblitération des lymphatiques	Obliteration der Lymphgefäße	Chiusura de' vasi linfatici
534. Vasa dilatata. <i>Idem</i> valet Lym- phangiectasis	Dilatation des vaisseaux	Erweiterung der Lymphgefäße	Limfangietasi
(62.) <i>Elephantiasis</i>	<i>Éléphantiasis</i>	<i>Elephantiasis</i>	<i>Elefantiasi</i>
(567.) <i>Chyluria</i>	<i>Chylurie</i>	<i>Chylurie</i>	<i>Chiluria</i>
535. Vasorum diruptio	Rupture des vais- seaux	Zerreissung der Lymphgefäße	Rottura dei vasi
536. Fistula lymphalis	Fistule lymphati- que	Lymphfistel	Fistola linfatica
537. Lymphorrhœa (40-48.) <i>Læsiones</i>	Lymphorrhée <i>Lésions</i>	Lymphfluss <i>Verletzungen</i>	Flusso linfatico <i>Lesioni</i>
(35-36.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Er- krankungen</i>	<i>Malattia parassiti- tica</i>

GLANDULÆ THYMI MORBI.

538. Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
(62.) <i>Tumores non maligni</i>	<i>Tumeurs bénignes</i>	<i>Gutartige Ge- schwülste</i>	<i>Tumori non-ma- ligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Ge- schwülste</i>	<i>Tumori maligni</i>

CORPORIS THYROIDIS MORBI.

539. Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
540. Atrophia	Atrophie	Atrophie	Atrofia

(65.) *Caseation. (Scrofula.)*

531. Lymphadenoma. *Synonym, Hodgkin's disease.*

(29.) *Syphilis.*

a. Syphilitic bubo.

Return according to the Table at p. 313.

532. Obstruction of vessels.

a. Obstruction of thoracic duct.

Note.—Cause to be stated.

533. Obliteration of vessels.

534. Dilatation of vessels. *Synonym, Lymphangiectasis.*

(62.) *Elephantiasis.* { *In cases where the presence of the Filaria sanguinis hominis is proved, the fact should be noted.*

(567.) *Chyluria.*

535. Rupture of vessels.

536. Lymph-fistula.

537. Lymphorrhoea.

(40–48.) *Injuries.*

Return such cases according to the list at p. 221.

(35–36.) *Parasitic disease.*

Return such cases according to the list at p. 284, *et seq.*

DISEASES OF THE THYMUS.

538. Hypertrophy (including delayed involution).

(62.) *Non-malignant New Growth.*

(63.) *Malignant New Growth.*

} Return according to the list of tumours at p. 307.

DISEASES OF THE THYROID BODY.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by number.

539. Hypertrophy.

540. Atrophy.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
541. Inflammatio	Inflammation	Entzündung	Infiammazione
<i>a. Acuta</i>	Aiguë	Acute	Acuta
<i>b. Chronica, sive longa</i>	Chronique	Chronische	Cronica
542. Bronchocele	Goître <i>Syn.</i> Bronchocèle	Kropf. <i>Syn.</i> Struma	Gozzo
<i>a. Parenchymatosa</i>	Goître parenchymateux	Parenchymatöser Kropf	Broncocele parenchimatoso
<i>b. Fibrosa</i>	Goître fibreux	Fibröser	Broncocele fibroso
<i>c. Gelatinosa, sive colloides</i>	Bronchocèle gélatineux	Gelatinöser	Broncocele gelatinoso
<i>d. Cystica</i>	Goître kystique	Cystischer	Broncocele cistico
<i>e. Vascularis (Pulsans)</i>	Bronchocèle pulsatile	Pulsirender Kropf	Broncocele pulsante
<i>f. Exophthalmica (Gravesii morbus; Basedovii morbus)</i>	Goître exophthalmique. Maladie de Graves	Basedow'sche Krankheit	Broncocele esophthalmico
(62.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori maligni</i>
(35-36.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Krankheiten</i>	<i>Malattia parassitica</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>

CAPSULARUM SUPRARENALIIUM MORBI.

543. Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
544. Atrophia	Atrophie	Atrophie	Atrofia
545. Morbus lardaceus	Dégénérescence lardacée	Speckige Degeneration	Lardacea
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tuberculum</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
546. Addisoni morbus. <i>Idem valet</i> Cutis ærea, Melasma Addisoni	Maladie d'Addison. <i>Syn.</i> Melasma Addisoni, Maladie bronzée d'Addison	Addison'sche Krankheit. <i>Syn.</i> Melasma Addisoni	Malattia dell' Addison. <i>Sin.</i> Melasma dell' Addison

541. Inflammation.

a. Acute.

b. Chronic.

542. Goître. *Synonym*, Bronchocele.

Note.—This term is applied to all enlargements of the thyroid body.

Varieties :

a. Parenchymatous goître.

b. Fibrous goître.

c. Gelatinous (colloid) goître.

d. Cystic goître.

e. Vascular goître (pulsating, aneurysmal).

f. Exophthalmic goître. (Graves's disease; Basedow's disease.)

(62.) *Malignant New Growth*.

Return according to the list of tumours at p. 307.

(35-36.) *Parasitic disease*.

Return cases of this kind according to the list at p. 284, *et seq*.

(40-48.) *Injuries*.

DISEASES OF THE SUPRA-RENAL CAPSULES.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by number.

543. Hypertrophy.

544. Atrophy.

545. Lardaceous disease.

(62.) *Non-malignant New Growth*.(63.) *Malignant New Growth*.

} Return according to the list of tumours at p. 307.

(64.) *Tubercle*.

Return according to the Table at p. 315.

546. Addison's disease. *Synonyms*, Bronzed skin. Melasma Addisoni.

URINÆ APPARATUS MORBI.

RENUM ET DUCTUUM MORBI.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
547. Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
548. Atrophia	Atrophie	Atrophie	Atrofia
549. Congestio passiva	Congestion pas- sive	Passive Conges- tion	Congestione pas- siva
550. Nephritis acuta	Néphrite aiguë	Acute Nephritis	Nefritide acuta
<i>Idem valent</i> Albu- minuria acuta, Ne- phritis acuta des- quamans, tubalis, <i>sive</i> diffusa, Ana- sarca renalis acuta	Albuminurie aiguë, Néphrite des- quamative, Ana- sarque aiguë d'origine rénale	Acute parenchy- matöse Nephritis	<i>Sin.</i> Albuminuria acuta, Nefritide desquamativa acuta, Idropisia renale acuta
551. Brightii morbus.	Maladie de Bright.	Bright'sche	Malattia di Bright.
<i>Idem valet</i> Albu- minuria chronica, <i>sive</i> longa	<i>Syn.</i> Albumi- nurie chronique	Krankheit. Chronische Al- buminurie	Albuminuria cronica
1. Nephritis chronica <i>sive</i> longa	Néphrite chronique	Chronische paren- chymatöse Ne- phritis	Nefritide cronica
2. Renes granulosi. <i>Idem valent</i> Ne- phritis interstitialis chronica, Renes granulati contracti, Renes podag- rici, Renum cir- rhosis, Renum fibrosis	Rein granuleux. <i>Syn.</i> Reins goutteux, Reins ratatinés, Né- phrite desqua- mative chroni- que, Dégénéres- cence fibreuse	Chronische inter- stitielle Ne- phritis. <i>Syn.</i> Schrumpfniere. Gichtische Nie- renentartung	Rene granulare. <i>Sin.</i> Rene gra- nulare contrat- to, Nefritide desquamativa cronica, Rene artritico
552. Pyelitis	Pyélite	Pyelitis	Pielitide
553. Abscessus	Abcès	Abscess	Ascesso
a. Renum	Du rein	Nierenabscess	Dei reni
b. Nephritis suppu- rans disseminata	Néphrite suppu- rative disséminée	Disseminirte eitrige Nephritis	Nefritide dissemi- nata suppurativa
(27.) c. <i>Pyæmicus</i>	<i>Pyo-hémique</i>	<i>Pyæmische</i>	<i>Piemica</i>
d. Pyonephrosis	Pyo-néphrosique	Pyonephrosis	Pionefrosi
e. Abscessus peri- nephriticus	Abscès périnéphri- tique	Perinephritischer Abscess	Ascesso perinef- ritico
554. Renes lardacei. <i>Idem valent</i> Mor- bus amyloides, Renes cerei	Rein lardacé	Amyloide Entar- tung der Niere	Rene lardaceo. <i>Sin.</i> Malattia amiloide, Rene ceroso
555. Cystis	Kyste	Cyste	Ciste

DISEASES OF THE URINARY SYSTEM.

Register the diseases printed here in *Italics* not under this heading, but at the place referred to in each case by number.

DISEASES OF THE KIDNEY AND DUCTS.

547. Hypertrophy.
 548. Atrophy.
 549. *Passive congestion (in diseases of heart and lungs).
 550. Acute nephritis. *Synonyms*, Acute albuminuria; Acute desquamative, parenchymatous, tubal, or diffuse nephritis; Acute renal dropsy.
 Var.: Glomerular nephritis.
 Note.—This condition is also spoken of as acute Bright's disease. For convenience in returns, the diseases comprehended under the term chronic Bright's diseases are here subjoined.
 551. Bright's disease. *Synonym*, Chronic albuminuria.

Sub-divisions:

1. Chronic nephritis. *Synonyms*, Chronic parenchymatous, tubular or diffuse nephritis; Large white kidney of nephritis.
 2. Granular kidney. *Synonyms*, Chronic interstitial nephritis; Contracting granular kidney; Gouty kidney; Cirrhosis of kidney; Fibrosis of kidney.
552. Pyelitis.
 553. Abscess.
 a. Of kidney.
 b. Disseminated suppurative nephritis. *Synonym*, Surgical kidney.
 (27.) *c.* *Pyæmic*.
 d. Pyonephrosis.
 e. Perinephritic abscess.
554. Lardaceous kidney. *Synonyms*, Amyloid kidney, Waxy kidney.
555. Cysts.

* When the cause of this symptom is known, the return should be made under the head of such cause, the local affection being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
556. Morbus cysticus	Maladie kystique	Cystische De- generation	Malattia cistica
557. Hydronephrosis	Hydronéphrose	Hydronephrose	Idronefrosi
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
558. Renes mobiles	Rein mobile	Wanderniere	Rene mobile
559. Calculus	Calcul	Stein	Calcolo
a. in ipso rene	du rein	in der Niere	nel rene
b. in pelve	du bassin	im Nierenbecken	nella pelvi
c. in uretere	Colique néphr. <i>Syn.</i> Passage de calculs par l'uretère	Abgang eines Steins durch den Ureter	Passaggio d' un calcolo lungo l' uretere
560. Embolus	Embolie	Embolie	Embolismo
561. Thrombosis	Thrombose	Thrombose	Trombosi
(35-36.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(54.) <i>Deformitates in-genitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
562. Nephralgia	Néphralgie	Nierenschmerz	Nefralgia

URINA DEPRAVATA.

(78.) <i>Diabetes mellitus</i>	<i>Diabète sucré</i>	<i>Zuckerharnruhr</i>	<i>Diabete mellito</i>
(79.) <i>Glycosuria</i>	<i>Glycosurie</i>	<i>Glycosurie</i>	<i>Glicosuria</i>
563. Diabetes insipidus	Diurèse	Diabetes insipidus. <i>Syn.</i> Polyurie	Diuresi
564. Urina suppressa	Suppression d'urine	Harnverhaltung	Sopprsseione dell' orina. <i>Sin.</i> Iscuria renale

556. Cystic disease.

557. Hydronephrosis.

(62.) *Non-malignant New Growth.* }
 (63.) *Malignant New Growth.* } Return according to the
 list of tumours at p. 307.

(64.) *Tubercle.*

Return according to table at p. 315.

(29.) *Syphilis.*

Return according to table at p. 313.

558. Movable kidney. (See Malformations, p. 303.)

559. *Calculus.

a. in kidney.

b. in pelvis.

c. in ureter.

560. Embolism. (Infarct.)

561. Thrombosis. (Infarct.)

(35-36.) *Parasitic disease.*

Return cases of this kind according to the
 list at p. 284, *et seq.*

(40-48.) *Injuries.*

Return cases of this kind according to the
 list at p. 239.

(54.) *Malformations.*

Return cases of this kind according to the list
 at pp. 297, 301, 303.

562. †Nephralgia.

URINARY DISORDERS.

(78.) *Diabetes mellitus.*

(79.) *Glycosuria.*

563. Diabetes insipidus. *Synonyms, Diuresis; Polyuria.*†

564. Suppression of urine.

* For list of Calculi, see No. 584, "Diseases of the Bladder."

† When the cause of this symptom is known, the return should be made under the head of such cause, the local affection being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
565. Hæmaturia	Hématurie	Blutharnen. <i>Syn.</i> Nierenblutung	Ematuria renale
566. Hæmaturia inter- mittens. <i>Idem</i> <i>valet</i> Hæmaturia paroxysmalis	Hématurie inter- mittente ou pas- sagère	Intermittirende Hæmaturie	Ematuria inter- mittente
567. Chyluria	Chylurie	Chylurie	Chiluria
568. Albuminuria	Albuminurie	Albuminurie	Albuminuria
569. Lithuria	Lithurie	Lithurie	Lituria
570. Oxaluria	Oxalurie	Oxalurie	Ossaluria
571. Phosphuria	Phosphaturie	Phosphaturie	Fosfuria

VESICÆ MORBI.

572. Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
573. Hæmorrhagia	Hémorrhagie	Haemorrhagie	Emorragia
574. Inflammatio. <i>Idem</i> <i>valet</i> Cystitis	Inflammation. <i>Syn.</i> Cystite	Entzündung. <i>Syn.</i> Blasenentzündung	Infiammazione. <i>Sin.</i> Cistitide
<i>a. Acuta</i>	Aiguë	Acute. <i>Syn.</i> Acuter Blasencatarrh	Acuta
<i>b. Minus acuta</i>	Sub-aiguë	Subacute	Sub-acuta
<i>c. Chronica, sive</i> <i>longa</i>	Chronique	Chronische. <i>Syn.</i> Chronischer Blasen- catarrh	Cronica
<i>d. Suppurans</i>	Suppurative	Eiterung	Suppurazione
575. Ulceratio	Ulcération	Geschwürsbil- dung	Ulcerazione
576. Sphacelus	Gangrène	Brand	Gangrena
(62.) <i>Tumores non ma-</i> <i>ligni</i>	<i>Tumeurs non-ma-</i> <i>lignes</i>	<i>Gutartige</i> <i>Ge-</i> <i>schwülste</i>	<i>Tumori non-ma-</i> <i>ligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige</i> <i>Ge-</i> <i>schwülste</i>	<i>Tumori maligni</i>
577. Hernia	Hernie	Hernie	Ernia della vescica
578. Inversio	Inversion	Inversion	Inversione della vescica
579. Distentio	Distension	Abnorme Ausdeh- nung	Dilatazione della vescica
580. In sacculos partitio	Vessie à poches	Divertikel der Blase	Vescica a diverti- coli
581. Diruptio	Rupture	Zerreißung	Rottura della vescica

565. †Hæmaturia.
566. Intermittent hæmaturia. *Synonyms*, Paroxysmal hæmaturia ; Paroxysmal hæmatinuria ; Paroxysmal hæmoglobinuria.
567. †Chyluria.
568. †Albuminuria.
569. †Lithuria. *Syn.* Excess of uric acid in the urine.
570. †Oxaluria.
571. †Phosphuria.

DISEASES OF THE BLADDER.

572. Hypertrophy.
573. †Hæmorrhage.
574. *Inflammation. *Synonym*, Cystitis.
- a. Acute.
- b. Sub-acute.
- c. Chronic.
- d. Suppurative.
575. Ulceration.
576. Sloughing.
- (62.) *Non-malignant New Growth.*
- (63.) *Malignant New Growth.*
- } Return according to the
list of tumours at p. 307.
577. Hernia.
578. Inversion.
579. †Distension.
580. †Sacculation.
581. †Rupture.

* When this affection is caused by gonorrhœa, the return should be made under the head of Gonorrhœa, No. 30, p. 11.

† When the cause of this affection is known, the return should be made under the head of such cause, the local affection being also specified.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
582. <i>Fistula vesicam inter et intestina</i>	<i>Fistule vésico-intestinale</i>	<i>Blasendarmfistel</i>	<i>Fistola vescico-intestinale</i>
583. <i>Fistula rectum inter et vesicam</i>	<i>Fistule recto-vésicale</i>	<i>Fistula recto-vesicalis. Syn. Mastdarmblasenfistel</i>	<i>Fistola retto-vescicale</i>
(669.) <i>Fistula uterum inter et vesicam</i>	<i>Fistule utéro-vésicale</i>	<i>Gebärmutter-Blasenfistel</i>	<i>Fistola utero-vescicale</i>
(679.) <i>Fistula vesicam inter et vaginam</i>	<i>Fistule vésico-vaginale</i>	<i>Blasen-Scheidenfistel</i>	<i>Fistola vescico-vaginale</i>
584. <i>Calculus</i>	<i>Calcul</i>	<i>Stein</i>	<i>Calcolo</i>
a. <i>Acidum uricum</i>	<i>Acide urique</i>	<i>Harnsäure</i>	<i>Acido urico</i>
b. <i>Urates</i>	<i>d'urates</i>	<i>Harnsaure Salze</i>	<i>Urati</i>
c. <i>Xanthina</i>	<i>Xanthine</i>	<i>Xanthoxyd. Xanthin</i>	<i>Ossido urico. Sin. Ossido xantico</i>
d. <i>Cystina</i>	<i>Cystine</i>	<i>Cystin</i>	<i>Ossido cistico</i>
e. <i>Calcis oxalas</i>	<i>Oxalate de calcium</i>	<i>Oxalsaurer Kalk</i>	<i>Ossalato di calce</i>
f. <i>Calcis phosphas</i>	<i>Phosphate de calcium</i>	<i>Phosphorsaurer Kalk</i>	<i>Fosfato di calce</i>
g. <i>Phosphas triplex</i>	<i>Triple phosphate</i>	<i>Trippelphosphat</i>	<i>Fosfato triplice</i>
h. <i>Calculus fusilis</i>	<i>Fusile</i>	<i>Schmelzbarer</i>	<i>Fusibile</i>
i. <i>Calcis carbonas</i>	<i>Carbonate de calcium</i>	<i>Kohlensaurer Kalk</i>	<i>Carbonato di calce</i>
k. <i>Calculus fibrinosus</i>	<i>Fibrineux</i>	<i>Fibrinöser Stein</i>	<i>Fibrinoso</i>
(35-36.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(40.) a. <i>Corpora adventitia</i>	<i>Corps étrangers</i>	<i>Fremde Körper</i>	<i>Corpi estranei</i>
(54.) <i>Deformitates ingenuæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
a. <i>Extroversio, sive Vesica foras patens</i>	<i>Extroversion</i>	<i>Extroversion</i>	<i>Estrofia vescicale</i>
(92.) <i>Paralysis</i>	<i>Paralysie</i>	<i>Lähmung</i>	<i>Paralisi</i>
585. <i>Vesica irritabilis</i>	<i>Irritabilité</i>	<i>Reizbarkeit</i>	<i>Irritabilità</i>
(109.) <i>Spasmus</i>	<i>Spasme</i>	<i>Krampf</i>	<i>Spasmo</i>
(117.) <i>Neuralgia</i>	<i>Névralgie</i>	<i>Neuralgie</i>	<i>Nevralgia</i>
586. <i>Urinæ retentio</i>	<i>Rétention d'urine</i>	<i>Harnverhaltung</i>	<i>Ritenzione d'orina</i>
587. <i>Urinæ incontinentia</i>	<i>Incontinence d'urine</i>	<i>Unwillkürlicher Urinabgang</i>	<i>Enuresi</i>

582. Vesico-intestinal fistula.

583. Recto-vesical fistula.

(669.) *Utero-vesical fistula.*

(679.) *Vesico-vaginal fistula.*

584. Calculus.

a. Uric acid.

b. Urates.

c. Xanthin. *Synonyms*, Uric oxide, Xanthic oxide.

d. Cystine.

e. Oxalate of calcium.

f. Phosphate of calcium.

g. Triple phosphate. *Syn.* Ammonio-magnesian phosphate.

h. Fusible.

i. Carbonate of calcium.

k. Fibrinous.

This list does not include calculi of exceptional character, as indigo, &c., which are to be returned under this head.

(35-36.) *Parasitic disease.*

Return cases of this kind according to the list at p. 284, *et seq.*

(40-48.) *Injuries.*

Return cases of this kind according to the list at p. 241.

(40.) a. *Foreign bodies.*

(54.) *Malformations.*

Return cases of this kind according to the list at p. 299.

a. *Extroversion.*

(92.) **Paralysis.*

585. **Irritability.*

(109.) **Spasm.*

(117.) **Neuralgia.*

586. **Retention of urine.*

587. **Incontinence of urine.*

* When the cause of this symptom has been ascertained, the return should be made under the head of such cause, the local condition being stated.

GENITALIUM MORBI.

GENITALIUM VIRILIUM MORBI.

URETHRÆ (*sive* URINÆ ITINERIS) MORBI.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
588. Urethritis	Uréthrite	Entzündung der Harnröhre	Uretritide
(30.) <i>Gonorrhœa</i>	<i>Gonorrhée</i>	<i>Tripper</i>	<i>Gonorrhea. Sin. Blenorrea Scolazione</i>
589. <i>Gonorrhœa mucosa</i>	<i>Goutte militaire</i>	Nachtripper	Scolo cronico. <i>Sin. Gouetta</i>
590. <i>Lacunarum abscessus</i>	<i>Abcès des lacunes</i>	Abscess der Lacunae	Ascesso lacunare
591. <i>Abscessus urinalis</i>	<i>Abcès urineux</i>	Urinabscess	Ascesso orinario
592. <i>Ulcus</i>	<i>Ulcère</i>	Geschwür	Ulcerà
593. <i>Strictura</i>	<i>Rétrécissement</i>	Strictur	Ristringimento
<i>a. Organica, sive ex morbo inhærenti</i>	<i>Organique</i>	<i>Organische</i>	<i>Organico</i>
<i>b. Traumatica, sive ex vulnere</i>	<i>Traumatique</i>	<i>Traumatische</i>	<i>Traumatico</i>
<i>c. Spasmodica</i>	<i>Spasmodique</i>	<i>Krampfhaft</i>	<i>Spasmodico</i>
594. <i>Fistula urinalis</i>	<i>Fistule urinaire</i>	Urinfistel	Fistola orinaria
595. <i>Fistula rectum inter et urethram</i>	<i>Fistule recto-uréthrale</i>	<i>Fistula recto-urethralis. Syn. Mastdarmharnröhrenfistel</i>	<i>Fistola retto-uretrale</i>
596. <i>Urinæ extravasatio, sive suffusio</i>	<i>Infiltration d'urine</i>	<i>Infiltration des Urins</i>	<i>Stravaso d' orina</i>
597. <i>Calculus infixus</i>	<i>Calcul enchatonné</i>	<i>Eingekeilter Stein</i>	<i>Calcolo incastonato</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(40.) <i>a. Corpora adventitia</i>	<i>Corps étrangers</i>	<i>Fremde Körper</i>	<i>Corpi estranei</i>
(54.) <i>Deformitates ingentæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
<i>a. Atresia ingenta</i>	<i>Atrésie congénitale</i>	<i>Angeborene Atresie</i>	<i>Atresia congenita</i>

DISEASES OF THE GENERATIVE SYSTEM.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by number.

DISEASES OF THE MALE ORGANS OF GENERATION.

DISEASES OF THE URETHRA.

588. Urethritis.

(30.) *Gonorrhœa*.

589. *Gleet.

590. *Lacunar abscess.

591. Urinary abscess.

592. Ulcer.

593. Stricture.

a. Organic.

b. Traumatic.

c. Spasmodic.

Note.—When the cause of the stricture is known, it should be specified.

594. Urinary fistula.

595. Recto-urethral fistula.

596. Extravasation of urine.

597. Impacted calculus.

(40–48.) *Injuries*.

Return cases of this kind according to the list at p. 241.

(40.) *a.* *Foreign bodies*.

(54.) *Malformations*.

Return cases of this kind according to the list at pp. 297, 299.

a. *Congenital atresia*.

* When this affection is caused by gonorrhœa, the return should be made under the head of Gonorrhœa, No. 30, p. 11.

GLANDULÆ PROSTATÆ MORBI.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
598. Hypertrophia. <i>Idem valet Ampli- ficatio chronica</i>	Hypertrophie	Chronische Ver- größerung	Aumento di vo- lume cronico
599. Atrophia	Atrophie	Atrophie	Atrofia
600. Inflammatio	Inflammation	Entzündung	Infiammazione
<i>a. Acuta</i>	Aiguë	Acute	Acuta
<i>b. Chronica, sive longa</i>	Chronique	Chronische	Cronica
601. Abscessus	Abcès	Abscess	Ascesso
602. Cystis	Kyste	Cyste	Ciste
(62.) <i>Tumores non ma- ligni</i>	<i>Tumeurs non-ma- lignes</i>	<i>Gutartige schwülste</i>	<i>Ge- Tumori non-ma- ligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige schwülste</i>	<i>Ge- Tumori maligni</i>
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
603. Calculus	Calcul	Stein	Calcolo

PENIS (COLIS, *Cels.*) MORBI.

603A. Œdema	Œdème	Oedem	Edema
604. Inflammatio	Inflammation	Entzündung	Infiammazione
<i>a. Balanitis</i>	Balanite	Eicheltripper. <i>Syn.</i> Balanitis	Balanitide
(830.) <i>Herpes præputialis</i>	<i>Herpes præputialis</i>	<i>Herpes præputialis</i>	<i>Erpete prepuziale</i>
605. Abscessus	Abcès	Abscess	Ascesso
606. Ulcus	Ulcère	Geschwür	Ulcera
(25.) <i>Phagedæna</i>	<i>Affection phagé- dénique</i>	<i>Phagedaenischer Zustand</i>	<i>Fagedena</i>
607. Gangræna	Gangrène	Brand	Gangrena
(62.) <i>Tumores non ma- ligni</i>	<i>Tumeurs non-ma- lignes</i>	<i>Gutartige schwülste</i>	<i>Ge- Tumori non-ma- ligni</i>
<i>a. Condyloma</i>	<i>Condylome</i>	<i>Condylom</i>	<i>Condiloma</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige schwülste</i>	<i>Ge- Tumori maligni</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
608. Phimosi	Phimosi	Phimosi	Fimosi
609. Paraphimosi	Paraphimosi	Paraphimosi	Parafimosi
(40-48.) <i>Lesiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>

598. Hypertrophy. *Synonym*, Chronic enlargement.

599. Atrophy.
600. *Inflammation.
 a. Acute.
 b. Chronic.
601. *Abscess.
602. Cyst.
(62.) *Non-malignant New Growth.* } Return according to the
(63.) *Malignant New Growth.* } list of tumours at p. 307.
(64.) *Tubercle.*
603. Calculus.

603A. Œdema.

604. Inflammation.
 *a. Of the glans. *Synonym, Balanitis.*
- (830.) **Herpes præputialis.*
605. *Abscess.
606. *Ulcer.
- (25.) *Phagedæna.*
607. Gangrene.
- (62.) *Non-malignant New Growth.* } Return according to the
 *a. *Condyloma.* } list of tumours at p. 309,
(63.) *Malignant New Growth.* } *et seq.*
- (29.) *Syphilis.*
- Return according to the table at p. 313.
608. *Phimosis.
609. *Paraphimosis.
- (40-48.) *Injuries.*
- Return such cases according to the list at
 pp. 241, 243.

* When this affection is caused by gonorrhœa, the return should be made under the head of Gonorrhœa, No. 30, p. 11.

LATIN EQ.		FRENCH	GERMAN	ITALIAN
(54.) <i>Deformitates in-</i> <i>genitæ</i>		<i>Vices de confor-</i> <i>mation</i>	<i>Missbildungen</i>	<i>Vizi di conforma-</i> <i>zione</i>
<i>a. Phimosis ingenta</i>		<i>Phimosis—congé-</i> <i>nital</i>	<i>Phimosis—angebo-</i> <i>rene</i>	<i>Fimosi—congenita</i>
610. Priapismus		Priapisme	Priapismus	Priapismo
611. Chordæ		Blénorrhagie cordée	Chorda	Corde

SCROTI MORBI.

612. Œdema	Œdème	Oedem	Edema
613. Inflammatio	Inflammation	Entzündung	Infiammazione
614. Abscessus	Abcès	Abscess	Ascesso
615. Sphacelus	Gangrène	Brand	Gangrena
(62.) <i>Tumores non ma-</i> <i>ligni</i>	<i>Tumeurs bénignes</i>	<i>Gutartige Ge-</i> <i>schwülste</i>	<i>Tumori non-ma-</i> <i>ligni</i>
(62.) <i>Elephantiasis</i>	<i>Éléphantiasis</i>	<i>Elephantiasis</i>	<i>Elefantiasi</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Ge-</i> <i>schwülste</i>	<i>Tumori maligni</i>
<i>a. Carcinoma cami-</i> <i>nos purgantium</i>	<i>Cancer épithélial.</i> <i>Syn. Cancer des</i> <i>ramoneurs</i>	<i>Epithelialkrebs</i>	<i>Cancro epiteliale.</i> <i>Sin. Cancro degli</i> <i>spazzacammini</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
(54.) <i>Deformitates in-</i> <i>genitæ</i>	<i>Vices de confor-</i> <i>mation</i>	<i>Missbildungen</i>	<i>Vizi di conforma-</i> <i>zione</i>
616. Pruritus	Prurit	Pruritus	Prurito

FUNICULI SEMINALIS MORBI.

617. Hydrocele	Hydrocèle	Hydrocele. <i>Syn.</i> Wasserbruch	Idrocele
<i>V.</i>			
<i>a. Cystica</i>	Enkystée	Cystische	Cistica
<i>b. Diffusa</i>	Diffuse	Infiltrirte	Diffusa
618. Inflammatio	Inflammation	Entzündung	Infiammazione
619. Abscessus	Abcès	Abscess	Ascesso

(54.) *Malformations.*

Return such cases according to the list at
pp. 297, 299.

a. *Phimosis—congenital.*

610. *Priapism.

611. *Chordee.

DISEASES OF THE SCROTUM.

612. Œdema.

613. Inflammation.

614. Abscess.

615. Sloughing.

(62.) *Non-malignant New Growth.*

(62.) *Elephantiasis.*

(63.) *Malignant New Growth.*

a. *Chimney-sweeper's cancer.*

} Return according to
the list of tumours
at p. 307.

(29.) *Syphilis.*

Return according to the table at p. 313.

(54.) *Malformations.*

Return such cases according to the list at
p. 299.

616. †Pruritus.

DISEASES OF THE SPERMATIC CORD.

617. Hydrocele.

Varieties :

a. Encysted.

b. Diffused.

618. ‡Inflammation.

619. ‡Abscess.

* When the cause of this affection is known, the return should be made under the head of such cause, the secondary affection being also specified.

† When the cause of this symptom has been ascertained, the return should be made under the head of such cause, the local condition being also specified.

‡ When this affection is caused by gonorrhœa, the return should be made under the head of Gonorrhœa, No. 30, p. 11.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
620. Cirsocele	Varicocèle	Varicocele. <i>Syn.</i> Krampfaderbruch	Varicocele
(117.) <i>Neuralgia</i>	<i>Névralgie</i>	<i>Neuralgie</i>	<i>Nevralgia</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>

TUNICÆ VAGINALIS MORBI.

621. Hæmatocele	Hématocèle	Haematocele	Ematocele
622. Hydrocele	Hydrocèle	Hydrocele. <i>Syn.</i> Wasserbruch	Idrocele
V.			
a. Ingenta	Congénitale	Angeborene	Congenita
b. Infantilis	Des enfants	Bei Kindern	Infantile
c. Cystica	Enkystée	Cystische	Cistica
623. Inflammatio. <i>Idem</i> valet Periorchitis	Inflammation	Entzündung. <i>Syn.</i> Periorchitis	Infiammazione
624. Corpora libera	Corps libres	Freie Körper	Corpi liberi

TESTICULORUM MORBI.

625. Atrophia	Atrophie	Atrophie	Atrofia
626. Inflammatio	Inflammation	Entzündung	Infiammazione
1. Orchitis	Orchite	Hodenentzündung	Orchitide
a. Acuta	Aiguë	Acute	Acuta
b. Chronica, <i>sive</i> longa	Chronique	Chronische	Cronica
2. Epididymitis	Épididymite	Nebenhodenentzündung	Epididimitide
627. Abscessus	Abcès	Abscess	Ascesso
628. Tubulorum procidentia. <i>Idem</i> valet Testicali hernia, Testiculi fungus	Fongus du testicule	Vorfall der Hoden-substanz. <i>Syn.</i> Fungus testis	Ernia del testicolo. <i>Sin.</i> Fungo testicolare
629. Cystis	Kyste	Cyste	Cistide
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>

(62.) *Non-malignant New Growth.*

Return according to the list of tumours at p. 307.

620. Varicocele.

(117.) **Neuralgia.*

(40-48.) *Injuries.*

Return such cases according to the list at p. 243.

DISEASES OF THE TUNICA VAGINALIS.

621. Hæmatocele.

622. Hydrocele.

Varieties:

a. Congenital. (See Malformations, p. 297.)

b. Infantile.

c. Encysted.

623. Inflammation. *Synonym*, Periorchitis.

624. Loose bodies.

DISEASES OF THE TESTICLE.

625. Atrophy.

626. Inflammation.

†1. Orchitis.

a. Acute.

b. Chronic.

†2. Epididymitis.

627. Abscess.

628. Protrusion of tubuli. *Synonyms*, Fungus testis;
Hernia testis.

629. Cyst.

(62.) *Non-malignant New Growth.*

(63.) *Malignant New Growth.*

} Return according to the
list of tumours at p. 307.

* When the cause of this symptom has been ascertained, the return should be made under the head of such cause, the local condition being also specified.

† When this affection is caused by gonorrhœa, the return should be made under the head of Gonorrhœa, No. 30, p. 11.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(54.) <i>Deformatæ in- genitæ</i>	<i>Vices de confor- mation</i>	<i>Missbildungen</i>	<i>Vizi di conforma- zione</i>
<i>a. Positura prava</i>	<i>Déplacement</i>	<i>Abnormität der Lage</i>	<i>Vizi di posizione</i>
630. <i>Spermatorrhœa</i>	<i>Spermatorrhée</i>	<i>Samenfluss. Syn. Spermatorrhœe</i>	<i>Spermatorrea</i>
631. <i>Coëundi impotentia</i>	<i>Impuissance</i>	<i>Impotenz</i>	<i>Impotenza</i>
(117.) <i>Neuralgia</i>	<i>Névralgie</i>	<i>Neuralgie</i>	<i>Neuralgia</i>

GENITALIUM MULIEBRIUM MORBI.

OVARI MORBI.

632. <i>Hypertrophia</i>	<i>Hypertrophie</i>	<i>Hypertrophie</i>	<i>Ipertrofia</i>
633. <i>Atrophia</i>	<i>Atrophie</i>	<i>Atrophie</i>	<i>Atrofia</i>
634. <i>Hæmorrhagia</i>	<i>Hémorrhagie</i>	<i>Haemorrhagie</i>	<i>Emorragia</i>
635. <i>Inflammatio. Idem valet Oöphoritis</i>	<i>Inflammation. Syn. Oophorite</i>	<i>Entzündung</i>	<i>Infiammazione</i>
636. <i>Abscessus</i>	<i>Abcès</i>	<i>Abscess</i>	<i>Ascesso</i>
637. <i>Cystis</i>	<i>Kyste</i>	<i>Cyste</i>	<i>Ciste</i>
<i>a. Tumor cysticus simplex</i>	<i>Kyste simple</i>	<i>Einfache Cyste</i>	<i>Tumore cistico simplice</i>
<i>b. Tumor cysticus multiplex</i>	<i>Kyste composé</i>	<i>Zusammengesetzte Cystengeschwulst</i>	<i>Tumore cistico complesso</i>
<i>c. Tumor cysticus fœcundus</i>	<i>Tumeur cystique proliférante</i>	<i>Cystengeschwulst</i>	<i>Cisti prolifera</i>
<i>d. Cystosarcoma</i>	<i>Kystosarcome</i>	<i>Cystosarcom</i>	<i>Cisto-sarcoma</i>
<i>e. Intus innascente materia morbida</i>	<i>Avec productions intra-cystiques</i>	<i>Mit intracystischen Gebilden</i>	<i>Con formazioni intracisticine</i>
<i>f. Cystis dermatoides</i>	<i>Kyste dermoïde</i>	<i>Dermoideyste</i>	<i>Cisti cutanea o pili- fera</i>

(64.) *Tubercle.*

Return according to the table at p. 315.

(29.) *Syphilis.*

Return according to the table at p. 315.

(40-48.) *Injuries.*

Return such cases according to the list at p. 243.

(54.) *Malformations.*

Return such cases according to the list at pp. 297, 303, 305.

a. *Malposition.*

630. *Spermatorrhœa.

631. *Impotence.

(117.) **Neuralgia.*

DISEASES OF THE FEMALE ORGANS OF GENERATION.

DISEASES OF THE OVARY.

632. Hypertrophy.

633. Atrophy.

634. Hæmorrhage.

635. †Inflammation. *Synonym*, Oöphoritis.

636. Abscess.

637. Cyst.

a. Simple cystic tumour.

b. Multiple cystic tumour.

c. Proliferous cystic tumour.

d. Cystosarcoma.

e. With intracystic growths.

f. Dermoid cyst.

(See next page.)

* When the cause of this symptom has been ascertained, the return should be made under the head of such cause, the local condition being also specified.

† When this affection is caused by gonorrhœa, the return should be made under the head of Gonorrhœa, No. 30, p. 11.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
1. Cystis continens corpora ad tegumentorum similitudinem structa, e.g. capillos, sebun	Kyste contenant des débris dermoïdes	Cyste enthaltend nur hautartige Gebilde oder deren Producte, wie Haar und Fett	Cisti contenente capelli, e grasso
2. Cystis continens ossa, dentes, corpora musculosa aut nervosa	Kyste contenant des os, des dents, des tissus musculueux ou nerveux	Cyste enthaltend auch Knochen, Zähne, Muskel- und Nerven-gewebe	Cisti contenente denti tessuto muscolare o nervoso o ossa
(62.) <i>Tumores non maligni</i> a. <i>Myofibronia</i> . Idem valet <i>Tumor fibrosus</i>	<i>Tumeurs non-malignes</i> <i>Tumeur fibreuse</i>	<i>Gutartige Geschwülste</i> <i>Fibrose Geschwulst</i>	<i>Tumori non-maligni</i> <i>Tumore fibroso</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
(35.) <i>Morbis parasiticis</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>
638. <i>Ovarium loco motum</i> a. <i>Prolapsus</i> b. <i>Translatum</i>	<i>Luxation</i> <i>Prolapsus</i> <i>Transplantation</i>	<i>Dislocation</i> <i>Vorfall.</i> <i>Syn.</i> <i>Prolaps</i> <i>Transplantation</i>	<i>Dislocatura</i> <i>Procidenza</i> <i>Traspiantamento</i>
639. <i>Hernia</i>	<i>Hernie</i>	<i>Hernie</i>	<i>Ernia</i>
(54.) <i>Deformitates in-genitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>

TUBÆ FALLOPIANÆ MORBI.

640. E sanguine distentio. <i>Syn.</i> <i>Hæmatosalpinx</i>	<i>Epanchement sanguin</i>	<i>Ausdehnung durch Blut.</i> <i>Syn.</i> <i>Hæmo-salpinx</i>	<i>Distensione prodotta da sangue</i>
641. <i>Hydrops</i>	<i>Hydropisie</i>	<i>Wassersucht</i>	<i>Idropisia</i>
642. <i>Inflammatiō</i>	<i>Inflammation</i>	<i>Entzündung</i>	<i>Infiammazione</i>
643. <i>Suppuratio</i>	<i>Suppuration</i>	<i>Eiterung</i>	<i>Suppurazione</i>
644. <i>Cystis</i> a. <i>Partis extremæ fimbriatæ</i>	<i>Kyste</i> des franges	<i>Cyste</i> des Abdominalendes	<i>Cisti</i> con estremità fimbriata
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
645. <i>Tuba loco mota</i>	<i>Luxation</i>	<i>Dislocation</i>	<i>Deviazione</i>
646. <i>Hernia</i>	<i>Hernie</i>	<i>Hernie</i>	<i>Ernia</i>
647. <i>Dilatatio</i>	<i>Dilatation</i>	<i>Dilatation</i>	<i>Dilatazione</i>
648. <i>Strictura</i>	<i>Rétrécissement</i>	<i>Stricture</i>	<i>Ristringimento</i>
649. <i>Occlusio</i>	<i>Occlusion</i>	<i>Verschliessung</i>	<i>Occlusione</i>
650. <i>Adhærentia</i>	<i>Adhérences</i>	<i>Verwachsung</i>	<i>Aderenze</i>
651. <i>Productio</i>	<i>Élongation</i>	<i>Verlängerung</i>	<i>Allungamento</i>

UTERI LIGAMENTORUM MORBI, ET VICINI PERITONÆI
ET MEMBRANÆ CELLULOSÆ.

652. <i>Hæmatocele</i>	<i>Hématocèle</i>	<i>Hæmatocele</i>	<i>Ematocele</i>
<i>a. Intra peritonæum</i>	<i>Hématocèle péri- tonéale</i>	<i>Intraperitoneale</i>	<i>Ematocele intra- peritoneale</i>
<i>b. Extra peritonæum</i>	<i>Hématocèle péri- utérine on pel- vienne</i>	<i>Extraperitoneale</i>	<i>Ematocele pelvica o periuterina</i>
653. <i>Inflammatiō</i>	<i>Inflammation</i>	<i>Entzündung</i>	<i>Inflamrazione</i>
<i>a. Peritonitis pelvica</i>	<i>Péritonite pel- vienne</i>	<i>Peritonitis pelvica. Syn. Perime- tritis</i>	<i>Peritonitide pel- vica</i>
<i>b. Phlegmone pelvica</i>	<i>Phlegmon pelvien</i>	<i>Cellulitis pelvica. Syn. Parame- tritis</i>	<i>Cellulite pelvica</i>
<i>c. Lymphangitis</i>	<i>Lymphangite</i>	<i>Lymphangitis</i>	<i>Limfangitide</i>
654. <i>Abscessus</i>	<i>Abcès</i>	<i>Abscess</i>	<i>Ascesso</i>
655. <i>Cystis</i>	<i>Kyste</i>	<i>Cyste</i>	<i>Cistide</i>
<i>a. Parovarîi</i>	<i>Parovarien</i>	<i>Parovarialcyste</i>	<i>Ciste parovaria</i>
(62.) <i>Tumores non ma- ligni</i>	<i>Tumeurs non-ma- lignes</i>	<i>Gutartige Ge- schwülste</i>	<i>Tumori non-ma- ligni</i>
<i>a. Myofibroma. Idem valet tumor fibrosus</i>	<i>Tumeur fibroïde</i>	<i>Fibro-musculäre Geschwulst</i>	<i>Fibro-muscolare</i>
656. <i>Varix</i>	<i>Varice</i>	<i>Varix</i>	<i>Varice</i>
657. <i>Thrombosis</i>	<i>Thrombose</i>	<i>Thrombose</i>	<i>Trombosi</i>

UTERI MORBI, ITEM CERVICIS EJUS.

658. <i>Hypertrophia</i>	<i>Hypertrophie</i>	<i>Hypertrophie</i>	<i>Ipertrofia</i>
<i>a. Subinvolutio</i>	<i>Subinvolution</i>	<i>Mangelhafte Involution</i>	<i>Sotto involuzione</i>
<i>b. Hyperplasia</i>	<i>Hyperplasie</i>	<i>Hyperplasie</i>	<i>Iperplasia</i>
<i>c. Cervix producta</i>	<i>Élongation du col</i>	<i>Verlängerung des Cervix</i>	<i>Allungamento del collo dell' utero</i>
659. <i>Atrophia</i>	<i>Atrophie</i>	<i>Atrophie</i>	<i>Atrofia</i>
<i>a. Superinvolutio</i>	<i>Superinvolution</i>	<i>Superinvolution</i>	<i>Sovra involuzione</i>
<i>b. Atrophia senilis</i>	<i>Atrophie sénile</i>	<i>Senile Atrophic</i>	<i>Atrofia senile</i>
659.* <i>Hæmorrhagia</i>	<i>Hémorrhagie</i>	<i>Hæmorrhagie</i>	<i>Emorrhagia</i>

(64.) *Tubercle.*

Return according to the table at p. 315.

645. Displacement.

646. Hernia.

647. Dilatation.

648. Stricture.

649. Occlusion.

650. Adhesion.

651. Elongation.

DISEASES OF THE UTERINE LIGAMENTS, AND OF THE
ADJACENT PERITONÆUM AND CELLULAR TISSUE.

652. Hæmatecele.

a. Intra-peritoneal.

b. Extra-peritoneal.

653. Inflammation.

a. Pelvic peritonitis. *Synonym*, Perimetritis.b. Pelvic cellulitis. *Synonym*, Parametritis.

c. Lymphangitis.

654. Abscess.

655. Cyst.

a. Parovarian cyst.

(62.) *Non-malignant New Growth.*a. *Myo-fibroma.* *Synonym*,
Fibroid tumour.} Return according to
the list of tumours at
p. 309, *et seq.*

656. Varix.

657. Thrombosis.

DISEASES OF THE UTERUS, INCLUDING THE CERVIX.

658. Hypertrophy.

a. Subinvolution.

b. Hyperplasia.

c. Elongation of the cervix.

659. Atrophy.

a. Superinvolution.

b. Senile atrophy.

659* Hæmorrhage.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
660. Inflammatio. <i>Idem</i> <i>valet</i> Metritis	Inflammation	Entzündung <i>Syn.</i> Metritis	Infiammazione
<i>a.</i> Catarrhalis. <i>Idem</i> <i>valet</i> Endometritis	Catarrhale	Katarrhalische <i>Syn.</i> Endometritis	Catarrale
<i>b.</i> Granulosa	Inflammation granuleuse	Granulöse Entzündung	Infiammazione granulosa
661. Abscessus	Abcès	Abscess	Ascesso
662. Ulcus	Ulcère	Geschwür	Ulcerà
663. Abrasio	Erosion	Erosionen	Abrasione
664. Gangræna	Gangrène	Brand. <i>Syn.</i> Gangrän	Gangrena
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
<i>a.</i> Myofibroma. <i>Idem</i> <i>valet</i> <i>Tumor fibrosus</i>	<i>Tumeur fibroïde</i>	<i>Fibro-musculäre Geschwulst</i>	<i>Tumore fibro-muscolare</i>
<i>b.</i> Polypus	<i>Polype</i>	<i>Polyp</i>	<i>Polipo</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tubercula</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
(30.) <i>Gonorrhœa</i>	<i>Gonorrhée</i>	<i>Tripper. Gonorrhœe</i>	<i>Syn. Gonorrhea. Sin. Blenorrea Scolazione</i>
665. Uterus loco motus et distortus	Déplacement flexion	et Lageveränderungen und Verdrehungen	Deviazioni e flessioni
<i>a.</i> Uterus pronus	Antéversion	Anteversion	Antiversione
<i>b.</i> Uterus resupinatus	Rétroversion	Retroversion	Retroversione
<i>c.</i> Uterus provolutus	Antéflexion	Anteflexion	Antiflessione
<i>d.</i> Uterus retroflexus	Rétroflexion	Retroflexion	Retroflessione
<i>e.</i> Uterus inversus	Renversement	Inversion	Introversione
<i>f.</i> Uterus prolapsus	Prolapsus	Vorfall	Prolasso
1. Procidentia	Procidence	Procidenz	Procidenza
<i>g.</i> Hernia	Hernie	Hernie	Ernia

660. Inflammation. *Synonym*, Metritis.

a. Catarrhal. *Synonym*, Endometritis.

b. Granular.

661. Abscess.

662. Ulcer.

663. Abrasion. *Synonym*, Erosion.

664. Gangrene.

(62.) *Non-malignant New Growth.*

a. *Myo-fibroma*. *Synonym*,
Fibroid tumour.

b. *Polypus*.

Note.—Under this head should be returned all non-malignant pedunculated tumours growing from the cavity or neck of the uterus. They should be returned among the tumours, according to their structure.

} Return according to the list of tumours at p. 309.

(63.) *Malignant New Growth.*

(64.) *Tubercle*.

Return according to the table at p. 315.

(29.) *Syphilis*.

Return according to the table at p. 313.

(30.) *Gonorrhœa*.

665. Displacements and distortions.

a. Anteversion.

b. Retroversion.

c. Ante flexion.

d. Retro flexion.

e. Inversion.

f. Prolapsus.

1. Procidentia.

g. Hernia.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
666. Distentio	Distension	Abnorme Aus- dehnung	Distensione
a. E sanguine. <i>Idem</i> <i>valet</i> Hæmato- metra	Par le sang, ou Héma- tométrie	mit Blut. <i>Syn.</i> Haematometra	Ematometra
b. E secretis. <i>Idem</i> <i>valet</i> Hydro- metra	Par les sécrétions, ou Hydrométrie	mit Secret. <i>Syn.</i> Hydrometra	Idrometra
c. E pure. <i>Idem</i> <i>valet</i> Pyometra	Par le pus, ou Pyo- métrie	mit Eiter. <i>Syn.</i> Pyometra	Piometra
667. Stricture	Rétrécissement	Stenose	Ristringimento
a. Oris externi	de l'orifice	des äusseren Mut- termundes	dell' orificio
b. Oris interni	de l'orifice interne	des inneren Mut- termundes	del os interno
c. Canalis	du canal	des Canals	del canale
668. Occlusio. <i>Idem</i> <i>valet</i> Atresia	Occlusion de l'ori- fice	Verschluss. <i>Syn.</i> Atresie	Occlusione dell' orificio
a. Oris externi	de l'orifice externe	des äusseren Mut- termundes	del os esterno
b. Oris interni	de l'orifice interne	des inneren Mut- termundes	del os interno
c. Canalis	Occlusion du canal	des Canals	Occlusione del canale
669. Fistula	Fistule	Fistel	Fistola
a. Uterum inter et vesicam	Fistule utéro-vési- cale	Gebärmutter - Bla- senfistel	Fistola utero vesicale
b. Uterum inter et intestinum	Fistule utéro - intestinale	Gebärmutter- Darmfistel	Fistola utero intes- tinale
670. Laceratio aut di- ruptio	Déchirure ou rup- ture de l'uterus	Zerreissung oder Ruptur der Ge- bärmutter	Lacerazione e rot- tura dell' utero
a. Ipsius uteri	du corps de l'uté- rus	des Uteruskörpers	del corpo dell' utero
b. Cervicis	du col	des Cervix	del collo dell' utero
671. Cervicis ectropion	Ectropion du col	Ectropium des Cervix	Ectropio del collo dell' utero
(35.) Morbus parasiticus	Maladie parasi- taire	Parasitäre Erk- rankungen	Malattia parassi- tica
(54.) Deformitates in- genitæ	Vices de confor- mation	Missbildungen	Vizi di conforma- zione

VAGINÆ MORBI.

672. Atrophia	Atrophie	Atrophie	Atrofia
673. Inflammatio	Inflammation	Entzündung	Infiammazione
a. Catarrhalis. <i>Idem</i> <i>valet</i> Leucorrhœa	Catarrhe. <i>Syn.</i> Leucorrhée	Catarrh. <i>Syn.</i> Weisser Fluss	Catarrho. <i>Syn.</i> Leu- correa
b. Gonorrhœica	I. Blenorragique	Gonorrhœische	I. Gonorrhœica

666. Distension.

- a. With blood. *Synonym*, Hæmatometra.
- b. With secretion. *Synonym*, Hydrometra.
- c. With pus. *Synonym*, Pyometra.

667. Stricture.

- a. Of the external os.
- b. Of the internal os.
- c. Of the canal.

668. Occlusion. *Synonym*, Atresia.

- a. Of the external os.
- b. Of the internal os.
- c. Of the canal.

669. Fistula.

- a. Utero-vesical.
- b. Utero-intestinal.

670. Laceration or rupture.

- a. Of the body of the uterus.
- b. Of the cervix.

671. Ectropium of the cervix.

(35.) *Parasitic disease.*

Return cases of this kind according to the list at p. 284, *et seq.*

(54.) *Malformations.*

Return cases of this kind according to the list at pp. 297, 301.

DISEASES OF THE VAGINA.

672. Atrophy.

673. Inflammation.

- a. Catarrhal.
- b. Gonorrhœal.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
674. Abscessus	Abcès	Abscess	Ascesso
675. Cicatrix aut habenu- la	Cicatrice ou bride	Narbe oder Band	Cicatrice o briglia
676. Cystis	Kyste	Cyste	Ciste
(62.) <i>Tumores non-ma- ligni</i>	<i>Tumeurs non-ma- lignes</i>	<i>Gutartige Ge- schwülste</i>	<i>Tumori non-ma- lignì</i>
a. <i>Myofibroma</i> . Idem valet <i>Tumorfibrosus</i>	<i>T. Fibroïde</i>	<i>Fibro-musculäre Geschwulst</i>	<i>Fibro-muscolare</i>
b. <i>Polypus</i>	<i>Polype</i>	<i>Polyp</i>	<i>Polipo</i>
c. <i>Verrucæ</i>	<i>Verrues</i>	<i>Warzen</i>	<i>Verruche</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Ge- schwülste</i>	<i>Tumori maligni</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Ŝifilide</i>
677. Prolapsio	Prolapsus	Vorfall. <i>Syn.</i> Pro- laps	Procidenza
a. Cystocele	Cystocèle	Blasenbruch. <i>Syn.</i> Cystocele	Cistocele
b. Rectocele	Rectocèle	Mastdarmbruch. <i>Syn.</i> Rectocele	Rettocele
678. Occlusio. <i>Idem</i> valet <i>Atresia</i> .	Occlusion, ou Atrésie	Verschluss. <i>Syn.</i> Atresie	Occlusione
679. Fistula	Fistule	Fistel	Fistola
a. <i>Vesicam inter et vaginam</i>	<i>Fistule vésico-va- ginale</i>	Blasen - Scheiden- fistel	<i>Fistola vesico- vaginale</i>
b. <i>Urethram inter et vaginam</i>	<i>Uréthro-vaginale</i>	Harnröhren-Schei- denfistel	<i>Fistola uretro- vaginale</i>
c. <i>Ureterem inter et vaginam</i>	<i>Urétéro-vaginale</i>	Harnleiter - Schei- denfistel	<i>Uretero-vaginale</i>
d. <i>Rectum inter et vaginam</i>	<i>Fistule recto-va- ginale</i>	Mastdarm-Schei- denfistel	<i>Fistola retto-va- ginale</i>
e. <i>In vagina</i>	<i>Fistule vaginale</i>	Scheiden Fistel	<i>Fistola vaginale</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
a. <i>Laceratio</i>	<i>Déchirure</i>	<i>Zerreiſsung</i>	<i>Lacerazione</i>
(54.) <i>Deformitates in- genitæ</i>	<i>Vices de confor- mation</i>	<i>Missbildungen</i>	<i>Vizi di conforma- zione</i>
a. <i>Vulvæ membrana impervia</i>	<i>Imperforation de l'hymen</i>	<i>Undurchbohrtes Hymen</i>	<i>Imene imperforato</i>

VULVÆ MORBI.

680. Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
681. Hæmorrhagia	Hémorrhagie	Hæmorrhagie	Emorrhagia

674. *Abscess

675. Cicatrix or band.

676. Cyst.

(62.) *Non-malignant New Growth.*

a. *Myo-fibroma.* Synonym,
Fibroid tumour.

b. *Polypus.*

c. *Warts.*

} Return according to
the list of tumours
at p. 309.

(63.) *Malignant New Growth.*

(29.) *Syphilis.*

677. Prolapse.

a. Cystocele.

b. Rectocele.

678. Occlusion. *Synonym, Atresia.*

679. Fistula.

a. Vesico-vaginal.

b. Urethro-vaginal.

c. Uretero-vaginal.

d. Recto-vaginal.

e. Vaginal (*i.e.*, communicating with some external surface).

(40-48.) *Injuries.*

Return such cases according to the list at
p. 241.

a. *Laceration.*

(54.) *Malformations.*

Return such cases according to the list at
pp. 297, 301.

a. *Imperforate hymen.*

DISEASES OF THE VULVA.

680. Hypertrophy. *Note.*—Specify the part.

681. Hæmorrhage.

* When this affection is caused by gonorrhœa, the return should be made under the head of Gonorrhœa, No. 30, p. 11.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
682. Labiorum oedema	Oedème des grandes lèvres	Oedem der grossen Schamlippen	Edema delle labbra
683. Inflammatio	Inflammation	Entzündung	Infiammazione
684. Abscessus	Abcès	Abscess	Ascesso
685. Ulcus	Ulcère	Geschwür	Ulcera
(25.) Phagedæna	Affection phagédénique	Phagedaenischer Zustand	Fagedena
686. Gangræna	Gangrène	Brand	Gangrena
(820.) Labiorum eczema	Eczéma des grandes lèvres	Eczem der grossen Schamlippen	Eczema delle labbra
687. Cystis	Kyste	Cyste	Ciste
(62.) Tumores non maligni	Tumeurs non-malignes	Gutartige Geschwülste	Tumori non-maligni
a. Urethræ tumor vasculosus	Tumeur vasculaire du méat urinaire	Erectile schwulst Harnröhre	Tumore vascolare del meato orinario
b. Elephantiasis	Éléphantiasis	Elephantiasis	Elefantiasi
c. Verrucæ	Verrues	Warzen	Verruche
d. Condyloma	Condylome	Condylom	Condiloma
(63.) Tumores maligni	Tumeurs malignes	Bösartige Geschwülste	Tumori maligni
a. Lupus	Lupus	Lupus	Lupus
(29.) Syphilis	Syphilis	Syphilis	Sifilide
(30.) Gonorrhæa	Gonorrhée	Tripper. Syn. Gonorrhöe	Gonorrœa
688. Occlusio	Occlusion	Verschluss. Syn. Atresie	Occlusione
(316.) Thrombus	Thrombus	Thrombus	Trombosi
(313.) Varix	Varice	Varix	Varice
(40-48.) Læsiones	Lésions	Verletzungen	Lesioni
(54.) Deformitates in-genitæ	Vices de conformation	Missbildungen	Vizi di conformazione

682. Œdema of the labia.

683. Inflammation. *Note*.—Specify the part.

684. Abscess. *Note*.—Specify the part.

685. Ulcer.

(25.) *Phagedæna*.

686. Gangrene.

(820.) *Eczema*.

687. Cyst. *Note*.—Specify the part.

(62.) *Non-malignant New Growth*.

a. *Vascular tumour of the
meatus urinarius. Syn.,
Urethral caruncle.*

b. *Elephantiasis.*

Note.—Specify the part.

*c. *Warts.*

*d. *Condyloma.*

(63.) *Malignant New Growth*.

a. *Lupus.*

(29.) *Syphilis.*

(30.) *Gonorrhœa.*

} Return according to
the list of tumours at
p. 309, *et seq.*

688. Occlusion.

Note.—When congenital, to be referred to
Malformations.

(316.) *Thrombus. Synonym, Hæmatoma.*

(313.) *Varix.*

(40–48.) *Injuries.*

Return such cases here according to the list at
p. 241.

(54.) *Malformations.*

Return such cases here according to the list
at p. 297.

* When this affection is caused by gonorrhœa, the return should be made under the head of Gonorrhœa, No. 30, p. 11.

GENITALIUM MULIEBRIVM ACTIONVM NATURALIVM VITIA, ITEM
VITIA SYMPTOMATICA.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
689. Amenorrhœa. <i>Idem valet Menstrua non provenientia</i>	Aménorrhée	Amenorrhœe	Amenorrea
(54.) a. <i>Ex partium defectione ingenita</i>	<i>Par vice de conformation</i>	<i>Von ursprünglichem Bildungsfehler</i>	<i>Da conformazione difettosa primitiva</i>
b. <i>Ex incrementi inopiâ sub ætatem puberem</i>	<i>Par arrêt de développement</i>	<i>Von mangelhafter Entwicklung zur Zeit der Pubertät</i>	<i>Da sviluppo mancante al tempo della pubertà</i>
c. <i>E suppressis in tempus menstruis</i>	<i>Par suppression temporaire</i>	<i>Von temporärer Unterdrückung</i>	<i>Da soppressione temporaria</i>
d. <i>Ex uteri superinvolutione aut atrophia</i>	<i>Par superinvolution ou atrophie de la matrice</i>	<i>Von Superinvolution oder Atrophie des Uterus</i>	<i>Da sovra involuzione o atrofia dell' utero</i>
e. <i>Ex ovariorum atrophia</i>	<i>Par atrophie des ovaires</i>	<i>Von Atrophie der Ovarien</i>	<i>Da atrofia delle ovaria</i>
f. <i>E causis generalibus, sive ad totum corpus pertinentibus</i>	<i>Suite de causes générales ou constitutionnelles</i>	<i>Von allgemeinen oder constitutionellen Ursachen</i>	<i>Da cause generali o costituzionale</i>
<i>Menstrua non apparentia ex profluvii interclusione</i>	<i>Menstruation latente par obstruction mécanique</i>	<i>Latente Menstruation von mechanischer Verstopfung</i>	<i>Mestruazione latente da impedimento meccanico</i>
690. Menstrua exilia	Menstruation insuffisante	Spärliche Menstruation	Mestruazione insufficiente
691. Menstrua ectopica	Menstruation ectopique	Ektopische Menstruation	Mestruazione ectopica
a. <i>Vicaria</i>	<i>Menstruation substitutive</i>	<i>Vicariirende Menstruation</i>	<i>Mestruazione vicaria</i>
b. <i>E supplemento</i>	<i>Supplémentaire</i>	<i>Supplementäre</i>	<i>Di supplemento</i>
692. Dysmenorrhœa. <i>Idem valet Menstrua difficilia</i>	Dysmenorrhée	Dysmenorrhœe	Dismenorrea
693. Menorrhagia. <i>Idem valet Menstrua immodica</i>	Ménorrhagie	Menorrhagie	Menorragia
694. Metrorrhagia. <i>Idem valet Hæmorrhagia uterina</i>	Mérorrhagie. <i>Syn. Hémorrhagie uterine</i>	Metrorrhagie. <i>Syn. Uterinblutung</i>	Metrorragia. <i>Sin. Emorragia uterina</i>

*FUNCTIONAL AND SYMPTOMATIC DISORDERS OF THE
FEMALE ORGANS OF GENERATION.

689. Amenorrhœa. *Synonym*, Absent menstruation.

Varieties :

- (54.) a. *From original defective formation.*
Note.—Specify the congenital defect under
 Malformations.
 b. From want of development at the time of pu-
 berty.
 c. From temporary suppression.
 d. From superinvolution or atrophy of uterus.
 e. From atrophy of ovaries.
 f. From general or constitutional causes.

Latent menstruation (from mechanical obstruction).

Note.—Return under Cause.

690. Scanty menstruation.

691. Ectopic menstruation.

a. Vicarious.

b. Supplementary.

692. Dysmenorrhœa. *Synonym*, Painful menstruation.

693. Menorrhagia. *Synonym*, Excessive menstruation.

694. Metrorrhagia. *Synonym*, Uterine hæmorrhage.

* When the cause of any of the following conditions is known, the return should be made under the head of such cause, the local condition being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
695. Leucorrhœa	Leucorrhée	Leucorrhœe	Leucorrea
(74.) <i>Chlorosis</i>	<i>Chlorose.</i> Syn. <i>Pâles couleurs</i>	<i>Chlorose.</i> Syn. <i>Bleichsucht</i>	<i>Clorosi</i>
696. Vaginismus	Vaginisme	Vaginismus	Vaginismo
697. Dyspareunia	Dyspareunie	Dyspareunia	Dispareunia
698. Sterilitas	Stérilité	Sterilität	Sterilità
699. Pruritus	Prurit	Pruritus	Prurito
(117.) <i>Coccygodynia</i>	<i>Coccygodynie</i>	<i>Coccygodynie.</i> Syn. <i>Steissbeinschmerz</i>	<i>Coccigedinia</i>

MALA GRAVIDIS INCIDENTIA.

700. Metritis	Hystérite. Syn. Métrite	Metritis	Metritide
701. Profluvium aquosum ex utero. <i>Idem valet Hydrorrhœa</i>	Hydrorrhée	Hydrorrhœe	Idrorrea
702. Amnii hydrops	Hydropsie de l'amnios	Hydramnios	Idropisia dell' amnios
703. Hysteralgia, sive metralgia	Hystéralgie	Neuralgie der Gebärmutter	Isteralgia
704. Dolores et spasmi spurii, sive nothi	Crampes	Falsche Wehen und Krämpfe	Dolori spurii e crampi
(673.) <i>Vaginæ catarrhus</i>	<i>Catarrhe du vagin</i>	<i>Catarrh</i>	<i>Catarro della vagina</i>
705. Menstrua	Menstruation	Blutabgang	Mestrui
706. Hæmorrhagia	Hémorrhagie	Haemorrhagie	Emorrhagia
707. Uterus loco motus	Déplacements de l'utérus	Lageveränderungen	Dislogamenti dell'utero
a. Uterus pronus	Antéversion	Anteversion	Antiversione
b. Uterus resupinatus	Rétroversion	Retroversion. Syn. Rückwärtsbiegung	Retroversione
c. Uterus provolutus	Antéflexion	Anteflexion	Antiflessione
d. Uterus retroflexus	Rétroflexion	Retroflexion	Retroflessione
e. Uterus prolapsus	Prolapsus	Prolapsus. Syn. Vorfall	Prolasso
f. Hernia	Hernie	Hernie	Ernia

695. Leucorrhoea.
(74.) *Chlorosis*. Synonym, *Green sickness*.
696. Vaginismus.
697. Dyspareunia.
698. Sterility.
699. Pruritus.
(117.) *Coccygodynia*.
-

AFFECTIONS CONNECTED WITH PREGNANCY.

In cases in which local disease or disorder of other than the generative organs is associated with pregnancy, the return should be made under the head of such local disease, the co-existence of pregnancy being stated.

700. Metritis.
701. Discharge of watery fluid from the uterus.
Synonym, Hydrorrhoea.
702. Dropsy of the amnion. *Synonym*, Hydrops amnii.
703. Hysteralgia.
704. Spurious pains and cramp.
(673.) *Catarrh of the vagina*.
705. Menstruation.
706. Hæmorrhage.
707. Displacements of the uterus.

 a. Anteversion.
 b. Retroversion.

 c. Anteflexion.
 d. Retroflexion.
 e. Prolapsus.

 f. Hernia.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
708. Uteri cervicis extensio	Allongement hy-pertrophique du col	Verlängerung des Cervix	Allungamento del collo dell' utero
(866.) <i>Vulvæ pruritus</i>	<i>Prurit de la vulve</i>	<i>Pruritus der äusseren Scham</i>	<i>Prurito della vulva</i>
709. Abortus	Avortement	Abortus. <i>Syn.</i> Fehlgeburt	Aborto
710. Partus intemptivus	Accouchement prématuré	Frühgeburt	Travaglio prematuro
711. Fœtus mortuus	Enfant mort-né	Todtgeborenes Kind	Nato morto
712. Extra uterum gestatio	Gestation extra-utérine	Extrauterin-schwangerschaft	Gestazione extrauterina
<i>a. in tubo</i>	Tubaire	Tuben	Tubaria
<i>b. in tubo et ovario</i>	Tubo-ovarienne	Tubo-ovarial	Tubario-ovaria
<i>c. in tubo et utero</i>	Tubo-utérine	Tubo-uterin	Tubario-uterina
<i>d. in ovario</i>	Ovariienne	Ovarial	Ovaria
<i>e. in peritonæo</i>	Peritonéale	Abdominalschwangerschaft	Peritoneale
<i>f. in utero deformi</i>	Avec vice de conformation de l'uterus	Schwangerschaft bei abnorm gebildetem Uterus	Nell' utero malconformato

MALA PARTURIENTIBUS INCIDENTIA.

713. Uteri resolutio	Atonie de l'utérus	Atonie der Gebärmutter	Atonia dell' utero
714. Uteri immodica distentio	Distension exagérée de l'utérus	Uebermässige Ausdehnung der Gebärmutter	Soverchia distensione dell' utero
<i>a. Ex amnii liquore immodico</i>	Par excès du fluide de l'amnios	Durch zu grosse Menge des Fruchtwassers	Da sovrabbondanza delle acque dell' amnios
<i>b. Ex gestatione multiplici</i>	Par gestation multiple	Durch Zwillinge, Drillinge u. s. w.	Da gemelli, triggemelli, etc.
715. Impedimenta corporea partui obstantia	Obstacle matériel à l'expulsion du fœtus	Mechanisches Hinderniss bei der Austreibung des Foetus	Impedimenti meccanici alla funzione dell' utero
<i>a. Os uteri oclusum</i>	Oclusion de l'orifice	Durch Verschluss des Muttermundes	Da chiusura della bocca dell' utero
<i>b. (1) Os uteri rigidum</i>	Rigidité de l'orifice	Durch Unnachgiebigkeit des Muttermundes	Da rigidità della bocca dell' utero
(2) Vagina rigida	Rigidité du vagin	Durch Unnachgiebigkeit der Scheide	Da rigidità della vagina
(3) Perineum rigidum	Rigidité du périnée	Durch Unnachgiebigkeit des Damms	Da rigidità del perineo

708. Elongation of cervix uteri.

(866.) *Pruritus vulvæ.*

709. Abortion.

710. Premature labour. *Synonym*, Miscarriage.

711. Still-birth.

712. Ectopic gestation. *Synonym*, Extra-uterine gestation.

a. Tubal.

b. Tubo-ovarian.

c. Tubo-uterine.

d. Ovarian.

e. Peritoneal.

f. In abnormally formed uterus.

AFFECTIONS CONNECTED WITH PARTURITION.

713. Atony of the uterus.

714. Over-distension of the uterus.

a. From excess of liquor amnii.

b. „ multiple gestation.

715. Mechanical obstacle to the expulsion of the foetus.

a. From occlusion of the os uteri.

b. „ rigidity—

(1) of the os uteri.

(2) „ „ vagina.

(3) „ „ perineum.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
c. Uterus partim re- troflexus	Rétroflexion par- tielle de la matrice	Partielle Retro- flexion der Gebärmutter	Retroflessione par- ziale dell' utero
d. Uteri cervix male collocata	Position anormale du col	Abnorme Lage des Cervix	Positione anormale del collo dell' utero
e. Cervicis uteri car- cinoma	Carcinome du col	Durch Krebs des Mutterhalses	Per cancro del collo dell' utero
f. Vaginæ carcinoma	Carcinome du vagin	Krebs der Scheide	Cancro della vagina
g. Vagina coarctata	Étroitesse du vagin	Durch Enge der Scheide	Da strettezza della vagina
h. Cicatrix aut habe- nula in vagina	Cicatrice du vagin	Durch Vernarbung oder Bandbild- ung in der Scheide	Da cicatrice o bri- glia nella vagina
i. Cystis vaginalis	Kyste du vagin	Durch Vaginal- cyste	Da cisti vaginale
k. Vesica prolapsa	Prolapsus de la vessie	Durch Vorfall der Blase	Da prolasso della vescica
l. Vesicæ calculus	Calcul dans la vessie	Durch Stein in der Blase	Da calcolo nella vescica
m. Rectum intesti- num distentum	Distension du rectum	Durch Ausdehnung des Mastdarms	Da distensione del retto
n. Rectum prolap- sum	Prolapsus du rectum	Durch Vorfall des Mastdarms	Da prolasso del intestino retto
o. Tumor	Tumeur	Durch Geschwulst	Da tumore
V.			
1. Uteri	de l'utérus	der Gebärmutter	uterino
2. Ovarii	de l'ovaire	des Eierstocks	delle uova
3. Pelvis	du bassin	des Beckens	pelvico
4. Recti intestini	du rectum	des Mastdarms	dell' intestino retto
5. Vesicæ	de la vessie	der Blase	della vescica
6. Partium exte- riorum	des parties ex- ternes	der äusseren Theile	delle parti es- terne
p. Polypus	Polype	Durch Polyp	Da polipo
q. Ossis coxarum frac- tura	Fracture du bassin	Durch Fractur des Beckens	Da pelvi fratturata
r. Exostosis	Exostose	Durch Exostose	Da esostosi
s. Os coxarum distor- tum vel constrictum	Rétrécissement ou difformité du bassin	Durch Verkrüm- mung oder Ver- engerung des Beckens	Da pelvi distorta o ristretta
t. Loco motæ in pel- viu lumborum vertebræ. Idem valet Spondylo- listhesis -	Luxation des ver- tèbres lombaires sur le bassin. Syn. Spondylo- listhesis	Verrenkung der Leidenwirbel in das Becken. Syn. Spondylolis- thesis	Vertebre lombari slogate nella pel- vi. Sin. Spon- dylolistesia
u. Coccygis ankylosis	Ankylose du coc- cyx	Durch Ankylose des Steissbeins	Da coccige anchilo- tico
v. Pelvis angusta	Étroitesse du bassin	Durch abnorme Kleinheit des Beckens	Da pelvi angusta

- c. From partial retroflexion of the uterus.
 - d. „ malposition of the cervix uteri.
 - e. „ cancer of the cervix uteri.
 - f. „ cancer of the vagina.
 - g. „ narrowness of the vagina.
 - h. „ cicatrix or band in the vagina.

 - i. „ vaginal cyst.
 - k. „ prolapsus of the bladder.
 - l. „ stone in the bladder.
 - m. „ distended rectum.
 - n. „ prolapsus of the rectum.
 - o. „ tumour.
- Varieties :*
- 1. Uterine.
 - 2. Ovarian.
 - 3. Pelvic.
 - 4. of the rectum
 - 5. of the bladder.
 - 6. of external parts.
- p. „ polypus.
 - q. „ fractured pelvis.
 - r. „ exostosis.
 - s. „ distorted or contracted pelvis.

 - t. „ dislocated lumbar vertebræ into pelvis.
Synonym, Spondylolisthesis.

 - u. „ ankylosed coccyx.
 - v. „ diminutive pelvis.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
<i>v.</i> Uterus penitus in pronom versus pendente abdomine	Antéversion totale de l'utérus, avec relâchement des parois abdominaux	Hochgradige Anteversion der Gebärmutter (mit Hängebauch)	Antiversione estrema dell' utero
<i>x.</i> Fœtus prægrandis	Volume exagéré du fœtus	Durch abnorme Grösse des Foetus	Da grandezza smoderata del feto
<i>y.</i> Fœtus male collocatus	Position vicieuse du fœtus	Durch abnorme Lage des Foetus	Da cattiva posizione del feto
<i>z.</i> Fœtus deformitas	Formation vicieuse du fœtus	Durch Missbildung des Foetus	Da vizio di formazione del feto
<i>a.</i> Fœtus morbo adaucus	Volume excessif du fœtus par suite de maladie	Durch Vergrößerung des Foetus in Folge von Krankheit	Da aumento del feto per malattia
<i>β.</i> Fœtus mortuus	Mort du fœtus	Tod des Foetus	Morte dei feto
<i>γ.</i> Partus multiplex	Pluralité de fœtus	Mehrfache Geburt	Pluralità di feto
<i>δ.</i> Duo vel plures inter se involuti fœtus	Entrelacement de deux ou plusieurs fœtus	Verschlingung von zwei oder mehr Foetusen	Due o piu feto intralciati
<i>ε.</i> Membranarum fœtus crassitudo inusitata	Par épaisseur anormale des membranes	Durch abnorme Dicke der Eihäute	Da grossezza insolita delle membrane
<i>ζ.</i> Funis brevitatis inusitata	Par défaut de longueur normale du cordon	Durch abnorme Kürze des Nabelstrangs	Da cortezza insolita del funicolo
<i>η.</i> Corpora adventitia in vagina	Corps étrangers du vagin	Fremdkörper in der Scheide	Corpi estranei nella vagina
716. Hæmorrhagia	Hémorrhagie	Haemorrhagie	Emorragia
<i>a.</i> E secundis præviis. <i>Idem valet</i> Hæmorrhagia inevitabilis	Suite de placenta prævia, ou insertion près du col	Durch Placenta prævia	Da placenta previa
<i>b.</i> E secundis casu separatis. <i>Idem valet</i> Hæmorrhagia fortuita	Suite du détachement accidentel du placenta	Durch zufällige Ablösung der Placenta	Da distacco accidentale della placenta
<i>c.</i> Ex cervicis uteri aut labii thrombo	Thrombus du col ou des grandes lèvres	Durch Thrombose des Cervix uteri oder des Labium	Da trombo nel collo dell' utero o nelle grandi labbra
717. Uteri diruptio aut laceratio	Rupture ou déchirure de l'utérus	Ruptur oder Zerreissung der Gebärmutter	Rottura e lacerazione dell' utero
718. Vaginæ diruptio aut laceratio	Rupture ou déchirure du vagin	Ruptur oder Zerreissung der Scheide	Rottura e lacerazione della vagina
719. Vulvæ diruptio aut laceratio	Rupture ou déchirure de la vulve	Ruptur oder Zerreissung der äusseren Scham	Rottura e lacerazione della vulva
720. Vesicæ diruptio aut laceratio	Rupture ou déchirure de la vessie	Ruptur oder Zerreissung der Harnblase	Rottura e lacerazione della vescica urinaria

LATIN EQ.	FRENCH	GERMAN	ITALIAN
721. Perinei disruptio aut laceratio	Rupture ou déchirure du périnée	Ruptur oder Zer-reissung des Damms	Rottura e lacerazione del perineo
722. Secundarum retentio	Rétention du placenta	Retention der Placenta	Ritenzione della placenta
a. Ex uteri resolutione	Par atonie de l'utérus	Durch Atonie der Gebärmutter	Da atonia dell' utero
b. Ex contracto sine ordine aut ad horologii similitudinem utero	Par contraction irrégulière	Durch unregelmässige oder Sanduhr-Zusammenziehung	Da contrazioni irregolari o a guisa d' oriuolo a polvere
c. Præter naturam adhærentium	Par adhérences anormales	Durch abnorme Adhæsionen	Da adherenze straordinarie
723. Uterus inversus	Renversement de l'utérus	Inversion der Gebärmutter	Inversione dell' utero
(106.) <i>Membrorum distentio</i>	<i>Convulsions. Eclampsie</i>	<i>Convulsionen</i>	<i>Convulsioni</i>
(711.) <i>Fætus mortuus</i>	<i>Enfant mort-né</i>	<i>Todtgeborenes Kind</i>	<i>Nato morto</i>
(53.) <i>Partus intempetivus</i>	<i>Né avant terme</i>	<i>Frühgeburt</i>	<i>Parto prematuro</i>

MALA PUERPERIS INCIDENTIA.

724. Hæmorrhagia post partum	Hémorrhagie après l'accouchement	Haemorrhagie nach der Geburt	Emorragia dopo il parto
725. Placentæ fragmentorum, membranæ, aut coaguli retentio	Rétention de fragments du placenta ou des membranes ou des caillots	Zurückhaltung von Placentarstücken, Eihautresten oder Blutgerinnseln	Ritenzione di frammenti della placenta, membrane, coagoli, etc.
726. Lactantium febris	Fièvre de lait	Milchfieber	Febbre del latte
(513.) <i>Puerperarum peritonitis. Idem valet, Metroperitonitis</i>	<i>Méto - péritonite. Syn. Péritonite puerpérale</i>	<i>Bauchfellentzündung. Metroperitonitis</i>	<i>Méto-peritonitide. Sin. Puerperale</i>
(527.) <i>P. lymphangitis</i>	<i>P. lymphangite</i>	<i>Lymphangitis</i>	<i>Linfangitide</i>
(28.) <i>P. septicæmia</i>	<i>P. septicémie</i>	<i>Septicæmie</i>	<i>Setticemia</i>
(27.) <i>P. pyæmia</i>	<i>P. pyohémie</i>	<i>Pyæmie</i>	<i>Piemia</i>

721. Rupture or laceration of the perineum.
722. Retention of the placenta.
- a. From atony of the uterus.
 - b. „ irregular or hour-glass contraction.
 - c. „ preternatural adhesions
723. Inversion of the uterus.
- (106.) *Convulsions.*
- (711.) *Still birth.*
- (53.) *Premature birth.*
-

AFFECTIONS CONSEQUENT ON PARTURITION.

724. Post-partum hæmorrhage.
725. Retention of placental fragments, membrane, or clots.
726. Milk fever.
- (513.) *Puerperal peritonitis.*
-
- (527.) „ *lymphangitis.*
- (28.) „ *septicæmia.*
- (27.) „ *pyæmia.*

Note.—These affections are frequently included under the common term “puerperal fever,” which has been expunged from this Nomenclature. See No. 28, p. 9.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
727. Metritis	Métrite	Gebärmutterentzündung. Metritis	Metrite
(311.) <i>Phlebitis</i>	<i>Phlébite</i>	<i>Phlebitis</i>	<i>Flebitide</i>
(316.) <i>Thrombosis venosa</i>	<i>Thrombus veineux</i>	<i>Thrombose</i> der <i>venen</i>	<i>Trombosi venosa</i>
(312.) <i>Phlegmasia dolens</i>	<i>Phlegmasia alba dolens</i>	<i>Phlegmasia alba dolens</i>	<i>Flemmasia venosa</i>
728. Phlegmone pelvica	Phlegmon pelvien	Zellgewebsentzündung des Beckens	Cellulitide pelvica
729. Iliorum et pelvis abscessus	Abscès des fosses iliaques, et de la région pelvienne	Abscess der Beckengegend	Ascesso iliaco e pelvico
730. Sphacelus	Sphacèle	Gangränescenz	Sfacelo
a. Uteri cervicis	du col utérin	des Mutterhalses	dell' collo dell' utero
b. Vaginæ	du vagin	der Scheide	della vagina
c. Perinei	du périnée	des Damms	del perineo
d. Vesicæ	de la vessie	der Blase	della vescica
e. Recti intestini	du rectum	des Mastdarms	dell' intestino retto
(679.) <i>Fistula</i>	<i>Fistule</i>	<i>Fistel</i>	<i>Fistola</i>
a. <i>Vesicam inter et vaginam</i>	<i>Vésico-vaginale</i>	<i>Blasen-Scheiden-fistel</i>	<i>Vesico-vaginale</i>
b. <i>Urethram inter et vaginam</i>	<i>Uréthro-vaginale</i>	<i>Harnröhren-Scheidenfistel</i>	<i>Urétéro-vaginale</i>
c. <i>Ureterem inter et vaginam</i>	<i>Urétéro-vaginale</i>	<i>Harnleiter - Scheidenfistel</i>	<i>Uretro-vaginale</i>
d. <i>Fistula rectum inter et vaginam</i>	<i>Fistule recto-vaginale</i>	<i>Mastdarm - Scheidenfistel</i>	<i>Fistola recto-vaginale</i>
e. <i>Vaginalis</i>	<i>Vaginale</i>	<i>Scheidenfistel</i>	<i>Vaginale</i>
(735.) <i>Mammæ inflammatio</i>	<i>Inflammation du sein</i>	<i>Entzündung der Brustdrüse</i>	<i>Infiammazione delle mammelle</i>
(736.) <i>Mammæ abscessus</i>	<i>Abscès du sein</i>	<i>Abscess der Brustdrüse</i>	<i>Ascesso delle mammelle</i>
(134.) <i>Puerperarum insania</i>	<i>Manie puerpérale</i>	<i>Mania puerperalis</i>	<i>Mania puerperale</i>
(106.) <i>Membrorum in puerperis distentio. Idem valet Eclampsia</i>	<i>Convulsions puerpérales. Syn. Éclampsie</i>	<i>Puerperal-Convulsionen. Syn. Eclampsie</i>	<i>Convulsioni puerperali. Sin. Eclampsia</i>
(120.) <i>Tetanus</i>	<i>Tétanos</i>	<i>Tetanus. Syn. Starrkrampf</i>	<i>Tetano</i>

727. Metritis.

(311.) *Phlebitis*.

(316.) *Venous thrombosis*.

(312.) *Phlegmasia dolens*.

728. Pelvic cellulitis.

729. Iliac and pelvic abscesses.

730. Sloughing

a. of the cervix uteri.

b. of the vagina.

c. of the perineum.

d. of the bladder.

e. of the rectum.

(679.) *Fistula*.

a. *Vesico-vaginal*.

b. *Urethro-vaginal*.

c. *Uretero-vaginal*.

d. *Recto-vaginal*.

e. *Vaginal* (i.e., communicating with some external surface).

(735.) *Inflammation of the breast*. Synonym, *Mastitis*.

(736.) *Abscess of the breast*.

(134.) *Puerperal insanity*.

(106.) *Convulsions*.

(120.) *Tetanus*.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
731. Mors repentina post partum	Mort subite après l'accouchement	Plötzlicher Tod nach Entbin- dung	Morte repentina dopo il parto
a. Ex concussu aut nervorum vi ex- inanita	Par secousse ou épuisement du système nerveux	Durch Collaps oder Erschütterung des Nervensys- tems	Da colpo o forza nervosa esausta
(234, 308.) b. Ex coagulorum in corde arte- riæ pulmonali impactione	Par logement de caillots dans le cœur et l'artère pulmonaire	Durch Gerinnsel im Herzen und in der Lungen- arterie	Da impacciamento di fibrina nel cuore e nell' ar- teria pulmonale
1. Embolus	Embolie	Embolie	Embolismo
2. Thrombosis	Thrombose	Thrombose	Trombosi
(40.) c. Ex aëris in venas introitu, separatis secundis	Par entrée de l'air dans les veines, consécutive à la séparation du placenta	Durch Eintritt von Luft in die Ve- nen bei Ablösung der Placenta	Da entrata d' aria nelle vene
(83.) d. Ex hæmorrhagia in cerebro	Par hémorrhagie cérébrale	Durch Gehirn- blutung	Da emorragia cere- brale

MAMMÆ MULIEBRIS MORBI.

732. Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
V.			
a. Glandularis	Glandulaire	der Drüsensub- stanz	Glandulare
b. Membranæ adiposæ aut cellulossæ	du tissu graisseux ou connectif	des Fettes oder Bindegewebes	del tessuto adiposo o cellulose
733. Atrophia	Atrophie	Atrophie	Atrofia
V.			
Involutio senilis	Involution sénile	Senile Involution	Involuzione senile
734. Hyperæmia	Hyperémie	Hyperæmie	Iperemia
735. Inflammatio	Inflammation	Entzündung	Inflammazione
a. Acuta	Aiguë	Acute	Acuta
b. Chronica, sive longa	Chronique	Chronische	Cronica
736. Abcessus	Abcès	Abscess	Ascesso
a. Extra glandulam	Superficiel	In dem subcutanen Gewebe vor der Brustdrüse	In fronte della glandula
b. In glandula ipsa	Dans la substance de la glande	In der Drüsen- substanz	Nella sostanza della glandula
c. Post glandulam	Post, ou Rétro- mammaire	Hinter der Brust- drüse	Dietro la glandula

731. Sudden death after delivery.

a. From shock or nervous exhaustion.

(284, 308.) *b.* From impaction of coagula in the heart and pulmonary artery.

1. *Embolism.*

2. *Thrombosis.*

(40.) *c.* From entrance of air into veins (from separation of the placenta).

(83.) *d.* From cerebral hæmorrhage.

DISEASES OF THE FEMALE BREAST.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by number.

732. Hypertrophy.

Varieties :

a. Glandular.

b. Of fatty or connective tissue.

733. Atrophy.

Variety :

Senile involution.

734. Hyperæmia.

735. Inflammation.

a. Acute.

b. Chronic.

736. Abscess.

a. Superficial to gland.

b. In substance of gland.

c. Behind gland.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
737. Fistula	Fistule	Fistel	Seno
738. Papilla scissa	Gerçures du mamelon	Excoriation der Warzen. <i>Syn.</i> Wunde Warzen	Capezzolo fesso
739. Papilla ulcerata	Ulcération du mamelon	Geschwüre der Warzen	Capezzolo ulcerato
(820.) Eczema	Eczéma	Eczem	Eczema
740. Cystis	Kyste	Cyste	Ciste
(62.) Tumores non maligni	Tumeurs non-malignes	Gutartige Geschwülste	Tumori non-maligni
a. Mammarum tumor chronicus, sive longus. Idem valet, Tumor adenoides.	Hypertrophie du sein. <i>Syn.</i> Tumeur adenoïde	Chronische Brusteldrüsen-geschwulst. <i>Syn.</i> Adenoidgeschwulst	Tumore delle mammelle cronico. <i>Sin.</i> Tumore adenoides
(63.) Tumores maligni	Tumeurs malignes	Bösartige Geschwülste	Tumori maligni
(29.) Syphilis	Syphilis	Syphilis	Sifilide
741. Papilla depressa	Rétraction du mamelon	Tiefliegende Brustwarzen	Capezzolo depresso
(35.) Morbus parasiticus	Maladie parasitaire	Parasitäre Erkrankungen	Malattia parasitica
(54.) Deformitates ingentæ	Vices de conformation	Missbildungen	Vizi di conformatione
a. Mammarum aut papillarum plus justo numerus	Nombre excessif de seins ou de mamelons	Ueberzählige Brustdrüsen oder Warzen	Numero eccessivo di mammelle o di capezzoli
b. Mammarum aut papillarum minus justo numerus	Absence partielle ou complète de seins ou de mamelons	Mangel einer Brustdrüse oder Warze	Numero deficiente di mammelle o capezzoli
742. Galactorrhœa, sive lactis profluvium	Galactorrhée	Galactorrhœe	Galattorrea
743. Lactis inopia	Absence de lait	Agalactie	Deficienza di latte
(114.) Hyperæsthesia	Hyperesthésie	Hyperæsthesie	Iperestesia
(117.) Mastodynia, sive mammarum dolor. Idem valet Neuralgia	Mastodynîe. <i>Syn.</i> Névralgie du sein	Mastodynîe. <i>Syn.</i> Neuralgie	Mastodinia

MAMMILLÆ VIRILIS MORBI.

744. Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
745. Inflammatio	Inflammation	Entzündung	Infiammazione

737. Sinus.
 738. Chapped nipple.
739. Ulcerated nipple.
- (820.) *Eczema*.
740. Cyst.
- (62.) *Non-malignant New Growth*.
 a. Chronic mammary tumour.
 Synonym, *Adenoid tumour*.
 (63.) Malignant New Growth.
- } Return according
 to the list of
 tumours at pp.
 311 and 313.
- (29.) *Syphilis*.
741. Depressed nipple.
- (35.) *Parasitic disease*.
 Return cases of this class according to the list
 at p. 284, *et seq.*
- (54.) *Malformations*.
 Return cases of this class according to the list
 at p. 303.
 a. Excessive number of breasts or nipples.
 b. Deficient number of breasts or nipples.
742. Galactorrhoea.
743. Deficiency of milk.
- (114.) **Hyperæsthesia*.
- 117.) **Mastodynia*. Synonym, *Neuralgia*.

DISEASES OF THE MALE BREAST.

Register the diseases here printed in *Italics*, not under this heading, but at the place referred to in each instance by number,

744. Hypertrophy.
 745. Inflammation.

* When the cause of this affection is known, the return should be made under the head of such cause, the local condition being also specified.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
746. Cystis	Kyste	Cyste	Ciste
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>

ORGANORUM CORPUS MOVENTIUM MORBI.

OSSIUM (PRÆTER SPINAM) MORBI.

747. Hypertrophia	Hypertrophie	Hypertrophie	Ipertrofia
V.-Concentrica	Concentrique	Concentrische	Concentrica
V.-Eccentrica. <i>Idem valet</i> Osteoporosis	Eccentrique. <i>Syn.</i> Ostéoporse	Excentrische	Eccentrica. <i>Sin.</i> Osteoporosi
748. Atrophia	Atrophie	Atrophie	Atrofia
749. Inflammatio	Inflammation	Entzündung	Inflammazione
a. Ostitis	Ostéite	Knochenentzündung	Osteitide
V.-Ostitis deformans	Ostéite déformante	Osteitis deformans	Osteitide deformante
b. Periostitis	Périostite	Knochenhautentzündung	Periostitide
1. Circumscripta. <i>Idem valet</i> Ossium nodi	Nodosité	Nodi	Nodi
2. Periostitis diffusa. <i>Idem valet</i> Abscessus periostei acutus	Périostite diffuse. <i>Syn.</i> Périostite suraiguë	Diffuse Periostitis	Periostitide diffusa. <i>Sin.</i> Abscesso periosteale acuto
c. Osteomyelitis	Ostéo-myélite	Osteomyelitis	Osteo-mielitide
d. Perichondritis	Périchondrite	Perichondritis	Pericondritide
750. Abscessus chronicus, <i>sive</i> longus	Abcès chronique	Chronischer Abscess	Ascesso cronico
751. Caries	Carie	Knochenfrass	Carie
752. Necrosis	Nécrose	Nekrose	Necrosi
V.-a. Centralis	Centrale	Centrale	Centrale
b. Intra-ossa	Intra-osseuse	Innerhalb der Knochensubstanz	Intra-ossea
753. Ossium mollities. <i>Idem valet</i> Osteomalacia	Ostéo-malacie	Osteomalacie	Rammollimento delle ossa
754. Degeneratio adiposa	Dégénérescence graisseuse	Fettige Entartung	Degenerazione grassosa

LATIN EQ.	FRENCH	GERMAN	ITALIAN
755. Costarum cartilaginum ossificatio	Ossification des cartilages costaux	Verknöcherung der Rippenknorpel	Ossificazione delle cartilagini costali
(59.) <i>Deposita podagrica</i>	<i>Dépôt gouteux</i>	<i>Gichtische Ablagerungen</i>	<i>Depositi gottosi</i>
756. Cystis	Kyste	Cyste	Ciste
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(64.) <i>Tuberculum</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
(29.) <i>Syphilis</i>	<i>Syphilis</i>	<i>Syphilis</i>	<i>Sifilide</i>
(66.) <i>Rachitis</i>	<i>Rachitisme</i>	<i>Rhachitis</i>	<i>Rachitide</i>
757. Fractura spontanea	Fracture spontanée	Spontane Fractur	Frattura spontanea
758. Fractura non-coiens, aut articulus nothus	Fracture non-réunie, ou fausse articulation	Unvereinigte Fractur oder falsches Gelenk	Frattura non-unita, o falsa articolazione
(35.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>
(54.) <i>Deformitates in genitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
(40-48.) <i>Læsiones</i>	<i>Blessures</i>	<i>Verletzungen</i>	<i>Lesioni</i>

ARTICULORUM (PRÆTER SPINAM) MORBI.

759. Articuli hydrops	Hydrarthrose	Gelenkwassersucht	Idropisia delle articolazioni
760. Inflammatio. <i>Idem valet Arthritis</i>	Inflammation. <i>Syn. Arthritis</i>	Entzündung	Infiammazione
1. Synovitis	Synovite	Synovitis	Sinovitide
a. Acuta	Aiguë	Acute	Acuta
b. Chronica, sive longa	Chronique	Chronische	Cronica
V.—1. Membranæ synovialis in pul-pam degeneratio	Arthrite fongueuse	Fungöse Entartung der Synovial-membran	Degenerazione polposa della membrana sinoviale

755. Ossification of cartilages of ribs.

(59.) *Gouty deposit.*

756. Cyst.

(62.) *Non-malignant New Growth.* }
 (63.) *Malignant New Growth.* } Return according to the
 list of tumours at p. 307.

(64.) *Tubercle.*

(29.) *Syphilis.*

(66.) *Rickets.*

757. Spontaneous fracture.

758. Un-united fracture, or false joint.

(35.) *Parasitic disease.*

Return such cases according to the list at
p. 284, *et seq.*

(54.) *Malformations.*

Return such cases according to the list at
p. 293, *et seq.*

(40-48.) *Injuries.*

Return such cases according to the list at
p. 225, *et seq.*

DISEASES OF JOINTS (EXCLUSIVE OF THE SPINE).

Note.—In all cases the joint affected is to be stated.

759. Dropsy. *Synonym*, Hydrops articuli.

760. *Inflammation. *Synonym*, Arthritis.

1. Synovitis.

Varieties :

a. Acute.

b. Chronic.

1. Pulpy degeneration of synovial membrane.

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
761. Abscessus	Abcès	Abscess	Ascesso
(27.) <i>a. Abscessus pyæmicus</i>	<i>Abcès pyohémique</i>	<i>Pyæmischer Abscess</i>	<i>Ascesso piemico</i>
762. Cartilaginis ulceratio	Ulcération des cartilages	Ulceration des Knorpels	Ulcerazione della cartilagine
763. Ankylosis	Ankylose	Ankylose	Ancilosi
<i>a. Ossea</i>	Osseuse	Knöcherne	Ossea
<i>b. Fibrosa</i>	Fibreuse	Fibröse	Fibrosa
<i>c. Spuria, sive notha</i>	Fausse	Falsche	Falsa
764. Deformitas ex ankylosi	Difformité suite d'ankylose	Deformität durch Ankylose	Deformità da ancilosi
(59.) <i>Deposita podagrica</i>	<i>Dépôt goutteux (tophus)</i>	<i>Gichtische Ablagerungen</i>	<i>Deposito gottoso</i>
(59.) <i>Inflammatio synovialis podagrica</i>	<i>Inflammation goutteuse</i>	<i>Gichtische Entzündung</i>	<i>Sinovitide gottosa</i>
(58.) <i>Rheumatismus</i>	<i>Rhumatisme</i>	<i>Rheumatismus</i>	<i>Reumatismo</i>
(30.) <i>Rheumatismus gonorrhœicus</i>	<i>Rhumatisme blennorrhagique</i>	<i>Gonorrhœische Rheumatismus</i>	<i>Reumatismo gonorrhœico</i>
(60.) <i>Osteoarthritis chronica, sive longa. Idem valet Arthritis rheumatica chronica, sive longa</i>	<i>Arthrite rhumatismale chronique, rhumatisme nouveau</i>	<i>Chronische Osteoarthritis. Syn. Arthritis deformans</i>	<i>Osteo-artritide cronica</i>
<i>a. Coxæ malum senile</i>	<i>Coxalgie sénile</i>	<i>Malum coxæ senile</i>	<i>Malattia del coccige senile</i>
<i>b. Digitorum nodi</i>	<i>Nodosités des doigts</i>	<i>Auftreibungen an den Gelenkenden der Finger</i>	<i>Nodi delle dita</i>
(89.) <i>Charcotii morbus</i>	<i>Maladie de Charcot</i>	<i>Charcot'sches Gelenkleiden</i>	<i>Malattia del Charcot</i>
765. Cartilaginis et summorum ossium articulare degeneratio	Dégénérescence des cartilages et des surfaces articulaires des os	Entartung des Knorpels und der Gelenkflächen der Knochen	Degenerazione della cartilagine e delle estremità articolari delle ossa
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(65.) <i>Struma</i>	<i>Maladie scrofuleuse</i>	<i>Scrophulöse Affection</i>	<i>Malattia scrofolosa</i>
<i>a. Coxæ morbus</i>	<i>Coxalgie</i>	<i>Morbus coxæ</i>	<i>Coxalgia</i>
766. Corpus liberum	Corps libres	Freie Gelenkkörper. Syn. Gelenkmaüse	Corpi cartilagineosi liberi
<i>a. Cartilago libera</i>	<i>Cartilages accidentels</i>	<i>Frei bewegliche Knorpel</i>	<i>Cartilagine liberi</i>

- 761 Abscess. *Synonym*, Suppurative arthritis.
 (27.) a. *Pyæmic abscess*.
762. Ulceration of cartilage.
763. Ankylosis.
Varieties :
 a. Bony.
 b. Fibrous.
 c. Spurious.
764. Deformity from ankylosis.
- (59.) *Gouty deposit*.
- (59.) *Gouty inflammation*.
- (58.) *Rheumatism*.
- (30.) *Gonorrhæal arthritis*. *Synonym*, *Gonorrhæal rheumatism*.
- (60.) *Chronic osteo-arthritis*. *Synonym*, *Chronic rheumatic arthritis*.
- a. *Malum coxæ senile*.
- b. *Digitorum nodi*.
- (89.) *Charcot's disease*.
 Return under Locomotor ataxy, p. 23
765. Degeneration of cartilage, and of the articular surfaces of bones.
- (62.) *Non-malignant New Growth*.
 (63.) *Malignant New Growth*.
 (65.) *Scrofulous disease*.
- a. *Morbus coxæ*.
766. Loose body.
- a. Loose cartilage.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
767. Cartilago articularis loco mota	Déplacement du cartilage articulaire	Dislocation des Gelenkknorpels	Dislogamento della cartilagine articolare
768. Ligamentorum resolutio	Relâchement des ligaments	Erschlaffung der Bänder	Rilassamento de' ligamenti
769. Genua introrsum flexa. <i>Idem valet</i> Genu valgum	Genou cagneux. <i>Syn.</i> Genu valgum	Nach innen gekrümmte Beine	Gambe storte all' interno
770. Genua arcuata. <i>Idem valet</i> Genu varum	Genou convexe en dehors. <i>Syn.</i> Genu varum	Säbelbeine	Gambe storte all' esterno
771. Articuli perforati	Perforation des articulations	Perforation der Gelenke	Perforazione delle articolazioni
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>

(117.) <i>Articulorum neuralgia</i>	<i>Névralgie</i>	<i>Neuralgie der Gelenke</i>	<i>Nevralgia articolare</i>
-------------------------------------	------------------	------------------------------	-----------------------------

SPINÆ MORBI.

772. Atrophia, item ex compressione absorptio	Atrophie, y comprise la résorption suite de compression	Atrophie mit Einschluss des Schwundes durch Druck	Atrofia, inchiuso assorbimento in seguito a pressione
(60.) <i>Osteoarthritis chronica, sive longa</i>	<i>Arthrite rhumatismale chronique</i>	<i>Chronische osteoarthritis</i>	<i>Osteo-artritide cronica</i>
773. Abscessus psoadici, lumbares, post pharyngem, alii que	Abcès du psoas, abcès lombaire, rétropharyngien et autres	Psoas-, lumbar-, Retropharyngeal-, und andere Abscesse	Ascesso del psoas, lombare, retrofaringeale ed altri
774. Ligamentorum et cartilaginum ulceratio	Ulcération des ligaments et cartilages	Ulceration der Bänder und Knorpel	Ulcerazione dei ligamenti e delle cartilagini
775. Caries et necrosis	Carie et nécrose	Caries und Nekrose	Carie e necrosi
776. Curvatura angularis. <i>Idem valet</i> Pottii morbus	Courbure angulaire. <i>Syn.</i> Mal de Pott	Anguläre Verkrümmung. <i>Syn.</i> Pott'sches Uebel	Curvezza angolare. <i>Sin.</i> Malattia del Pott
777. Curvatura extraverso. <i>Idem valet</i> Scoliosis	Courbure latérale. <i>Syn.</i> Scoliose	Skoliose	Scoliosi

767. Dislocation of articular cartilage.
768. Relaxation of ligaments.
769. *Knock-knee, or in-knee. *Synonym*, Genu valgum.
770. *Bow-leg, or out-knee. *Synonym*, Genu varum.

771. Perforation of joints.

Note.—This refers to perforation by disease, and in returning it the original affection should be stated.

- (40–48.) *Injuries*.

Return such cases according to the list at p. 229, *et seq.*

- (117.) †*Neuralgia of joints*.

DISEASES OF THE SPINE.

State the region or vertebra affected.

772. Atrophy, including absorption from pressure.
- (60.) *Chronic osteo-arthritis*. *Synonym*, *Chronic rheumatic arthritis*.
773. Psoas, lumbar, post-pharyngeal, and other abscesses.
774. Ulceration of ligaments and cartilages.
775. †Caries and necrosis.
776. Angular curvature. *Synonym*, Pott's disease.
777. Lateral curvature. *Synonym*, Skoliosis.

* When this deformity is congenital, it must be returned under Malformations, pp. 15, 305.

† When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
778. <i>Curvatura in dorsum. Idem valet Kyphosis</i>	Courbure en arrière. <i>Syn.</i> Cyphose	Kyphose	Cifosi
779. <i>Curvatura in frontem. Idem valet Lordosis</i>	Courbure en avant. <i>Syn.</i> Lordose	Lordose	Lordosi
(66.) <i>Curvatura rachitica</i>	<i>Courbure rachitique</i>	<i>Rhachitische Verkrümmung</i>	<i>Curvatura rachitica</i>
780. <i>Luxatio, sive loco motus</i>	Luxation	Dislocation	Deviazione
781. <i>Ankylosis</i>	Ankylose	Ankylose	Ancilosi
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
782. <i>Fractura spontanea</i>	Fracture spontanée	Spontane Fractur	Frattura spontanea
(35.) <i>Morbus parasiticus</i>	<i>Maladie parasitaire</i>	<i>Parasitäre Erkrankungen</i>	<i>Malattia parassitica</i>
(54.) <i>Deformatates in-genitæ</i>	<i>Vices de conformation</i>	<i>Missbildungen</i>	<i>Vizi di conformazione</i>
<i>a. Spina bifida</i>	<i>Spina bifida</i>	<i>Spina bifida</i>	<i>Spina bifida</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>

MUSCULORUM MORBI.

783. <i>Hypertrophia</i>	Hypertrophie	Hypertropie	Ipertrofia
784. <i>Atrophia</i>	Atrophie	Atrophie	Atrofia
785. <i>Inflammatiô</i>	Inflammation	Entzündung	Inflammazione
786. <i>Abscessus</i>	Abcès	Abscess	Ascesso
787. <i>Gangræna</i>	Gangrène	Brand	Gangrena
788. <i>Degeneratio adiposa</i>	Dégénérescence grasseuse	Fettige Entartung	Degenerazione grassosa
789. <i>Infiltratio adiposa</i>	Infiltration grasseuse	Fettige Infiltration	Infiltramento grassoso
790. <i>Degeneratio fibrosa</i>	Dégénérescence fibroïde	Fibröse Entartung	Degenerazione fibrosa

778. Posterior curvature. *Synonym*, Kyphosis.
779. Anterior curvature. *Synonym*, Lordosis.
- (66.) *Rickety curvature*.
780. Dislocation.
781. Ankylosis. *Synonym*, Synostosis.
- (62.) *Non-malignant New Growth*. } Return according to the
 (63.) *Malignant New Growth*. } list of tumours at p. 307.
782. *Spontaneous fracture. (Specify the cause.)
- (35.) *Parasitic disease*.
 Return such cases according to the list at
 p. 284, *et seq.*
- (54.) *Malformations*.
 Return such cases according to the list at
 pp. 301, 305.
 a. Spina bifida.
 State the nature of the contents of the project-
 ing sac.
- (40-48.) *Injuries*.
 Return such cases according to the list at
 p. 237.

DISEASES OF THE MUSCLES.

Note.—In all cases the affected muscle or muscles should be stated.

783. Hypertrophy.
784. Atrophy.
785. Inflammation.
786. Abscess.
787. Gangrene.
788. Fatty degeneration.
789. Fatty infiltration.
790. Fibroid degeneration.

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
791. Ossificatio, <i>sive</i> in calcem conversio	Ossification	Verknöcherung	Ossificazione
792. Cystis	Kyste	Cyste	Ciste
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige schwülste</i>	<i>Tumori non-maligni</i>
<i>a. Tumor spongiosus</i>	<i>Tumeur érectile</i>	<i>Erectile schwulst</i>	<i>Tumore erettile</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige schwülste</i>	<i>Tumori maligni</i>
(29.) <i>Morbus syphiliticus</i>	<i>Maladie syphilitique</i>	<i>Syphilitische Krankheit</i>	<i>Malattia sifilitica</i>
793. Contractio	Contracture	Contractur	Contrazione
794. Diruptio spontanea	Rupture spontanée	Spontane Zerrei-sung	Rottura spontanea
(35-36.) <i>Morbus parasiticus</i>	<i>Maladie parasite</i>	<i>Parasitäre Krankheiten</i>	<i>Malattia parassitica</i>
<i>a. Trichinosis</i>	<i>Trichinose</i>	<i>Trichinenkrankheit</i>	<i>Trichinosi</i>
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>
(109.) <i>Spasmus</i>	<i>Spasme</i>	<i>Krampf</i>	<i>Spasmo</i>
(92.) <i>Paralysis</i>	<i>Paralyse</i>	<i>Lähmung</i>	<i>Paralisi</i>
795. Virium defectio	Epuisement	Erschöpfung	Esaurimento

TENDINUM ET FASCIARUM MORBI.

796. Inflammatio	Inflammation	Entzündung	Inflammazione
797. Tendo adhærens	Adhérence des tendons	Adhaesion der Sehnen	Aderenze de' tendini
798. Tendinum et fasciarum coarctatio	Rétraction des tendons et des aponévroses	Contraction der Sehnen und Fascien	Contrazione de' tendini e fascie
799. Arcus palmaris contractus. <i>Syn. Dupuytrenii contractio</i>	Rétraction de l'aponévrose palmaire	Contraction der Palmarfascie. <i>Syn. Dupuytren'sche Contraction</i>	Contrazione delle aponevrosi
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige schwülste</i>	<i>Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige schwülste</i>	<i>Tumori maligni</i>

- DISEASES OF TENDONS AND FASCIÆ.

- (62.) *Non-malignant New Growth.* } Return according to the
(63.) *Malignant New Growth.* } list of tumours at p. 307.

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
800. Manus curta	Main-bot	Klumphand	Mano torta
801. Talipes	Pied-bot	Klumpfuss	Piede torto
<i>a.</i> Varus	Varus	Talipes varus	Talipes varo
<i>b.</i> Valgus	Valgus	„ valgus	„ valgo
<i>c.</i> Equinus	Pied équin	„ equinus	„ equino
<i>d.</i> Calcaneus	Calcaneus	„ calcaneus	„ calcaneo
<i>e.</i> Equinovarus	Equin-varus	„ equino- varus	„ equino- varo
<i>f.</i> Equinovalgus	Equin-valgus	„ equino- valgus.	„ equino- valgo
802. Pes planus. <i>Idem</i> <i>valet</i> Valgus spurius	Pied-plat	Plattfuss	Piede plano. <i>Sin.</i> Valgo spuiro
803. Diruptio spon- tanea	Rupture spon- tanée	Spontane Zerreis- sung	Rottura spon- tanea
(40-48.) <i>Læsiones</i>	<i>Lésions</i>	<i>Verletzungen</i>	<i>Lesioni</i>

BURSARUM ET TENDINUM THECARUM, MORBI.

804. Bursæ inflammatio. <i>Idem valet.</i> Bur- sitis	Inflammation des bourses mu- queuses	Schleimbeutelent- zündung. <i>Syn.</i> Bursitis	Infiammazione
<i>a.</i> Acuta	Aiguë	Acute	Acuta
<i>b.</i> Chronica <i>vel</i> longa V.—Patellæ bursa amplificata	Chronique Hygroma du genou	Chronische Hygrom der Bursa patellæ. <i>Syn.</i> Erguss in die Bursa pa- tellæ	Cronica Igroma del ginoc- chio.
805. Bursæ abscessus	Abcès des bourses muqueuses	Abscess der Bursa	Ascesso delle borse
806. Thecarum ab- scessus	Abcès des gâines tendineuses	Sehnenscheiden- abscess	Ascesso delle va- gine dei tendine
807. Bunion	Oignon	Bunion	Bunione
808. Ganglion	Ganglion	Ganglion	Ganglio
<i>a.</i> Ganglion palmare diffusum	Ganglion palmaire diffus	Diffuses Ganglion palmare	Ganglio palmare diffuso
809. Bursæ tumor	Tumeur des bourses mu- queuses	Geschwulst der Bursa	Tumore delle borse

800. *Club-hand.

801. *Club-foot.

a. Talipes varus.

b. „ valgus.

c. „ equinus.

d. „ calcaneus.

e. „ equino-varus.

f. „ equino-valgus.

802. Flat-foot. *Synonym*, Spurious valgus.

803. Spontaneous rupture.

(40-48.) *Injuries*.

Return such cases according to the list at
p. 223.

DISEASES OF BURSÆ AND SHEATHS OF TENDONS.

804. Inflamed bursa. *Synonym*, Bursitis.

a. Acute.

b. Chronic.

Variety:

Housemaid's knee.

805. Bursal abscess.

806. Thecal abscess.

807. Bunion.

808. Ganglion.

a. Diffused palmar ganglion.

809. Bursal tumour.

* When these deformities are congenital, they must be returned under Malformations, pp. 15, 305.

TELÆ CONNEXIVÆ MORBI.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
810. Hæmorrhagia	Hémorrhagie	Haemorrhagie	Emorragia
810A. Œdema	Œdème	Oedem	Edema
811. Inflammatio. <i>Idem</i> <i>valet Cellulitis</i>	Inflammation. <i>Syn. Cellulite</i>	Entzündung. <i>Syn. Cellulitis</i>	Infiammazione. <i>Sin. Cellulite</i>
812. Abscessus	Abcès	Abscess	Ascesso
813. Sphacelus	Sphacèle	Brand	Sfacelo
(852) <i>Furunculus</i>	<i>Clou ou furoncle</i>	<i>Furunkel</i>	<i>Foruncolo</i>
(853) <i>Carbunculus. Idem</i> <i>valet Anthrax</i>	<i>Anthrax</i>	<i>Carbunkel. Anthrax</i>	<i>Syn. Antrace</i>
(26.) <i>Erysipelas phlegmonodes</i>	<i>Ērysipèle phlegmoneux</i>	<i>Phlegmone</i>	<i>Erisipola flemmonosa</i>
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige schwülste</i>	<i>Ge- Tumori non-maligni</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige schwülste</i>	<i>Ge- Tumori maligni</i>
814. Emphysema	Emphysème	Emphysem	Emfisema
815. Obesitas	Obésité	Fettsucht	Obesità
35-36.) <i>Morbus parasiticus</i>	<i>Maladie parasite</i>	<i>Parasitäre Erkrankungen</i>	<i>Er- Malattia parassitica</i>
(40.) <i>Corpora adventitia</i>	<i>Corps étrangers</i>	<i>Fremde Substanzen</i>	<i>Corpi estranei</i>

CUTIS MORBI.

(26.) <i>Erysipelas.</i>	<i>Ērysipèle</i>	<i>Erysipelas</i>	<i>Risipola</i>
816. Erythema, sub quo nomine comprehenduntur—	<i>Ērythème ce mot comprend—</i>	<i>Erythema</i>	<i>Eritema</i>
a. Erythema leve	Erythema leve	Erythema leve	Eritema lieve
b. „ margi- natum	„ margi- natum	„ margi- natum	„ marginato
c. „ papulatum	„ papula- tum	„ papula- tum	„ papulato
d. „ nodosum	„ nodosum	„ nodo- sum	„ nodoso
e. „ iris	„ iris	„ iris	„ iride

DISEASES OF THE CONNECTIVE TISSUE.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by number.

810. *Hæmorrhage.

810A. Œdema.

811. Inflammation. *Synonym*, Cellulitis.

Note.—It is desirable that the use of this term, which is founded on an obsolete physiological terminology, should be discontinued.

812. Abscess.

813. Slough.

(852.) *Boil*.

(853.) *Carbuncle*. *Synonym*, *Anthrax*.

(26.) *Phlegmonous erysipelas*.

(62.) <i>Non-malignant New Growth</i> .	}	Return according to the list of tumours at p. 307.
(63.) <i>Malignant New Growth</i> .		

814. *Emphysema.

815. Undue formation of fat. *Synonym*, Obesity.

(35-36.) *Parasitic disease*.

Return cases of this class according to list at p. 284, *et seq*.

(40.) *Foreign substances*.

Return such cases under *Injuries*, p. 223.

DISEASES OF THE SKIN.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by number.

Note.—Where the disease is local, its situation should be specified.

(26.) *Erysipelas*.

816. Erythema, including—

- a. leve,
- b. marginatum,
- c. papulatum,
- d. nodosum,
- e. iris.

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
817. Roseola	Roséole	Roseola	Rosalia
818. Urticaria	Urticaire	Urticaria. <i>Syn.</i> Nesselsucht	Orticaria
819. Dermatagra	Pellagre	Pellagra	Pellagra
820. Eczema	Eczéma	Eczem	Eczema
821. Intertrigo	Intertrigo	Intertrigo	Intertrigine
822. Impetigo	Impetigo	Impetigo	Impetigine
823. Rupia	Rupia	Rupia	Rupia
824. Ecthyma	Ecthyma	Ecthyma	Ectima
825. Pityriasis	Pityriasis	Pityriasis	Pitiriasi
<i>a.</i> Rubra	Rubra	Rubra	Rossa
826. Prurigo	Prurigo	Prurigo	Prurigine
<i>a.</i> Senilis	Senilis	Senilis	Senile
827. Lichen, sub quo nomine compre- henduntur—	Lichen	Lichen	Lichene
<i>a.</i> planus	planus	planus	plano
<i>b.</i> tropicus	tropicus	tropicus	tropico
828. Psoriasis	Psoriasis	Psoriasis	Psoriasi
829. Miliaria. <i>Idem valet</i> Sudamina	Miliaria. <i>Syn.</i> Su- damina	Miliaria. <i>Syn.</i> Su- damina	Miliaria. <i>Sin.</i> Su- damina
830. Herpes, sub quo nomine compre- henduntur—	Herpès, ce mot comprend—	Herpes	Erpete
<i>a.</i> facialis	facial	facialis	faciale
<i>b.</i> præputialis	du prépuce	præputialis	prepuziale
831. Zona. <i>Idem valet</i> , Herpes zoster, Cingulum	Herpès zoster. <i>Syn.</i> Zona	Zona. <i>Syn.</i> Gür- telrose	Herpete cingolo. <i>Sin.</i> Fuoco di S. Antonio
832. Pemphigus. <i>Idem</i> <i>valet</i> Pompholyx	Pemphigus	Pemphigus. <i>Syn.</i> Pompholyx	Penfigo. <i>Sin.</i> Pon- folice
<i>a.</i> foliaceus	foliaceus	foliaceus	foliaceo
833. Acne	Acné	Acne. <i>Syn.</i> Fin- nenausschlag	Acne
834. Gutta rosea. <i>Idem</i> <i>valet</i> Acne rosa- cea	Acné rosacea cou- perose	Acne rosacea	Acne rosacea

817. Roseola. *Synonym*, Rose rash.
 818. Urticaria. *Synonym*, Nettle rash.
 819. Pellagra.
 820. Eczema. *Synonym*, Moist tetter.
 821. Intertrigo.
 822. Impetigo. *Synonym*, Eczema pustulosum.
 823. *Rupia.
 824. †Ecthyma.
 825. Pityriasis, including
 a. rubra. *Synonym*, Dermatitis exfoliativa.
 826. Prurigo, including
 a. senilis. ‡
 827. Lichen, including
 a. planus,
 b. tropicus. *Synonym*, Prickly heat.
 828. Psoriasis. *Synonym*, Dry tetter.
 This term includes conditions to which the
 term Lepra was formerly applied.
 829. Miliaria. *Synonym*, Sudamina.
 830. Herpes, including
 a. facialis. *Synonym*, labialis.
 b. præputialis.
 831. Zona. *Synonyms*, Herpes Zoster, Shingles.
 832. Pemphigus. *Synonym*, Pompholyx, including
 a. foliaceus.
 833. Acne.
 834. Gutta rosea. *Synonym*, Acne rosacea.

* When this disease is due to syphilis, the return should be made under that disease.

† When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

‡ When this affection is due to pediculi, the fact should be stated.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
835. Sycosis. <i>Idem valet</i> Mentagra	Sycosis. <i>Syn.</i> Mentagra	Sycosis. <i>Syn.</i> Mentagra	Sicosis. <i>Sin.</i> Mentagra
836. Steatorrhœa. <i>Idem valet</i> Seborrhœa	Stearrhœa	Stearrhœa. <i>Syn.</i> Seborrhœa	Stearrea
a. Steatorrhœa simplex	Stearrhœa simplex	Stearrhœa simplex	Stearrea semplice
b. „ nigricans	„ nigricans	„ nigricans	„ nigricante
837. Ichthyosis	Ichthyosis	Ichthyosis	Ittiosi
838. Scleroderma. <i>Idem valet</i> Scleriosis, sub quo nomine comprehenditur—	Sclérème, ce mot comprend—	Scleroderma. <i>Syn.</i> Scleroma	Scleroderma. <i>Sin.</i> Sclerosi
a. Morphœa. <i>Idem valet</i> Addisoni Cheloides	Morphœa ou Chelôide d'Addison	Morphœa	Morfea
839. Leucoderma	Leucoderma	Leucoderma	Leucoderma
840. Albinismus	Albinismus	Albinismus	Albinismo
841. Canities	Canitie	Canities	Canizie
842. Melasma	Melasma	Melasma	Melasma
(546.) Addisoni Melasma	Melasma Addisoni	Melasma Addisoni	Melasma dell' Addison
843. Lentigo et Ephelis	Lentigo et Ephelis	Lentigo und Ephelis. <i>Syn.</i> Sommersprossen	Lentigine ed Efelidi
844. Chloasma	Chloasma	Chloasma	Cloasma
845. Alopecia, sub quo nomine comprehenditur	Alopécie	Alopecia. <i>Syn.</i> Kahlheit	Alopecia
a. Areata	Limitée ou par plaques	Areata	Areata
846. Atrophia, sub quo nomine comprehenduntur—	Atrophie, ce mot comprend—	Atrophie	Atrofia
a. Atrophia linearis	Atrophie linéaire	Lineare Atrophie	Atrofia lineare
c. Atrophia unguium	Atrophie des ongles	Atrophie der Nägel	Atrofia delle unghie
847. Pernio	Engelure	Frostbeule	Geloni
848. Ambusta ex frigore	Congélation	Erfrierung.	Assiderazione
849. Ulcus	Ulcère	Geschwür	Ulceri

835. Sycosis. *Synonym*, Mentagra.

Note.—When the *Microsporon mentagrophytes* or the *Demodex folliculorum* is discovered, its presence should be stated, and the return should be made under the list of Parasites, Nos. 97 and 128.

836. Steatorrhœa. *Synonym*, Seborrhœa.

a. Steatorrhœa simplex.

b. „ nigricans.

837. Ichthyosis.

838. Scleroderma. *Synonym*, Scleriosis, including—

a. Morphœa. *Synonym*, Keloid of Addison.

839. Leucoderma.

840. Albinism, or congenital deficiency of pigment.

841. Canities, or acquired whiteness of the hair.

842. Melasma. *Synonym*, Melanoderma.

(546.) *Addison's disease*.

843. Freckles. *Synonyms*, Lentigo, Ephelis.

844. Chloasma.

845. Alopecia. *Synonyms*, Baldness, Calvities, including

a. Areata. *Synonyms*, Area, Porrigo decalvans.

846. Atrophy, including—

a. Linear atrophy.

b. Atrophy of nails.

847. Chilblain.

848. Frostbite.

849. Ulcer.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
850. Cicatrices	Cicatrices	Narben	Cicatrici
851. Fissuræ. <i>Idem</i> <i>valet</i> Rhagades	Fissures	Fissuren. <i>Syn.</i> Rhagaden	Ragadi
852. Furunculus	Clou ou furoncle	Furunkel	Foruncolo
853. Carbunculus. <i>Idem</i> <i>valet</i> Anthrax	Anthrax	Carbunkel	Antrace
(34.) <i>Pustula maligna</i>	<i>Pustule maligne</i>	<i>Milzbrand. Syn.</i> <i>Pustula maligna</i>	<i>Pustola maligna</i>
854. Gangræna	Gangrène	Brand	Gangrena
<i>a. Senilis</i>	Senile	Seniler	Senile
855. Ulcus ex cubando	Plaies ou escharres causées par le décubitus pro- longé	Decubitus	Decubito
856. Paronychia, sub quo nomine com- prehenditur	Panaris, ou Tour- niole	Paronychia	Patereccio
<i>a. Onychia</i>	Onychie	Onychia	Onice
857. Clavus	Cor	Hühnerauge	Callo
(807.) <i>Bunion</i>	<i>Oignon</i>	<i>Bunion</i>	<i>Bunione</i>
858. Cornu	Excroissance cornée	Hauthorn	Escrescenze cornée
(69.) <i>Lepra</i>	<i>Lèpre</i>	<i>Aussatz</i>	<i>Elefantiasi dei</i> <i>Greci</i>
859. Lupus, sub quo nomine compre- henditur—	Lupus, ce mot comprend—	Lupus	Lupus
<i>a. Erythematosus</i>	Erythématique	Erythematosus	Eritematoso
860. Xanthelasma. <i>Idem</i> <i>valent</i> Xanthoma, Vitiligoidea	Xanthélasma	Xanthelasma	Xantelasma
861. Tumor cheloides	Chéloïde	Keloid	Cheloïde
862. Tumor sebaceus	Tumeur sébacée	Talgdrüsenge- schwulst	Tumore sebaceo
863. Molluscum con- tagiosum, <i>sive</i> sebaceum	Molluscum con- tagieux, ou Sé- bacé	Molluscum con- tagiosum	Mollusco conta- gioso

850. Cicatrices (state the cause).

Note.—Under this heading are only to be returned cases presenting a definite morbid character.

851. Fissures. *Synonyms*, Chaps, Rimæ, Rhagades.

852. Boil.

853. Carbuncle. *Synonym*, Anthrax.

(34.) *Malignant pustule*. *Synonym*, *Splenic fever*.

854. Gangrene.

Variety :

a. Senile.

855. Bed-sore.

856. Whitlow, including—

a. Onychia.

857. Corn.

(807.) *Bunion*.

858. Horn.

(69.) *Leprosy*.

859. Lupus, including—

a. Lupus erythematosus.

860. Xanthelasma. *Synonyms*, Xanthoma, Vitiligoidea.

861. Cheloid, or Keloid.

862. Wen. *Synonym*, Sebaceous tumour.

863. Molluscum contagiosum vel sebaceum.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(62.) <i>Tumores non maligni</i>	<i>Tumeurs non-malignes</i>	<i>Gutartige Geschwülste</i>	<i>Tumori non-maligni</i>
a. <i>Tumor adiposus</i>	<i>Tumeur graisseuse</i>	<i>Fettgeschwulst</i>	<i>Tumore adiposo</i>
b. <i>Nævus</i>	<i>Nævus</i>	<i>Naevus</i>	<i>Neo</i>
c. <i>Elephantiasis</i>	<i>Éléphantiasis</i>	<i>Elephantiasis</i>	<i>Elefantiasi</i>
d. <i>Verrucæ</i>	<i>Verrues</i>	<i>Warzen</i>	<i>Verruche</i>
e. <i>Condyloma</i>	<i>Condylome</i>	<i>Condylom</i>	<i>Condiloma</i>
f. <i>Molluscum fibrosum</i>	<i>Mollusque fibreux</i>	<i>Molluscum fibrosum</i>	<i>Mollusco-fibroso</i>
(63.) <i>Tumores maligni</i>	<i>Tumeurs malignes</i>	<i>Bösartige Geschwülste</i>	<i>Tumori maligni</i>
(70.) <i>Morula</i>	<i>Framboesia</i>	<i>Framboesia</i>	<i>Framboësia</i>
(71.) <i>Parangia</i>	<i>Parangia</i>	<i>Parangi</i>	<i>Parangi</i>
864. <i>Furunculus Delhinus</i>	<i>Bouton de Delhi</i>	<i>Beule von Delhi</i>	<i>Gavocciolo di Delhi</i>
865. <i>Malum Aleppense</i>	<i>Bouton d'Alep</i>	<i>Beule von Aleppo</i>	<i>Gavocciolo d'Aleppo</i>
(29.) <i>Syphilis</i>	<i>Syphilide</i>	<i>Syphilis</i>	<i>Sifilide</i>
866. <i>Pruritus</i>	<i>Pruritus</i>	<i>Pruritus</i>	<i>Prurito</i>
867. <i>Hyperidrosis (item Bromidrosis). Idem valet Sudor foetidus</i>	<i>Hyperhidrose (y comprise Bromidrose)</i>	<i>Hyperidrosis</i>	<i>Iperidrosi: compresa Bromidrosi. Sin. Sudore fetido</i>
868. <i>Anidrosis</i>	<i>Anidrose</i>	<i>Anidrosis</i>	<i>Anidrosi</i>
869. <i>Chromidrosis</i>	<i>Chromidrose</i>	<i>Chromidrosis</i>	<i>Cromidrosi</i>

CUTIS MORBI PARASITICI.

870. <i>Tinea tonsdens</i>	<i>Teigne tonsurante</i>	<i>Tinea tonsurans</i>	<i>Tigna tonsurante</i>
871. <i>Favus. Idem valet Tinea favosa</i>	<i>Teigne faveuse</i>	<i>Favus. Syn. Erbgrind</i>	<i>Tigna favosa</i>
872. <i>Tinea versicolor. Idem valet Pityriasis versicolor</i>	<i>Tinea versicolor</i>	<i>Tinea versicolor. Syn. Pityriasis versicolor</i>	<i>Tigna versicolore</i>
873. <i>Scabies. Idem valet Psora</i>	<i>Gale</i>	<i>Scabies. Syn. Krätze</i>	<i>Rogna</i>
874. <i>Phthiriasis</i>	<i>Phthiriase</i>	<i>Phthiriasis</i>	<i>Ftiriasi</i>

(62.) *Non-malignant New Growth.*

- a. *Fatty tumour.*
- b. *Nævus.*
- c. *Elephantiasis.* *Synonym,*
Barbadoes leg, Pachy-
derma.
- d. *Warts.*
- e. *Condyloma.*
- f. *Molluscum fibrosum.* *Syn.,*
Fibroma molluscum.

} Return according to
the list of tumours
at p. 309, *et seq.*

(63.) *Malignant New Growth.*(70.) *Yaws.* *Synonym, Frambæsia.*(71.) *Parangi disease.*864. *Delhi boil.*865. *Aleppo button.*(29.) *Syphilis.* (*Syphiloderma.*)866. *Pruritus.*867. *Hyperidrosis* (including *Bromidrosis.* *Synonym,*
*Fœtid sweat).*868. *Anidrosis.*869. *Chromidrosis.*

PARASITIC DISEASES OF THE SKIN.

870. *Ringworm.* *Synonyms,* *Tinea tonsurans* on the
scalp, *T. circinata* on the body, *T. marginata*
on the perineum.871. *Favus.* *Synonyms,* *Porrigio lupinosa, Tinea favosa.*872. *Tinea versicolor.* *Synonym,* *Pityriasis versicolor.*873. *Itch.* *Synonym,* *Scabies.*874. *Phthiriasis.* *Synonym,* *Lousiness.*874.* *Irritation by nettles and other stinging plants.*

VENENA.

METALLA ET SALES METALLICI.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
875. Antimonium	Antimoine	Antimon	Antimonio
876. Arsenicum	Arsenic	Arsenik	Arsenico
877. Barium	Barium	Barium	Bario
878. Bismuthum	Bismuth	Wismuth	Bismuto
879. Chromium	Chrome	Chrom	Cromio
<i>a. Potasse bichromas</i>	Bichromate de potasse	Doppeltchromsaures Kali	Bicromato di potassa
<i>b. Plumbi chromas</i>	Chromate de plomb	Chromsaures Bleioxyd	Cromato di piombo
<i>c. Acidum chromicum</i>	Acide chromique	Chromsäure	Acid chromico
880. Cuprum	Cuivre	Kupfer	Rame
881. Ferrum	Fer	Eisen	Ferro
882. Plumbum	Plomb	Blei	Piombo
<i>a. Colica, sive colum ex plumbo. Idem valet Colica, sive colum pictorum</i>	Colique de plomb <i>Syn.</i> Colique des peintres ou de Poitou	Bleicolik. <i>Syn.</i> Colica saturnina	Colica de' pittori
<i>b. Paralysis ex plumbo</i>	Paralysie saturnine	Bleilähmung	Paralisi litargirosa
<i>c. Insania ex plumbo</i>	Délire saturnin	Irresein durch Blei	Pazzia litargirosa
<i>d. Cachexia ex plumbo</i>	Cachexie saturnine	Bleikachexie	Cachessia litargirosa
<i>e. Gingiva cærulea</i>	Lisére bleu saturnin des gencives	Blauer Rand des Zahnfleisches	Orlo della gengiva azzurro
<i>f. Arthritis saturnina, sive ex plumbo</i>	Arthrite saturnine	Gelenkaffection durch Blei	Artrite litargirosa
883. Hydrargyrum	Mercure	Quecksilber. <i>Syn.</i> Mercur	Mercurio
<i>a. Tremor mercurialis, sive ex hydrargyro</i>	Tremblement mercuriel	Quecksilberzittern	Tremito mercuriale
<i>b. Dentium periostei inflammatio mercurialis, sive ex hydrargyro</i>	Inflammation mercurielle du périoste dentaire	Mercurielle Entzündung des Zahnperiosts	Inflammation mercuriale del periosteo de' denti
<i>c. Insania mercurialis, sive ex hydrargyro</i>	Délire mercuriel	Irresein durch Mercur	Pazzia mercuriale
884. Potassium	Potassium	Kalium	Potassio
885. Argentum	Argent	Silber	Argento
886. Zincum	Zinc	Zink	Zinco

POISONS.

In returning cases of poisoning, the precise agent should be stated, and also whether the case were one of acute or of chronic poisoning.

METALS AND THEIR SALTS.

- 875. Antimony.
- 876. Arsenic.
- 877. Barium.
- 878. Bismuth.
- 879. Chromium.
 - a. Bichromate of potash.
 - b. Chromate of lead. *Synonym*, Chrome yellow.
 - c. Chromic acid.
- 880. Copper.
- 881. Iron.
- 882. Lead.
 - a. Lead colic. *Synonym*, Painter's colic.
 - b. Lead palsy.
 - c. Lead insanity.
 - d. Lead cachexia.
 - e. Blue gum.
 - f. Saturnine arthritis.
- 883. Mercury.
 - a. Mercurial tremor.
 - b. Mercurial inflammation of the dental periosteum.
 - c. Mercurial insanity.
- 884. Potassium.
- 885. Silver.
- 886. Zinc.

ALCALIA CAUSTICA.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
887. Ammonia	Ammoniaque	Ammoniak	Ammoniaca
888. Calx	Protoxyde de calcium	Kalk	Calce
889. Potassa	Potasse	Kali	Potassa
890. Soda	Soude	Natron. <i>Syn.</i> Soda	Soda
<hr/>			
891. Sales alcalini	Sels alcalins	Alkalische Salze	Sali alcalini

METALLIS SIMILIA ET EX EIS COMPOSITA.

892. Bromum	Brome	Brom	Bromio
893. Soda et calx chlorata	Chlorure sodique et calcique	Chlornatron und Chlorkalk	Sodac calce clorinata
894. Iodum	Iode	Jod	Iodio
895. Phosphorus	Phosphore	Phosphor	Fosforo
<i>a.</i> Alveolorum inflammatio et necrosis ex phosphoro	Inflammation et nécrose des alvéoles causées par le phosphore	Phosphor-Entzündung und Nekrose der Alveolen	Inflamrazione fosforica e necrosi degli alveoli

ACIDA ET SALES ACIDI.

896. Acidum aceticum	Acide acétique	Essigsäure	Acido acetico
897. Acidum hydrochloricum	Acide hydrochlorique	Salzsäure	Acido idroclorico
898. Acidum hydrofluoricum	Acide fluorhydrique	Fluorwasserstoffsäure	Acido idrofluorico
899. Acidum nitricum	Acide nitrique	Salpetersäure	Acido nitrico
900. Acidum oxalicum	Acide oxalique	Oxalsäure	Acido ossalico
<i>a.</i> Potassæ oxalas acida. <i>Idem valet</i> Sal limonis	Oxalate de potasse acide	Saures oxalsäures Kali. <i>Syn.</i> Klee-salz	Ossalato di potassa acido
901. Acidum phosphoricum	Acide phosphorique	Phosphorsäure	Acido fosforico
902. Acidum phosphorosum	Acide phosphoreux	Phosphorige Säure	Acido fosforoso
903. Acidum sulphuricum	Acide sulfurique	Schwefelsäure	Acido solforico
<i>a.</i> Indigi sulphas	Sulfate d'indigo	Indigschwefelsäure	Solfato d' indigo
<i>b.</i> Potassæ aut sodæ bisulphas	Bisulfate de potasse ou de soude	Saures schwefelsäures Kali oder Natron	Bisolfato di potassa e soda
<i>c.</i> Alumen	Alun	Alaun	Alumina
904. Acidum tartaricum	Acide tartarique	Weinsteinsäure	Acido tartarico

CAUSTIC ALKALIES.

887. Ammonia.

888. Lime.

889. Potash.

890. Soda.

891. Alkaline salts.

NON-METALS AND THEIR COMPOUNDS.

892. Bromine.

893. Chlorinated soda and lime.

894. Iodine.

895. Phosphorus.

a. Phosphoric inflammation and necrosis of the alveoli.

ACIDS AND ACID SALTS.

896. Acetic acid.

897. Hydrochloric acid.

898. Hydrofluoric acid.

899. Nitric acid.

900. Oxalic acid.

a. Acid oxalate of potash. *Synonym*, Salt of lemon.

901. Phosphoric acid.

902. Phosphorous acid.

903. Sulphuric acid.

a. Sulphate of indigo.

b. Bisulphate of potash or of soda.

c. Alum.

904. Tartaric acid.

ORGANICA.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
905. Alcohol	Alcohol	Alcohol (Spiritus)	Alcoole
906. Anilina	Aniline	Anilin	Anilina
907. Benzoleum	Benzole	Benzol	Benzole
908. Acidum carbazoticum. <i>Idem valet</i> Acidum picricum	Acide carbazo- tique	Pikrinsäure	Acido picrico
909. Acidum carbolicum	Acide carbolique ou phénique	Carbolsäure	Acido carbolico
910. Chloralis hydras	Chloral	Chloralhydrat	Idrato di cloral
911. Chloroformum	Chloroforme	Chloroform	Cloroformio
912. Acidum hydrocyanicum	Acide cyanhy- drique	Blausäure	Acido idrocianico
a. Oleum amygdalæ amaræ	Huile d'amandes amères	Bittermandelöl	Olio di mandorle amare
b. Aqua laurocerasi	Eau de laurier cérise	Kirschchlorbeerwas- ser	Acqua di lauro-ce- raso
c. Potassii cyanidum	Cyanure de potas- sium	Cyankalium	Cianuro di potassio
913. Nitrobenzoleum	Nitro-benzole	Nitrobenzol	Nitro-benzina
914. Nitroglycerinum	Nitro-glycérine	Nitroglycerin	Nitro-glicerina
915. Petroleum	Pétrole	Petroleum	Petroleo
916. Resorcina	Résorcine	Resorcin	Resorcina
917. Terebinthina	Térébenthine	Terpentin	Terebintina

VENENA VEGETABILIA.

918. Absinthium	Absinthe	Wermuth	Assenzio
919. Helleborus niger	Ellébore noir	Helleborus niger (schwarze Nieswurz)	Elleboro nero
920. Faba calabarica	Fève de Calabar	Calabarbohne	Physostigma ve- nenosum. Fava di Calabar
a. Eserina	Esérine	Eserin	Eserina
921. Camphora	Camphre	Campher	Canfora
922. Ricini semina	Graines de ricin	Samen von Ricci- nus (Wunder- baum)	Semi di Ricino
923. Cevadilla	Cévadille	Sabadilla	Cevadilla
924. Cocculus indicus	Cocculus indicus	Cocculus Indicus (Kockelskörner)	Cocco indiano
a. Picrotoxina	Picrotoxine	Pikrotoxin	Picrotossina

ORGANIC SUBSTANCES.

- 905. Alcohol.
- 906. Aniline.
- 907. Benzol or Benzine.
- 908. Carbazotic acid. *Synonym*, Picric acid.

- 909. Carbolic acid.

- 910. Chloral hydrate.
- 911. Chloroform.
- 912. Hydrocyanic acid. *Synonym*, Prussic acid.
 - a.* Oil of bitter almonds.
 - b.* Laurel-water.
 - c.* Cyanide of potassium.

- 913. Nitro-benzol.
- 914. Nitro-glycerine.
- 915. Petroleum.
- 916. Resorcin.
- 917. Turpentine.

VEGETABLE POISONS.

- 918. Absinthe. (ARTEMISIA ABSINTHIUM.—*Linnaeus*.)
- 919. Black hellebore. (HELLEBORUS NIGER.—*Linnaeus*.)

- 920. Calabar bean. (PHYSOSTIGMA VENENOSUM —*Balfour*.)
 - a.* Eserine.
- 921. Camphor. (CAMPORA OFFICINARUM.—*F. Nees and Obermaier*.)
- 922. Castor-oil seeds. (RICINUS COMMUNIS.—*Linnaeus*)

- 923. Cevadilla or Sabadilla. (ASAGRÆA OFFICINALIS.—*Linnaeus*)
- 924. Cocculus indicus. (ANAMIRTA COCCULUS.—*Wight and Arnott*.)
 - a.* Picrotoxin.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
925. Colchicum	Colchique	Colchicum (Herbstzeitlose)	Colcico
926. Colocynthis	Coloquinte	Coloquinte	Colocinte
927. Oleum crotonis	Huile de croton	Krotonöl	Olio di crotone
928. Lolium temulen- tum	Ivraie	Lolium temulen- tum (Tamel- lolch)	Lolium temulen- tum
929. Belladonna	Belladone	Belladonna (Tollkirsche)	Belladonna
<i>a. Atropia</i>	Atropine	Atropin	Atropina
930. Duboisia	Duboisia	Duboisin	Duboisia
931. Elaterium	Élatérium	Elaterium (Springgurken- Extract)	Elaterio
932. Æthusa cynapium	Faux persil	Æthusa cynapi- um (Hundspe- tersilie; kleiner Schierling)	Æthusa cynapium
933. Digitalis	Digitale	Digitalis (Fingerhut)	Digitale
<i>a. Digitalina</i>	Digitaline	Digitalin	Digitalina
934. Gambogia	Gomme-gutte	Gutti (Gummi- gutt)	Gambogio
935. Gelsemium	Jasmin jaune	Gelsemium	Gelseminio
936. Conium	Ciguë	Conium (Fleck- schierling)	Cicuta
<i>a. Conia</i>	Conicine	Coniin	Conia
937. Cœnanthe crocata	Cœnanthe crocata	Oenanthe crocata (Rebendolde)	Cœnanthe crocata
938. Hyoscyamus	Jusquiame	Hyoscyamus (Bilsenkraut)	Giusquiamo
<i>a. Hyoscyamina</i>	Hyoscyamine	Hyoscyamin	Giusquiamina
939. Cannabis indica	Chanvre indien	Cannabis indica (Indischer Hanf)	Cannabe indica
940. Lobelia inflata	Lobelia inflata	Lobelia (Lobelia inflata)	Lobelia inflata
941. Jaborandi	Jaborandi	Jaborandi	Jaborandi
<i>a. Pilocarpina</i>	Pilocarpine	Pilocarpin	Pilocarpina
942. Laburnum	Laburnum	Laburnum	Laburnum
943. Aconitum	Aconit	Aconit (Sturmhut)	Aconite
<i>a. Aconitia</i>	Aconitina	Aconitin	Aconitine

925. Colchicum. (COLCHICUM AUTUMNALE.—*Linnaeus*.)
926. Colocynth. (CITRULLUS COLOCYNTHIS.—*Schrad.*)
927. Croton oil. (CROTON TIGLIUM.—*Linnaeus*.)
928. Darnel. (LOLIUM TEMULENTUM.—*Linnaeus*.)
929. Deadly nightshade. Belladonna.
(ATROPA BELLADONNA.—*Linnaeus*.)
 a. Atropia.
930. Duboisia. (DUBOISIA MYOPOROIDES.)
931. Elaterium. (ECBALIUM OFFICINARUM.—*Rich.*)
932. Fool's parsley. (ÆTHUSA CYNAPIUM.—*Linnaeus*.)
933. Foxglove. Digitalis. (DIGITALIS PURPUREA.—*Linnaeus*.)
 a. Digitalin.
934. Gamboge. (GARCINIA MORELLA, *var.* PEDICELLATA.—*Desrous.*)
935. Gelsemium, or Yellow jasmine.
(GELSEMIUM SEMPERVIRENS.—*Ait.*)
936. Hemlock. Conium. (CONIUM MACULATUM.—*Linnaeus*.)
 a. Conia.
937. Hemlock dropwort. (ÆNANTHE CROCATÆ.—*Linnaeus*.)
938. Henbane. Hyoscyamus. (HYOSCYAMUS NIGER.—*Linnaeus*.)
 a. Hyoscyamin.
939. Indian hemp. (CANNABIS INDICA, CANNABIS SATIVA.—*Linnaeus*.)
940. Indian tobacco. Lobelia. (LOBELIA INFLATA.—*Linnaeus*.)
941. Jaborandi. (PILOCARPUS PENNATIFOLIUS.—*Lemaire*.)
 a. Pilocarpine.
942. Laburnum. (LABURNUM VULGARE.—*Griesbach*.)
943. Monkshood. Aconite. (ACONITUM NAPELLUS.—*Linnaeus*.)
 a. Aconitia.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
944. <i>Nux vomica</i>	Noix vomique	<i>Nux vomica</i> (Brechnuss)	Noce vomica
<i>a. Strychnia</i>	Strychnine	Strychnin	Strichnina
<i>b. Brucia</i>	Brucine	Brucin	Brucina
945. <i>Opium</i>	Opium	Opium	Oppio
<i>a. Morphia</i>	Morphine	Morphin	Morfina
946. <i>Fungi venenosi</i>	Champignons vé- néneux	Giftige Pilze	Funghi velenosi
<i>a. Panis mucidus</i>	Pain moisi	Schimmeliges Brot	Pane muffato
<i>b. Maizena venenosa</i>	Maïs vénéneux	Giftiger Mais	Fromento velenoso
947. <i>Grana venenosa</i>	Graine vénéneuse	Giftige Samen- körner	Grani avvelenati
<i>a. Ergota</i>	Ergot de seigle	Secale (Mutter- korn)	Segala cornuta
<i>b. Lathyrus</i>	Lathyrus, Pois carré	Lathyrus	Lathyrus
948. <i>Ligustrum vulgare</i>	Tröene	Ligustrum (Hart- riegel)	Ligustro volgare
949. <i>Sabina</i>	Sabine	Sabina (Sade- baum)	Sabina
950. <i>Scilla</i>	Scille	Scilla (Meer- zwiebel)	Scilla
951. <i>Stramonium</i>	Pomme épineuse	Strammonium (Stechapfel)	Stramonio
952. <i>Tabacum</i>	Tabac	Tabak	Tabacco
<i>a. Nicotina</i>	Nicotine	Nicotin	Nicotina
953. <i>Upas antiaricum</i>	Upas antiar	Upas antiar	Upas antiar
954. <i>Upas tieuticum</i>	Upas tieuté	Upas tieute (Strychnos tieute)	Upas tieute
955. <i>Cicuta virosa</i>	Ciguë vireuse	Cicuta virosa (Wasserschier- ling)	Cicuta virosa
956. <i>Veratrum album</i>	Ellébore blanc	Veratrum album (weisse Nies- wurz)	Elleboro bianco
<i>a. Veratria</i>	Vératrine	Veratrin	Veratrina
957. <i>Uralia. Curara</i>	Curare	Woorara. Curara	Curaro
958. <i>Taxus baccata</i>	If	<i>Taxus baccata</i> (Eibenbaum)	<i>Taxus baccata</i>

VENENA ANIMALIA.

959. <i>Caro rancida et morbida</i>	Viande avancée et gâtée	Faules und krankes Fleisch	Carne guasta ed infetta
---	----------------------------	----------------------------------	----------------------------

944. Nux vomica. (STRYCHNOS NUX VOMICA.—*Linnaeus*.)
 a. Strychnia.
 b. Brucia.
945. Opium. (PAPAVER SOMNIFERUM.—*Linnaeus*.)
 a. Morphia.
946. Poisonous fungi. (The species of fungus should be specified.)
 a. Mouldy bread.
 b. Poisonous maize.
947. Poisonous grain.
 a. Ergot of rye. (SPHÆRIA PURPUREA.—*Fries*.)
 b. Lathyrus. (LATHYRUS SATIVUS.—*Linnaeus*.)
948. Privet. (LIGUSTRUM VULGARE.)
949. Savin. (JUNIPERUS SABINA.—*Linnaeus*.)
950. Squill. (SCILLA MARITIMA.—*Linnaeus*.)
951. Thorn apple. Stramonium.
 (DATURA STRAMONIUM.—*Linnaeus*.)
952. Tobacco. (NICOTIANA TABACUM.—*Linnaeus*.)
 a. Nicotine.
953. Upas antiar. (ANTIARIS TOXICARIA.—*Leschenhault*.)
954. Upas tieuté. (STRYCHNOS TIEUTE.—*Leschenhault*.)
955. Water hemlock. (CICUTA VIROSA.—*Linnaeus*.)
956. White hellebore. (VERATRUM ALBUM.—*Linnaeus*.)
 a. Veratria.
957. Wourali. Woorara. Curara.
 (STRYCHNOS TOXIFERA.—*Schomburgh*.)
958. Yew. (TAXUS BACCATA.—*Linnaeus*.)

ANIMAL POISONS.

959. Decayed and diseased meat.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
960. Caseus venenosus	Fromage véné- neux	Giftiger Käse	Formaggio ve- lenoso
961. Pisces venenosi, item mollusca et crustacea	Poissons, mol- lusques, et crus- tacés vénéneux	Giftige Fische Mollusken und Krustenthier	Pesci, moluschi, e crostacei, ve- lenosi
962. Caro venenosa	Viande vénéneuse	Giftiges Fleisch	Carne velenosa o venetica
<i>a.</i> Botuli	Saucisses	Würste	Salsiccie
<i>b.</i> Opera pistoria	Pâtés empoisonnés	Pasteten	Migliaccio
963. Lac venenosum	Lait vénéneux	Giftige Milch	Latte avvelenato
964. Cantharis	Cantharidine	Canthariden. <i>Syn.</i> Spanische Fliegen	Cantaridi
<i>a.</i> Cantharidina	Cantharide	Cantharidin	Cantharidina

AËRES ET VAPORES VENENOSI.

965. Ammonia	Ammoniaque	Ammonium	Ammouiaca
966. Hydrogenii arseniuretum	Arséniure d'hy- drogène gazeux	Arsenwasserstoff- gas	Idrogeno arseni- urato
967. Methylenæ bichlo- ridum	Bichlorure de me- thylène	Methylenchlorid	Biclorido di meti- lene
968. Carbonis bisul- phidum	Bisulfure de car- bone	Schwefelkohlen- stoff	Carbonio bisulfico
969. Bromum	Brome	Brom	Bromo
970. Acidum carboni- cum	Acide carbonique	Kohlensäure	Acido carbonico
971. Oxidum carboni- cum	Oxide de carbone	Kohlenoxydgas	Ossido carbonico
<i>a.</i> Vapor e ligni car- bone	Vapeur de charbon	Holzkohlendünste	Vapori di carbone
<i>b.</i> Vapor ex fornace	Vapeur des fours à chaux	Brennofendämpfe	Vapori di fornace da calcina
972. Chlorum	Chlore	Chlor	Cloro
973. Chloroformi vapor	Vapeur de chloro- forme	Chloroformdampf	Vapore di cloro- formio
974. Carbonis vapor	Vapeur de charbon de terre	Kohlengas	Gas del carbon fossile
975. Cyanogenium	Cyanogène	Cyanogen	Cianogeno
976. Ætheris vapor	Vapeur d'éther	Aetherdampf	Vapore d'etere
977. Acidum hydrochlo- ricum	Acide chlorhy- drique	Salzsäure	Acido idroclorico
978. Acidum hydroflu- oricum	Acide fluorhy- drique	Fluorwasserstoff- säure	Acido idrofluorico
979. Vapores nitrici	Vapeurs nitriques	Salpetersaure Dämpfe	Vapori nitrici
980. Amyli nitris	Nitrite d'amyle	Amylnitrit	Nitrito d'amilo

960. Poisonous cheese.
961. Poisonous fish, mollusks, and crustaceans.
Note.—The animal to be specified.
962. Poisonous meat.
 a. Sausages.
 b. Pies.
963. Poisonous milk.
964. Cantharides. *Synonym*, Spanish fly.
 a. Cantharidin.

POISONOUS GASES AND VAPOURS.

965. Ammonia.
966. Arseniuretted hydrogen.
967. Bichloride of methylene.
968. Bisulphide of carbon.
969. Bromine.
970. Carbonic acid gas.
971. Carbonic oxide.
 a. Charcoal fumes.
 b. Kiln vapours.
972. Chlorine.
973. Chloroform vapour.
974. Coal gas.
975. Cyanogen.
976. Ether vapour.
977. Hydrochloric acid.
978. Hydrofluoric acid.
979. Nitric vapours.
980. Nitrite of amyl.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
981. Oxidum nitrosum	Oxide nitreux	Stickoxydul	Ossido nitroso
982. Acidum osmicum	Acide osmique	Osmiumsäure	Acido osmico
983. Aliæ exhalationes noxiæ	Autres émanations nuisibles	Andere schädliche Ausdünstungen	Altri effluvi nocivi
984. Exhalationes putridæ et morbidæ	Exhalations putrides et morbides	Faulige und krankhafte Ausdünstungen	Esalazioni putride e morbose
985. Hydrogenii sulphuretum	Hydrogène sulfuré	Schwefelwasserstoff	Idrogeno solforato
986. Acidum sulphurosum	Acide sulfureux	Schweflige Säure	Acido solforoso

CORPORA IRRITANTIA.

987. Vitrum contusum	Verre pilé	Zerstossenes Glas	Vetro pestato
988. Ferri scobs	Limaille de fer	Eisenfeilspäne	Limatura di ferro

MEDICAMENTA IRRITANTIA.

989. Exanthemata et alia incommoda quibusdam hominibus ex quibusdam medicamentis incidentia	Effets anormaux produits sur les individus par de certains drogues	Abnorme Wirkungen von gewissen Arzneimitteln auf einzelne Individuen	Effeti anormali cagionati da diverse droghe in diversi individui
---	--	--	--

VULNERA VENENO INFECTA.

V.

990. a. Ex animalibus venenosis	Animaux véni- meux	Von giftigen Thieren	Da animali ve- nosi
1. Serpentibus	Serpents	Schlangen	Serpebiscie
2. Scorpionibus	Scorpions	Scorpionen	Scorpioni
3. Insectis aculeatis	Insectes à aiguillon	Stechenden In- secten	Insetti pungenti
4. Piscibus	Poissons	Fischen	Pesci
991. b. Ex animalibus quæ male habent morbi contagiosi	Animaux affectés de maladies con- tagieuses	Von Thieren mit Infections- Krankheiten	Da animali infetti da malattia con- tagiose
(2.) Vaccinia	Vaccine	Kuhpocken	Vaccina
(31.) Hydrophobia, sive Rabies	Hydrophobie	Hundswuth. Syn. Wasser- scheu	Idrofobia

- 981. Nitrous oxide. *Synonym*, Laughing-gas.
- 982. Osmic acid.
- 983. Other noxious effluvia.
- 984. Putrid and morbid exhalations.
- 985. Sulphuretted hydrogen.
- 986. Sulphurous acid.

MECHANICAL IRRITANTS.

- 987. Pounded glass.
- 988. Steel filings.

IRRITANT DRUGS.

- 989. Exanthems and other abnormal effects occasionally produced in individuals by certain drugs. The particular drug should be specified.

POISONED WOUNDS.

Varieties :

- 990. a. By venomous animals.

- 1. Snakes.
- 2. Scorpions.
- 3. Stinging insects.

Cases of death from stings of insects should be entered here, and those of irritation only from that cause under Parasites, p. 288, *et seq.*

- 4. Fish.

Note.—The animal to be specified in cases not mentioned here.

- 991. b. *By animals having infectious disease.*

(2.) *Cow-pox.*

(31.) *Hydrophobia, or Rabies.*

LATIN EQ.	FRENCH	GERMAN	ITALIAN
(32.) <i>Equinia</i>	<i>Morve</i>	<i>Rotz</i>	<i>Ciamurro</i>
(32.) <i>Farciminum</i>	<i>Farcin</i>	<i>Wurm</i>	<i>Farcino</i>
(34.) <i>Febris splenica</i>	<i>Charbon</i>	<i>Milzbrandfeber</i>	<i>Febbre splenica</i>
(34.) <i>Pustula maligna</i>	<i>Pustule maligne</i>	<i>Milzbrand.</i> Syn. <i>Pustula maligna</i>	<i>Pustola maligna</i>
992. <i>c.</i> Ex animalium mortuorum corporibus	Provenant de cadavres d'animaux	Von abgestorbener thierischer Materie	Da materia animale corrotta
993. <i>d.</i> Ex humoribus morbidis	De sécrétions morbides	Von krankhaften Absonderungen	Da secrezioni morbose
994. <i>e.</i> Ex materia vegetabili	De substances végétales	Von Pflanzenstoffen	Da sostanze vegetabili
995. 1. Ex sagittis venenatis	Flèches empoisonnées	Vergiftete Pfeile	Freccie avveleante
(957.) <i>Ex Uralia</i>	<i>Curare</i>	<i>Woorara</i>	<i>Wourali.</i> Sin. <i>Curaro</i>
996. 2. Ex injectione hypodermica	Injections souscutanées	Subcutane Einspritzungen	Iniezioni sottocutanee
997. <i>f.</i> Ex materia minerali, sive metallica	De substances minérales	Von mineralischen Substanzen	Da sostanze minerali

- (32.) *Glanders.*
- (32.) *Farcy.*
- (34.) *Splenic fever.*
- (34.) *Malignant pustule.*

992. *c.* By dead animal matter.

993. *d.* By morbid secretions.

994. *e.* By vegetable substances.

995. 1. Poisoned arrows.

(957.) *Wourali.*

996. 2. Subcutaneous injection.

Note.—In returning such cases, specify the agent employed.

997. *f.* By mineral substances.

LÆSIONES.

CORPORIS UNIVERSI LÆSIONES. (GENERALES.)

LATIN EQ.	FRENCH	GERMAN	ITALIAN
998. Ambusta	Brûlures et Echaudures	Verbrennungen und Verbrühungen	Bruciature e scottature
999. Frigoris effectus	Effets du froid	Erfrierungen	Effetti del freddo
<i>a.</i> Ambustio ex frigore	Congélation	Frostbeule	Assiderazione
1000. Chemice irritantium et corrosivorum effectus	Effets d'irritants chimiques et corrosifs	Wirkungen chemischen Reiz- und Aetzmitteln	Effetti d' irritanti chimici e corrosivi
1001. Fulminis ictus	Coup de foudre	Blitzschlag	Colpo di fulmine
1002. Ictus electricus	Sécousses électriques	Elektrischer Schlag	Colpo elettrico
1003. Caloris ictus	Effets de la chaleur	Hitzschlag	Colpo da afa
<i>a.</i> V.—Solis ictus	Coup de soleil	Sonnenstich	Colpo di sole
<i>b.</i> Apoplexia ex calore	Apoplexie, suite de chaleur	Hitzschlag	Apoplessia da afa
1004. Læsis multiplex	Lésions multiples	Vielfache Verletzungen	Lesioni molteplici
1005. Asphyxia	Asphyxie	Asphyxie	Asfissia, per
<i>a.</i> Demersorum	Des noyés	Ertrinken	Annegamento
<i>b.</i> Strangulatorum	Strangulation	Erdrosseln	Strangolazione
<i>c.</i> Spiritus itinera ex corporibus adventitiis obturata	Obstruction des voies aériennes par corps étrangers	Verstopfung der Luftwege durch Fremdkörper	Otturamento delle vie respiratorie con sostanze estranee
<i>d.</i> Ex corpore superincubante	Suffocation causée par corps vivant couché par dessus	} Erdrücken {	} Soffocazione da essere stato giaciuto sopra {
<i>e.</i> Ex thoracis compressu			
(47.) <i>f.</i> Ex aëribus venenosis	Poisons gazeux	Gasartige Gifte	Vapori deleteri
1006. Rerum necessariarum inopia	Privation	Mangel	Inedia
<i>a.</i> Fames	Faim	Verhungern	Mamanza di cose necessarie cella vita
<i>b.</i> Sitis	Soif	Wasserentziehung, Durst	Siti
1007. Virium defectio	Épuisement	Erschöpfung	Esaurimento
1008. Concussus	Choc	Shock	Urto

INJURIES.

GENERAL INJURIES.

General Note.—In all cases of injury specify, first, whether accidental, judicial, homicidal, self-inflicted, or in battle; second, by what mechanism or agent inflicted.

998. Burns and scalds.*

Note.—When limited to one part of the body, the part is to be specified; and in all cases the extent and depth of the injury are to be stated.

999. Effects of cold.†

a. Frost-bite.

Note.—When limited to one part of the body, the part is to be specified.

1000. Effects of chemical irritants and corrosives.

1001. Lightning stroke.

1002. Electrical shock.

1003. Heat-stroke.

Varieties:

a. Sunstroke. *Synonym*, Insolatio.

b. Heat-apoplexy.

1004. Multiple injury. (The cause and nature to be stated.)

1005. Asphyxia. *Synonym*, Suffocation.

a. From Submersion.

b. „ Strangulation.

c. „ Plugging of air-passages with foreign substances.

d. „ Overlying.

e. „ Compression of chest.

(47.) f. „ Gaseous poisons. See the list at p. 209.

1006. Privation.†

a. Starvation.

b. Deprivation of water, thirst.

1007. Exhaustion.

1008. Shock.

* Including effects of explosions.

† Any secondary affection that may have been induced by this cause ought to be stated.

PARTIUM SINGULARUM LÆSIONES.

(LOCALES.)

LÆSIONUM LOCALIUM ELENCHUS SIMPLICITER NULLA PARTIS AFFECTÆ
RATIONE HABITA.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Ambusta	Brûlures et Echaudures	Verbrennungen und Verbrühungen	Bruciatore e scottature
Frigoris actio	Action du froid	Erfrierung	Congelatura o assiderazione
a. Ambustio ex frigore	Congélation	Frostbeule	Geloni
Abrasio	Abrasion	Abrasion <i>Syn.</i> Abschürfung	Abrasione
a. Ambustio ex frictione	Brûlure par friction	Entzündung durch Reibung	Per stregamento
Contusio	Contusion	Contusion. <i>Syn.</i> Quetschung	Contusione
a. Cum formato hæmatomate	Avec production de kyste sanguin ou hématoma	Mit Bildung eines Haematom oder Blutgeschwulst	Producente un ematoma o cistide sanguinosa
Vulnus	Blessure	Wunde	Ferita
V.			
a. ex incisione	par incision	Schnittwunde	Incisiva
b. ex contusione	par contusion	Quetschwunde	Contusa
c. ex laceratione	par lacération	Risswunde	Lacerata
d. ex punctura	par ponction	Stichwunde	Da punta
e. ex tormentorum pilis	par arme à feu	Schusswunde	Palla di schioppo
f. Cum corporibus adventitiis infixis	Avec penetration de corps étrangers	Mit Einlagerung von Fremdkörpern	Con permanenza corpi estranei
g. Cum tota corporis partis disjunctione	Avec séparation complète d'une partie du corps	Mit vollkommener Abtrennung eines Körpertheils	Con separazione completa d'una parte del corpo
h. Veneno infectum	Empoisonnée	Vergiftete Wunde	Avvelenata
1. E materie septicâ	Par matière septique	Durch septische Stoffe	Da sostanza organica putrescente
2. Ex animalibus venenatis	Par venin septique	Durch Thiergifte	Da veleno animale

LOCAL INJURIES.

General Note.—In all cases of injury specify, first, whether accidental, judicial, homicidal, self-inflicted, or in battle; second, by what mechanism or agent inflicted.

In the list of local injuries an arrangement, somewhat similar to that of local diseases, has been adopted. The various kinds of injuries which may befall tissues and parts are first enumerated; secondly, the injuries which are known to affect certain generally distributed systems and tissues of the body are named; thirdly, the injuries affecting the several anatomical regions of the body are named. No returns should be made under the first list, which is simply for guidance in return under the other two; in the second list the return will be made according to the nature of the injury, and the part affected, according to an order indicated in each section; in the third list the injuries and parts are enumerated together.

ENUMERATION OF LOCAL INJURIES, AS SUCH, INDEPENDENT OF THE PART AFFECTED.*

Burns and scalds. The degree to be stated.

Action of cold.

a. Frost-bite.

Abrasion.

a. Brush-burn (or friction burn).

Bruise or contusion.

a. With formation of hæmatoma or blood-cyst.

Wound.

Varieties:

a. Incised.

b. Contused.

c. Lacerated.

d. Punctured.

e. Gunshot.

f. With lodgment of foreign bodies.

g. With complete separation of a part of the body.

h. Poisoned.

1. By decomposing organic matter.

2. By animal venom.

* Any injury not included in the subsequent tables must be returned according to this list, under the head of the system or region affected. The names in this list are therefore not numbered.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Membri strangulatio	Etranglement d'une partie	Einschnürung eines Körpertheils	Strozzamento d'un membro
Stremma	Effort	Verstauchung	Torsione
Partis aut partium e loco expulso	Luxation	Dislocation von einem oder mehreren Körpertheilen	Slogamento
Partis mollis disruptio	Rupture des parties molles	Ruptur eines weichen Körpertheils	Rottura di parti molli
Fractura	Fracture	Fractur	Frattura
Partis compressio perfecta	Ecrasement complet d'une partie	Zermalmung eines Körpertheils	Schiacciatura completa d'una parte
Partis avulsio	Avulsion d'une partie	Losreissung eines Körpertheils	Distaccamento d'una parte

SECTIO PRIMA.

NERVORUM LÆSIONES.

1009. Contusio	Contusion	Contusion. <i>Syn.</i> Quetschung	Contusione
1010. Stremma	Effort	Verstauchung	Torsione
1011. Compressio	Compression	Compression	Compressione
1012. Diruptio	Rupture	Ruptur. <i>Syn.</i> Zerreissung	Rottura
1013. Vulnus	Blessure	Wunde	Ferita
<i>a.</i> Punctio	Ponction	Punction	Puntura
<i>b.</i> Sectio	Division	Trennung	Taglio

VASORUM SANGUIFERORUM LÆSIONES.

ARTERIARUM LÆSIONES.

1014. Contusio	Contusion	Contusion. <i>Syn.</i> Quetschung	Contusione
1015. Diruptio	Rupture	Ruptur. <i>Syn.</i> Zerreissung	Rottura
<i>a.</i> Imperfecta	Partielle	Theilweise	Parziale
<i>b.</i> Perfecta	Complète	Vollständige	Completa

Strangulation of a part.

Strain or sprain.

Displacement of a part or parts.

Rupture of soft part.

Fracture.

Complete crush of a part.

Avulsion of a part.

FIRST SECTION.

INJURIES OF NERVES.*

1009. Contusion.

1010. Strain.

1011. Compression.

1012. Rupture.

1013. Wound.

a. Puncture.

b. Division.

INJURIES OF BLOOD-VESSELS.†

INJURIES OF ARTERIES.

1014. Contusion.

1015. Rupture.

a. Partial. (State of which coats.)

b. Complete.

* Injuries of nerves to be returned according to the following order:—Cranial nerves, brachial plexus and branches, intercostal nerves, lumbar plexus, sacral plexus, sympathetic.

† Injuries of blood-vessels to be returned according to the following order:—Arch of aorta, descending thoracic aorta, and thoracic branches; abdominal aorta and abdominal branches; arteries of head and neck; of upper extremity; of lower extremity. Order of veins to correspond.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
1016. Vulnus	Blessure	Wunde	Ferita
a. Punctio	Ponction	Punction	Puntura
b. Sectio absoluta aut non absoluta	Division partielle ou complète	Trennung, theilweise oder vollständige	Taglio parziale o completo

VENARUM LÆSIONES.

1017. Contusio	Contusion	Contusion. <i>Syn.</i> Quetschung	Contusione
1018. Diruptio	Rupture	Ruptur. <i>Syn.</i> Zerreissung	Rottura
a. Cum extravasatione hypodermica	Avec extravasation sous-cutanée	Mit subcutaner Extravasation	Con stravaso sottocutaneo
1019. Vulnus	Blessure	Wunde	Ferita
a. Punctio	Ponction	Punction	Puntura
b. Sectio absoluta aut non absoluta	Division partielle ou complète	Trennung theilweise oder vollständige	Taglio parziale o completo
c. Cum aëre admisso	Avec introduction d'air	Mit Lufteintritt	Con entrata d'aria

ORGANORUM LYMPHATICORUM LÆSIONES.

1020. Corpora adven- titia	Corps étrangers	Fremde Körper	Corpi estranei
1021. Vasorum lymphiferorum vulnus	Blessures des lymphatiques	Wunde von Lymphgefässen	Ferite di vasi linfatici
a. Ductus thoracis	Du conduit thoracique	Des Ductus thoracicus	Del condotto toracico
1022. Glandulæ contusio	Contusion de glande	Contusion einer Drüse	Contusione d'una glandula
1023. Glandulæ vulnus	Plaie de glande	Wunde einer Drüse	Ferita d'una glandula

GLANDULARUM SECERNENTIUM ET VISCERUM LÆSIONES.

1024. Contusio	Contusion	Quetschung	Schiacciatura
1025. Diruptio et laceratio	Rupture et déchirure	Ruptur und Zer- reissung	Rottura e lacerazione
1026. Vulnus	Blessure	Wunde	Ferita
1027. Corpora adventitia in ductibus infixa	Obstruction de conduit par corps étrangers	Einkeilung von Fremdkörpern in Drüsengängen	Corpi estranei impacciati nei condotti
1028. Ductuum vulnus aut diruptio	Plaie ou rupture de canaux	Verwundung oder Ruptur von Drüsengängen	Ferite o rottura dei condotti

1016. Wound.
 a. Puncture.
 b. Division, partial or complete.

INJURIES OF VEINS.

1017. Contusion.
 1018. Rupture.
 a. With subcutaneous extravasation.
 1019. Wound.
 a. Puncture.
 b. Division, partial or complete.
 c. With entrance of air.

INJURIES OF THE LYMPHATIC SYSTEM.*

1020. Foreign bodies.
 1021. Wound of lymph-vessels.
 a. Of thoracic duct.
 1022. Contusion of gland.
 1023. Wound of gland.

INJURIES OF SECRETING GLANDS AND VISCERA.

(The part to be specified in the order of local diseases.)

1024. Bruise.
 1025. Rupture and laceration.
 1026. Wound.
 1027. Impaction of foreign bodies in ducts.

1028. Wound or rupture of ducts.

* Injuries of the lymphatic system to be returned according to the following order :—Lymph-vessels of head and neck, of thorax, of abdomen, of upper and lower extremity ; thoracic duct ; glands of head and neck, of thorax, of abdomen, of axilla, of groin.

MUSCULORUM LÆSIONES.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
1029. Contusio	Contusion	Quetschung	Schiacciatura
1030. Vulnus	Blessure	Wunde	Ferita
1031. Stremma	Effort	Verstauchung	Torsione
1032. Loco motus	Luxation	Dislocation	Lussazione
1033. Diruptio	Rupture	Ruptur	Rottura
a. Ex contractione violenta	Par rétraction violente	Durch gewaltsame Contraction	Da contrazione violenta
b. Ex vi externâ	Par violence externe	Durch äussere Gewalt	Da violenza esterna

TENDINUM ET EORUM THECARUM LÆSIONES.

1034. Vulnus aut sectio	Plaie ou section	Wunde oder Trennung	Ferita o separazione
a. Imperfecta	Partielle	Theilweise	Parziale
b. Perfecta	Complète	Vollständige	Completa
1035. Stremma	Effort	Verstauchung	Torsione
1036. Diruptio	Rupture	Ruptur	Rottura
a. Ex musculorum contractione violentâ	Par rétraction musculaire violente	Durch gewaltsame Muskelcontraction	Da contrazione muscolare violenta
b. Ex vi externâ	Par violence externe	Durch äussere Gewalt	Da violenza esterna
1037. Loco motus	Luxation	Dislocation	Lussazione

CUTIS ET TELÆ HYPODERMICÆ LÆSIONES.

1038. Ambusta	Brûlures et Echaudures	Verbrennungen und Verbrühungen	Bruciature e scottature
1039. Ambustio ex frigore	Congélation	Erfrierung	Assiderazione
1040. Irritantium aut corrosivorum effectus	Effets d'irritants ou de corrosifs	Wirkungen von Reiz- oder Aetzmitteln	Effeti d'irritanti o corrosivi
1041. Abrasio	Abrasion	Abrasion. <i>Syn.</i> Abschürfung	Abrasione
1042. Contusio	Contusion	Quetschung	Schiacciatura
1043. Vulnus	Blessure	Wunde	Ferita
1044. Corpus adventitium	Corps étrangers	Fremde Körper	Corpi estranei

INJURIES OF MUSCLES.

(The muscle to be specified.)

- 1029. Bruise.
- 1030. Wound.
- 1031. Strain.
- 1032. Displacement.
- 1033. Rupture.
 - a. From violent contraction.
 - b. From external violence.

INJURIES OF TENDONS AND THEIR SHEATHS.

(The tendon to be specified.)

- 1034. Wound or division.
 - a. Partial.
 - b. Complete.
- 1035. Strain.
- 1036. Rupture.
 - a. From violent muscular contraction.
 - b. From external violence.

- 1037. Displacement of tendon.

INJURIES OF SKIN AND SUBCUTANEOUS TISSUE.

(The locality and extent to be specified.)

- 1038. Burns and scalds.
- 1039. Frost-bite.
- 1040. Effects of irritants or corrosives.
- 1041. Abrasion.
- 1042. Bruise.
- 1043. Wound.
- 1044. Foreign body.

MEMBRANÆ MUCOSÆ ET TELÆ SUBMUCOSÆ LÆSIONES.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
1045. Ambusta	Brûlures	Verbrennungen und Verbrüh- ungen	Bruciature e scot- tature
1046. Irritantium aut corrosivorum effectus	Effets d'irritants ou corrosifs	Wirkungen von Reiz- oder Aetz- mitteln	Effeti d'irritanti o corrosivi
1047. Abrasio	Abrasion	Abrasion	Abrasione
1048. Contusio	Contusion	Contusion	Contusione
1049. Vulnus	Blessure	Wunde	Ferita
1050. Corpus adventi- tium	Corps étrangers	Fremde Körper	Corpi estranei

SECTIO SECUNDA.

IN CAPITE ET IN FACIE LÆSIONES.

A.—IN CAPITE.

1051. Epicranii contusio	Contusion du cuir chevelu	Contusion der Kopfhaut	Contusione de pericranio
α. Cephalhæmatoma	Céphalematome	Hæmatom des Kopfs	Cefalematoma
1. Infra epicra- nium	Sous le cuir chevelu	Unter der Kopf- haut	Sotto l' integu- mento
2. Infra pericra- nium	Sous le péricrâne	Unter dem Peri- cranium	Sotto il pericranio
1052. Epicranii vulnus	Plaie du cuir chevelu	Wunde der Kopf- haut :	Ferita del peri- cranio :
α. Osse non nudato	Sans dénudation de l'os	Ohne Blosslegung des Knochens	L' osso non denu- dato
β. Osse nudato	Avec dénudation de l'os	Mit Blosslegung des Knochens	L' osso denudato
1053. Cranii contusio	Contusion du crâne	Contusion des Schädels	Contusione del cranio
1054. Calvariae supe- rioris fractura	Fracture de la voûte du crâne	Fractur des Schä- deldaches	Frattura della volta del cranio
α. Simplex, osse non depresso ; aut fissa fractura	Fracture simple, sans enfonce- ment	Einfache, ohne De- pression oder Fissur	Semplice, senza de- pressione
β. Simplex, osse de- presso	Fracture simple, avec enfonce- ment	Einfache, mit De- pression	Semplice, con de- pressione
c. Foras patens, osse non depresso	Fracture compli- quée, sans enfon- cement	Complicirte, ohne Depression	Composta, senza depressione

INJURIES OF MUCOUS MEMBRANE AND SUBMUCOUS
TISSUE.

The locality and extent to be specified.

1045. Burns and scalds.

1046. Effects of irritants or corrosives.

1047. Abrasion.

1048. Contusion.

1049. Wound.

1050. Foreign body.

SECOND SECTION.

INJURIES OF THE HEAD AND FACE.

A.—OF THE HEAD.

1051. Contusion of the scalp.

a. Cephalhæmatoma.

1. Beneath scalp.

2. Beneath pericranium.

1052. Scalp-wound.

a. Bone not exposed.

b. Bone exposed.

1053. Contusion of skull.

1054. Fracture of the vault of the skull.

a. Simple, without depression; or fissured fracture.

b. „ with depression.

c. Compound, without depression.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
<i>d. Foras patens, osse depresso</i>	Fracture compliquée, avec enfoncement	Complicirte, mit Depression	Composta, con depressione
<i>e. Externæ tantum lamellæ fractura</i>	Fracture limitée à la table externe	Fractur der äusseren Tafelallein	Frattura della lamina esteriore soltanto
<i>f. Internæ tantum lamellæ fractura</i>	Fracture limitée à la table interne	Fractur der inneren Tafel allein	Frattura della lamina interna soltanto
<i>g. E punctione</i>	Par ponction	Durch Stich	Puntata
<i>h. Ex incisione</i>	Par incision	Durch Schnitt	Incisa
<i>i. E penetratione</i>	Pénétrante	Penetirende	Penetrante
1055. Basis calvariæ fractura	Fracture de la base du crâne	Fractur der Basis des Schädels	Frattura della base del cranio
1056. Calvariæ vulnus	Blessure du crâne	Wunde des Schädels	Ferita del cranio
1057. Cerebri concussio	Commotion cérébrale	Gehirnerschütterung. <i>Syn.</i> Comotio cerebri	Concussione del cervello
1058. Cerebri compressio	Compression du cerveau	Hirndruck	Compressione del cervello
1059. Cerebri vulnus	Plaie du cerveau	Gehirnwunde	Ferita del cervello
1060. Cerebri contusio	Contusion du cerveau	Contusion des Gehirns	Contusione del cervello
1061. Cerebri, sine calvariæ fractura, laceratio	Déchirure du cerveau, sans fracture	Zerreiſsung des Gehirns, ohne Fractur	Lacerazione del cervello, senza frattura
1062. Cerebri fungus, aut hernia	Hernie du cerveau	Hernia cerebri. <i>Syn.</i> Hirnbruch	Ernia del cervello

B.—IN FACIE ET IN ORE.

1063. Contusio	Contusion	Contusion	Contusione
1064. Vulnus	Blessure	Wunde	Ferita
<i>a. Summæ cavitatis narium punctio</i>	Plaie par ponction de la voute nasale	Stichwunde durch die obere Wand der Nasenhöhle	Ferita puntata del volta della cavità nasale
<i>1. Cum cerebri læsione</i>	Avec blessure du cerveau	Mit Gehirnwunde	Con ferita del cervello
<i>b. Linguae</i>	De la langue	Der Zunge	Della lingua
1065. Stenonis ductus læsio	Lésion du conduit de Sténon	Verletzung des Ductus Stenonianus	Lesione del condotto Stenoniano
1066. Corpora adventitia in naribus	Corps étrangers des fosses nasales	Fremde Körper in der Nase	Corpi estranei nel naso

d. Compound, with depression.

e. Fracture of outer table only.

f. Fracture of inner table only.

g. Punctured.

h. Incised.

i. Penetrating.

1055. Fracture of the base of the skull.

1056. Wound of the skull.

1057. Concussion of the brain.

1058. Compression of the brain. State cause.

1059. Wound of the brain.

State lobe or convolution, when possible.

1060. Contusion of the brain.

1061. Laceration of the brain, without fracture of skull.

} State lobe or convolution, when possible.

1062. Fungus or hernia cerebri.

B.—OF THE FACE AND MOUTH.

1063. Contusion.

1064. Wound.

a. Punctured wound of roof of nasal cavity.

1. With wound of brain.

b. Of tongue.

1065. Injury of Steno's duct.

1066. Foreign bodies in the nose.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
1067. Corpora adventitia in antro	Corps étrangers de l'antre d'Highmore	Fremde Körper in der Highmors-höhle	Corpi estranei nell' antro Highmorianò
1068. Corpora adventitia in partibus mollioribus	Corps étrangers des parties molles	Fremde Körper in den Weichtheilen	Corpi stranieri nelle parti molli
1069. Ossium faciei fractura	Fracture des os de la face	Fractur der Gesichtsknochen	Frattura delle ossa della faccia
1070. Narium cartilagine loco motæ	Luxation des cartilages du nez	Luxation der Nasenknorpel	Lussazione delle cartilagini nasali
1071. Alveolorum et dentium læsiones	Lésions des alvéoles et des dents	Verletzungen der Alveolen und der Zähne	Lesioni degli alveoli e dei denti
1072. Maxilla inferior loco mota	Luxation de la mâchoire inferieure	Verrenkung des unterkiefers	Lussazione della mascella inferiore

IN OCULO LÆSIONES.

1073. Contusio	Contusion	Contusion. <i>Syn.</i> Quetschung	Contusione
1074. Contusus oculus, ruptâ scleroticâ. <i>Idem valet</i> Ruptum album oculi	Contusion, avec rupture de la sclérotique	Quetschung, mit Ruptur der Sclerotica. <i>Syn.</i> Ruptur des Augapfels	Contusione con rottura della sclerotica
1075. Contusus oculus lente elisâ	Contusion, avec luxation du cristallin	Quetschung, mit Dislocation der Linse	Contusione con lussazione della lente
1076. Contusus oculus cum hæmorrhagia interiore	Contusion, avec hémorrhagie intra-orbitaire	Quetschung, mit Bluterguss in den Augapfel	Contusione con emorragia nell' interno del globo
1077. Corpora adventitia in cornea aut conjunctiva	Corps étrangers de la cornée ou de la conjonctive	Fremde Körper in der Hornhaut und Bindehaut	Corpi estranei nella cornea o congiuntiva
1078. Corpora adventitia intra oculum	Corps étrangers dans la cavité de l'œil	Fremde Körper im Inneren des Augapfels	Corpi estranei nella cavità dell' occhio
1079. Palpebrarum vulnus	Plaie des paupières	Wunde der Augenlider	Ferita delle palpebre
1080. Conjunctivæ vulnus	Plaie de la conjonctive	Wunde der Bindehaut	Ferita della congiuntiva
1081. Scleroticæ vulnus	Plaie de la sclérotique	Wunde der Sclerotica	Ferita della sclerotica

1067. Foreign bodies in the antrum.
1068. „ „ „ soft parts.
1069. Fracture. (Specify the bone.)
1070. Dislocation of nasal cartilages.
1071. Injuries of the alveoli and teeth.
1072. Dislocation of the lower jaw.

INJURIES OF THE EYE.

1073. Contusion.
1074. „ with rupture of the sclerotic. *Synonym,*
Ruptured globe.
1075. „ with dislocation of the lens.
1076. „ with hæmorrhage into the globe.
1077. Foreign bodies in the cornea or conjunctiva.
1078. „ in the cavity of the eye.
1079. Wound of the eyelid.
1080. „ conjunctiva.
1081. „ sclerotic.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
1082. Corneæ vulnus	Plaie de la cornée	Wunde der Hornhaut	Ferita della cornea
1083. Lentis vulnus	Plaie du crystallin	Wunde der Linse	Ferita della lente
1084. Iridis vulnus	Plaie de l'iris	Wunde der Iris	Ferita dell' iride
1085. Loco motus oculi	Luxation du globe de l'œil	Dislocation des Augapfels	Lussazione del globo dell' occhio
1086. Partium intra orbitam vulnera et læsiones	Plaies et blessures des parties intra-orbitaires	Wunden und Verletzungen des Inhalts der Augenhöhle	Ferite e lesioni delle parti entro l' orbita
1087. Sacculi lacrymalis et ductus læsiones	Lésions du sac lacrymal et de son conduit	Verletzungen des Thräensackes und Ganges	Lesioni del sacco e condotto lagrimale
1088. Palpebrarum et oculi læsiones chemicæ	Lésions par agents chimiques	Chemische Verletzungen der Augenlider und des Auges	Lesioni chimiche delle palpebre e dell' occhio

AURIS LÆSIONES.

1089. Pinna contusa	Contusion de l'hélix	Quetschung der Ohrmuschel	Schiacciatura dell' elice
<i>a. Pinnæ hæmatoma</i>	Hématome de l'hélix	Hæmatom der Ohrmuschel	Ematoma dell' elice
1090. Pinna vulnerata	Plaie de l'hélix	Wunde der Ohrmuschel	Ferite dell' elice
1091. Cartilaginis ab osse disjunctio	Séparation des cartilages de l'os	Trennung des Knorpels vom Knochen	Separazione delle cartilagini dell' osso
1092. Membranæ tympani disruptio	Rupture du tympan	Ruptur des Trommelfells	Rottura del timpano
<i>a. E concussione</i>	Par contre-coup	Durch Erschütterung	Da concussionione
1093. Membrana tympani vulnerata	Plaie du tympan	Wunde des Trommelfells	Ferita del timpano
1094. Corpora adventitia in foramine	Corps étrangers dans le méat externe	Fremdkörper im äusseren Gehörgang	Corpi estranei nel meato esterno

CERVICIS, PRÆTER VERTEBRARUM COLUMNAM LÆSIONES.

1095. Partium molliorum contusio	Contusion des parties molles	Contusion der Weichtheile	Contusione delle parti molli
1096. Ossis hyoïdis fractura	Fracture de l'os hyoïde	Fractur des Zungenbeins	Frattura dell' osso ioide

1082. Wound of the cornea.
1083. „ „ lens.
1084. „ „ iris.
1085. Dislocation of the globe.

1086. Wounds and injuries of the parts within the orbit.

1087. Injuries of the lacrymal sac and duct.

1088. Chemical injuries of the eyelids and eye.

INJURIES OF THE EAR.

1089. Contusion of pinna.
 a. Hæmatoma of pinna.
1090. Wound of pinna.
1091. Separation of cartilage from bone.

1092. Rupture of membrana tympani.
 a. From concussion.
1093. Wound of membrana tympani.

1094. Foreign bodies in the external meatus.

INJURIES OF THE NECK, EXCLUSIVE OF VERTEBRAL COLUMN.

1095. Contusion of the soft parts.
1096. Fracture of the hyoid bone.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
1097. Laryngis cartilaginum fractura	Fracture des cartilages du larynx	Fractur der Kehlkopfsknorpel	Frattura delle cartilagini della laringe
1098. Trachea rupta	Rupture de la trachée-artère	Ruptur der Trachea	Rottura della trachea
1099. Os hyoïdes loco motum	Luxation de l'os hyoïde	Verrenkung des Zungenbeins	Lussazione dell'osso ioide
1100. Vulnus	Blessure	Wunde	Ferita
<i>a.</i> In summa carne	Superficielle	Oberflächliche	Superficiale
<i>b.</i> Vias aërias penetrans	Plaie pénétrante des voies aériennes	Eröffnung der Luftwege	Apertura dei tubi aërei
<i>c.</i> Oesophagum penetrans	Plaie pénétrante de l'œsophage	Eröffnung der Speiseröhre	Apertura del esofago
<i>a.</i> A parte externa	du dehors	von aussen	dal di fuori
<i>β.</i> A parte interna	du dedans	von innen	dall indentro
<i>d.</i> Ex ore	Par la bouche	Vom Munde aus	Dalla bocca
1101. Ductus thoracici læsio	Lesion du conduit thoracique	Verletzung des Ductus thoracicus	Lesione del condotto toracico
1102. Ambustio in larynge	Brûlure du larynx	Verbrennung und Verbrühung des Kehlkopfs	Bruciatura e scottatura della laringe
1103. Corpora adventitia in spiritus itineribus	Corps étrangers dans les voies aériennes	Fremde Körper in den Luftwegen	Corpi estranei nelle vie della respirazione
1104. Corpora adventitia in pharynge	Corps étrangers dans le pharynx	Fremde Körper im Schlunde	Corpi estranei nella faringe
1105. Corpora adventitia in oesophago	Corps étrangers dans l'œsophage	Fremde Körper in der Speiseröhre	Corpi estranei nell'esofago
1106. E corrosivis in pharynge et oesophago læsio	Lésion du pharynx et de l'œsophage par substances corrosives	Verletzung des Schlundes und der Speiseröhre durch ätzende Substanzen	Lesione della faringe e dell'esofago prodotte da sostanze corrosive

LÆSIONES IN THORACE.

1107. Contusio	Contusion	Contusion	Contusione
1108. Costarum cartilagine loco motæ	Luxation des cartilages costaux	Dislocation der Rippenknorpel	Slogamento delle cartilagini costali
<i>a.</i> De osse pectorali	Du sternum	Vom Brustbein	Dall' sterno
<i>b.</i> Inter se	Les uns des autres	Von einander	L'una dall' altra

1097. Fracture of the cartilages of the larynx.
1098. Rupture of the trachea.
1099. Dislocation of the hyoid bone.
1100. Wound.
- a.* Superficial.
 - b.* Opening air-passages.
 - c.* Opening oesophagus,
 - a.* from without.
 - β.* from within.
 - d.* From the mouth.
1101. Injury of thoracic duct.
1102. Burn and scald of the larynx.
1103. Foreign bodies in the air-passages.
1104. „ „ pharynx.
1105. „ „ oesophagus.
1106. Injury of the pharynx and oesophagus by corrosive substances.

INJURIES OF THE CHEST.

1107. Contusion.
1108. Dislocation of costal cartilages :
- a.* from sternum.
 - b.* from each other.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
1109. Costarum fractura cartilaginumque in costis, illæso pulmone aut corde	Fracture des côtes (et des cartilages) sans lésion du poumon ou du cœur	Fractur der Rippen (mit Einschluss der Rippenknorpel) ohne Verletzung der Lunge	Frattura delle coste e loro cartilagini senza danno del polmone
1110. Costarum fractura cartilaginumque in costis, læso pulmone	Fracture des côtes (et des cartilages) avec lésion du poumon	Fractur der Rippen (mit Einschluss der Rippenknorpel) mit Verletzung der Lunge	Frattura delle coste e loro cartilagini con danno del polmone
a. Cum emphysemate	Avec emphysème	Mit Emphysem	Con enfisema
b. Cum pneumothorace	Avec pneumothorax	Mit Pneumothorax	Con pneumotorace
c. Cum hæmothorace	Avec hémothorax	Mit Haemothorax	Con emotorace
1111. Costarum fractura cartilaginumque in costis cum cordis aut pericardii læsione	Fracture des côtes (et des cartilages) avec lésion du cœur ou du péricarde	Fractur der Rippen (mit Einschluss der Rippenknorpel) mit Verletzung des Herzens oder Pericardiums	Frattura delle coste e loro cartilagini con lesione del cuore o del pericardio
1112. Ossis pectoralis fractura	Fracture du sternum	Fractur des Brustbeins	Frattura dello sterno
1113. Laterum vulnus	Blessure des parois	Wunde der Brustwandungen	Ferita delle pareti
a. Cum arteriæ intercostalis læsione	Avec blessure de l'artère intercostale	Mit Wunde einer Intercostalarterie	Con ferita dell'arteria intercostale
b. Cum arteriæ mammarie internæ læsione	Avec blessure de l'artère mammaire interne	Mit Wunde der Mammaria interna	Con ferita dell'arteria mammale interna
1114. Thoracis vulnus perforans	Plaie pénétrante de la poitrine	Perforirende Wunde der Brust	Ferita penetrante del torace
1115. Pleuræ aut pulmonis vulnus penetrans	Plaie des poumons ou des plèvres	Penetrierende Wunde der Pleura und Lunge	Ferita penetrante la pleura ed il polmone
1116. Mediastini prioris vulnus	Plaie du médiastin antérieur	Wunde des vorderen Mediastinum	Ferita del mediastino anteriore
1117. Pericardii et cordis vulnus	Plaie du péricarde et du cœur	Wunde des Pericardiums und Herzens	Ferita del pericardio e del cuore
1118. Cordis aut pulmonis sine vulnere contusio	Contusion du cœur ou du poumon sans plaie	Contusion des Herzens oder der Lunge ohne Wunde	Contusione del cuore o del polmone senza ferita

1109. Fracture of the ribs (including costal cartilages), without injury to lung or heart.

1110. Fracture of the ribs (including costal cartilages), with injury to lung.

a. with emphysema.

b. with pneumothorax.

c. with hæmothorax.

1111. Fracture of the ribs (including costal cartilages), with injury to heart or pericardium.

1112. Fracture of the sternum.

1113. Wound of the parietes.

a. with wound of intercostal artery.

b. with wound of internal mammary artery.

1114. Perforating wound of the chest.

1115. Penetrating wound of the pleura or lung.

1116. Wound of the anterior mediastinum.

1117. Wound of the pericardium and heart.

1118. Contusion of the heart or lung without wound.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
1119. Cordis <i>aut</i> pulmonis diruptio citra vulnus <i>aut</i> fracturam	Rupture du cœur ou du poumon sans blessure ou fracture	Ruptur des Herzens oder der Lunge ohne Wunde oder Fractur	Rottura del cuore o del polmone senza ferita o frattura
1120. Aliæ pulmonum læsiones <i>a.</i> Corpora adventitia	Autres lésions des poumons Corps étrangers	Andere Lungenverletzungen Fremde Körper	Altre lesioni dei polmoni Corpi estranei

LÆSIONES A TERGO.

1121. Contusio	Contusion	Contusion	Contusione
1122. Stremma	Effort	Verstauchung	Torsione
1123. Vulnus <i>a.</i> Spinæ	Blessure de la colonne vertébrale	Wunde des Rückgrats	Ferita della spina dorsale
1124. Spina fracta, non autem loco mota	Fracture de la colonne sans luxation	Fractur des Rückgrats ohne Verrenkung	Frattura della spina dorsale senza lussazione
1125. Spina fracta et loco mota	Fracture et luxation de la colonne	Fractur und Verrenkung des Rückgrats	Frattura e lussazione della spina dorsale
1126. Spinæ cum medulla compressa fractura simplex	Fracture simple, avec compression de la moëlle	Einfache Fractur, mit Compression des Rückenmarks	Frattura semplice, con compressione della midolla spinale
1127. Spinæ fractura foras patens <i>a.</i> Sine medullæ læsione <i>b.</i> Cum medullæ læsione <i>c.</i> Cum nervorum spinalium læsione	Fracture compliquée Sans lésion de la moëlle Avec lésion de la moëlle Avec lésions des nerfs spinaux	Complicirte Fractur Ohne Verletzung des Rückenmarks Mit Verletzung des Rückenmarks Mit Verletzung von Spinalnerven	Frattura cominutiva Senza lesione della midolla Con lesione della midolla Con lesione della nervi spinali
1128. Spinæ luxatio, <i>aut</i> imperfecta <i>aut</i> perfecta <i>a.</i> Sine fractura <i>b.</i> Cum fractura	Luxation de la colonne vertébrale partielle ou complète Sans fracture Avec fracture	Verrenkung am Rückgrat, theilweise oder vollständige Ohne Fractur Mit Fractur	Slogamento della spina dorsale parziale o completa Senza frattura Con frattura
1129. Medulla concussa	Commotion de la moëlle épinière	Erschütterung des Rückenmarks	Concussione della midolla spinale
1130. Medulla sine fractura <i>aut</i> luxatione compressa	Compression de la moëlle sans fracture ni luxation	Compression des Rückenmarks ohne Fractur oder Verrenkung	Compressione della midolla spinale senza frattura o slogamento
1131. Medulla vulnerata <i>aut</i> lacerata	Plaie ou déchirure de la moëlle	Wunde oder Zerreissung des Rückenmarks	Ferita o lacerazione della midolla spinale

1119. Rupture of the heart or lung without wound or fracture.

1120. Other injuries of lungs.

a. Foreign bodies.

INJURIES OF THE BACK.

(Including the whole vertebral column.)

1121. Contusion.

1122. Sprain.

1123. Wound.

a. Of spine.

1124. Fracture, without displacement.

1125. „ with displacement.

1126. Simple fracture with compression of cord.

1127. Compound fracture.

a. without injury to cord.

b. with injury to cord.

c. with injury to spinal nerves.

1128. Dislocation of spine, partial or complete.

a. without fracture.

b. with fracture.

1129. Concussion of cord.

1130. Compression of cord without fracture or dislocation.

1131. Wound or laceration of cord.

LÆSIONES IN ABDOMINE, SIVE VENTRE.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
1132. Contusio	Contusion	Contusion	Contusione
1133. Contusio ruptis musculis	Contusion avec rupture des muscles	Contusion mit Ruptur der Muskeln	Contusione con rottura di mus- coli
1134. Contusio ruptis visceribus	Contusion avec rupture des vis- cères	Contusion mit Ruptur der Ein- geweide	Contusione con rottura delle viscere
1135. Abdominis vulnus	Plaie des parois de l'abdomen	Wunde der Bauch- decken	Ferita delle pareti
<i>a.</i> Integumentum non penetrans	Superficielle	Oberflächliche	Superficiale
<i>b.</i> Integumentum pe- netrans	Pénétrante	Penetrirende	Penetrante
1136. Abdominis vulnus cum viscerum illæsorum pro- lapsione	Plaie des parois avec sortie des viscères non blessés	Wunde der Bauch- decken mit Vor- fall der unver- letzten Eingeweide	Ferita delle pareti con protrusione delle viscere non offese
1137. Abdominis vulnus cum viscerum læsorum pro- lapsione	Plaie des parois avec sortie des viscères blessés	Wunde der Bauch- decken mit Vor- fall der verwundeten Eingeweide	Ferita delle pareti con protrusione delle viscere ferite
1138. Abdominis vulnus cum viscerum in sede manen- tium vulnere	Plaie des parois avec blessure mais sans sortie des viscères	Wunde der Bauch- decken mit Ver- wundung der nicht vorgefal- lenen Eingeweide	Ferita delle pareti con ferita del- le viscere non- protruse
1139. Viscerum vulnus sine abdominis vulnere	Blessure des vis- cères sans bles- sure des parois	Wunde der Eingeweide ohne Wunde der Bauchdecken	Ferita delle viscere senza ferita delle pareti
<i>a.</i> Per rectum	Par le rectum	Durch den Mast- darm	Per l' intestino retto
<i>b.</i> Per vaginam	Par le vagin	Durch die Scheide	Per la vagina
1140. Corpora adven- titia in peri- tonæo sita	Corps étrangers de la cavité péritonéale	Fremde Körper in der Bauchhöhle	Corpi estranei nella cavità de peritoneo
1141. Corpora adven- titia in ven- triculo	Corps étrangers de l'estomac	Fremde Körper im Magen	Corpi estranei nello stomaco
1142. Corpora adven- titia in intestinis	Corps étrangers et concrétions des intestins	Fremde Körper und Concre- tionen im Darm- kanal	Corpi estranei e concrezioni intestinali

INJURIES OF THE ABDOMEN.

1132. Contusion.
1133. „ with rupture of muscles.
1134. „ with rupture of viscera.
1135. Wound of parietes.
- a.* Superficial.
- b.* Penetrating.
1136. „ „ with protrusion of uninjured viscera.
1137. „ „ with protrusion of wounded viscera.
1138. „ „ with wound of unprotruded viscera.
1139. Wound of viscera without wound of parietes.
- a.* through the rectum.
- b.* „ „ vagina.
1140. Foreign bodies in the peritoneal cavity
1141. „ „ stomach.
1142. „ „ intestine.

LÆSIONES IN PELVI ET GENITALIBUS.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
1143. Contusio	Contusion	Contusion	Contusione
1144. Urethræ masculæ perinei, scroti, penisque vulnus	Blessure de l'urèthre chez l'homme, du périnée, du scrotum et du pénis	Wunde der männlichen Harnröhre, des Damms, Hodensacks und Glieds	Ferita del uretra maschia, del perineo, dello scroto e del pene
1145. Perinei muliebris et vulvæ vulnus	Blessure du périnée chez la femme, et de la vulve	Wunde des weiblichen Damms und der äusseren Scham	Ferita del perineo e della vulva nella femmina
1146. Vaginæ et partium interiorum muliebrium vulnus	Blessure du vagin et des organes sexuels internes	WundederScheide und der inneren weiblichen Organe	Ferita della vagina e degli organi interni femminili
1147. Recti intestini vulnus	Blessure du rectum	Wunde des Mastdarms	Ferita dell' intestino retto
1148. Ani vulnus	Blessure de l'anus	Wunde des Afters	Ferita dell' ano
1149. Vesicæ vulnus	Blessure de la vessie	Wunde der Blase	Ferita della vescica
1150. Vesicæ sine vulnere ruptio aut laceratio	Rupture de la vessie, sans blessure	Ruptur der Blase ohne Wunde	Rottura della vescica senza ferita
1151. Vesicæ ex fractura ruptio aut laceratio	Rupture de la vessie avec fracture	Ruptur der Blase durch Fractur	Rottura della vescica da frattura
1152. Urethræ ex pelvis fractura laceratio	Déchirure de l'urèthre, avec fracture du bassin	Zerreissung der Harnröhre durch Beckenfractur	Lacerazione dell' uretra con frattura della pelvi
1153. Urethræ diruptio	Rupture de l'urèthre	Ruptur der Harnröhre	Rottura dell' uretra
1154. Læsiones utero gravido illatæ	Lésions de l'utérus pendant la gestation	Verletzungen der schwangeren Gebärmutter	Lesioni dell' utero gravido
1155. Corpora adventitia in vagina	Corps étrangers du vagin	Fremde Körper in der Scheide	Corpi estranei nella vagina
1156. Corpora adventitia in recto intestino	Corps étrangers du rectum	Fremde Körper im Mastdarm	Corpi estranei nell' intestino retto
1157. Corpora adventitia in vesica et urethra	Corps étrangers dans la vessie et dans l'urèthre	Fremde Körper in der Blase und der Harnröhre	Corpi estranei nella vescica e nell' uretra

INJURIES OF THE PELVIS AND ORGANS OF GENERATION.

1143. Contusion.
1144. Wound of the male urethra, perineum, scrotum, and penis.

1145. „ female perineum and vulva.

1146. „ vagina and internal female organs.

1147. „ rectum.
1148. „ anus.
1149. „ bladder.
1150. Rupture or laceration of the bladder without wound.
1151. „ „ „ from fracture.

1152. Laceration of urethra from fracture of pelvis.

1153. Rupture of urethra.
1154. Injuries of the pregnant uterus.
1155. Foreign bodies in the vagina.
1156. „ „ rectum.
1157. „ „ bladder and urethra.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
1158. Fractum et locomotum os coxarum	Fracture et luxation du bassin	Fractur und Verrenkung des Beckens	Frattura e lussazione della pelvi
1159. Testiculi contusio	Contusion du testicule	Contusion des Hodens	Schiacciatura del testicolo
a. Cum formata hæmatocele	Avec formation d'hématocèle	Mit Bildung von Hæmatocele	Con ematocele indotta
1160. Testiculi vulnus	Plaie du testicule	Wunde des Hodens	Ferita del testicolo
1161. Vasis deferentis disruptio	Rupture du canal déférent	Ruptur des vas deferens	Rottura del vaso deferente
1162. Funiculi seminalis hæmatocele diffusa	Hématocèle diffuse du cordon	Diffuse Hæmatocele des Samenstrangs	Ematocele diffusa del cordone spermatico
1163. Genitalia mutilata	Mutilation des organes génitaux	Verstümmelung der Genitalien	Mutilazione degli organi genitali

IN MEMBRIS SUPERIORIBUS LÆSIONES.

1164. Contusio	Contusion	Contusion	Contusione
1165. Stemma	Entorse	Verstauchung	Distorsione
1166. Vulnus	Plaie	Wunde	Ferita
1167. Articuli vulnus	Plaie d'articulation	Wunde des Gelenks	Ferita delle articolazione
1168. Bursarum læsiones	Lésions des bourses muqueuses	Verletzungen der Schleimbeutel	Lesioni delle borse
1169. Epiphysium ductio	Séparation des épiphyses	Trennung der Epiphysen	Distacco delle epifisi
1170. Claviculæ, sive juguli fractura	Fracture de la clavicule	Fractur des Schlüsselbeins	Frattura della clavicola
1171. Ossis scapularum fractura	Fracture de l'épaule	Fractur des Schulterblatts	Frattura della scapola
1172. Humeri fractura	Fracture de l'humerus	Fractur des Oberarmknochens	Frattura dell'omero
1173. Brachii fractura	Fracture de l'avant-bras	Fractur des Vorderarms	Frattura dell'avanbraccio
a. Radii	Du radius	Des Radius	Del radio
b. Ulnæ	Du cubitus	Der Ulna	Dell'ulna
c. Ossium amborum	Des deux os	Beider Knochen	Ambo le ossa.
1174. Carpi, metacarpi, et phalangium fractura	Fracture du carpe, métacarpe et des phalanges	Fractur der Handwurzel, Mittelhand und Fingerknochen	Frattura del carpo, metacarpo e delle falangi

1158. Fracture and dislocation of the pelvis.
 Note any injury of adjoining or included soft
 parts that may be associated.
1159. Contusion of testicle.
- a.* With formation of hæmatocele (true or false).
1160. Wound of testicle.
1161. Rupture of vas deferens.
1162. Diffused hæmatocele of cord.
1163. Mutilation of genitals. (Specify the part.)

INJURIES OF THE UPPER EXTREMITIES.

1164. Contusion.
1165. Sprain. (Specify which joint.)
1166. Wound.
1167. „ of joint.
1168. Injuries of bursæ.
1169. Separation of epiphyses.
1170. Fracture of the clavicle.
1171. „ „ scapula.
1172. „ „ humerus.
1173. „ „ bones of the forearm.
- a.* radius.
- b.* ulna.
- c.* both bones.
1174. „ „ carpus, metacarpus, and phalanges.
- Note.*—In all cases of fracture, state whether
 simple, comminuted, or compound, and whether
 by direct or indirect violence.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
1175. Fractura surcularia, <i>sive</i> ossis flexura	Fracture incomplète	Biegung der Knochen	Frattura incompleta dell' osso
1176. Claviculæ luxatio	Luxation de la clavicule	Verrenkung der Clavicula	Slogamento della clavicola
1177. Scapulæ luxatio	Luxation de l'omoplate	Verrenkung der Scapula	Slogamento della scapola
1178. Humeri luxatio	Luxation de l'humérus	Verrenkung des Humerus	Slogamento dell' omero
1179. Radii luxatio	Luxation du radius	Verrenkung des Radius	Slogamento del radio
1180. Ulnæ luxatio	Luxation de l'ulna	Verrenkung der Ulna	Slogamento dell' ulna
1181. Radii et ulnæ luxatio	Luxation du radius et du cubitus	Verrenkung des Radius and der Ulna	Slogamento del radio e dell' ulna
1182. Carpi luxatio	Luxation du carpe	Verrenkung des Carpus	Slogamento del carpo
1183. Metacarpi luxatio	Luxation du métacarpe	Verrenkung des Metacarpus	Slogamento del metacarpo
1184. Phalangium pollicis luxatio	Luxation des phalanges du pouce	Verrenkung der Phalangen des Daumens	Slogamento delle falangi del pollice
1185. Phalangium digitorum luxatio	Luxation des phalanges des doigts	Verrenkung der Phalangen der Finger	Slogamento delle falangi delle dita

IN MEMBRIS INFERIORIBUS LÆSIONES.

1186. Contusio	Contusion	Contusion	Contusione
1187. Stemma	Entorse	Verstauchung	Distorsione
1188. Vulnus	Plaie	Wunde	Ferita
1189. Articuli vulnus	Plaie d'articulation	Wunde des Gelenks	Ferite dell' articolazione
1190. Bursarum læsiones	Lésions des bourses muqueuses	Verletzungen der Schleimbeutel	Lesione delle borse
1191. Epiphysium diductio	Séparation d'épiphyses	Trennung der Epiphysen	Distacco delle epifisi
1192. Femoris fractura	Fracture du fémur	Fractur des Oberschenkelknochens	Frattura del femore
1193. Cervicis femoris fractura	Fracture du col du fémur	Fractur des Halses des Oberschenkelknochens	Frattura del collo del femore

1175. Green-stick fracture, or bending of bone. (Specify which bone.)
1176. Dislocation of the clavicle.
1177. „ „ scapula.
1178. „ „ humerus.
1179. „ „ radius.
1180. „ „ ulna.
1181. „ „ radius and ulna.
1182. „ „ carpus.
1183. „ „ metacarpus.
1184. „ „ phalanges of the thumb.
1185. „ „ phalanges of the fingers.
- Note.*—In all cases of dislocation, state the direction, and whether simple or compound.

INJURIES OF THE LOWER EXTREMITIES.

1186. Contusion.
1187. Sprain. (Specify which joint.)
1188. Wound.
1189. „ of joint.
1190. Injuries of bursæ.
1191. Separation of epiphyses.
1192. Fracture of the femur.
1193. „ „ cervix femoris.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
1194. <i>a.</i> Eadem intra capsulam	Fracture intracapsulaire	Intracapsuläre	Frattura del collo intracapsulare
1195. <i>b.</i> Eadem extra capsulam	Fracture extra-capsulaire	Extracapsuläre	Frattura del collo extra capsulare
1196. Processus majoris fractura	Fracture du grand trochanter	Fractur des Trochanter major	Frattura del trocantere maggiore
1197. Patellæ fractura	Fracture de la rotule	Fractur der Knie-scheibe	Frattura della rotula
1198. Cruris, utriusque ossis fractura	Fracture de la jambe, des deux os	Fractur des Unterschenkels, beider Knochen	Frattura della gamba, d'ambidue le ossa
1199. Tibiæ solius fractura	Fracture du tibia	Fractur des Schienbeins allein. <i>Syn.</i> der Tibia	Frattura della tibia
1200. Suræ solius fractura	Fracture du péroné	Fractur des Wadenbeins allein. <i>Syn.</i> der Fibula	Frattura della fibula
1201. Ossium pedis fractura	Fracture des os du pied	Fractur der Fussknochen	Frattura delle ossa del piede
<i>a.</i> Tarsi	Du tarso	Des Tarsus	Del tarso
<i>b.</i> Metatarsi	Du métatarse	Des Metatarsus	Del metatarso
<i>c.</i> Phalangium digitorum	Des phalanges des orteils	Der Phalangen der Zehen	Delle falangi delle dita del piede
1202. Fractura surcularia, sive ossis flexura	Fracture incomplète	Biegung der Knochen	Frattura incompleta dell' osso
1203. Loco motum femur ad coxam	Luxation de la hanche	Verrenkung der Oberschenkels im Hüftgelenk	Lussazione del femora all' anca
1204. Loco mota patella	Luxation de la rotule	Verrenkung der Kniescheibe	Lussazione della rotula
1205. Loco motum genu	Luxation du genou	Verrenkung des Knies	Lussazione del ginocchio
<i>a.</i> Subluxatio	Subluxation	Subluxation	Sublussazione
<i>b.</i> Imperfecta	Partielle	Theilweise	Parziale
<i>c.</i> Perfecta	Complète	Vollständige	Completa
1206. Loco motum suræ caput	Luxation de la tête du péroné	Verrenkung des Kopfs des Wadenbeins	Lussazione del capo del perone
1207. Loco motus pes circa talos	Luxation du cou-de-pied	Verrenkung des Fusses, am Knöchel	Lussazione del piede, alla caviglia o nodo
<i>a.</i> Cum tibiæ et fibulæ fractura	Avec fracture du tibia et du péroné	Mit Fractur des Schienbeins und Wadenbeins	Con frattura della tibia e fibola

1194. Fracture of the cervix femoris: *a.* Intracapsular.

1195. „ „ *b.* Extracapsular.

1196. „ „ trochanter major.

1197. „ „ patella.

1198. „ „ leg, both bones.

1199. „ „ tibia alone.

1200. „ „ fibula alone.

1201. „ „ bones of the foot.

a. of the tarsus.

b. „ metatarsus.

c. „ phalanges of toes.

Note.—In all cases of fracture, state whether simple, comminuted, or compound.

1202. Green-stick fracture, or bending of bone.

1203. Dislocation of the femur at the hip.

1204. „ „ patella.

1205. „ „ knee.

a. Subluxation.

b. Partial.

c. Complete.

1206. Dislocation of head of the fibula.

1207. „ „ the foot, at the ankle.

a. with fracture of the tibia and fibula.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
b. Cum fibulæ solius fractura	Avec fracture du péroné seulement	Mit Fractur des Wadenbeins allein	Con frattura della sola fibola
c. Sine fractura	Sans fracture	Ohne Fractur	Senza frattura
1208. Loco motus pes calcaneum inter astragalumque, et os scaphoides inter astragalumque	Luxation des articulations calcanééo-astragaliennes et scapho-astragaliennes	Verrenkung des Fusses in der Articulation talo-calcanea und in der Articulation talo-navicularis	Lussazione delle articolazioni calcaneo-astragaloide e scafo-astragaloide
1209. Loco motus astragalus	Luxation de l'astragale	Verrenkung des Sprungbeins. <i>Syn.</i> Talus oder Astragalus	Lussazione dell'astragalo
1210. Loco motum os calcis	Luxation du calcanéum	Verrenkung des Fersenbeins. <i>Syn.</i> Calcaneus	Lussazione del calcagno
1211. Loco mota cætera tarsi ossa	Luxation des autres os du tarse	Verrenkung anderer Fusswurzelknochen	Lussazione delle altre ossa del tarso
1212. Loco motus metatarsus et phalanges	Luxation des métatarsiens et des phalanges	Verrenkung der Mittelfuss- und Zehenknochen	Lussazione del metatarso, e delle falangi

b. with fracture of the fibula only.

c. without fracture.

1208. Dislocation at the calcaneo-astragaloid and scapho-astragaloid joints.

1209. Dislocation of the astragalus.

1210. „ „ os calcis.

1211. „ „ other tarsal bones.

1212. „ „ metatarsus and phalanges.

Note.—In all cases of dislocation, state the direction, and whether simple or compound.

APPENDIX.

OPERA CHIRURGICA.

TUMORUM A PARTIBUS ABLATIO.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Tumorum fluidorum paracentesis	Ponction de tumeurs fluides	Paracentese von Geschwülsten mit flüssigem Inhalt	Paracentesi per tumori contenenti liquidi
a. Per galvanopunctionem	Avec électro-puncture	Mit Galvanopunctur	Con galvano puntura
b. Per sequentes infusiones	Avec injections subséquentes	Mit nachfolgenden Einspritzungen	Con iniezioni consecutive
c. Per derivationem	Avec drainage	Mit Drainage	Con tubo a fogna

ADVERSUS CYSTIM HYDATICAM.

a. Peracupunctionem	Par acupuncture	Durch Acupunctur	Agopuntura
b. Per galvanopunctionem	Par électro-puncture	Durch Galvanopunctur	Galvano-puntura
c. Per paracentesim aut aspirationem	Par paracentèse ou aspiration	Durch Anzapfen oder Aspiration	Per paracentesi o aspirazione
d. Per paracentesim et derivationem	Par paracentèse et drainage	Durch Anzapfen und Drainage	Paracentesi e "drainage"
e. Per ablationem	Extirpation	Entfernung	Estirpazione

CORPORUM ADVENTITIORUM ABLATIO.

Globulorum plumbeorum	Balles ou petit plomb	Kugeln und sonstiges Geschoss	Palle e pallini
Aliorum corporum infixorum	Autres substances implantées ou arrêtées dans les tissus	Andere eingelegete oder eingekeilte Substanzen	Altre sostanze conficcate o impiantate nei tessuti

ABSCESSUS APERTIO.

Per aspirationem	Par aspiration	Durch Aspiration	Per aspirazione
------------------	----------------	------------------	-----------------

APPENDIX.

SURGICAL OPERATIONS.

REMOVAL OF TUMOURS FROM PARTS.

State the method of operation, the site of the tumour, and its nature, according to the list of tumours.

Paracentesis of fluid tumours.

- a.* With galvano-puncture.
- b.* With subsequent injections.
- c.* With drainage.

FOR HYDATID CYST.

(Specify the part.)

- a.* By acupuncture.
- b.* By galvano-puncture.
- c.* By tapping or aspiration.
- d.* By tapping and drainage.
- e.* Removal.

REMOVAL OF FOREIGN BODIES.

Bullets and shot.

Other embedded or impacted substances.

OPENING OF ABSCESS.

(Specify the method and the part.)

By aspiration.

OPERA CHIRURGICA CIRCA NERVOS.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Neurotomia	Névrotomie	Neurotomie	Nevrotomia
Nervi extensio	Extension du nerf	Nervendehnung	Stendimento del nervo
Divisi nervi conjunctio	Réunion du nerf coupé	Wiedervereinigung getrennter Nerven (Nervennaht)	Riunione del nervo diviso

OPERA CHIRURGICA CIRCA OCULUM ET EJUS APPENDICES.

OPERA CIRCA PALPEBRAS.

Adversus entropion	De l'entropion	Bei Entropium	Per entropio
Adversus ectropion	De l'ectropion	Bei Ectropium	Per ectropio
Adversus symblepharon et ankyloblepharon	Du symbléphon	Bei Symblepharon und Anchyloblepharon	Per sinblefaro ed anchiloblefaro
Adversus trichiasis	Du trichiasis	Bei Trichiasis	Per trichiasi
Ad palpebram restituendam	Blépharoplastie	Plastische Lidoperation	Per ristaurazione della palpebra

OPERA CIRCA CÆTERAS OCULI APPENDICES.

Adversus strabismus	Du strabisme	Bei Schielen. <i>Syn.</i> Strabismus	Per strabismo
Adversus pterygion, <i>sive</i> unguem	Du ptérygion	Bei Pterygium	Per terigio
Adversus epiphoram	De l'épiphora	Bei Thränenträufeln	Per epifora
Adversus fistulam lacrymalem et lacrymarum interclusionem	De la fistule et des tumeurs lacrymales	Bei Thränenfistel und Verstopfung des Thränenkanals	Per fistola lagrimale ed ostruzione de' condotti lagrimali
Adversus glandulæ lacrymalis morbum	En cas de maladie de la glande lacrymale	Bei Krankheiten der Thränen-drüse	Per malattia della glandula lagrimale

OPERA IN IPSO OCULO.

Pupilla factitia	Pupille artificielle	Künstliche Pupillenbildung	Pupilla artificiale
------------------	----------------------	----------------------------	---------------------

OPERATIONS ON NERVES.(Specify the nerve.)

Section of nerve.

Stretching of nerve.

Reunion of divided nerve.

OPERATIONS ON THE EYE AND ITS APPENDAGES.

OPERATIONS ON THE EYELIDS.

For entropion.

„ ectropion.

„ symblepharon and ankyloblepharon.

„ trichiasis.

„ restoration of eyelid.

OPERATIONS ON THE OTHER APPENDAGES OF THE EYE.

For strabismus.

„ pterygium.

„ epiphora.

„ fistula lacrymalis and lacrymal obstruction.

„ disease of the lacrymal gland.

OPERATIONS ON THE EYEBALL.

Artificial pupil.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Iridectomia	Iridectomie	Iridectomie	Iridectomia
Lentis solutio	Dissolution du crystallin	Auflösung der Linse	Soluzione della lente
Lentis depressio	Abaissement du crystallin	Depression der Linse	Depressione della lente
Lentis extractio	Extraction du crystallin	Extraction der Linse	Estrazione della lente
Capsulæ opacæ laceratio	Lacération de la capsule	Zerreißung der getrübten Kap- sel	Lacerazione della capsula opacata
Capsulæ opacæ extractio	Extraction de la capsule	Extraction der getrübten Kap- sel	Estrazione della capsula opacata
Corporum adventi- tiorum extractio	Extraction des corps étrangers	Extraction frem- der Körper	Estrazione di cor- pi estranei
Adversus staphy- loma, <i>sive</i> uva- tionem	Staphylome	Bei Staphylom	Stafiloma
Oculi excisio	Excision du globe de l'œil	Extirpation des Augapfels	Estirpazione del globo

OPERA CIRCA AUREM.

Polypi ablatio	Excision de polype	Entfernung von Polypen	Rimossa d' un polipo
Membranæ tym- pani perforatio	Perforation du tympan	Künstliche Per- foration des Trommelfells	Perforazione della membrana del timpano
Tubæ Eustachianæ inflatio	Insufflation de la trompe d'Eus- tache	Luftinjection in die Tuba	Soffiamento d' aria nella tuba d'Eus- tachio
Tubæ Eustachianæ catheterismus	Cathéterisme de la trompe d'Eus- tache	Katheterisiren der Tuba	Cateterismo della tuba Eustachio
Tensoris tympani tenontotomia	Ténotomie du muscle tenseur du tympan	Tenotomie des Tensor tympani	Tenotomia del tensore del tim- pano
Cellarum mastoi- dearum perfora- tio	Perforation des cellules mastoi- diennes	Anbohrung des Warzenfort- satzes	Perforazione delle cellule dell'apofisi mastoidea
Ceruminis et cor- porum adventi- tiorum ab auris foramine ablatio	Enlèvement de cerumen ou de corps étrangers du conduit audi- tif externe	Entfernung von Ohrenschmalz und Fremdkör- pern aus dem äusseren Ge- hörgang	Rimozione del cerume e di corpi estranei dal meato esterno

Iridectomy.

Solution of the lens.

Depression of the lens.

Extraction of the lens.

Laceration of opaque capsule.

Extraction of opaque capsule.

Extraction of foreign bodies.

For staphyloma.

Excision of the eyeball.

OPERATIONS ON THE EAR.

Removal of polypus.

Perforation of membrana tympani.

Inflation of Eustachian tube.

Catheterism of Eustachian tube.

Tenotomy of the tensor tympani.

Perforation of mastoid cells.

Removal of wax and foreign bodies from external meatus.

OPERA CIRCA NASUM.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Tumoris adiposi, quem vocant <i>lipoma</i> , ablatio	Ablation de tumeur graisseux dit lipome	Entfernung des sogenannten Lipoma	Ablazione del cosi detto Lipoma
Polypi nasalis extractio	Ablation du polype nasal	Extraction der Nasenpolypen	Estrazione del polipo nasale
a. Per vias naturales	Par les voies naturelles	Durch die natürlichen Wege	Per le vie naturali
b. Naso e loco ad tempus moto	Par déplacement momentané des os	Mittelst temporärer Dislocation von Knochen	Per slogamento temporale d' un osso
Polypi nasopharyngealis ablatio	Ablation de polype naso-pharyngien	Entfernung der Nasenrachenpolypen	Rimozione d'un polipo nasofaringeale
Narium contra epistaxim obturatio	Tamponnement des fosses nasales contre l'épistaxis	Tamponade bei Nasenbluten	Tamponaggio delle narici per epistassi
Ad nasum restituendum	Rhinoplastie	Rhinoplastik	Per ristauero del naso (Rinoplastica)

OPERA CIRCA OS ET ALIAS CAPITIS ET FACIEI PARTES.

Terebratio	Trépanation	Trepanation	Trapanazione
Ossis depressi elevatio	Pour relever un os enfoncé	Elevation eines einwärts getriebenen Knochen-theils	Sollevamento di osso depresso
Capitis paracentesis	Paracentèse de la tête	Punction der Schädelhöhle	Paracentesi cefalica
Antri paracentesis	Paracentèse du sinus maxillaire	Punction der Kieferhöhle	Paracentesi dell' autro
Maxillæ superioris excisio	Résection du maxillaire supérieur	Resection des Oberkiefers	Eccisione della mascella superiore
Maxillæ inferioris excisio	Resection du maxillaire inférieur	Resection des Unterkiefers	Eccisione della mascella inferiore
Linguae ablatio perfecta aut imperfecta	Ablation de la langue totale ou partielle	Partielle oder totale Entfernung der Zunge	Rimozione della lingua in parte o totale
Adversus ranulam	Opération de la grénouillette	Bei Ranula	Per ranula

OPERATIONS ON THE NOSE.

Removal of so-called lipoma.

Extraction of nasal polypus.

a. Through the natural passages.

b. By temporary displacement of nose.

Removal of naso-pharyngeal polypus.

Plugging nares for epistaxis.

For restoration of nose. (State the method.)

OPERATIONS ON OTHER PARTS OF THE HEAD AND
FACE, INCLUDING THE MOUTH.

Trephining.

Raising depressed bone.

Cephalic paracentesis.

Tapping antrum.

Excision of upper jaw (partial or complete).

„ lower jaw (partial or complete).

Removal of tongue in part or in whole.
(State the method.)

For ranula.

Division of frænum of tongue.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Adversus fistulam salivosam	Opération de la fistule salivaire	Bei Speichelfistel	Per fistola salivale
Adversus concreta salivosa	Opération des concrétions salivaires	Bei Speichelsteinen	Per concrezione salivale
Tonsillarum ablatio	Excision des amygdales	Abtragung der Mandeln	Rimozione della tonsilla
Uvæ abscissio	Excision de la luette	Abtragung des Zäpfchens	Taglio dell' ugola
Glandulæ submaxillaris ablatio	Extirpation de la glande salivaire	Entfernung der Submaxillarspeicheldrüse	Rimozione della glandula sottomascellare
Adversus labrum leporinum	Opération du bec-de lièvre	Bei Hasenscharte	Per labbro fesso
Adversus palatum fissum	Division congénitale du voile du palais	Bei Gaumenspalte	Per palato fesso
a. Molle palatum solum	Staphyloraphie	Spaltung des weichen Gaumens allein	Palato molle solo
b. Durum palatum, item molle	Staphyloplastie	Des harten und weichen Gaumens	Palato duro e molle
Ad labrum restituendum	Chiloplastie	Lippenbildung	Per ristauo del labbro
Dentium extractio	Extraction des dents	Ausziehen der Zähne	Per estrazione di denti
Dentium obturatio	Obturation des dents	Plombiren der Zähne	Piombare di denti

OPERA CIRCA SANGUINIS APPARATUM.

Pericardii paracentesis	Paracentese du péricarde	Paracentese des Herzbeutels	Paracentesi del pericardia
-------------------------	--------------------------	-----------------------------	----------------------------

OPERA CIRCA ARTERIAS.

Ligatura	Ligature	Ligatur. <i>Syn.</i> Unterbindung	Legatura
Constrictio temporaria	Constriction temporaire	Temporäre Zusammenschnürung	Costringimento temporario
Acupressura	Acupressure	Acupressur	Acupressione

For salivary fistula.

For salivary concretions.

Removal of tonsils.

Cutting off uvula.

Removal of submaxillary gland.

For harelip.

For cleft palate.

a. Soft palate only.

b. Hard and soft palate.

For restoration of lip.

For extraction of teeth.

Stopping teeth.

OPERATIONS ON THE CIRCULATORY ORGANS.

Paracentesis of pericardium.

OPERATIONS ON ARTERIES.

(Specify the artery.)

Ligature. State the material used.

a. With division of middle and internal coats.

b. Without division of any coats.

Temporary constriction.

Acupressure.

OPERA CIRCA ANEURYSMATA.

LATIN Eq.	FRENCH.	GERMAN.	ITALIAN.
Per arteriæ compressionem	Par compression de l'artère	Durch Compression der Arterie	Compressione dell' arteria
a. Per digitos	Digitale	Mit dem Finger	Digitale
b. Per instrumenta	Instrumentale	Mit besonderen Apparaten	Istrumentale
Per circulationis in membro cohibitionem perfectam	Par arrestation complète de la circulation du membre	Durch vollständige Aufhebung der Circulation in dem Gliede	Per fermare le circolazione completamente in un arto
Per arteriæ ligaturam	Par ligature de l'artère	Durch Unterbindung der Arterie	Per legatura d' un arteria
Per sacci sectionem et ligaturam internam	Par incision du sac et ligature de l'intérieur	Durch Incision des Sacks und Unterbindung von seiner Innenfläche aus	Incisione del sacco e legatura dall indentro del sacco
Per sanguinis coagulationem artificiosam	Par coagulation artificielle	Durch künstliche Coagulation des Bluts	Coagulo artificiale del sangue
a. Per vim chemicam	Par des agents chimiques	Durch chemische Agentien	Per agenti chimici
b. Per corpora adventitia	Par corps étrangers	Durch Fremdkörper	Per corpi estranei
c. Per acupunctionem	Par acupuncture	Durch Acupunctur	Per agopuntura
d. Per galvanopunctionem	Par électro-puncture	Durch Elektropunctur	Per galvanopuntura
Per contrectationem	Par manipulation	Durch Manipulation	Manipolazione
Per flexionem	Par flexion	Durch Flexion	Per flessione
Per sacci ipsius directam compressionem	Par compression directe du sac	Durch directe Compression des Sackes	Per compressione diretta del sacco

OPERA CIRCA VENAS.

Phlebotomia	Phlébotomie	Phlebotomie	Flebotomia
Varicum obliterationio	Oblitération de veines varicose	Obliteration von varicösen Venen	Ostruzione delle vene varicose

OPERA ADVERSUS HÆMORRHAGIAM.

Compressio	Compression	Compression	Compressione
a. Directa	Directe	Directe	Diretta
b. Indirecta	Médiate ou indirecte	Indirecte	Indiretta

OPERATIONS FOR THE CURE OF ANEURYSMS.

By compression of artery.

a. Digital.

b. Instrumental.

State the nature of the apparatus used.

By complete (or by partial) arrest of the circulation in a limb.

„ ligature of artery. (State where applied.)

„ incision of sac, and ligature from within the sac.

„ artificial coagulation of blood.

a. by chemical agents.

b. by foreign bodies.

c. acupuncture.

d. galvanopuncture.

„ manipulation.

„ flexion.

„ direct compression of sac.

OPERATIONS ON VEINS.

(Specify the vein.)

Phlebotomy.

Obliteration of varices. (State the method used.)

Excision of varices.

OPERATIONS FOR HÆMORRHAGE.

Compression.

a. Direct.

b. Indirect.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Ligatura	Ligature	Unterbindung	Legatura
a. Ad locum sanguinis eruptionis	Sur l'orifice béant	Am Orte der Blutung	Al punto che mette sangue
b. Procul a loco sanguinis eruptionis, cordi propius	A une certaine distance de l'orifice, du côté du cœur	Oberhalb der blutenden Stelle, am centralen Theil	In distanza dal punto che mette sangue dal lato prossimale
Acupressura	Acupressure	Acupressur	Acupressione
Torsio	Torsion	Torsion	Torsione
Cauterizatio	Cautérisation	Kauterisation	Canterizzazione
Styptica adhibita	Agents styptiques	Anwendung der Styptica	Stittici applicati
a. Mechanica	Mécaniques	Mechanischer	Meccanici
b. Chemica	Chimiques	Chemischer	Chimici

OPERA CIRCA SPIRITUS ORGANA.

Epiglottidis ablatio	Excision de l'épiglotte	Entfernung der Epiglottis	Rimossa dell' epiglottide
Laryngotomia	Laryngotomie	Laryngotomie	Laringotomia
Tracheotomia	Trachéotomie	Tracheotomie	Tracheotomia
Laryngotracheotomia	Laryngo-trachéotomie	Laryngo-tracheotomie	Laringo-tracheotomia
Thyrotomia	Thyrotomie	Thyrotomie	Tiroidotomia
Laryngis extirpatio	Extirpation' du larynx	Exstirpation des Kehlkopfs	Estirpazione della laringe
Laryngis catheterismus	Cathétérisation du larynx	Katheterisation Kehlkopfs	Cateterismo della laringe
Pleuræ paracentesis	Paracentèse de la plèvre (Thoracentèse)	Paracentese der Pleura	Paracentesi della pleura
a. Cum partis costæ excisione	Avec résection partielle d'une côte	Mit Resection eines Rippenstückes	Con recisione di parte d'una costa

OPERA CIRCA CONCOCTIONIS ORGANA.

Pharyngis extirpatio	Extirpation du pharynx	Exstirpation des Pharynx	Estirpazione della faringe
Partis pharyngis excisio	Excision partielle du pharynx	Excision eines Theils vom Pharynx	Eccisione di parte della faringe
Oesophagi catheterismus	Cathétérisation de l'œsophage	Katheterisation des Oesophagus	Cateterismo dell' esofago

Ligature.

a. At bleeding point.

b. At a distance from bleeding point, on proximal side.

Acupressure.

Torsion

Cauterisation.

Application of styptics.

a. Mechanical.

b. Chemical.

OPERATIONS ON THE RESPIRATORY ORGANS.

Removal of epiglottis.

Laryngotomy.

Tracheotomy.

Laryngo-tracheotomy.

Thyrotomy.

Extirpation of larynx.

Catheterisation of larynx.

Paracentesis of pleura. (State for what condition and by what method.)

a. With excision of part of a rib, or of ribs.

OPERATIONS ON THE DIGESTIVE ORGANS.

Extirpation of pharynx.

Excision of part of pharynx.

Catheterisation of oesophagus.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Œsophagotomia	Œsophagotomie	Oesophagotomie	Esofagotomia
Gastrotomia	Gastrotomie	Gastrotomie (Eröffnung des Magens)	Gastrotomia
Gastrostomia	Gastrostomie	Gastrostomie	Gastrostomia
Partis ventriculi excisio	Excision partielle de l'estomac	Partielle Resection des Magens	Eccisione di parte della stomaco
Gastrenchyta adhibita	Application de la pompe stomacale	Anwendung der Magenpumpe	Ricorso alla tromba stomacale
Ventriculi elotio	Lavage de l'estomac	Ausspülen des Magens	Lavare to stomaco
Partis intestinorum excisio	Excision d'une portion d'intestin	Resection eines Darmstückes	Eccisione di parte d'un intestino
Adversus fistulam in abdomine, sive ventre	Fistule abdominale	Bei Abdominalfistel	Fistola addominale
Colotomia	Colotomie	Colotomie	Colotomia
A parte inguinis	Inguinale	Inguinal-	Inguinale
A parte lumborum	Lombaire	Lumbar-	Lombare
Adversus herniam	Opération de la hernie	Bruchoperation. <i>Syn.</i> Herniotomie	Per ernia
Adversus strangulationem	De la hernie étranglée	Bei Einklemmung	Strozzata
Adversus strangulationem velamentum aperiendo	En ouvrant le sac	Bei Einklemmung mit Eröffnung des Sacks	Strozzata con apertura del sacco
Adversus strangulationem illæso velamento	Sans ouvrir le sac	Bei Einklemmung ohne Eröffnung des Sacks	Strozzata senza apertura del sacco
In integrum restitutio	Cure radicale	Radical-Operation	Cura radicale
Adversus recti intestini stricturam	Rétrécissement du rectum	Bei Strictur des Mastdarms	Ristringimento del retto
a. Per dilatationem simplicem	Par dilatation simple	Durch einfache Erweiterung	Per dilatazione semplice
b. Per dilatationem violentam	Par dilatation forcée	Durch forcirte Erweiterung	Per dilatazione forzata
c. Per incisionem	Par incision	Durch Incision	Per incisione
Sphincteris ani sectio	Sphincter de l'anus	Schnitt des Sphincter ani	Sfintere dell' ano
Adversus fistulam in ano	Fistule à l'anus	Bei Mastdarmsfistel	Fistola nell' ano

Œsophagotomy.

Gastrotomy.

Gastrostomy.

Excision of portion of stomach.

Application of the stomach-pump.

Washing out the stomach.

Excision of portion of intestine.

For abdominal fistula.

Colectomy.

Colotomy.

a. Inguinal.

b. Lumbar.

For hernia.

Note.—The nature of the hernia to be stated.

For strangulation.

„ with opening of sac.

„ without opening of sac.

Radical cure.

Note.—The mode of operation to be stated.

For stricture of the rectum.

a. By simple dilatation.

b. By forcible dilatation.

c. By incision.

Division of the sphincter ani.

For fistula in ano.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Adversus rhagadas in ano	Fissure	Bei Fissur des Afters	Fessure anali
Adversus recti intestini ulcus	Ulcère du rectum	Bei Geschwür des Mastdarms	Ulcera del retto
Partis recti intestini adversus carcinoma abscissio	Excision partielle du rectum pour cancer	Partielle Resection des Mastdarms wegen Carcinom	Rimossa di parti del retto per cancro
Adversus anum impervium	Pour imperforation de l'anus	Bei Atresie des Mastdarms	Per ano imperforato
Adversus hæmorrhoides	Pour hémorrhoides	Bei Hæmorrhoiden	Per emorroidi
Recti intestini adversus hæmorrhagiam obturatio	Tamponnement du rectum contre l'hémorrhagie	Tamponirung des Mastdarms bei Blutung	Tapponaggio del retto per emorragia
Adversus jecoris cystim hydatidicam	Pour kyste hydatique du foie	Bei Echinococcus der Leber	Per cistide idatica del fegato
a. Per acupunctionem	Par acupuncture	Durch Acupunctur	Per agopuntura
b. Per galvanopunctionem	Par électro-puncture	Durch Elektropunctur	Per galvano-puntura
c. Per paracentesim aut aspirationem	Par paracentèse ou aspiration	Durch Punction oder Aspiration	Per paracentesi o aspirazione
d. Per paracentesim et derivationem	Par paracentèse et "drainage"	Durch Punction und Drainage	Per paracentesi o "drainage"
Cholecystotomia adversum calculum infixum	Cholecystotomie pour enlever les calculs biliaires	Cholecystotomie bei eingeschlossenen Gallensteinen	Colecistotomia per levare calcoli biliari
Lienis excisio	Extirpation de la rate	Extirpation der Milz	Eccisione della milza
Abdominis sectio <i>Idem valet Laparotomia</i>	Section abdominale. <i>Syn.</i> Laparotomie	Bauchschnitt. <i>Syn.</i> Laparotomie.	Laparatomia
Abdominis paracentesis	Paracentèse de l'abdomen	Paracentese des Unterleibs	Paracentesi addominale
Recti intestini per anum exploratio	Exploration de l'intestin par le rectum	Exploration des Darms durch den Anus	Esplorazione degli intestini per l'ano

OPERA CIRCA ORGANA LYMPHATICA.

Glandularum lymphaticarum morbidarum ablatio	Extirpation de glandes lymphatiques malades	Entfernung von erkrankten Lymphdrüsen	Rimossa di glandole limfatiche malate
--	---	---------------------------------------	---------------------------------------

For anal fissure.

For ulcer of the rectum.

Removal of part of rectum for cancer.

Removal of polypus of rectum.

For imperforate anus.

For hæmorrhoids. (State the method.)

Plugging of the rectum for hæmorrhage.

For hydatid cyst of the liver.

a. By acupuncture.

b. By galvano-puncture.

c. By tapping or aspiration.

d. By tapping and drainage.

Cholecystotomy, for impacted gall-stone.

Excision of spleen.

Abdominal section. *Synonym*, Laparotomy.

Paracentesis of the abdomen. (State for what condition and by what method.)

Exploration of intestine per anum. (State method.)

OPERATIONS ON THE LYMPHATIC ORGANS.

Removal of diseased lymphatic glands.

OPERA CIRCA CORPUS THYROIDE.

LATIN EQ.		FRENCH		GERMAN		ITALIAN
Bronchoceles ablatio	ab-	Extirpation de bronchocèle	de	Exstirpation einer Kropfdrüse		Rimossa del broncocele
Bronchoceles paracentesis	pa-	Ponction de bronchocèle		Punction bei Kropf	bei	Paracentesi del broncocele
Bronchoceles injectio	in-	Injection de bronchocèle		Injection bei Kropf	bei	Iniezione del broncocele

OPERA CIRCA URINÆ APPARATUM.

Nephrotomia		Néphrotomie		Nephrotomie		Nefrotomia
Nephrectomia		Néphrectomie		Exstirpation der Niere		Nefrectomia
Calculorum renalium ablatio.		Pour retirer les calculs du rein.		Entfernung von Nierensteinen.		Nefrolitotomia
<i>Idem valet Nephrolithotomia</i>		<i>Syn. Néphrolithotomie</i>		<i>Syn. Nephrolithotomie</i>		
In hydronephrosi		Dans les cas d'hydronephrose		Bei Hydronephrose		Idronefrosi
In pyonephrosi		Dans les cas de pyonephrose		Bei Pyonephrose		Pionefrosi
Vesicæ paracentesis		Paracentèse de la vessie	de	Paracentese der Blase		Paracentesi vescicale
<i>a. Supra pubem</i>		Sus-pubienne		Ueber der Symphyse		Soprapubica
<i>b. Per rectum intestinum</i>		Par le rectum		Paracentese der Blase durch den Mastdarm		Rettale
Calculorum ex vesica ablatio		Extraction des calculs de la vessie		Entfernung von Blasensteinen		Estrazione di calcoli vescica
Per lithotomiam		Lithotomie		Lithotomie		Litotomia
<i>a. Supra pubem</i>		Sus-pubienne		Bauchblasenschnitt		Soprapubica
<i>b. Ab alterutro latere</i>		Latérale		Seitensteinschnitt		Laterale
<i>c. Ab utroque latere</i>		Bilatérale		Doppeltseitensteinschnitt		Bilaterale
<i>d. A mediâ parte</i>		Médiane		Mediansteinschnitt		Mediana
<i>e. A mediâ parte et ab utroque latere</i>		Medio-bilatérale		Medianbilateral-schnitt		Medio-bilaterale
<i>f. A parte perinei et recti intestini</i>		Recto-perinéale		Rectoperineal-schnitt		Retto-perineale

OPERATIONS ON THE THYROID BODY.

Removal of bronchocele. Thyrectomy. (State.
method used.)

Tapping of bronchocele.

Injection of bronchocele.

OPERATIONS ON THE URINARY ORGANS.

Nephrotomy.

Nephrectomy.

Removal of renal calculi. *Syn.*, Nephro-lithotomy.

For hydronephrosis.

For pyonephrosis.

Tapping of bladder : (state the method.)

a. above the pubes.

b. through the rectum.

Removal of vesical calculi.

By lithotomy.

a. Supra-pubic.

b. Lateral.

c. Bilateral.

d. Median.

e. Medio-bilateral.

f. Recto-perineal.

LATIN Eq.	FRENCH	GERMAN	ITALIAN
Per lithotripsin	Lithotritie	Lithotritie. <i>Syn.</i> Steinzertrümme- rung	Litotrizia
a. A parte perinci	Lithotritie péri- néale	Perineale Lithotri- tie	Litotrizia peri- neale
b. Fragmentorum evulsio	Extraction des fragments	Extraction von Fragmenten	Estrazione di frammenti
Urethræ fœminæ dilatio	Dilatation de l'urèthre chez la femme.	Erweiterung der weiblichen Harnröhre	Per mezzo della dilatazione dell' uretra nella donna
Per vaginam lithotomia	Lithotomie vagi- nale	Scheidenstein- schnitt	Litotomia vagi- nale
Calculorum ex urethrâ ablatio	Extraction de cal- culs urèthraux	Entfernung von Harnröhren- steinen	Rimossa di calcoli uretrali
In urethræ stric- tura	Contre le rétré- cissement de l'urèthre	Bei Stricture der Harnröhre	Per restringimento dell' uretra
a. Per dilatatio- nem gradatim effectam	Par dilatation pro- gressive	Durch allmähige Erweiterung	Per dilatazione graduale
b. Per dilatationem continuum	Par dilatation con- tinue	Durch fort dau- ernde Erweiter- ung	Per dilatazione continua
c. Per dilatationem violentam	Par dilatation forcée	Durch forcirte Er- weiterung	Per dilatazione for- zata
d. Per urethrotomiam interiorem	Urèthrotomie in- terne	Innere Urethrotom- ie	Uretrotomia in- terna
e. Per urethrotomiam externam, aut sec- tionem a parte perinei	Urèthrotomie ex- terne ou section périnéale	Aeussere Urethrotom- ie oder Peri- nealschnitt	Uretrotomia ester- na o sezione peri- neale

OPERA CIRCA GENITALIA.

I.—VIRILIA.

PENIS. (COLIS. *Cels.*)

Adversus phimo- sim	Contre le phimosis	Bei Phimose	Fimosi
Adversus para- phimosim	Contre le paraphi- mosis	Bei Paraphimose	Parafimosi
Adversus hypo- spadium	Contre l'hypo- spadias	Bei Hypospadie	Per ipospadia
Adversus epispad- iam	Contre l'epispad- ias	Bei Epispadie	Per epispadia
Adversus vesicæ extroversionem	Contre l'exstro- phie de la vessie	Bei Ektopie der Blase	Per estrofia della vesica
Penis amputatio	Amputation de la verge	Amputation des Penis	Amputazione del pene

By lithotrity.

a. Perineal lithotrity.

b. Extraction of fragments.

Dilatation of female urethra.

Vaginal lithotomy.

Removal of urethral calculi.

For stricture of the urethra.

a. By gradual dilatation.

b. „ continuous dilatation.

c. „ forcible dilatation. (State method.)

d. „ internal urethrotomy. (State method.)

e. „ external urethrotomy or perineal section.

Passing of catheter.

OPERATIONS ON THE GENERATIVE ORGANS.

I.—MALE.

PENIS.

For Phimosiis.

„ Paraphimosiis.

„ Hypospadias.

„ Epispadias.

„ Extroversion of bladder.

Amputation of penis.

SCROTUM ET TESTIS.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Adversus hydroceleum	Paracentèse d'hydrocèle	Bei Hydrocele	Paracentesi per idrocele
a. Paracentesis	Paracentèse	Punction	Paracentesi
b. Sanatio perfecta	Cure radicale	Radicaloperation	Cura radicale

Adversus hæmatoceleum	Pour hématocèle	Bei Haematocele	Per ematocele
Castratio	Castration	Castration	Castrazione
Adversus testiculi fungum	Pour fungus du testicule	Bei Fungus des Hodens	Per fungo del testicolo

II.—MULIEBRIA.

Ovarii exsectio	Ovariectomy	Ovariectomy	Ovariectomy
Oöphorectomia	Oöphorectomie. <i>Syn.</i> Castration des femmes	Oophorectomie <i>Syn.</i> Castration der Frauen	Ooforettomia. <i>Sin.</i> Castrare
Cystium in ovario et cystium in ligamento lato paracentesis	Paracentèse de Kystes de l'ovaire et du ligament large	Paracentese von Ovarialcysten und von Cysten im breiten Mutterband	Paracentesi di cisti ovarie e di cisti nel ligamento largo
Tubæ Fallopiæ excisio	Excision du conduit de Fallope	Excision der Tuben	Eccisione della tromba Fallopiana
Fœtus ectopici, sive extra uterum gestati detractio	Extraction du fœtus nécessitée par gestation ectopique ou extra-utérine	Entfernung des Fœtus bei ektopischer oder Extrauterin-schwangerschaft	Rimozione del feto nella gravidanza ectopica o extra-uterina
Uteri cervicis ablatio	Excision du col de la matrice	Entfernung des Cervix	Rimozione del collo dell' utero
Uteri supra cervicem ablatio	Extirpation de l'utérus au dessus du col	Entfernung des Uterus oberhalb des Cervix	Rimozione dell' utero al di là del collo
Uteri totius ablatio	Extirpation totale de la matrice	Entfernung des ganzen Uterus	Rimozione di tutto l' utero
Fœtus reliquiarum ablatio	Extirpation de débris de fœtus	Zur Entfernung von Fœtus-resten	Rimozione di avanzi del feto
Uteri oris et cervicis dilatatio	Pour aggrandir l'orifice et le col de l'utérus	Zur Erweiterung des Os und Cervix uteri	Per allargare la bocca interna ed il collo dell' utero

SCROTUM AND TESTIS.

For Hydrocele.

a. Tapping.

b. Radical cure.

(State by what means effected.)

For Hæmatocele.

Castration.

For Fungus testis.

II.—FEMALE.

Ovariectomy. Removal of enlarged or diseased ovary.

Oöphorectomy. Removal of healthy ovaries. *Syn.*,
Spaying.

Paracentesis of ovarian cysts and of cysts in broad ligament. (State method used.)

Excision of Fallopian tube.

Removal of foetus in ectopic or extra-uterine gestation.

Removal of cervix uteri.

„ uterus above cervix.

„ whole uterus.

For removal of foetal remains.

For enlarging os and cervix uteri.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Adversus uteri cervicis lacera- tionem aut fis- suram	En cas de lacéra- tion ou fissure du col	Bei Zerreißung oder Fissur des Cervix	Per lacerazione o fissura dell utero
Adversus hæma- tocele post uterum et ab- scessum	Pour hématocèle rétro-utérine et pour abcès rétro-utérin	Bei retrouteriner Haematocèle und Abscess	Per ascesso e ematoceleretro- uterina
Uteri interni ra- sura	Râclément de la cavité utérin	Ausschaben der Gebärmutter- höhle	Raschiare la cavi- tà dell' utero
Adversus men- strua retenta	Pour rétention du fluide menstruel	Bei zurückgehal- tener Menstru- alflüssigkeit	Per mestruai rite- nuti
Adversus vaginæ aut uteri atre- siam	Pour atrésie du vagin on de l'utérus	Bei Atresie der Scheide oder Gebärmutter	Per atresia della vagina o dell utero
Ad vaginam con- trahendam	Pour rétrécir le vagin	Zur Verengung der Scheide	Per restringere la vagina
Adversus fistulam rectum inter et vaginam	Fistule recto- vaginale	Matsdarm- Scheidenfistel	Fistola retto-vagi- nale
Adversus fistulam uterum inter et vesicam	Fistule vésico- utérine	Blasen - Gebär- mutterfistel	Fistola vescico- uterina
Adversus fistulam vesicam inter et vaginam	Fistule vésico- vaginale	Blasenscheiden- fistel	Fistola vescico- vaginale
Adversus perine- um ruptum	Pour rupture du périnée	Bei Dammriss	Per lacerazione- del perineo
Vaginæ adversus hæmorrhagiam obturatio	Tamponnement du vagin pour hémorrhagie	Tamponirung der Scheide bei Blu- tung	Tapponaggio della vagina per emorragia
Clitoridis ampu- tatio	Amputation du clitoris	Amputation der Clitoris	Amputazione della clitoride
Membranæ vulvæ reliquiarum ab- latio	Excision de débris de l'hymen	Entfernung von Hymenresten	Rimossa di parti rimanenti dell' imene
Adversus coccy- godyniam	Pour coccygody- nie	Bei Coccygodyn- ie. Syn. Steiss- beinschmerz	Per coccigodinia

OPERA OBSTETRICIA.

Vectis adhibitus	Application du lévier	Anlegung des Hebels	Applicazione della leva
Forceps adhibita	Application du forceps	Anlegung der Zange	Applicazione del forcipe

For lacerated or fissured cervix uteri.

For retro-uterine hæmatocele and abscess.

Scraping the cavity of the uterus.

For retained menstrual fluid.

For atresia of vagina or uterus.

For contracting the vagina.

For recto-vaginal fistula.

For utero-vesical fistula.

For vesico-vaginal fistula.

For ruptured perineum.

Plugging of vagina for hæmorrhage.

Amputation of clitoris.

Removal of remains of hymen.

For coccygodynia.

OBSTETRIC OPERATIONS.

Application of lever.

„ „ forceps.

LATIN Eq. Versio	FRENCH Version	GERMAN Wendung	ITALIAN Versione. Sin. Volgimento
Embryotomia	Embryotomie	Embryotomie	Embriotomia
a. Craniotomia	Craniotomie	Craniotomie	Craniotomia
b. Decollatio	Décapitation	Decapitation	Decapitazione
c. Corporis bipartitio	Bisection du corps	Durchschneiden des Foetus	Bisezione del corpo
d. Evisceratio	Eviscération	Evisceration	Eviscerazione
Uteri oris et cervicis dilatatio	Dilatation de l'orifice et du col de l'utérus	Erweiterung des Muttermundes und des Cervix	Dilatazione della bocca interna e del collo dell' utero
a. Per manum	Manuelle	Manuelle	Colla mano
b. Per incisionem	Par incision	Instrumentelle	Per incisione
c. Per instrumenta	Par dilatation artificielle	Durch künstliche Dilatatoren	Con dilatatori artificiali
Symphysiotomia	Symphyséotomie	Symphyseotomie	Simfiseotomia
Sectio Cæsarea	Opération césarienne	Kaiserschnitt	Taglio cesareo
a. Simplex	Simple	Einfacher	Semplice
b. Uteri ablatio subsequens	Suivie d'extirpation de l'utérus	Mit nachfolgender Entfernung des Uterus.	Seguito da rimossa dell' utero
Ad secundas antepartum evellendas	Ayant pour objet la séparation du placenta avant la naissance de l'enfant	Bei vorzeitiger Lösung der Placenta während der Geburt	Per separazione della placenta prima del parto
Ad secundas tollendas	Extraction du placenta	Zur Entfernung der Placenta	Per rimossa della placenta
1. Per manuum usum externum	Par manipulation extérieure	Durch äussere Handgriffe	Con manipolazione esterna
2. Per manuum usum internum	Par introduction de la main	Mit Einführung der Hand	Con introdurre la mano
Uteri inversi restitutio	Pour réduire une inversion utérine	Reposition bei Umstülpung der Gebärmutter	Reduzione dell' utero inverso
Ad partum inducendum	Pour provoquer l'accouchement	Zur Einleitung der Geburt	Per indurre il travaglio del parto
Ad ovum tollendum	Pour l'extraction de l'œuf	Zur Entfernung der Frucht	Per rimossa dell' uovo
1. In abortû	En cas d'avortement	Bei dem künstlichen Abortus	Nell aborto
2. In molis aut membranarum corruptis	En cas de mûles ou membranes malades	Bei Molenschwangerschaft	In caso di mola o di membrane difettose

Version. *Synonym*, Turning.

Embryotomy.

- a. Craniotomy.
- b. Decapitation.
- c. Bisection of the body.
- d. Evisceration.

Dilatation of the os and cervix uteri.

- a. By hand.
- b. By incision.
- c. By artificial dilators.

Symphysiotomy.

Cæsarian section.

- a. Simple.
- b. Followed by removal of uterus.

For separation of placenta before birth of child.

For removal of placenta.

1. By external manipulation.
2. By introducing the hand.

Reduction of inverted uterus.

For induction of labour.

For removal of ovum.

1. In abortion.
2. In moles or diseased membranes.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Injectiones in uterum ad hæmorrhagiam cohibendam	Injections dans l'utérus pour arrêter l'hé- morrhagie	Einspritzungen in die Gebärmu- terhöhle zur Stillung von Blutungen	Iniezioni nella cavità dell'utero per fermare emorragie
1. Aquæ calidæ aut frigidæ	Eau chaude ou froide	Wasser, heiss oder kalt	Acqua calda o fredda
2. Liquorum astrin- gentium	Liquides astrin- gents	Adstringende Flüssigkeiten	Liquidi astringenti
Transfusio	Transfusion	Transfusion	Transfusione

OPERA CIRCA MAMMAM.

Ablatio	Extirpation	Exstirpation	Rimossa
---------	-------------	--------------	---------

OPERA CIRCA ORGANA CORPUS MOVENTIA.

OPERA CIRCA OSSA.

Periosteotomia	Périostéotomie	Periosteotomie	Periosteotomia
Osteotomia	Ostéotomie	Osteotomie	Osteotomia
Ossium excisio	Excisions des os	Resection von Knochen	Risezione delle ossa
Sequestrorum ab- latio	Extraction de sé- questres	Entfernung von Sequestern	Rimossa di se- questri
Adversus frac- turam non co- euntem	Opération pour obtenir la ré- union d'une fracture	Operation für unvereinigte Fracturen	Operazione per fratture non unite
Ossium iterata fractura	Reproduction de la fracture	Refractur von Knochen	Frattura ripro- dotta

OPERA CIRCA ARTICULOS.

Loco motorum restitutio	Réduction des luxations	Einrenkung von Verrenkungen	Riduzione delle lussazioni
Extensio aut flexio violenta	Extension forcée des articula- tions	Streckung von steifen und con- trahirten Gelen- ken	Estensione forzata delle articula- zioni ancilo- tiche e deformi
Sectio	Incision des arti- culations	Incision von Ge- lenken	Incisione delle ar- ticolazioni
Excisio perfecta aut imperfecta	Excision des articulations partielle ou complète	Resection von Ge- lenken theil- weise oder voll- ständige	Risezione delle articolazioni par- ziale o completa

Injectons into uterus to arrest hæmorrhage.

1. Water, hot or cold.

2. Astringent fluids.

(The nature of the fluid should be specified.)

Transfusion.

(The fluid used should be specified.)

OPERATIONS ON THE BREAST.

Removal. (State whether complete or partial.)

OPERATIONS ON THE ORGANS OF LOCOMOTION. ON BONES.

(Specify the bone.)

Periosteotomy.

Osteotomy.

Excision.

(State whether for necrosis, injury, or disease,
and whether total or partial; and specify the seat
and method of operation.)

Removal of sequestra.

(State the method.)

Operation for ununited fracture. (State the method.)

Refracture of bone.

ON JOINTS.

(Specify the joint.)

Reduction of dislocations.

State whether for recent or old dislocation.

Forcible extension or flexion.

Incision.

Excision, partial or complete.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Corporum libero- rum ablatio	Extraction de corps libres	Entfernung von freien Körpern. <i>Syn.</i> Gelenk- mäusen	Estrazione di corpi liberi
Paracentesis <i>aut</i> aspiratio	Paracentèse ou aspiration	Punction oder Aspiration	Paracentesi o as- pirazione

OPERA CIRCA MUSCULOS, TENDINES, FASCIAS, ET BURSAS.

Myotomia	Myotomie	Myotomie	Miotomia
Tenotomia, <i>sive</i> tenontotomia	Ténotomie	Tenotomie	Tenotomia
Fasciarum sectio	Aponévrotomie	Trennung von Fascien	Divisione delle fascie
Cicatricum adhæ- rentium sectio	Section d'adhé- rences cicatri- cielles	Trennung von narbigen Ad- haesionen	Divisione di ade- sioni formate da cicatrici

OPERA CIRCA TELAM CONNEXIVAM.

Adversus trices	cica- Cicatrices	Narben	Cicatrici
--------------------	------------------	--------	-----------

OPERA CIRCA MEMBRA INTEGR.

AMPUTATIO.

Circularis	Méthode circulaire	Zirkelschnitt	Circolare
<i>a.</i> Sine modifica- tione	Pure	Reiner	Pura
<i>b.</i> Cum modifica- tione	Modifiée	Modificirter	Modificata
Ovata	Méthode ovale	Ovalairschnitt	Ovale
Cum marginibus pendulis	Méthode à lam- beaux	Lappenschnitt	Falda

Læsionis causa amputatio	Amputation pour lésions	Amputationem bei Verletzungen	Amputazioni per lesioni
<i>a.</i> Primaria	Primaire	Primäre	Primaria
<i>b.</i> Media	Intermédiaire	Intermediäre	Intermediaria
<i>c.</i> Secundaria	Amputations se- condaires	Secundäre	Amputazioni se- condarie

Removal of loose bodies.

Tapping or aspiration.

ON MUSCLES, TENDONS, FASCIÆ, AND BURSÆ.

(Specify the part.)

Myotomy.

Tenotomy.

Division of fasciæ.

Division of cicatricial adhesions.

ON CONNECTIVE TISSUE.

For cicatrices.

ON LIMBS AS A WHOLE.

AMPUTATIONS.

(State in all cases the conditions on account of which the amputation was performed; the joint at which the limb was disarticulated; or the exact point at which the bone or bones were sawn.)

(State also the method as follows):—

Circular.

a. Pure.

b. Modified.

Oval.

Flap.

(State whether by single or double flap; if double, give the relative length of the flaps, and whether they were lateral or antero-posterior; also whether made by transfixion or by dissection; and whether composed of skin and fat only, or including muscles.)

Amputations for injury.

a. Primary.

b. Intermediate.

c. Secondary.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
Morbi causa amputatio	Amputations pour maladie	Amputationen bei krankhaften Zuständen	Amputazioni per malattie
Deformitatis causa amputatio	Amputations pour difformité	Amputationen wegen Deformität	Amputazioni per difformità

OPERA CIRCA CUTEM.

Cucurbitula adhibita	Ventouses	Schröpfen	Ventosare
Adversus ulcus vetustum	Ulcère chronique	Bei chronischem Geschwür	Ulcera cronica
Adversus cicatrices	Cicatrice	Bei Narben	Cicatrici
Cutis insertio	Grefte cutanée	Verpflanzung der Haut	Innestamento di cute

OPERA NON IN CLASSES DISTRIBUTA.

Transfusio	Transfusion	Transfusion	Trasfusione
Injectio in venas alii præter sanguinem liquoris	Injectiones dans les veines de liquides autres que le sang	Einspritzung von anderen Flüssigkeiten als Blut in die Venen	Iniezione nelle vene di fluidi altri che sangue
Injectio hypodermica	Injection hypodermique	Einspritzung unter die Haut	Iniezione sotto cutanea
Respiratio artificiosa	Respiration artificielle	Künstliche Respiration	Respirazione artificiale
Animæ in demersis restitutio	Rappel à la vie des personnes noyées	Wiederbelebung von Ertrunkenen	Resuscitazione degli annegati
Animæ a suspensio restitutio	Rappel à la vie des personnes pendues	Wiederbelebung von Erhängten	Resuscitazione degli impiccati
Veneno affectorum curatio	Traitement de cas d'empoisonnement	Behandlung von Vergiftungsfällen	Cure di casi d'avvelenamento

Amputations for disease.

Amputations for deformity.

OPERATIONS ON THE SKIN.

Cupping.

For chronic ulcer. (State the locality.)

For cicatrices. (State the locality.)

Skin-grafting.

OPERATIONS NOT CLASSIFIED.

Transfusion.

Injection of other fluid than blood into veins.

Subcutaneous injection.

Artificial respiration.

Resuscitation of drowned persons.

„ hanged persons.

Treatment of cases of poisoning.

HUMAN PARASITES.

SUBDIVISIONS.

1. ENTOZOA.
2. ECTOZOA, including the burrowing and so-called "free" parasites.
3. ENTOPHYTA AND EPIPHYTA.

CLASSES.

- A. TREMATODA. *English synonym*, Flukes.
- B. CESTODA. *English synonym*, Tape-worms.
- C. NEMATODA. *English synonym*, Round-worms and Thread-worms.
- D. ACANTHOCEPHALA. *English synonym*, Thorn-headed worms.
- E. INSECTA PARASITICA. *English synonyms*, Parasitic flies, gnats, fleas, beetles, and true bugs.
- F. ARACHNIDA PARASITICA. *English synonym*, Parasitic mites and ticks.
- G. SUCTORIA PARASITICA. *English synonym*, Leeches.

ENTOZOA.

CLASS A. TREMATODA.

1. *Fasciola hepatica*. (Linnæus.) *Synonym*, Common fluke. *Habitat*: Liver.
2. *Distoma crassum*. (Busk.) *Synonym*, Large human fluke. *Habitat*: Duodenum.
3. *Distoma lanceolatum*. (Mehlis.) *Habitat*: Hepatic duct; intestines.

4. *Distoma ophthalmobium*. (Diesing.) An immature form. *Habitat*: Eye.
5. *Distoma heterophyes*. (Siebold.) *Synonym*, Egyptian fluke. *Habitat*: Small intestines.
6. *Distoma conjunctum*. (Cobbold.) *Habitat*: Liver.
7. *Distoma Sinense*. (Cobbold.) *Habitat*: Liver.
8. *Distoma Ringeri*. (Cobbold.) *Habitat*: Lungs.
9. *Bilharzia hæmatobia*. (Cobbold.) *Habitat*: Portal and venous blood; renal vessels; right side of heart.
10. *Tetrastoma renale*. (Della Chiaje.) *Habitat*: Tubes of the kidney.
11. *Hexathyridium venarum*. (Treutler.) *Habitat*: Venous blood.
12. *Hexathyridium pinguiicola*. (Treutler.) *Habitat*: Ovary.
13. *Amphistoma hominis*. (Lewis and McConnell.) *Habitat*: Intestines.

CLASS B. CESTODA.

14. *Bothriocephalus latus*. (Bremser.) *Habitat*: Intestines.
15. *Bothriocephalus cordatus*. (Leuckart.) *Habitat*: Intestines.
16. *Bothriocephalus cristatus*. (Davaine.) *Habitat*: Intestines.
17. *Tænia solium*. (Linnæus.) *Habitat*: Intestines.
18. *Cysticercus* of the *Tænia solium*. *Synonym*, *Cysticercus telæ cellulosæ*. *Habitat*: Connective tissue
19. *Tænia mediocanellata*. (Küchenmeister.) *Habitat*: Intestines.
20. *Tænia acanthotrias*. (Weinland.) Larval state only known; doubtful species. *Habitat*: Intestines.
21. *Tænia flavopuncta*. (Weinland.) *Habitat*: Intestines.
22. *Tænia nana*. (Siebold.) *Habitat*: Intestines.
23. *Tænia lophosoma*. (Cobbold.) *Habitat*: Intestines.
24. *Tænia elliptica*. (Batsch.) *Habitat*: Intestines.
25. *Cysticercus tenuicollis*: larval state of the *Tænia marginata*. *Habitat*: Soft parts generally.

26. *Tænia Madagascariensis*. (Davaine.) *Habitat*: Intestines.
27. *Tænia abietina*. (Weinland.) Probably a mere variety of *T. mediocanellata*.
28. *Echinococcus hominis*. *Synonyms*, Hydatid of the *Tænia echinococcus*. *Echinococcus veterinorum*. Larval state of the so-called Hydatid tapeworm of the dog. *Habitat*: Soft parts and organs generally.
29. *Tænia tenella*. (Cobbold.) The *Cysticercus ovis* (Cobbold) or Mutton-measle is probably the source of this worm.

CLASS C. NEMATODA.

30. *Ascaris lumbricoides*. (Linmæus.) *Habitat*: Intestines.
31. *Ascaris Mystax*. (Rudolphi.) *Habitat*: Intestines.
32. *Trichocephalus dispar*. (Rudolphi.) *Habitat*: Intestines.
33. *Trichina spiralis*. (Owen.) *Habitat*: Muscles.
34. *Filaria Medinensis*. (Gmelin.) *Synonym*, *Dracunculus Medinensis*. *English synonym*, Guinea-worm. *Habitat*: Skin and subcutaneous tissues.
35. *Filaria oculi*. (Nordmann.) *Synonym*, *Filaria lentis*. (Diesing.) *Habitat*: Eye.
36. *Filaria labialis*. (Pane.) *Habitat*: The lips.
37. *Filaria hominis oris*. (Leidy.) An immature form; doubtful species.
38. *Filaria trachealis*. (Bristowe and Rainey.) An immature form; doubtful species.
39. *Filaria sanguinis hominis*. (Lewis.) *Synonym*, *Filaria Bancrofti*. (Cobbold.) *Habitat*: In the mature state, the lymph-vessels; the larvæ probably occupying the lymph-vessels in the day, and passing into the blood at night.
40. *Filaria Loa*. (Guyot.) *Synonym*, *Dracunculus Loa*. (Cobbold.) *Habitat*: The eye of negroes.
41. *Eustrongylus gigas*. (Diesing.) *Habitat*: Kidney, intestines.

42. *Strongylus bronchialis*. (Cobbold.) *Synonym*, *Filaria bronchialis*. *Habitat* : Bronchial tubes.
43. *Dochmius duodenalis*. (Leuckart.) *Synonyms*, *Sclerostoma duodenale*. (Cobbold.) *Ancylostomum duodenale*. (Dabini.) *Habitat* : Duodenum.
44. *Oxyuris vermicularis*. (Bremser.) *English synonym*, Thread-worm. *Habitat* : Rectum
45. *Leptodera stercoralis*. (Bavay.) *Synonym*, *Anguilula stercoralis*. Cause of the Cochín-China diarrhoea. *Habitat* : Intestines.
46. *Leptodera intestinalis*. (Bavay.) *Synonym*, *Anguilula intestinalis*. *Habitat* : Intestines.
47. *Leptodera teres*. (Schneider.) *Synonyms*, *Rhabditis Cornwalli*. (Cobbold.) *Pelodera setigera*. (Bastian.) *Habitat* : Muscles.
48. *Rhabditis genitalis*. (Schreiber.) *Habitat* : Urine.

CLASS D. ACANTHOCEPHALA.

49. *Echinorhynchus gigas*. (Goeze.) *Synonym*, *Echinorhynchus hominis*. (Lamble.) *Habitat* : Intestines.

CLASS E. INSECTA PARASITICA.

50. *Æstrus hominis*. (Say.) *English synonym*, Larva of the gad-fly. This is distinct from *æstrus bovis*, which also, it is said, attacks man. *Habitat* : Intestines.
51. *Æstrus Guildingii*. (Hope.) *Synonym*, Guilding's Bot: occurs at Trinidad.
52. *Æstrus Livingstonii*. (Cobbold.) *Habitat* : Skin.
53. *Cuterebra noxialis*. *Synonym*, Macaco worm. *Habitat* : Intestines.
54. *Blaps mortisaga*. *English synonym*, The Church-yard beetle. *Habitat* : Intestines.
55. *Tenebrio molitor*. *English synonym*, The meal-worm. *Habitat* : Intestines.
56. *Anthomyia canicularis*. (Macquart.) *Synonym*, *Musca canicularis*. (Linnæus.) *Habitat* : Intestines.

57. *Musca vomitoria*. *English synonym*, The blue-bottle fly. Larva. *Habitat*: Nostrils; intestines.
58. *Musca Cæsar*. *English synonym*, The sheep-fly. Larva. *Habitat*: Open wounds.
59. *Musca domestica*. *English synonyms*, House-fly, maggots. Larva. }
60. *Musca stabulans*. Larva. }
61. *Musca larvarum*. Larva. } *Habitat*: Open wounds
62. *Musca carnaria*. Larva. } and sores.
63. *Musca cibaria*. Larva. }
64. *Musca nigra*. Larva. }
65. *Lucilia hominivora*. Larva. *Habitat*: Mouth, pharynx, and nostrils.
66. *Helophilus pendulus*. Larva. *English synonym*, Rat-tailed maggot. *Habitat*: Intestines.

ECTOZOA.

CLASS E. INSECTA PARASITICA.

67. *Stomoxys calcitrans*. *English synonym*, The leg-sticker.
68. *Hæmatopota pluvialis*. *English synonym*, The clegg.
69. *Glossina morsitans*. The tsetse.
70. *Chironomus plumosus*. *English synonym*, The midge.
71. *Culex anxifer*. The mosquito.
72. *Culex pipiens*. Gnat.
73. *Culex pulicans*. Gnat.
74. *Culex annulatus*. Gnat.
75. *Simulium reptans*. Creeping gnat.
76. *Pangonia Brucei*. The scroop or zimb.
77. *Conorhinus nigrovarius*. The pampas benchucha.
78. *Acanthia lectularia*. The bed bug.
79. *Acanthia rotundata*. Réunion Island bug.
80. *Acanthia ciliata*. Kasan bug.
81. *Reduvius personatus*. Fly-bug.
82. *Reduvius amoenus*. Borneo bug.
83. *Reduvius serratus*. Indian bug.
84. *Reduvius cruentus*. Bloodthirsty bug.
85. *Pulex irritans*. The common flea.

86. *Pulex penetrans*. (Gmelin.) *English synonym*, The jigger, or chigoe. *Habitat*: Females bury themselves in the skin of the feet.
87. *Phthirus inguinalis*. *English synonym*, Crab-louse.
88. *Pediculus capitis*. (Nitzsch.) *English synonym*, Head-louse.
89. *Pediculus palpebrarum*. (Le Jeune, in Guillemeau.) *English synonym*, Eyelid louse.
90. *Pediculus vestimenti*. (Nitzsch.) *English synonym*, Body-louse; clothes-louse.
91. *Pediculus tabescentium*. *English synonym*, Distemper louse.
92. *Ornithomyia avicularis*. Cage-bird louse. Transfers itself to skin of man.

CLASS F. ARACHNIDA PARASITICA (CHIEFLY ECTOZOAL).

93. *Pentastoma denticulatum*. (Siebold.) *Habitat*: Liver and small intestines. This is the larval state of *Pentastoma tænioides* of the dog.
94. *Pentastoma constrictum*. *Habitat*: Liver.
95. *Sarcoptes scabiei*. (Latreille.) *Synonym*. *Acarus*.
English synonym, Itch-mite.
Note.—The disease Scabies to be returned amongst the parasitic diseases of the skin.
96. *Sarcoptes crustosæ*. (Fürstenburg.) The Norway itch-mite.
97. *Demodex folliculorum*. (Owen.) *Synonym*, *Simonia*.
98. *Tyroglyphus Mericourti*. (Laboulbène.) *Méricourt's* West Indian mite.
99. *Entarsus cancriformis*. (Hessling.)
100. *Coelognathus morsitans*. (Hessling.)
101. *Argas Persicus*. The Persian or Miana bug
102. *Argas Chinche*. The Columbian bug.
103. *Ixodes hominis*. (Koch.) *English synonym*, The tick.
104. *Ixodes Monbata*. The Angola tick.
105. *Ixodes Carapato*. The Brazilian tick.
106. *Galeodes araneoides*. The camel tick. Transfers itself to man.

107. *Leptus autumnalis*. *English synonym*, The harvest-bug.
108. *Trombidium cinereum*. Larva.
109. *Gamasus*, species of. Dung-beetle mite. Transfers itself to man.

CLASS G. SUCTORIA PARASITICA.

110. *Sanguisuga medicinalis*. (Savigny.) *English syn.*, the grey leech.
111. *Sanguisuga officinalis*. (Savigny.) *English synonym*, The green leech.
112. *Sanguisuga interrupta*. (Moquin-Tandon.) The dragon-leech.
113. *Sanguisuga tagalla*. (Meyen.) The Ceylon wood-leech.
114. *Sanguisuga Javanica*. (Wahlberg.) The Java leech.
115. *Hæmopsis sanguisuga*. (Moquin-Tandon.) The horse-leech. Attacks the mouth and nasal passages.
116. *Hæmenteria officinalis*. (Filippi.) The American leech.
117. *Hæmenteria Mexicana*. (Filippi.) The Mexican leech.
118. *Hæmenteria Ghiliana*. (Filippi.) The Brazilian leech.
119. *Cyclobdella lumbricoides*. The blind leech of Brazil.

EPIPHYTA AND ENTOPHYTA ; EXTERNAL AND INTERNAL VEGETABLE PARASITES.

120. *Leptothrix buccalis*. (Wedl. Robin.) *English synonym*, Alga of the mouth.
121. *Oidium albicans*. (Link.) *English synonym*, Thrush fungus. *Habitat*: Mouth in cases of thrush, and certain mucous and cutaneous surfaces.
122. *Sarcina ventriculi*. (Goodsir.) *Habitat*: Stomach.
123. *Torula cerevisiæ*. (Turpin.) *Synonym*, *Cryptococcus cerevisiæ*. (Kützing.) *English synonym*, Yeast-plant. *Habitat*: Stomach, bladder, &c.

124. *Chionyphe Carteri*. *Definition*: A cotton fungus occurring in the disease called Mycetoma. *Habitat*: Deep tissues, and bones of the hands and feet.
125. *Achorion Schönleini*. (Remak.) *Habitat*: *Tinea favosa*
126. *Trichophyton tonsurans*. (Malmsten.)
127. *Microsporon furfur*. (Eichstädt.) *Habitat*: *Tinea versicolor*.
128. *Microsporon mentagrophytes*. (Gruby.) *Habitat*: Follicles of hair in Sycosis or Mentagra.

The foregoing list might be extended by the addition of various parasitic vegetations, which have been reported under the names of Algæ, Fungi, Bacteria, Bacilli, &c. Their characters as species are still the subject of inquiry.

DEFORMITATES,

INGENITÆ, ET EX RUDI POST PARTUM EVOLUTIONE
EXORTÆ.

DEFORMITATES EX RUDI EVOLUTIONE VEL INCREMENTO EXORTÆ.

NERVORUM APPARATUS.

Cerebri defectio.
Cerebrum rude vel minus absolutum.
Medulla spinæ aut nulla aut inchoata.
Nervorum cum centris suis commissura imperfecta.

SENSUUM SINGULARIUM APPARATUS.

Oculorum defectus.
Oculi imperfecti.
Arteria hyaloides persistens.
Palpebræ imperfectæ.
Palpebrarum perpetua conjunctio.
Palpebrarum defectus.
Ptosis ingenta.
Epicanthis.
Auris exterior aut imperfecta aut nulla.
Foramen auris clausum.
Auris interior imperfecta.
Nasus aut imperfectus aut nullus.

SANGUINIS APPARATUS.

Cordis defectus.
Cordis cava numero deficientia.
 a. Singulæ auriculæ cum singulis ventriculis.
 b. Binæ auriculæ cum singulis ventriculis.
Septa imperfecta.
 a. Septum auricularum.
 1. Foramen ovale persistens.
 b. Septum ventriculorum.

MALFORMATIONS,

CONGENITAL, AND DUE TO ERRORS OF DEVELOPMENT
SUBSEQUENT TO BIRTH.

MALFORMATIONS RESULTING FROM INCOMPLETE
DEVELOPMENT OR GROWTH.

OF THE NERVOUS SYSTEM.

Brain absent.

Brain rudimentary or incompletely developed.

Spinal cord absent or imperfect.

Continuity of nerves with nerve-centres incomplete.

OF THE ORGANS OF SPECIAL SENSE.

Eyes absent. (Anophthalmos.)

Eyes imperfect. (Microphthalmos.)

Persistent hyaloid artery.

Eyelids incomplete.

Eyelids remaining united. (Symblepharon.)

Eyelids absent. (Ablepharon.)

Congenital ptosis.

Epicanthus.

External ear absent or imperfect.

Meatus externus closed.

Internal ear imperfect.

Nose absent or imperfect.

OF THE VASCULAR SYSTEM.

Heart absent.

Cavities of heart deficient in number.

a. One auricle and one ventricle.

b. Two auricles and one ventricle.

Septa incomplete.

a. Auricular.

1. Foramen ovale persistent.

b. Ventricular.

Ostia obstructa aut imperfecta.

- a.* Ostium dextrum auriculam inter ventriculumque.
- b.* Ostium pulmonale.
- c.* Ostium sinistrum auriculam inter ventriculumque.
- d.* Ostium aorticum.

Cordis valvæ imperfectæ.

Foramen ovale præmature clausum.

Ductus arteriosus præmature clausus.

Aortæ et arteriæ pulmonalis capita inter se transposita.

Aorta ascendens a ventriculo sinistro orsa, descendens a dextro per ductum arteriosum.

Ductus arteriosus pervius.

Aortæ descendentis caput coarctatum aut obliteratum.

Pericardium aut nullum aut imperfectum.

Arteriarum distributio abnormis.

Venarum distributio abnormis.

Ambarum distributio abnormis.

SPIRITUS APPARATUS.

Pulmonum defectus (alterutrius vel utriusque).

Pulmonum lobi numero deficientes.

Larynx et trachea aut nulla aut inchoata.

CONCOCTIONIS APPARATUS.

Dentes aut nulli aut inchoati.

Fauces coarctatæ aut imperviæ.

Œsophagus impervius.

Intestina impervia, coarctata, in sacculos partita, aut in variis partibus interrupta.

Intestinorum ostium abnorme.

Anus coarctatus aut impervius.

Anus in situ inusitato.

Jecur præter naturam exiguum.

Vesiculæ fellis defectus.

Jecoris ductus impervii.

Ductus vitellinus persistens.

Orifices obstructed or imperfect.

a. Right auriculo-ventricular aperture.

b. Pulmonic aperture.

c. Left auriculo-ventricular aperture.

d. Aortic aperture.

Cardiac valves imperfect.

Foramen ovale prematurely closed.

Ductus arteriosus prematurely closed.

Origins of aorta and pulmonary artery transferred.

Origin of ascending aorta from left ventricle and of descending aorta from right ventricle, through the ductus arteriosus.

Ductus arteriosus pervious.

Commencement of descending aorta contracted or obliterated.

Pericardium absent or defective (hernia).

Abnormal distribution of arteries.

” ” of veins.

” ” of both.

OF THE RESPIRATORY SYSTEM.

Lung (one or both) absent.

Pulmonary lobes deficient in number.

Larynx and trachea absent or imperfect.

OF THE DIGESTIVE SYSTEM.

Teeth deficient or imperfectly developed.

Fauces narrowed or impervious.

Œsophagus impervious.

Stomach divided by constrictions.

Intestine impervious, narrowed, sacculated, diverticulate, or interrupted in various regions.

Intestine opening abnormally.

Anus narrowed or impervious.

Anus in unusual situations.

Liver preternaturally small.

Gall-bladder absent.

Biliary ducts impervious.

Vitelline duct persistent.

URINÆ APPARATUS.

Renum defectus (alterutrius vel utriusque).
 Renes multifidi.
 Ureteres aut nulli aut impervii.
 Urachus persistens.

GENITALIUM VIRILIUM.

Penis (*sive* coles) pusillus.
 Phimosis ingenua.
 Testiculorum defectus (alterutrius vel utriusque).
 Hydrocele ingenua.
 Partium exteriorum defectus.
 Mülleri ductus persistens.

GENITALIUM MULIEBRIMUM.

Ovariorum defectus (alterutrius vel utriusque).
 Uteri totius aut partis defectus.
 Uterus impervius.
 Uterus pusillus.
 Vaginæ totius aut partis defectus.
 Vagina impervia.
 Vagina in sinum desinens.
 Partium exteriorum defectus.
 Partes exteriores infantilibus similes.
 Partium exteriorum foetalis conditio persistens.

ALIÆ HUIUS GENERIS DEFORMITATES.

Caput aut nullum aut rude.
 Calvaria imperfecta.
 Maxilla inferior aut nulla aut imperfecta.
 Membra superiora et inferiora aut nulla aut rudia.
 Membra inferiora aut nulla aut rudia.
 Membrum inferius alterutrum aut nullum aut rude.
 Manus pedesque scapularum et coxarum ossibus inserti.
 Manuum pedumque digiti numero deficientes.

OF THE URINARY SYSTEM.

Kidney (one or both) absent.

Kidney lobulated.

Ureters absent or impervious.

Urachus persistent.

OF THE MALE ORGANS OF GENERATION.

Penis diminutive.

Congenital phimosis.

Testicle (one or both) absent.

Congenital hydrocele.

External organs absent.

Persistent Müller's ducts.

OF THE FEMALE ORGANS OF GENERATION.

Ovary (one or both) absent.

Uterus absent in whole or in part.

Uterus impervious.

Uterus diminutive.

Vagina absent in whole or in part.

Vagina impervious.

Vagina a cul-de-sac.

External organs absent.

„ „ of infantile type.

Persistence of early foetal state of external organs.

OTHER MALFORMATIONS OF THIS CLASS.

Head absent, or rudimentary.

Cranium defective.

Lower jaw absent or defective.

Upper and lower extremities absent

Lower extremities absent

One lower extremity absent

} or rudimentary.

Hands and feet articulated to scapulæ and pelvis.

Fingers and toes deficient in number.

DEFORMITATES INGENITÆ EX PARUM COËUNTIBUS,
QUÆ DEBUERANT CONJUNGI PARTIBUS.

A.—MEDIARUM REGIONUM A PRIORI PARTE ET ARCUBUS
VISCERALIBUS.

Faciei fissura.

Iridis fissura.

Choroidis et processuum ciliarium fissura.

Scleroticæ fissura.

Retinæ fissura.

Nervi optici involucris fissura.

Palpebrarum fissura.

Labri fissura.

a. Labrum leporinum simplex

b. Labrum leporinum duplex.

Palati fissura.

a. Palati duri.

b. Palati mollis.

Nasi fissura. Nasi et buccarum fissura.

Thoracis fissura.

Ossis pectoralis fissura.

Diaphragmatis, *sive* septi transversi fissura.

Pericardii fissura.

Abdominis fissura.

Commissuræ pectinis fissura.

Membranæ prioris vesicæ fissura (dimidio posteriore foras
everso).

Fissuræ branchiales persistentes.

Urethræ fissura epispadica.

Urethræ fissura hypospadica.

Scroti fissura.

B.—MEDIARUM REGIONUM A TERGO.

Calvariæ fissura.

Meningocele.

Encephalocele.

MALFORMATIONS ASSOCIATED WITH INCOMPLETE COALESCENCE OF PARTS WHICH SHOULD BECOME CONJOINED.

A.—ON THE VENTRAL MEDIAN PLANE AND VISCERAL ARCHES.

Fissure of the face.

„	„	iris.	Coloboma.
„	„	choroid and ciliary processes.	„
„	„	sclerotic.	„
„	„	retina.	„
„	„	sheath of optic nerve.	„
„	„	eyelids.	„
„	„	lip.	
		<i>a.</i> Single harelip.	} State combinations of these.
		<i>b.</i> Double harelip.	
„	„	palate.	
		<i>a.</i> Hard palate.	
		<i>b.</i> Soft palate.	
„	„	nose. Naso-buccal fissure.	
„	„	chest-wall.	
„	„	sternum.	
„	„	diaphragm.	
„	„	pericardium.	
„	„	abdominal walls.	
„	„	pubic symphysis.	
„	„	anterior wall of the urinary bladder (with extroversion of the posterior half).	

Persistent branchial fissures.

Epispadic fissure of the urethra.

Hypospadic fissure of the urethra.

Fissure of the scrotum.

B.—ON THE DORSAL MEDIAN PLANE.

Fissure of the skull.

Meningocele.

Encephalocele.

Vertebrarum in spina fissura. Spina bifida.

a. Ex toto.

b. Ex parte.

1. Cervicis.

2. Lumborum.

3. Sacri.

Medullæ in spina fissura.

DEFORMITATES INGENITÆ EX COËUNTIBUS QUÆ
DEBUERANT IN PERPETUUM DISSOCIARI, PARTIBUS.

Membra inferiora commissa. Fœtus syreniformis.

Digiti manus aut pedis cohærentes.

Unoculus. Cyclops.

Renes in unum conjuncti.

DEFORMITATES INGENITÆ EX LATIUS PATENTE DIMI-
DIARUM A LATERIBUS PARTIUM COMMISSURA
(DUPLICATA OMNIA REPRÆSENTANTES).

Uterus duplex.

a. Cum duplici vagina.

b. Cum unica vagina.

Uterus bicornis.

Vagina duplex.

DEFORMITATES EX BINIS INTER SE FŒTIBUS
COHÆRENTIBUS, VEL EX UNIUS FŒTUS PARTIBUS
NUMERO SUPERANTIBUS.

Fœtus, plus minus absolutus, alio in foetu inclusus.

Fœtus, plus minus absolutus, tumorem repræsentans cute
obductum.

Fœtus duplex.

a. Altera pars integra, altera appendix tantummodo.

b. Utraque pars plus minus integra.

1. Partes mediæ conjunctæ, superiora et in-
feriora discreta.

2. Superiora conjuncta, inferiora discreta.

3 Inferiora conjuncta, superiora discreta.

Fissure of the spinal column. Spina bifida.

a. Complete.

b. Partial.

1. Cervical region.

2. Lumbar „

3. Sacral „

Fissure of the spinal cord.

MALFORMATIONS RESULTING FROM COALESCENCE OF PARTS WHICH SHOULD REMAIN DISTINCT.

Lower extremities conjoined. Syreniform foetus.

Fingers or toes conjoined.

Unoculus. Cyclops.

Double kidney. *Synonym*, Horse-shoe kidney.

MALFORMATIONS RESULTING FROM THE EXTENSION OF A COMMISSURE BETWEEN THE LATERAL HALVES OF PARTS (CAUSING APPARENT DUPLICATION).

Double uterus.

a. With double vagina.

b. With single vagina.

Uterus bicornis.

Double vagina.

MALFORMATIONS RESULTING FROM THE COALESCENCE OF TWO FŒTUSES, OR FROM EXCESS IN NUMBER OF THE PARTS OF ONE FŒTUS.

Fœtus, more or less perfect, contained within another foetus.

Fœtus, more or less perfect, constituting a tumour covered by integument.

Double foetus.

a. One perfect, the other an appendage.

b. Both more or less perfect.

1. The middle parts united, the upper and lower distinct.

2. The upper parts united, the lower distinct.

3. The lower parts united, the upper distinct.

Superantia numero puncta lacrymalia
 Superantes numero pupillæ
 Superantes numero artus, et digiti manus pedisque.
 Superantia numero cordis cava.
 Superantes numero cordis valvulæ.
 Superantes numero pulmones.
 Lienes duo aut plures.
 Superantes numero renes.
 Superantes numero ureteres.
 Superantia numero ovaria.
 Superantes numero mammæ.
 Superantes numero papillæ.
 Superantes numero dentes.
 Fœtus reliquiæ in testiculo.

DEFORMITATES EX ABNORMI PARTIUM MAGNITUDE.

Nasi.
 Linguae.
 Clitoridis.
 Membrorum.
 Aliarum partium.

MUTATIO LOCI ET PARTIUM POSITURA INUSITATA IN FœTU INGENITA.

Viscera inter se transposita.
 Cerebri hernia *sive* ectopia.
 Cordis hernia *sive* ectopia.
 Pulmonum hernia *sive* ectopia.
 Renis hernia *sive* ectopia (ren mobilis).
 Intestinorum hernia *sive* ectopia.

Varietates :

Per diaphragma, *sive* septum transversum.
Idem valet Hernia diaphragmatica.
 Per abdomen. *Idem valet* Hernia abdominalis.
 Per umbilicum. *Idem valet* Hernia umbilicaris.

Supernumerary puncta lacrymalia.

- „ pupils.
- „ limbs, fingers, and toes.
- „ cavities of the heart.
- „ valves of the heart.
- „ lungs.
- „ spleen.
- „ kidney.
- „ ureters.
- „ ovaries.
- „ mammæ.
- „ nipples.
- „ teeth.

Fœtal remains in testicle.

MALFORMATIONS CONSISTING IN THE DISPROPORTIONATE GROWTH OF PARTS.

Of nose.

- „ tongue.
- „ clitoris.
- „ limbs.
- „ other parts.

CONGENITAL DISPLACEMENTS AND UNUSUAL POSITIONS OF PARTS OF THE FŒTUS.

Transposition of viscera.

Hernia or ectopia of the brain.

- „ „ heart.
- „ „ lungs.
- „ „ kidney (movable kidney).
- „ „ intestines.

Varieties of intestinal hernia :

Through the diaphragm. *Synonym*, Diaphragmatic hernia.

Through the abdominal walls. *Synonym*, Abdominal hernia.

Through the umbilicus. *Synonym*, Umbilical hernia.

Testiculus in ventre retentus.

Testiculus in foramine inguinali retentus.

Ovarii hernia *sive* ectopia.

DISTORTIONES INGENITÆ.

Cranii.

Spinæ.

Thoracis.

Membrorum, item varia talipedis genera.

Testicle retained in the abdomen.

„ „ „ inguinal canal.

Hernia or ectopia of the ovary.
(Specify position.)

CONGENITAL DISTORTIONS.

Of cranium.

„ spine.

„ thorax.

„ limbs, including the several kinds of club-foot.

TUMORUM IN CLASSES DISTRIBUTIO.

CLASSES.

- I. TUMORES EX SUFFUSIONE *sive* EXTRAVASATIONE.
 II. TUMORES EX TRANSUDATIONE ET EXUDATIONE.
 III. TUMORES EX RETENTIONE.
 IV. TUMORES EX PROLIFERATIONE.

} CYSTICI.

Classis I.—Tumores ex Suffusione, sive Extravasatione.

LATIN EQ.		FRENCH	GERMAN	ITALIAN
1. <i>Hæmatoma.</i>	Idem	<i>Hématome</i>	<i>Hæmatom.</i> Syn.	<i>Ematoma</i>
valet <i>Tumor sanguineus</i>			<i>Blutgeschwulst</i>	
a. <i>Cystiforme</i>		<i>Kystiforme</i>	<i>Cystenförmiges</i>	<i>Cistiforme</i>
b. <i>Parenchymatosum</i>		<i>Parenchymateux</i>	<i>Parenchymatöses</i>	<i>Parenchymatoso</i>
c. <i>Polypoides</i>		<i>Polypoïde</i>	<i>Polypoides</i>	<i>Polipoide</i>

Classis II.—Tumores ex Transudatione et Exudatione.

1. <i>Hygroma.</i>	Idem	<i>Hygrome</i>	<i>Hygrom</i>	<i>Igroma</i>
valet <i>Tumor aquosus sive hydrops</i>				
2. <i>Bursarum mucosarum hydrops</i>		<i>Hydropsie de bourses muqueuses</i>	<i>Hydropsie der Schleimbeutel</i>	<i>Idropisia dell borse mucose</i>
3. <i>Bursarum mucosarum hygroma proliferans</i>		<i>Hygrome proliférant de bourses muqueuses</i>	<i>Proliferirendes Hygrom der Schleimbeutel</i>	<i>Igroma proliferante delle borse mucose</i>
4. <i>Ganglion</i>		<i>Ganglion</i>	<i>Ganglion</i>	<i>Ganglio</i>

Classis III.—Tumores ex Retentione, sive Cystes.

1. <i>In loco formationis retentio</i>	<i>Rétention au lieu de formation</i>	<i>Retention in loco formationis</i> Syn. <i>Retentionscysten</i>	<i>Retenzione nel luogo della formazione</i>
--	---------------------------------------	---	--

CLASSIFICATION OF TUMOURS,

COMPREHENDING MALIGNANT NEW GROWTHS, NON-MALIGNANT
NEW GROWTHS, AND CYSTS.

In deference to the needs of the various registration authorities, a distinction has been made in the general and local tables between Malignant and Non-malignant New Growths. The Tumours are, however, here classified according to their mode of origin and their structure. Such a classification involves in certain cases the association under one head of Malignant and Non-malignant Growths, as, for instance, under Sarcoma. To facilitate returns under the general tables, the Malignant Growths are here marked by two asterisks; the names which include both kinds of growth, by one. The classification of Tumours, to be complete, must include Cysts as well as New Growths. The Cysts are accordingly introduced here, but in italics, and should be returned severally among the local affections of organs.

CLASSES.

- | | |
|--|-----------|
| I. EXTRAVASATION TUMOURS. | |
| II. TRANSUDATION AND EXUDATION
TUMOURS. | } CYSTIC. |
| III. RETENTION TUMOURS. | |
| IV. PROLIFERATION TUMOURS. | |

Class I.—Extravasation Tumours.

1. *Hæmatoma.* Synonym, *Blood-tumour.*
 - a. *Cystiform.*
 - b. *Parenchymatous.*
 - c. *Polypoid.*

Class II.—Transudation and Exudation Tumour

1. *Hygroma.* Synonym, *Watery tumour or dropsy.*
2. *Dropsy of bursæ mucosæ.*
3. *Proliferating hygroma of bursæ mucosæ.*
4. *Ganglion.*

Class III.—Retention tumours, or Cysts.

1. *Retention in loco formationis.*

LATIN EQ.	FRENCH	GERMAN	ITALIAN
<i>a. Ranula</i>	<i>Grenouillette</i>	<i>Ranula</i>	<i>Ranula</i>
<i>b. Parovarii cystitis</i>	<i>Kyste parovarien</i>	<i>Parovarialcyste</i>	<i>Ciste parovaria</i>
<i>c. Tumor sebaceus</i>	<i>Tumeur sébacée</i>	<i>Talgdrüsenge- schwulst</i>	<i>Tumore sebaceo</i>
<i>d. Mucocèle</i>	<i>Mucocèle</i>	<i>Mucocèle. Syn. Schleim-cyste</i>	<i>Mucocèle</i>
2. <i>In loco distante re- tentio</i>	<i>Rétention lointaine</i>	<i>Retention in loco distante</i>	<i>Ritenzione in luogo distante</i>

CLASSIS IV.—TUMORES EX PROLIFERATIONE.

1. Fibroma. <i>Idem valet</i> Tumor fibrosus	Tumeur fibreuse	Fibrom. <i>Syn.</i> Bindegewebs- geschwulst	Tumore fibroso
<i>Var.</i>			
<i>a. Diffusum</i>	Diffuse	Diffuses	Diffuso
1. Elephantiasis	Éléphantiasis	Elephantiasis	Elefantiasi
<i>b. Papillare</i>	Papillaire	Papilläres	Papillare
<i>c. Polypoides</i>	Polypoïde	Polypoides	Polipoide
1. Molluscum fibro- sum	Mollusque fibreux	Molluscum fibrosum	Mollusco fibroso
<i>d. Tuberosum</i>	Tubéreux	Tuberöses	Tuberoso
1. Epulis	Epulide	Epulis	Epulide
<i>e. Tumor osseus</i>	Tumeur osseuse	Knochenge- schwulst	Tumore osseo
<i>f. Tumor Cheloides</i>	Kéloïde	Keloid	Cheloïde
2. Lipoma. <i>Idem valet</i> Tumor adiposus	Lipome	Lipom. <i>Syn.</i> Fett- geschwulst	Lipoma. <i>Sin.</i> tumore grassoso
3. Myxoma. <i>Idem valet</i> Tumor mucosus, Collonema	Myxome. <i>Syn.</i> Tumeur colloïde	Myxom. <i>Syn.</i> Schleimgewebs- geschwulst	Missoma. <i>Sin.</i> Tumore mucoso
4. Chondroma. <i>Idem</i> <i>valet</i> Tumor car- tilaginosus	Tumeur cartilagi- neuse	Chondrom. <i>Syn.</i> Knorpelge- schwulst	Tumore cartilagi- noso
<i>Var.</i>			
<i>a. Ecchondrosis</i>	Enchondrose	Ecchondrose	Eccondrosi
<i>b. Enchondroma</i>	Enchondroma	Enchondrom	Encondrosi
<i>c. Enchondroma os- teoides</i>	Enchondroma ostéïde	Osteoidchondrom	Encondroma oste- oide
5. Osteoma. <i>Idem valet</i> Tumor osseus	Tumeur osseuse	Osteom. <i>Syn.</i> Knochenge- schwulst	Tumore osseo
<i>Var.</i>			
<i>a. Exostosis</i>	Exostose	Exostose	Esostosi
<i>b. Hyperostosis</i>	Hyperostose	Hyperostose	Iperostosi
<i>c. Osteophytum</i>	Ostéophyte	Osteophyt	Osteofite
<i>d. Odontoma</i>	Odontome	Odontom	Odontoma
6. Psammoma	Psammome	Psammom. <i>Syn.</i> Sandgeschwulst	Psammoma

- a. *Ranula.*
- b. *Parovarian cyst.*
- c. *Wen.* *Synonym, Sebaceous cyst, or tumour.*
- d. *Mucocele.*

2. *Retention in loco distante.*

CLASS IV.—PROLIFERATION TUMOURS.

1. *Fibroma.* *Synonym, Fibrous tumour.*

Varieties :

- a. *Diffuse.*
 - 1. *Elephantiasis.*
 - b. *Papillary.*
 - c. *Polypoid.* *Synonym, Fibrous polypus.*
 - 1. *Molluscum fibrosum.*
 - d. *Tuberous.*
 - 1. *Epulis in part.*
 - e. *Bony.*
 - f. *Keloid.*
2. *Lipoma.* *Synonym, Fatty tumour.*
- *3. *Myxoma.* *Synonym, Mucous or gelatinous tumour.*

4. *Chondroma.* *Synonym, Cartilaginous tumour.*

Varieties :

- a. *Ecchondrosis.*
 - *b. *Enchondroma.*
 - *c. *Osteoid Enchondroma.*
5. *Osteoma.* *Synonym, Bony tumour.*

Varieties :

- a. *Exostosis.*
 - b. *Hyperostosis.*
 - c. *Osteophyte.*
 - d. *Odontoma.*
6. *Psammoma.* *Synonym, Brain-sand tumour.*

LATIN Eq.	FRENCH	GERMAN	ITALIAN
7. Melanoma	Mélanome	Melanom. <i>Syn.</i> Pigmentge- schwulst	Melanoma
8. Myoma	Myome	Myom. <i>Syn.</i> Mus- kelgeschwulst	Mioma
<i>Var.</i> Myofibroma. <i>Idem valet</i> Uteri tumor fibrosus	Myo-fibrome. <i>Syn.</i> Tumeur fibreuse	Myofibrom. <i>Syn.</i> Uterusfibroid	Tumore fibroso
9. Neuroma	Névrome	Neurom	Neuroma
10. Adenoma	Adénome	Adenom. <i>Syn.</i> Drü- sengeschwulst	Adenoma
<i>a.</i> Polypus mucosus	Polype muqueux	Schleimpolyp	Polipo mucoso
<i>b.</i> Mammarum tumor chronicus, <i>sive</i> lon- gus. <i>Idem valet</i> Tumor adenoides	Tumeur adenoïde. <i>Syn.</i> Hypertro- phie du sein	Chronische Brustdrüsenge- schwulst. <i>Syn.</i> Adenoidge- schwulst	Tumore delle mam- melle cronico. <i>Sin.</i> Tumore adenoides
<i>c.</i> Molluscum con- tagiosum	Mollusque	Molluscum conta- giosum	Mollusco conta- gioso
11. Cystis dermatoides	Kystes derma- toïdes	Dermoidcyste	Cutaneo o pilifero
12. Angeioma.	Angeioma. <i>Syn.</i> Tumeur vascu- laire	Angiom. <i>Syn.</i> Ge- fäßgeschwulst	Angeioma
<i>a.</i> Simplex. <i>Idem valet</i> Teleangiectasis	Simple. <i>Syn.</i> Télangiectasie	Einfaches. <i>Syn.</i> Telangiectasie	Semplice
<i>b.</i> Cavernosum <i>Idem valet</i> Nævus	Caverneux. <i>Syn.</i> Nævus	Cavernöses. <i>Syn.</i> Nævus	Cavernoso. <i>Sin.</i> Neo
1. Arteriosum	Artériel	Arterieller	Arterioso
2. Venosum	Veineux	Venöser	Venoso
3. Mistum	Mixte	Gemischter	Misto
13. Papilloma. <i>Idem</i> <i>valet</i> Tumor verru- cosus	Papilloma. <i>Syn.</i> Tumeur verru- queuse	Papillom. <i>Syn.</i> Papillarge- schwulst	Papilloma
<i>a.</i> Verruca	Verrue	Warze	Verruca
<i>b.</i> Condyloma latum	Plaque muqueuse	Flaches Schleim- haut Condylom	Tubercolo mucoso
<i>c.</i> Condyloma	Condylome	Spitzcondylom	Condiloma
<i>d.</i> Urethræ caruncula	Caroncle uréthrale	Carunkel der Harn- röhre	Caruncula uretrale
14. Glioma	Gliome	Gliom	Glioma
15. Tumores ex granu- latione	Tumeurs produits par hypertro- phie de granu- lations	Granulationsge- schwülste	Tumori di granu- lazione
<i>Var.</i>			
<i>a.</i> Simplex	Simple	Einfache	Semplice
<i>b.</i> Lupus	Lupu	Lupus	Lupus

7. Melanoma. *Synonym*, Pigment-tumour of meninges.

8. Myoma. *Synonym*, Muscle-tissue tumour.

Varieties :

Myo-fibroma. *Synonym*, Fibroid tumour of uterus.

Striped muscle tumour. *Synonym*, Rhabdomyoma.

9. Neuroma. *Synonym*, Nerve-tissue tumour.

10. Adenoma. *Synonym*, Glandular tumour.

a. Mucous polypus.

b. Chronic mammary tumour. *Synonym*, Adenoid tumour.

c. Molluscum contagiosum.

11. Dermoid cyst.

12. Angioma. *Synonym*, Blood-vessel tumour.

a. Simple. *Synonym*, Teleangiectasis.

b. Cavernous. *Synonym*, Nævus.

1. Arterial.

2. Venous.

3. Mixed.

13. Papilloma. *Synonym*, Warty tumour.

a. Wart.

b. Mucous tubercle.

c. Condyloma.

d. Urethral caruncle.

*14. Glioma. *Synonym*, Neuroglia tumour.

15. Granulation-tumours.

Varieties :

a. Simple.

b. Lupus.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
<i>c. Gumma</i>	<i>Gomme</i>	<i>Gumma</i>	<i>Gomma</i>
<i>d. Lepra, sive Elephantiasis Græcorum</i>	<i>Lepre</i>	<i>Aussatz</i>	<i>Elefantiasi dei Greci</i>
<i>e. Morula</i>	<i>Frambæsia</i>	<i>Framboesia</i>	<i>Framboësia</i>
<i>f. Equinia</i>	<i>Morve</i>	<i>Rotz</i>	<i>Cimurro</i>
<i>g. Farcinimum</i>	<i>Farcin</i>	<i>Wurm</i>	<i>Farcino</i>
<i>h. Tuberculum</i>	<i>Tubercule</i>	<i>Tuberkel</i>	<i>Tubercolo</i>
16. Lymphoma	Gangliome	Lymphom	Linfoma
17. Sarcoma	Sarcome	Sarkom	Sarcoma
<i>Var.</i>			
<i>a. Cellas habens rotundas</i>	À Cellules arrondis	Rundzelliges	A cellule rotonde
<i>b. Cellas habens fusi-formes</i>	À Cellules fusi-formes	Spindelzelliges	A fusa
<i>c. Melanoticum</i>	Mélanotique	Melanotisches	Melanotiche
<i>d. Myeloides</i>	À Myélopaxes	Myeloidgeschwulst	Mieloide
1. Epulis, partim	Epulide, en partie	Epulis, zum Theil	Epulis, in parte
18. Carcinoma	Cancer	Carcinom. <i>Syn.</i> Krebs	Cancro
<i>Var.</i>			
<i>a. Epithelioma</i> Ulcus erodens	Cancer épithélial Ulcère rongeur	Epithelialkrebs Ulcus rodens	Cancro epiteliale Ulcera rodente
<i>b. Scirrhus</i>	Squirrhe	Scirrhus	Scirro
<i>c. Carcinoma medullosum</i>	Cancer médullaire	Markschwamm	Cancro midollare
<i>d. Carcinoma melanoticum</i>	Mélanose	Melanotischer Krebs	Cancro melanotico
<i>e. Carcinoma osteoides</i>	Cancer ostéoïde	Osteoidkrebs	Cancro osteode
<i>f. Carcinoma cylindroides. Idem valet Adenoides</i>	Cylindroïde. <i>Syn.</i> Adénoïde	Cylindrom. <i>Syn.</i> Adenoid	Cilindroïde. <i>Syn.</i> Adenoïde
<i>g. Morbus colloides</i>	Cancer colloïde	Gallertkrebs	Cancro colloïde o gelatinoso

SYPHILIS.

1. Syphilis primaria	Syphilis primitive	Primäre Syphilis	Siflide primaria
2. Syphilis ingenta	Constitutionnelle	Constitutionelle	Constituzionale
<i>a. Cum inflammatione et exudatione</i>	Inflammatoire et exsudative	Entzündliches und exsudatives Syphilid	Infiammatoria ed esudativa
<i>b. Gummosa</i>	Gommeuse	Gummatöses Syphilid	Gommatosa
<i>c. Ulcerans et erodens</i>	Ulcéreuse et phagédénique	Geschwüriges und destructives Syphilid	Ulcerosa e distruttiva
<i>d. Cum cicatrice</i>	Cicatricielle	Narbiges Syphilid	Cicatriciale

c. Gumma.

d. Lepra Arabum or *Elephantiasis Græcorum.*

e. Yaws.

f. Glanders.

g. Farcy.

h. Tubercle.

*16. Lymphoma. *Synonym*, Lymphatic-tissue tumour, including Lymphadenoma.

*17. Sarcoma.

Varieties :

a. Round-celled.

b. Spindle-celled.

c. Melanotic.

d. Myeloid. Synonym, Sarcoma gigante-cellulare.

1. Epulis, in part.

**18. Carcinoma. *Synonym*, Cancer.

Varieties :

a. Epithelioma.

Sub-variety : Rodent ulcer.

Note.—Chimney-sweeper's Cancer is to be returned under Epithelioma.

b. Scirrhus.

c. Medullary.

d. Melanotic.

e. Osteoid.

f. Cylindroid. Synonym, Adenoid.

g. Colloid. Synonym, Reticular or alveolar cancer.

SYPHILIS.

1. Primary. State the part affected.

2. Constitutional. State if congenital.

a. Inflammatory and exudative.

b. Gummatous.

c. Ulcerative and destructive.

d. Cicatricial.

} Of parts of body according to order of local disease.

TUBERCULUM.

LATIN EQ.	FRENCH	GERMAN	ITALIAN
1. Cincercum	Gris	Grauer Tuberkel	Bigio
a. Simplex	Simple	Einfacher	Semplice
b. Cum inflammatione	Inflammatoire	Entzündlicher	Inflammatorio
c. Ulcerans et erodens	Ulcéreux et phagédénique	Zur Ulceration und Destruction führender	Ulceroso e distruttivo
d. Retrogradum cum cicatrice	Rétrograde et cicatriciel	Rückgängiger mit Narbenbildung	Retrogrado con cicatrisci
2. Tuberculum flavum	Tubercule jaune	Gelber Tuberkel	Tubercolo giallo
a. Simplex	Simple	Einfacher	Semplice
b. Cum inflammatione	Inflammatoire	Entzündlicher	Inflammatorio
c. Ulcerans et erodens	Ulcéreux et phagédénique	Zur Ulceration und Destruction führender	Ulceroso e distruttivo
d. Retrogradum cum cicatrice	Rétrograde et cicatriciel	Rückgängiger mit Narbenbildung	Retrogrado e tendente a cicatrizzare

TUBERCLE.

1. Grey.

a. Simple.*b.* Inflammatory.*c.* Ulcerative and destructive.*d.* Retrograde and cicatricial.

Of parts of body, according to order of local disease.

2. Yellow.

a. Simple.*b.* Inflammatory.*c.* Ulcerative and destructive.*d.* Retrograde and cicatricial.

Of parts of body, according to order of local disease.

INDEX.

ABD

- Abdomen, Contusion of, 239
 — — with rupture of muscles, 239
 — — — of viscera, 239
 — paracentesis of, Operation, Note, 267
 — Wound of, with protrusion of uninjured viscera, 239
 — — — of wounded viscera, 239
 — — with wound of unprotruded viscera, 239
 — *Non-malignant tumours of*, see — — — of the peritonæum, Note, 119; and of the other abdominal viscera under their several sections
 — Injuries of the, 239
 — Wound of the parietes of the, 239
 — Wound of viscera without wound of the parietes of the, 239
 Abdominal fistula, operation for, 265
Abdominal Hernia, see *Hernia* or *Ectopia* of intestines through abdominal walls, Malformation, (109), 15, 303
 Abdominal paracentesis, Operation, 267
 — section, Operation, 267
 — walls, Fissure of, Malformation, 299
 ABDOMINIS, CONTUSIO, 238
 — — RUPTIS MUSCULIS, 238
 — — — VISCERIBUS, 238
 — SECTIO, Opus chirurgicum, 266
 — VULNUS, 238
 — — CUM VISCERUM ILLÆSORUM PROLAPSIONE, 238
 — — — — LÆSORUM PROLAPSIONE, 238

ABS

- ABDOMINIS VULNUS, CUM VISCERUM IN SEEL MANENTUM VULNERE, 238
 — PARACENTESIS, Opus chirurgicum, 266
 Ablepharon, Malformation, (57), 15, 293
 Abnormal development of the alveoli, 97
 — distribution of Arteries, Malformation, 295
 — — — both arteries and veins, Malformation, 295
 — — — veins, Malformation, 295
 — form of teeth, 95
 — structure of cementum, 95
 — — — dentine, 95
 — — — enamel, 95
 — — — teeth, 95
 Abortion, 161
 ABORTUS, 160
 ABRASIO UTERI, 148
 Abrasion, 217
 — of the uterus, 149
 — — — skin, 223
 — — — mucous membranes, 225
 Abscess, acute periosteal, see *Diffuse Perio-stitis*, 175
 — of the anus, 109
 — — antrum, 91
 — — bones, Chronic, 175
 — — brain, 21
 — — — from disease of the ear, 21
 — — — Pyæmic, (21), 9
 — — breast, female, 171
 — — — behind gland, 171

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

ABS

- Abscess of the breast, female, in substance of gland, 171
 — — — superficial to gland, 171
 — — external ear, 59
 — Bursal, 187
 — of the connective tissue, 189
 — — dental periosteum, 93
 — — eyelids, 55
 — — female breast, 171
 — — Fallopian tube, (Suppuration), 145
 — — heart, muscular structure, of, 69
 — Iliac and pelvic, following parturition, 169
 — of the intestines, in the subperitoneal tissue, 105
 — — joints, 179
 — — kidney, 127
 — — lacrymal gland, 51
 — — — sac, 53
 — — larynx, 79
 — — liver, Note, 113
 — Lacunar, 135
 — Lumbar, 181
 — of the lung, 83
 — — external meatus, 59
 — of muscles, 183
 — of the nose, 63
 — opening of, Operation, 251
 — in the orbit, 57
 — of the ovary, 143
 — — pancreas, 117
 — — penis, 137
 — Perinephritic, 127
 — Periosteal, acute, see Diffuse periostitis, 175
 — Post-pharyngeal, 101, 181
 — of the prostate gland, 137
 — Psoas, 181
 — of the rectum, 109
 — — salivary glands, 99
 — — septum of the nose, 63
 — — spermatic cord, 139
 — — spine, 181
 — — spleen, 119
 — — sub-peritoneal tissue, 105

ABS

- Abscess Pyæmic, of the brain, (21), 9
 — — joints, (179), 9
 — — kidney, (127), 9
 — — liver, (113), 9
 — — lung, (83), 9
 — — spleen, (119), 9
 — of the testicle, 141
 — Thecal, 187
 — of the tongue, 97
 — Urinary, of the male urethra, 135
 — of the uterus, 149
 — — uterine ligaments, 147
 — — vagina, 153
 — — vulva, Note, 155
 ABSCESSUS ANTRI, 90
 — APERTIO, 250
 — — PER ASPIRATIONEM, 250
 — ARTICULORUM, 178
 — BURSE, 186
 — CEREBRI, 20
 — — EX AURIS MORBO, 20
 — — PYÆMICUS, (20), 8
 — COLIS, 136
 — FORAMINIS AURIS, 58
 — FUNICULI SEMINALIS, 138
 — GLANDULÆ PROSTATE, 136
 — — LACRYMALIS, 50
 — GLANDULARUM SALIVOSARUM, 98
 — ILIORUM ET PELVIS POST PARTUM, 168
 — INTESTINI RECTI ET ANI, 108
 — INTESTINORUM SUB PERITONÆO ORTUS, 104
 — JECORIS, 112
 — LACUNARUM, 134
 — LARYNGIS, 78
 — LIENIS, 118
 — LINGUÆ, 96
 — MAMMÆ FEMINEÆ, 170
 — MUSCULORUM, 182
 — MUSCULORUM CORDIS, 68
 — NASI, 62
 — ORBITÆ, 56
 — OSSIIUM CHRONICUS VEL LONGUS, 174
 — OVARII, 142
 — PALPEBRARUM, 54

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

ABS

- ABSCESSUS PANCREATIS, 116
 — PERINEPHRITICUS, vide RENUM ABSCESSUS, 126
 — PERIOSTEI ACUTUS, vide PERIOSTITIS DIFFUSA, 174
 — PONE PHARYNGEM, 100, 180
 — PSOADICI, LUMBARES, POST PHARYNGEM, ALIQUE, 180
 — PULMONIS, 82
 — PYÆMICUS ARTICULORUM, (178), 8
 — RENUM, 126
 — SEPTI NASI, 62
 — SINUS LACRYMALIS, 52
 — TELÆ CONNEXIVÆ, 188
 — TESTICULI, 140
 — THECARUM, 186
 — URINALIS, 134
 — UTERI, 148
 — — LIGAMENTORUM, 146
 — VAGINÆ, 152
 — VULVÆ, 154

Absent menstruation, see Amenorrhœa, 157

Absinthe, Poison, 203

ABSINTHIUM, Venenum, 202

Absorption of dentine and cementum, 93

Acanthia lectularia, Parasite, 288

— ciliata, Parasite 288

— rotundata, Parasite, 288

Acanthocephala, Parasites, 287

ACCOMMODATIONIS MORBI, 48

ACCRETIO NOVA, (2)

Accumulation of wax in external meatus, 59

Acetic acid, Poison, 201

Achorion Schönleini, Parasite, 291

ACHROMATOPSIA, 48

Acid, Acetic, Poison, 201

— Carbazotic, Poison, 203

— Carbolic, Poison, 203

— Carbonic, Gas, Poison, 209

— Hydrochloric, Poison, 201; Vapour, Poison, 209

— Hydrocyanic, Poison, 203

— Hydrofluoric, Poison, 201; Vapour, Poison, 209

— Nitric, Poison, 201

— Osmic, Poison, 211

— Oxalate of potash, Poison, 201

— Oxalic, Poison, 201

— Phosphoric, Poison, 201

— Phosphorous, Poison, 201

— Picric, see Carbazotic Acid, Poison, 203

ACU

Acid, Prussic, see Hydrocyanic Acid, Poison, 203

— Sulphuric, Poison, 201

— Sulphurous, Poison, 211

— Tartaric, Poison, 201

ACIDA ET SALES ACIDI, Venena, 200

ACIDS AND ACID SALTS, Poisons, 201

ACIDI SALES, Venena, 200

ACIDUM ACETICUM, Venenum, 200

— CARBAZOTICUM, Venenum, 202

— CARBOLICUM, Venenum, 202

— CARBONICUM, Venenum, 208

— CHROMICUM, Venenum, 198

— HYDROCHLORICUM, Venenum, 200, 208

— HYDROCYANICUM, Venenum, 202

— HYDROFLUORICUM, v. 200, 208

— NITRICUM, Venenum, 200

— OSMICUM, Venenum, 210

— OXALICUM, Venenum, 200

— PHOSPHORICUM, Venenum, 200

— PHOSPHOROSUM, Venenum, 200

— SULPHURICUM, Venenum, 200

— SULPHUROSUM, Venenum, 210

— TARTARICUM, Venenum, 200

Acne, 191

Acne rosacea, see Gutta rosea, 191

Aconite, Poison, 205

Aconitia, Poison, 205

ACONITUM, Venenum, 204

Acquired imbecility, 31 (No. 131)

— whiteness of hair, see Canities, 193

ACRASIA, 12

Action of cold, 13, 217

ACTIONUM NATURALIUM VITIA, 4

ACUPRESSURA, Opus chirurgicum, 258, 262

Acupressure, Operation, 259, 263

Acupuncture of Hydatid Cyst, 251

Acute albuminuria, see Acute Nephritis, 127

— ascending paralysis, 25

— atrophy of liver, 113

— Bright's disease, 127

— bronchitis, 81

— cystitis, see Inflammation of the urinary bladder, 131

Acute desquamative nephritis, see Acute nephritis, 127

— *hydrocephalus*, see Tubercular meningitis, (21), 15

Acute inflammation of the female breast, 171

— — — prostate gland, 137

— — — thyroid gland, 125

ACU

- Acute laryngitis, 79
 — nephritis, 127
 — orchitis, 141
Acute periosteal abscess, see *Diffuse periostitis*, 175
 Acute parenchymatous nephritis, 127
 — pneumonic phthisis, 85
Acute renal dropsy, see *Acute nephritis*, 127
 Acute Rheumatism, 15
 — synovitis, 177
 — tubal nephritis, 127
Addison, keloid of, see *Morphœa*, 193
 ADDISONI CHELOIDES, vide *MORPHŒA*, 192
 — MELASMA, (192), 124
 — MORBUS, (192), 124
 Addison's disease, (193), 125
Adenoid carcinoma, see *Cylindroid carcinoma*, Tumour, 313
 — *tumour of breast*, see *Chronic mammary tumour of*, (173), 15, 311
 Adenoma, Tumour, 311
 ADHERENTIA IN PLEURA, 86
 Adherent pericardium, Note, 67
 Adhesions of the Fallopiian tube, 147
 — — peritonæum, 119
 — — pleura, 87
 — — soft palate, 99
 — — tendons, 185
 AD NASUM RESTITUENDUM, *Opus chirurgicum*, 256
 ADVERSUS FRACTURAM NON COEUNTEM, *Opus chirurgicum*, 278
 — PALATUM FISSUM, *Opus chirurgicum*, 258
 AER ET VAPORES VENENOSI, 208
 AERUM EFFECTUS, 12
 ÆTHERIS VAPOR, Venenum, 208
 ÆTHUSA CYNAPIUM, Venenum, 204
 AFFECTIONES MECHANICÆ (2)
 AFFECTIONS CONNECTED WITH PARTURITION, 161
 — — — PREGNANCY, 159
 — — — CONSEQUENT ON PARTURITION, 167
 Affections of the lacrymal apparatus, 51
 — — lung due to inhalation of mechanical, chemical, or otherwise poisonous irritants, 85

ALV

- Affections mechanical, (3)
 AFFECTUS MENTIS, 28
 Age, Old, 15
 Ague, see *Intermittent fever*, 9
 — Brow-, see *Neuralgia*, 29; *Malarial fever*, 9
Ague cake, see *Induration of spleen*, 9, 119
 Air-passages, Foreign bodies in, 233
 — — Asphyxia, from plugging of, 215
 Albinism, 193
 — of choroid, Malformation, (41), 15, 293
 ALBINISMUS, 192
 — TUNICÆ CHOROIDIS, *Deformitas ingenta* (40), 14, 492
Albugo, vide *CORNEA OPACA*, 36
 ALBUMINURIA, 131
Albuminuria, Acute, see *Acute nephritis*, 127
 — *Chronic*, see *Bright's disease*, 127
Albuminuria chronica, sive *longa*, vide *MORBUS BRIGHTII*, 126
 ALCALIA CAUSTICA, Venena, 200
 Alcohol, Poison, 203
 Alcoholism, 13
 ALCOHOLISMUS, 12
 Aleppo button, 197
 Alga of the mouth, see *Leptothrix buccalis*, Parasite, 290
 ALKALIES, CAUSTIC, Poisons, 201
 Alkaline Salts, Poisons, 201
 Alopecia, 193
 ALOPECIA AREATA, see *Alopecia*, 193
 Alum, Poison, 201
 ALUMEN, Venenum, 200
 Alveoli, abnormal development of the, 97
 — Caries of, 93
 — Dentigerous cyst of, 95
 — Diseases of, 91, 93, 95
 — Exanthematous inflammation of, (93), 5
 — Exostosis of, Non-malignant New Growth, (95), 15, 309
 — Injuries of, (97), 13, 229
 — Mercurial inflammation of, (93), 199
 — Necrosis of, 93
 — Phosphoric inflammation and necrosis of, (93), 201

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

ALV

- Alveoli, Rheumatic inflammation of, (93), 15
 — Scorbutic inflammation of, (93), 13
 — Syphilitic inflammation of, (93), 9
 ALVEOLORUM MORBI, 90, 92, 94
 — EVOLUTIO ABNORMALIS, 96
 — INFLAMMATIO ET NECROSIS EX PHOSPHORO, (92), 200
 — — EXANTHEMATICA, (92), 4
 — — MERCURIALIS, (92), 198
 — — PHOSPHORICA, (92), 200
 — — RHEUMATICA, (92), 14
 — — SCORBUTICA, (92), 12
 — — SYPHILITICA, (92), 8
 — ET DENTIIUM LESIONES, (96) 12, 228
 ALVUS ADSTRICTA, 108
 — SOLUTA, 108
 Amaurosis, Note, 51
 Amblyopia, 51
 AMBUSTA, 214, 216
 — IN CUTI, 222
 — — EX FRIGORE, 192
 AMBUSTIO EX FRICTIONE, 216
 — — FRIGORE, 214, 216, 222
 — IN LARYNGE, 232
 Amenorrhœa and its varieties, 157
 AMENTIA, 30
 Ametropia, 49
 Ammonia, Poison, 201
 — Gaseous poison, 209
 Ammonio-magnesian phosphate calculus, see Triple phosphate calculus, 133
 Amphistoma hominis, Parasite, 285
 AMPUTATIO DEFORMITATIS CAUSA, Opus chirurgicum, 282
 — CIRCULARIS, Opus chirurgicum, 280
 — LESIONIS CAUSA, 280
 — MORBI CAUSA, Opus chirurgicum, 282
 — Opus chirurgicum, 280
 — OVATA, Opus chirurgicum, 280
 — PRIMARIA, Opus chirurgicum, 280
 — SECUNDARIA, Opus chirurgicum, 280
 Amputation of the clitoris, 275
 — for deformity, 283
 — — disease, 283
 — — injury, 281
 — Intermediate, for injury, 281
 — of the penis, 271
 — Primary, for injury, 281
 — Secondary, for injury, 281
 Amputations, 281
 — circular, 281

ANE

- Amputations, flap, 281
 — oval, 281
 AMYGDALÆ AMARÆ OLEUM, Venenum, 202
 AMYLI NITRIS, Venenum, 208
 Amyloid disease, see Lardaceous degeneration, (3)
 — disease of the liver, see Lardaceous liver, 113
 — — spleen, see Lardaceous spleen, 119
 — kidney, see Lardaceous kidney, 127
 Anal fissure, Operation for, 267
 ANASARCA RENALIS ACUTA, vide NEPHRITIS ACUTA, 126
 Anæmia, 17
 — idiopathic, 17
 — of nervous system, 19
 — pernicious, (No. 75), 17
 ANÆMIA IDIOPATHICA, 16
 — NERVORUM APPARATUS, 18
 Anæsthæsia, 27
 — General, 27
 — Hemi-, 27
 — Local, 27
 — of the larynx, 81
 — — tongue, (97), 27
 ANÆSTHESIA GENERALIS, 26
 — LOCALIS, 26
 Anæsthetic leprosy, see Leprosy, 17
Ancylostomum duodenale, see *Dochmius duodenalis*, Parasite, 287
 Aneurysm, Note, 73
 — by anastomosis, 75
 — Arterio-venous, 77
 — Cirroid, 75
 — Diffused, 73
 — Dissecting, 75
 — Fusiform, 73
 — of the coronary arteries, 71
 — — heart, Note, 71
 — — pulmonary artery (branches of the), 85
 — — valves of the heart, 69
 — Operations on (For their subdivisions see Operations on Aneurysms), 261
 — Orbital, 59, 73
 — Saccular, 73
 — Traumatic, 75
 — Varicose, 77
 — — Spontaneous, 77
 — — Traumatic, 77
 ANEURYSMA, 72
 — ARTERIAM INTER VENAMQUE, 76

ANE

- ANEURYSMA CIRROIDES, 74
 — CORDIS, 70
 — DISSECANS, vide DIRUPTA EX PARTE ARTERIA,
 74
 — DIFFUSUM, 72
 — EX ANASTOMOSI, 74
 — — VULNERE, 74
 — FUSIFORME, 72
 — ORBITÆ, 58, 72
 — SACCULATUM, 72
 — TRAUMATICUM, 74
 — VALVARUM CORDIS, 68
 — VARICOSUM, 76
 Aneurysmal varix, 77
 — — Spontaneous, 77
 — — Traumatic, 77
 ANGEIOMA ARTERIOSUM, 310
 — CAVERNOSUM, 310
 — MISTUM, 310
 — SIMPLEX, 310
 — VENOSUM, 310
 Angeioma, Tumour, 311
 — cavernous, 311
 — — arterial, 311
 — — mixed, 311
 — — venous, 311
 — simple, 311
 Angina pectoris, 71
 ANGINA SPASMODICA, vide LARYNGISMUS STRIDU-
 LUS, 26
 — TRACHEALIS, 76
 Angular curvature of the spine, 181
 ANI CONDYLOMA, vide TUMORES NON MALIGNI,
 (110), 14, 310
 — RHAGADES, 110
 — SPASMUS, 112
 — ULCERATIO, 108
 — VULNUS, 240
 Ani, Division of sphincter, Operation, 265
 — Pruritus, 112
 — Spasm of sphincter, 113
 Anidrosis, 197
 ANILINA, Venenum, 202
 Aniline, Poison, 203

ANU

- Animal matter, Wounds poisoned by dead, 213
 — parasites, (11), 284, et seq.
 — poisons, (11), 207
 Animals having infectious disease, Wounds
 poisoned by, 211
 ANIME A SUSPENDIO RESTITUTIO, 282
 — DEFECTIO, 28, 70
 — IN DEMERSIS RESTITUTIO, 282
 Anisometropia, 49
 Ankle, Dislocation of the foot at the, 247
 Ankyloblepharon, 55
 — Operation for, 253
 Ankylosis of joint, and varieties, 179
 — of arytenoid cartilages, 79
 — Deformity from, 179
 — of ossicles of ear, 61
 — — spine, 183
 ANKYLOSIS ARTICULORUM, 178
 — SPINÆ, 182
 ANOPHTHALMUS, Deformitas ingenita, (48),
 14, 292
 Anosmia, see Loss or perversion of smell, 65
 Anteflexion of the uterus, 149
 Anterior cornual myelitis, see Myelitis, 21
 — curvature of the spine, 183
 — poliomyelitis, see Myelitis, 21
 Anteversion of the uterus, 149
 Anthomyia canicularis, Parasite, 287
 Anthrax, see Carbuncle, 189, 195
 ANTHRAX PALPEBRÆ, (54), 194
 Antimony, Poison, 199
 ANTIMONIUM, Venenum, 198
 ANTRI ABSCESSUS, 90
 — PARACENTESIS, Opus chirurgicum, 256
 Antrum, Abscess of, 91
 — Diseases of, 91
 — Foreign bodies in, (91), 13, 229
 Anus, Abscess of, 109
 — Condyloma of, Tumour, (111), 15, 311
 — Diseases of, 109
 — Fissure of, 111
 — Fistula of, 111
 — Hæmorrhage of, 109
 — Impervious, Malformation, (113), 15, 295

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

ANU

- Anus, Injuries of, (111), 13, 241
 — Malformations of, (113), 15, 295
 — Malignant New Growth of, (111), 15
 — Narrowed, Malformation, (113), 15, 295
 — Neuralgia of, 113
 — Non-malignant New Growth of, (111), 15
 — Prolapsus of, 111
 — Stricture of, 111
 — Ulceration of, 109
 — in unusual situations, Malformation, (113), 15, 295
 — Wound of, 241
- ANUS COARCTATUS AUT IMPERVIUS, Deformitas ingenua, (112), 14, 294
 — IN SITU INUSITATO, Deformitas ingenua, (112), 14, 294
- Aorta and pulmonary artery, Origins of, transferred, Malformation, 295
 — Commencement of descending, contracted or obliterated, Malformation, 295
- AORTA ASCENDENS A VENTRICULO SINISTRO ORSA, DESCENDENS A DEXTRO, PER DUCTUM ARTERIOSUM, Deformitas ingenua, 294
- AORTÆ DESCENDENTIS CAPUT COARCTATUM AUT OBLITERATUM, Deformitas ingenua, 294
 — ET ARTERIÆ PULMONALIS CAPITA INTER SE TRANSPOSITA, Deformitas ingenua, 294
- Aorta, Origin of ascending, from left ventricle, and of descending aorta from right ventricle, Malformation, 295
- Aortic valve-disease, 67
- Aphakia, 47
- Aphasia, 29
- Aphonia, 81
- Apthæ*, see Thrush, (89)
- Apthæ parasiticæ*, see Parasitic thrush, (89), 11, 290
- APHTHÆ PARASITICÆ (88), 10, 290
- APOPLEXIA, 24
 — E CALORE, 24
- APPENDIX, 251
- Application of styptics to blood vessels, 263
 — — forceps, Obstetric operation, 275
 — — lever, Obstetric operation, 275
 — — stomach-pump, Operation, 265
- Apneumotosis, 85
- Apoplexia pulmonalis*, vide HÆMORRHAGIA P., 82
- Apoplexy, 25
 — Heat-, Heat-stroke, (25), 13, 215
- Apoplexy, Pulmonary*, see Hæmorrhage of lung, 83

ART

- AQUA LAUROCERASI, Venenum, 202
- Arachnida parasitica, 289
- Arachnoid, Inflammation of, 21
- ARCUS PALMARIS CONTRACTUS, 184
- Arcus senilis, 37
- Area*, see Alopecia areata, 193
- Argas Persicus, Parasite 289
 — Chinche, Parasite, 289
- ARGENTUM, Venenum, 198
- Arrows, Poisoned, Wounds by, 213
- Arsenic, Poison, 199
- ARSENICUM, Venenum, 198
- Arseniuretted Hydrogen, Poison 209
- ARTERIA HYALOIDES PERSISTENS, Deformitas ingenua, (46), 14, 292
- ARTERIE DIRUPTIO, 74
 — OBSTRUCTIO EX IMPACTIS COAGULIS, 74
 — PULMONIS ANEURYSMA, 84
- ARTERIARUM ANEURYSMA, 72
 — CEREBRALIUM MORBI, (24), 72
 — COARCTATIO ET OBLITERATIO, 72
 — CONTUSIO, 218
 — CORONARIARUM MORBUS 70
 — DEGENERATIO, 72
 — DILATATIO, 72
 — DIRUPTIO, 218
 — — IMPERFECTA, 218
 — — PERFECTA, 218
 — DISTRIBUTIO ABNORMIS, Deformitas ingenua, 294
 — ET VENARUM DISTRIBUTIO ABNORMIS, Deformitas ingenua, 294
 — HYPERTROPHIA, 72
 — LESIONES, (74), 12, 218, 220
 — MORBI, 72
 — OCCLUSIO EX COMPRESSU, 72
 — PUNCTIO, 218
 — SECTIO ABSOLUTA AUT NON-ABSOLUTA, 220
 — TUBERCULOSIS, (72), 14, 314
 — VULNUS, 220
- Arteries, Aneurysm of, and its varieties, 73
 — — — by anastomosis, of, 75
 — Atheroma of, 73
 — Calcareous degeneration of, primary, 73
 — Cerebral, Diseases of the, (25), 73
 — Cirroid aneurysm of, 75
 — Complete rupture of, 75, 219
 — — from disease of artery, 75
 — — — external to Artery, 75
 — Contusion of, 219
 — Degeneration of, (and subdivisions), 73

ART

- Arteries, Dilatation of, 73
 — Diseases of, 73
 — Embolism of, 75
 — *Fatty degeneration of*, see *Atheroma*, 73
 — Hypertrophy of, (and subdivisions), 73
 — Injuries of, (75), 13, 219, 221
 — Ligature of, Operation, 259
 — Malformations of, (75), 15, 295
 — Narrowing and obliteration of, 73
 — Occlusion of, by Compression, 73
 — Operations on the (For their subdivision, see *Operations on the Arteries*), 259
 — Partial rupture of, 75, 219
 — Syphilis of, (73), 9, 313
 — Traumatic aneurysm of, 75
 — Thrombosis of, 75
 — Tuberculosis of, (73), 15, 315
 — Wound of, 221
 Arterio-capillary fibrosis, see *Degeneration of arteries*, 73
 Arterio-venous aneurysm, 77
 Arteritis, 73
 ARTHRITIS DEFORMANS, see *OSTEO-ARTHRITIS*, 15
 — NODOSA, see *OSTEO-ARTHRITIS*, 15
 — SATURNINA, SIVE EX PLUMBO, 198
 Arthritis (Gonorrhœal), (179), 11
Arthritis rheumatica chronica, sive *longa*, vide *OSTEOARTHRITIS CHRONICA*, sive *LONGA*, 178, 180
 Arthritis, see *Inflammation of Joints*, 177
 Articular cartilage, Dislocation of, 181
 ARTICULI HYDROPS, 176
 — PERFORATI, 180
 ARTICULORUM (PRÆTER SPINAM) MORBI, 176
 — ABSCESSUS, 178
 — — PYÆMICUS, (178), 8
 — ANKYLOSIS, 178
 — INFLAMMATIO, 176
 — IN MEMBRIS INFERIORIBUS VULNERA, 244
 — — — SUPERIORIBUS VULNERA, 242
 — NEURALGIA, (180), 28
 ARTICULUS NOTHUS, 176
Artificial anus, see *Fistula of intestines*, 109;
 and *Operation for imperforate anus*, 267
 Artificial pupil, Operation, 253

ATH

- Artificial respiration, Operation, 283
Ascaris lumbricoides, Parasite, 286
 — *Mystax*, Parasite, 286
 Ascites, 117
Asiatic cholera, see *Cholera*, 7
Aspergillus, (61), 11
 Asphyxia, 215
 — from compression of chest, 215
 — — *gaseous poisons*, (215), 13, 209
 — — overlying, 215
 — — plugging of air-passages, 215
 — — strangulation, 215
 — — submersion, 215
 ASPHYXIA DEMERSORUM, 214
 — EX AËRIBUS VENENOSIS, (214), 12, 208
 — — CORPORE SUPERINCUBANTE, 214
 — — THORACIS COMPRESSU, 214
 — ; SPIRITUS ITINERA EX CORPORIBUS ADVENTITIIIS OBTURATA, 214
 — STRANGULATORUM, 214
 Aspiration of abscess, Operation, 251
 — — hydatid cyst, Operation, 251
 — — joint, Operation, 281
 — — tumours, see *Paracentesis of Fluid Tumours and Note*, 251
 Asthenopia, 49
 Asthma, Grinders', 85
 — Hay, 77
 — Miners', 85
 — Spasmodic, 83
 ASTHMA CULTRARIORUM, 84
 — EX FENISICIO, 76
 — METALLARIORUM, 84
 — SPASMODICUM, 82
 Astigmatism, 49
 ASTIGMATISMUS, 48
Astragalus, Dislocation of, 249
Ataxy, *Locomotor*, 23
 Atelectasis, 85
 ATHEROMA ARTERIARUM, vide *DEGENERATIO A.*, 72
Atheroma of arteries, see *Degeneration of*, 73
 — of the valves of the heart, 67
 Athetosis, see *Spasm of Muscle*, 27

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

ATO

- Atony of the uterus during parturition, 161
 Atresia of uterus, operation for, 275
 — — — vagina, see Occlusion of, 153
 — — — Operation for, 275
 ATRESIA INGENITA URINÆ ITINERIS, (134), 15,
 296, 298
 ATROPHIA, (2)
 — ACUTA JECORIS, 112
 — ALVEOLORUM, 92
 — CAPSULARUM SUPRARENALIUM, 124
 — CEREBRI, 18
 — CORDIS, 68
 — CORPORIS THYROIDIS, 122
 — CUTIS, 192
 — DISCI OPTICI AUT PAPILLÆ, 42
 — GINGIVARUM, 92
 — GLANDULÆ PROSTATÆ, 136
 — GLANDULARUM LYMPHIFERARUM, 120
 — IRIDIS, 38
 — LIENIS, 118
 — LINEARIS CUTIS, 192
 — LINGUÆ, 96
 — MAMMÆ MULIERIBUS, 170
 — MUSCULORUM, 182
 — NERVORUM, 18
 — OSSIUM, 174
 — OVARII, 142
 — RENUM, 126
 — RETINÆ, 44
 — SPINÆ, 180
 — SPINALIS, 18
 — TESTICULI, 140
 — TUNICÆ CHOROIDIS, 40
 — UNGUIUM, 192
 — UTERI, 146
 — VAGINÆ, 150
 Atrophy, (3)
 — of bones, 175
 — — alveoli, 93
 — — brain, 19
 — — breast, female, 171
 — — choroid, 41
 — — gums, 93
 — — heart, 69
 — — iris, 39
 — — kidney, 127
 — — liver, 113
 — — — Acute yellow, 113
 — — lymph-glands, 121
 — — muscles, 183
 — Progressive muscular, 23, under Sclerosis

BAC

- Atrophy of the nails, 193
 — — — nerves, 19
 — — — nervous system, 19
 — — — optic disc or papilla, 43
 — — — ovary, 143
 — — — periosteum of jaws, gums, or alveoli, 93
 — — — prostate gland, 137
 — — — retina, 45
 — — — skin, 193
 — — — — Linear, 193
 — — — spine, 181
 — — — spinal cord, 19
 — — — spleen, 119
 — — — suprarenal capsules, 125
 — — — testicle, 141
 — — — thyroid body, 123
 — — — tongue, 97
 — — — uterus, 147
 — — — vagina, 151
 Auditory vertigo, 29 (No. 118)
 Auricle of the ear, Abscess of, 59
 — — — Diseases of the, 59
 — — — Gouty deposits in the, (59), 15
 — — — Hæmatoma of the, 59
 — — — Inflammation of, 59
 — — — Injuries of the, (61), 13, 231
 — — — Malformations of the, (61), 15, 293
 — — — Malignant New Growth of the, (59),
 15, 307
 — — — Non-malignant New Growth of the,
 (59), 15, 307
 — — — Syphilis of, (59), 9, 313
 AURIS ABSCESSUS, 58
 — EXTERNÆ MORBI, 58
 — EXTERIOR AUT IMPERFECTA AUT NULLA; De-
 formitas ingenita, 14, 292
 — HÆMATOMA, 58
 — INFLAMMATIO, 58
 — INTERIOR IMPERFECTA, 14, 292
 — INTERNÆ MORBI, 62
 — — SYPHILIS, (62), 8, 312
 — — NECROSIS, 62
 — LÆSIONES, 230
 — MEDLÆ MORBI, 60
 AURIS MORBI, 58
 AURIS SYPHILIS, (58), 8, 312
 — TUMOR SEBACEUS, 58
 AURICULÆ ET AURIS FORAMINIS MORBI, 58
 Avulsion of a part, Injury, 219
 Back, Contusion of, 237

BAC

- Back, Injuries of, 237
 — Sprain of, 237
 — Wound of, 237
 Balanitis, see Inflammation of Glans Penis, 137
 BALBUTIES, vide MUSCULORUM SPASMUS, 26
 Baldness, see Alopecia, 193
Barbadoes ley, see Elephantiasis of Skin, (197), 15
 Barium, Poison, 199
 Basedow's disease, see Exophthalmic goitre, (59, 71), 125
 BASEDOVII MORBUS, (58, 70), 124
 BASIS CALVARIÆ FRACTURA, 226
 Bed-sore, 195
 Belladonna, Poison, see Deadly nightshade, 205
 Bending of Bone, see Green-stick fracture, 245
 Benzol or Benzine, Poison, 203
 BENZOLEUM, Venenum, 202
 Beri Beri, 9
 BERIBERIA, 8
 Bichloride of Methylene, Poison, 209
 Bichromate of Potash, Poison, see Chromium, 199
 Bilharzia hæmatobia, Parasite, 285
 Biliary ducts impervious, Malformation, (117), 15, 295
 — fistula, 115
 Birth, Immaturity at, 15
 — Premature, 15, (No. 53)
 Bisection of the body, see Embryotomy, 277
 Bismuth, Poison, 199
 BISMUTHUM, Venenum, 198
 Bisulphate of Potash or Soda, Poison, 201
 Bisulphide of Carbon, Poison, 209
 Bitter Almonds, oil of, Poison, 203
 Black eye, see Hæmatoma of Eyelids, 55
 Black Hellebore, Poison, 203
 Black induration of lung, 83
 Bladder, Calculus of, 133
 — Diseases of, 131
 — Distention of, 131
 — Extroversion of, Operation for, 271

BOI

- Bladder, Extroversion of the posterior wall of, Malformation, (133), 15, 299
 — Foreign bodies in, 241
 — Hæmorrhage of, 131
 — Hernia of, 131
 — Hypertrophy of, 131
 — Inflammation of, with its varieties, 131
 — Injuries of, (133), 13, 241
 — Inversion of, 131
 — Irritability of, 133
 — Laceration of, from fracture, 241
 — — — without wound, 241
 — Malformations of, (133), 15, 299
 — Malignant New Growth of, (131), 15
 — Neuralgia of, (133), 29
 — Non-malignant New Growth of, (131), 15
 — Paralysis of, (133), 25
 — Parasitic disease of, (133), 11
 — Rupture of, 131
 — — — from fracture, 241
 — — — without wound, 241
 — Sacculation of, 131
 — Sloughing of, 131
 — — consequent on parturition, 169
 — Spasm of, (133), 27
 — Suppurative Inflammation of, 131
 — Tapping of, Operation, 269
 — Ulceration of, 131
 — Wound of, 241
 Blaps mortisaga, Parasite, 287
 Blear-eye, 55
Blennorrhagia, see Gonorrhœa, (No. 30), 11
Blennorrhœa, see Gonorrhœa, (No. 30), 11
 Blepharitis, 55
 Blepharophimosis, 55
 Blepharospasm, 57
 BLEPHAROSPASMUS, 56
 Blood-tumour, see Hæmatoma, Tumour, 307
 Blood-vessel tumour, see Angioma, 311
 Blood vessels, Diseases of, 73
 — Injuries of, 219
 Blue line in gum, from lead, (95), 199
 Boil, (189), 195
 — Delhi, 197

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

BON

- Bones, Abscess, Chronic, of, 175
 — Atrophy of, 175
 — Caries of, 175
 — Cyst of, 177
 — Degeneration (Fatty) of, 175
 — Diseases of, Note, 175
 — Excision of, Operation, 279
 — fatty degeneration of, 175
 — fracture of, Operation for ununited, 279
 — fracture of, Spontaneous, 177
 — Hypertrophy of, 175
 — Inflammation of, 175
 — Injuries of, (177), 13
 — Malformations of, (177), 15
 — Malignant New Growth of, (177), 15
 — Necrosis of, 175
 — Non-malignant New Growth of, (177), 15
 — Operations on, 279
 — Parasitic disease of, (177), 11
 — Refracture of, Operation, 279
 — Removal of sequestra from, Operation, 279
 — Rickets of, (177), 15
 — Syphilitic disease of, (177), 9, 313
 — Tubercle of, (177), 15, 315
 — Un-united fracture of, 177
Bothriocephalus cordatus, Parasite, 285
 — *cristatus*, Parasite, 285
 — *latus*, Parasite, 285
 Bony fibroma, Tumour, 309
 — tumour, 309
 BOTULL, Venenum, 208
 Bow-leg, 181
 BRACHII FRACTURA, 242
 Brain, Abscess of, in various sites, 21
 — — — Pyæmic, (21), 9
 — absent, Malformation, 293
 — Atrophy of, 19
 — Concussion of, 227
 — Congestion of, 19
 — Cyst of, 23
 — Diseases of, 19
 — Diseases of the arteries of the, (25), 73
 — Dropsy of, 19
 — Ectopia of, Malformation, (25), 15, 303
 — Hæmorrhage of, 19
 — Hernia of, Malformation, (25), 15, 303
 — Hypertrophy of, 19
 — Inflammation of, 21
 — Laceration of, without fracture of skull, 227
 — Malformations of, (25), 15, 293, 303
 — Malignant New Growth of, (23), 15

BRO

- Brain, Non-malignant New Growth of, (23), 15
 — Parasitic disease of, (23), 11
 — rudimentary, Malformation, (25), 15, 293
 — Sclerosis of, 23
 — Softening of, 23
 — — red, 23
 — — white, 23
 — — yellow, 23
 — Syphilitic disease of, (23), 9, 313
 — Tuberculosis, (23), 15, 315
Brain-sand tumour, see Psammoma, 309
 Bread, Mouldy, Poison, 207
 Break-bone fever, 7 (No. 7)
 Breast, Female, Abscess of, 171
 — — — from parturition, (169), 171
Breast, Female, Adenoid tumour of, see Chronic mammary, Tumour of, (173), 311
 Breast, Female, Atrophy of, 171
 — — Cyst of, 173
 — — — Diseases of, 171
 — — — Hyperæsthesia of, (173), 29
 — — — Hyperæmia of, 171
 — — — Hypertrophy of, and its varieties, 171
 — — — Inflammation of, 171
 — — — following parturition, (169), 171
 — Malignant New Growth of, (173), 15
Breast, Female, Neuralgia of, see Mastodynia, (173), 29
 Breast, Female, Non-malignant New Growth of, (173), 15, 311
 — — Operations on, 279
 — — Parasitic disease of, (173), 11
 — — Removal of, 279
 — — Senile involution of, see Atrophy of, 171
 — — Sinus of, 173
 — Male, Diseases of, 173
 BRIGHTII MORBUS, 126
 Bright's disease, 127
 Broad ligament of the uterus, Abscess of, 147
 — — — Cyst of, 147
 — — — Diseases of, 147
 — — — Inflammation of, 147
 Bromidrosis, see Hyperidrosis, 197
 Bromine, Poison, 201
 — Gaseous Poison, 209
 BROMUM, Venenum, 200, 208
 Bronchi, Contraction of, 81
 — Dilatation of, 81
 — Diseases of, 81
 — Foreign bodies in, see Injuries, (83), 13, 233
 — Malformations of, (83), 15

BRO

- Bronchi, Malignant New Growth of, (81), 15
 — Non-malignant New Growth of, (81), 15
 — Parasitic disease of, (81), 11
 — Syphilis of, (81), 9, 313
 — Tubercle of, (81), 15, 315
 — Ulcer of, 81
Bronchiectasis, see Dilatation of bronchi, 81
 BRONCHIUM DILATATIO, 80
 Bronchitis, 81
 — Acute, 81
 — Catarrhal, 81
 — Chronic, 81
 — Plastic, 81
 BRONCHOCELE, 124
 — EXOPHTHALMICA, (58), (70), 124
 — CYSTICA, 124
 — FIBROSA, 124
 — GELATINOSA, 124
 — PARENCHYMATOSA, 124
 — VASCULARIS, 124
 Bronchocele, see Goitre, 125
 — Injection of, Operation, 269
 — Removal of, Operation, 269
 — Tapping of, Operation, 269
 BRONCHOCELES ABLATIO, Opus chirurgicum, 268
 — INJECTIO, Opus chirurgicum, 268
 — PARACENTESIS, Opus chirurgicum, 268
Bronzed skin, see Addison's disease, 125
 Brown induration of the lung, 83
 Brucia, Poison, 207, (No. 944)
 Bruise, 217
 — of secreting glands and viscera, 221
 — — muscles, 223
 — — skin, 223
 — with formation of hæmatoma or blood-cyst, 217
 Brush-burn, see Abrasion, 217
 Bubo, see Inflammation of lymph-glands, 121
 BUBO SYPHILITICUS, (122), 9, 313
 Bulbar paralysis, see Glosso-labio-pharyngeal paralysis, 25
 Bullets and shot, Removal of, Operation, 251

CAL

- Bunion, (195), 187
 Burn and scald of the larynx, 233
 Burns and scalds, Note, 215, 217
 — — — of the skin, 223
 — — — mucous membrane, 225
 Bursa patellæ, inflamed, 187
 — Injuries of, 243-245
 BURSE ABCESSUS, 186
 — INFLAMMATIO, 186
 — PATELLÆ AMPLIFICATIO, 186
 — TUMOR, 186
 Bursæ, operations on, 281
 — mucosæ, proliferating hygroma of, Tumour, 307
 Bursal abscess, 187
 — tumour, 187
 BURSARUM LÆSIONES, 242, 244
 — MUCOSARUM HYDROPS, 306
 — — HYGROMA PROLIFERANS, 306
 — ET TENDINUM THECARUM, MORBI, 186
Bursitis, see Inflamed bursa, 187
 CACHEXIA EX PLUMBO, 198
 — MALARIALIS, 8
 Cachexia, lead, Poisons, 199
 — Malarial, 9 (No. 23)
 Cæsarean section, Operation, 277
 Calabar bean, Poison, 203
 Calcaneo-astragaloid and scapho-astragaloid joints, dislocation at, 249
 Calcareous degeneration, (3)
 — — of the arteries, see Atheroma of, 73
 — — — dental pulp, 91
 — — — valves of the heart, see Atheroma of, 67
Calcification of the pleura, see Adhesions of, 87
 Calculi, biliary, see Gallstones, 117
 — Renal, Removal of, Operation, 269
 — Urethral, Removal of, Operation, 271
 — Vesical, Removal of, Operation, 269
 — — — by lithotomy, its varieties, 269
 — — — lithotripsy, its varieties, 271

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

CAL

- Calculi, Vesical, Removal of, by extraction of fragments, 271**
CALCULI BILIARES, 116
 — FELLEI, vide C. BILIARES, 116
CALCULORUM RENALIU ABLATIO, Opus chirurgicum, 268
 — EX VESICA ABLATIO, Opus chirurgicum, 268
 — EX URETHRA ABLATIO, Opus chirurgicum, 270
Calculus, see Concretion, (4)
 — of the bladder, 133
 — — — Ammonio-magnesian-phosphate, Triple phosphate, 133
 — — — Carbonate of calcium, 133
 — — — Cystine, 133
 — — — Fibrinous, 133
 — — — Fusible, 133
 — — — Oxalate of calcium, 133
 — — — Phosphate of calcium, 133
 — — — Triple phosphate, 133
 — — — Urates, 133
 — — — Uric acid, 133
 — — — Uric oxide, see Xanthin, 133
 — — — Xanthin, 133
Calculus impacted, of the urethra, 135
 — of the kidney, 129
 — — pancreas, 117
 — — pelvis of the kidney, 129
 — — prostate gland, 137
 — Salivary, 101
 — in the ureter, 129
CALCULUS, (4)
 — GLANDULÆ PROSTATÆ, 136
 — INFIXUS ITINERI URINÆ VIRILI, 134
 — IN IPSO RENE, 128
 — IN PELLE RENUM, 128
 — IN URETERE, 128
 — PANCREATIS, 116
 — PER URETERES DESCENSUS, 128
 — RENUM, 128
 — SALIVOSUS, 100
 — VESICÆ, 132
 — — ACIDUM URICUM, 132
 — — CALCIS CARBONAS, 132
 — — — OXALAS, 132
 — — — PHOSPHAS, 132
 — — CYSTINA, 132
 — — FIBRINOSUS, 132
 — — FUSILIS, 132
 — — PHOSPHAS TRIPLEX, 132
 — — URATES, 132
 — — XANTHINA, 132

CAP

- CALORIS EFFECTUS, 12**
 — ICTUS, 214
CALVARIA IMPERFECTA, Deformitas ingenita, 296
CALVARIÆ FISSURÆ, Deformitas ingenita, 298
 — SUPERIORIS FRACTURA, 224
 — — — E PENETRATIONE, 226
 — — — E PUNCTIONE, 226
 — — — EX INCISIONE, 226
 — — — EXTERNÆ TANTUM LAMELLÆ, 226
 — — — FORAS PATENS, OSSE DEPRESSO, 226
 — — — OSSE NON DEPRESSO, 224
 — — — INTERNÆ TANTUM LAMELLÆ, 226
 — — — SIMPLEX, 224
 — — — OSSE DEPRESSO, 224
 — — — NON DEPRESSO, 224
 — VULNUS, 226
Calvities, see Alopecia, 193
CALX, Venenum, 200
Camphor, Poison, 203
CAMPHORA, Venenum, 202
CANALIS UTERI OCCLUSUS, 150
Cancer, see Carcinoma, 313
 — *A denoid, see Cylindroid Carcinoma, 313*
Cancer, Colloid, 313
 — Chimney Sweeper's, see Epithelioma, (Note), (139), 15, 313
 — Cylindroid, 313
 — Epithelioma, 313
 — Medullary, 313
 — Melanotic, 313
 — Scirrhus, 313
Cancrum oris, see Noma, 89
Canities, 193
Cannabis Indica, Poison, 205
Cantharides, Poison, 209
Cantharidin, Poison, 209
CANTHARIDINA, Venenum, 208
CANTHARIS, Venenum, 208
Capsule of the lens, Extraction of the opaque, Operation, 255
 — — — Laceration of the opaque, Operation, 255
CAPITIS PARACENTESIS, Opus chirurgicum, 256
CAPSULÆ OPACÆ EXTRACTION, Opus chirurgicum, 254
 — — LACERATIO, Opus chirurgicum, 254
CAPSULARUM SUPRARENALIUM ATROPHIA, 124
 — — HYPERTROPHIA, 124
 — — MORBI, 124
 — — MORBUS LARDACEUS, 124

CAP

CAPUT AORTÆ DESCENDENTIS COARCTATUM VEL OBLITERATUM, Deformitas ingenua, 294
 — AUT NULLUM AUT RUDE, Deformitas ingenua, 296
 Carbazotic Acid, Poison, 203
 Carbohc Acid, Poison, 203
 Carbonate of calcium calculus, 133
 Carbonic acid gas, Poison, 209
 Carbonic oxide, Poison, 209
 CARBONIS BISULPHIDUM, Venenum, 208
 — VAPOR, Venenum, 203
 Carbuncle, (189), 195
 — of eyelid, (55), 195
 CARBUNCULUS, (188), 194
 — PALPEBRÆ, (54), 194
 Carcinoma, Tumour, 313
Carcinoma, Adenoid, see *Cylindroid*, 313
 Carcinoma, Colloid, 313
 — Cylindroid, 313
 — Epithelioma, 313
 — Medullary, 313
 — Melanotic, 313
 — Osteoid, 313
 CARCINOMA ADENOIDES, vide *C. CYLINDROIDES*, 312
 — CAMINOS PURGANTIUM, (138), 14, 312
 — CYLINDROIDES, 312
 — MEDULLOSUM, 312
 — MELANOTICUM, 312
 — OSTEOIDES, 312
 Cardiac valves imperfect, *Malformation, 295
 Caries of the alveoli, 93
 — of bone, 175
 — — dentine and cementum, 93
 — — the orbit, 57
 — and necrosis of the spine, 181
 CARIES OSSIUM, 174
 — ET NECROSIS SPINÆ, 180
 CARO RANCIDA ET MORBIDA, Venenum, 206
 — VENENOSA, Venenum, 208
 CARPI LUXATIO, 244
 — METACARPI, ET PHALANGIUM FRACTURA, 242
 Carpus, Dislocation of, 245
 — Fracture of, 243
 Cartilage, Dislocation of articular, 181

CAT

Cartilage, Loose, 179
 — Ulceration of, 179
 Cartilages and ligaments of the spine, Ulceration of the, 181
 — of larynx, fracture of, 233
 — — — necrosis of, 79
 — — — ossification of, 79
 — of ribs, ossification of, 177
 CARTILAGINIS AURIS AB OSSE DISJUNCTIO, 230
 — ET SUMMORUM OSSIUM ARTICULARIUM DEGENERATIO, 178
 — ULCERATIO, 178
Cartilaginous tumour, see *Chondroma*, 309
 CARTILAGO ARTICULARIS LOCO MOTA, 180
 — LIBERA, 178
 Cessation of the lymph-glands, (123); see *Scrofula*, 15
 CASEUS VENENOSUS, 208
 Castor-oil seeds, Poison, 203
 CASTRATIO, Opus chirurgicum, 272
 Castration, Operation, 273
 Catalepsy, 29
 CATALEPSIS, 28
 Cataract, 45
 — Calcareous, 47
 — Capsular, 47
 — Cortical, 45
 — Diabetic, (47), 17
 — Hard or Senile, 45
 — Lamellar, 47
 — Lenticular or true, 45
 — Nuclear, 45
 — Morgagnian, 47
 — Posterior polar, 45
 — Shrunken, 47
 — Soft, 47
 — Traumatic, 47
 — *Zonular*, see *Lamellar*, 47
 CATARACTA, 44
 — CALCAREA, 46
 — CAPSULARIS, 46
 — CORTICALIS, 44
 — CONTRACTA, 46
 — DURA, 44

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

CAT

- CATARACTA DIABETICA (46), 16
 — LAMELLARIS, 46
 — LENTICULARIS, 44
 — MOLLIS, 46
 — MORGAGNIANA, 46
 — NUCLEARIS, 44
 — POLARIS ANTERIOR, 44
 — POLARIS POSTERIOR, 44
 — TRAUMATICA, 46
 — ZONULARIS, vide C. LAMELLARIS, 46
 Catarrh of the Vagina during pregnancy, (159), 151
 Catarrhal bronchitis, 81
 — conjunctivitis, 33
 — inflammation of fances, see Sore Throat, 99
 — laryngitis, 79
 — pneumonia, 83
 CATARRHUS EPIDEMICUS, (76), 6
 — VAGINÆ, 150
 — — IN GRAVIDIS, (158), 158
 Catheter, Passing of, Operation, 271
 Catheterisation, Urethral, see Passing of Catheter, Operation, 271
 — of œsophagus, Operation, 263
 — of larynx, Operation, 263
 Catheterism of Eustachian tube, Operation, 255
 Cauterisation of vessels, 263
 CAUTERIZATIO, Opus chirurgicum, 262
 Caustic alkalies, Poisons, 201
 CAVA CORDIS, NUMERO DEFICIENTIA, Deformitas ingenta, 292
 Cavernous angioma, Tumour, 311
 Cavities of the heart deficient in number, Malformation, 293
 — — — one auricle and one ventricle, 293
 — — — two auricles and one ventricle, 293
 CELLULARUM MASTOIDEARUM MORBI, 60
 — — PERFORATIO, Opus chirurgicum, 254
 Cellulitis, Pelvic, 147
 — — consequent on parturition, (169), 147
 — of the orbit, and its varieties, 57
 — see Inflammation of Connective tissue, Note, 189
 Cementum, Abnormal structure of, 95
 Cephalhæmatoma, from contusion of the scalp, 225
 — — — beneath scalp, 225
 — — — beneath pericranium, 225
 CEPHALHÆMATOMA, INFRA EPICRANIUM, 224
 — INFRA PERICRANIUM, 224
 Cephalic paracentesis, Operation 257

CER

- Cerebral arteries, Diseases of, (25), 73
 — Hæmorrhage, 19
 — nerves, Injuries of, (23), 13
 — veins and sinuses, Diseases of, (25), 75
 CEREBRI ABSCESSUS, 20
 — CONCUSSIO, 226
 — CONTUSIO, 226
 — COMPRESSIO, 226
 — DEFECTIO, Deformitas ingenta, 14, 292
 — ET EJUS MEMBRANARUM INFLAMMATIO, 20
 — INFLAMMATIO, 20
 — SINE CALVARIÆ FRACTURA, LACERATIO, 226
 — VULNUS, 226
 Cerebri Hernia or fungus, Injury, 226; Malformation, 15, 303
 CEREBRI FUNGUS, 226
 — HERNIA SIVE ECTOPIA, Deformitas ingenta, 14, 302
 — MOLLITIES ALBENS, 22
 — — FLAVENS, 22
 — — RUBENS, 22
 Cerebro-spinal fever, 7
 — — meningitis, Epidemic, see Cerebro-spinal fever, 7 (No. 15)
 — — — see Inflammation of the brain and spinal cord, 21
 CEREBRUM RUDE VEL MINUS ABSOLUTUM, Deformitas ingenta, 14, 292
 CÆRULEA EX PLUMBO GINGIVA, (94), 198
 CERUMEN NMIMUM, 58
 CERUMINIS ETCORPORUM ADVENTITIORUM AB AURIS FORAMINE ABLATIO, Opus chirurgicum, 254
 CERVICIS FEMORIS FRACTURA, 244
 — — — EXTRA CAPSULAM, 246
 — — — INTRA CAPSULAM, 246
 — PRÆTER VERTEBRARUM, LÆSIONES, 230
 Cervix femoris, Fracture of, 245
 CERVIX UTERI PRODUCTA, 146
 Cervix uteri, Dilatation of, Obstetric operation, 277
 — — Cancer of, as an obstacle to parturition, 163
 — — — Ectropium of, 151
 — — — Elongation of, 147
 — — — connected with pregnancy, 161
 — — — Hæmorrhage from Thrombus of, during parturition, 165
 — — — laceration of, 151
 — — — lacerated, Operation for, 275 [163
 — — — Malposition of, obstacle to parturition, — — Operation for enlarging, 273

CER

Cervix uteri, Removal of, Operation, 273
 — — Sloughing of, consequent on parturition, 169
 Cestoda, Parasites, 285
 Cevadilla, Poison, 203
 Chalazion, 55
 Chancre, Hard, 9
 Chapped nipple, 173
 Chaps, see Fissures, 195
 Charbon, see Splenic fever, 11 (No. 34)
 Charcoal fumes, Poison, 209
 Charcot's disease, (179), 23
 CHARCOTI MORBUS, (178), 22
 Cheese, Poisonous, 209
 Cheloid, 195
 Chemical agents, Effects of, 13
 — injuries of the eyelids and eye, 231
 — irritants and corrosives, Effects of, 215
 CHEMICE IRRITANTUM ET CORROSIVORUM EFFECTUS, 214
 Chemosis and varieties, see Edema of the conjunctiva, 33
 Chest, Contusion of, 233
 — Injuries of, 233
 — perforating wound of, 235
 — wound of the parietes of the, 235
 Chicken pox, 5
 Chigoe, Parasite, see *Pulex penetrans*, 289
 Chilblain, 193
 Chimney-sweeper's Cancer, (139), 15, see Epithelioma, Note, 313
 Chionyphe Carteri, Parasite, 291
 Chironomus plumosus, Parasite, 288
 Chloasma, 193
 Chloral Hydrate, Poison, 203
 CHLORALIS HYDRAS, Venenum, 202
 Chlorinated Soda and Lime, Poisons, 201
 Chlorine, Poison, 209
 Chloroform, Poison, 203
 — vapour, Poison, 209
 CHLOROFORMI VAPOR, Venenum, 208
 CHLOROFORMUM, Venenum, 202
 Chlorosis, (159), 17
 CHLORUM, Venenum, 208

CHR

CHOLECYSTOTOMIA ADVERSUM CALCULUM IN FIXUM, Opus chirurgicum, 266
 Cholecystotomy, operation for impacted gall-stone, 267
 Cholera, (109), 7
 — Asiatic, 7, (No. 19)
 — infantum, 9, (No. 20)
 — nostras 9, (No. 20)
 CHOLERA ASIATICA, vide *C. PESTIFERA*, 6 (No. 19)
 — EPIDEMICA, vide *C. PESTIFERA*, 6
 — PESTIFERA, 6
 — SPORADICA, 8
 Cholera, simple, 9, (No. 20)
 — sporadic, 9
 Chondroma, Tumour, 309
 CHORDÆ, 138
 Chordee, 139
 Choreia, 29
 Choroid, Atrophy of, 41
 — Diseases of, 41
 — Injuries of (41), 13
 — Hæmorrhage of, 41
 — Malformation of, (41), 15
 — Malignant New Growth of, (41), 15
 — Non-malignant New Growth of, (41), 15
 CHOROIDIS ET PROCESSUM CILIARIUM FISSURA, Deformitas ingenta, (40), 14, 298
 Choroiditis and varieties, 41
 Chromate of lead, Poison, see Chromium, 199
 Chromatopsia, 51
 Chrome yellow, Poison, see Chromium, 199
 Chromic acid, Poison, see Chromium, 199
 CHROMIDROSIS, 196
 Chromium, Poison, 199
 Chronic abscess of bone, 175
 Chronic albuminuria, see Bright's disease, 127
 Chronic Bright's disease, 127
 — bronchitis, 81
 — cystitis, 131
 Chronic enlargement of the prostate gland, see Hypertrophy of, 137
 Chronic hydrocephalus, 19
 — — Acquired, 19
 — — Congenital, 19

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

CHR

- Chronic inflammation of the female breast, 171
 — — — thyroid gland, 125
Chronic interstitial inflammation of the lungs,
 see Cirrhosis of lungs, 83
 Chronic laryngitis, 79
 — mammary tumour, (173), see Adenoma, 311
Chronic nephritis, see Bright's disease, 127
 Chronic ophthalmia, 33
 — orchitis, 141
 — osteo-arthritis, (179), 15
 — — — of spine, (181), 15
 — peritonitis, 117
 — pleurisy, 87
 — pneumonic phthisis, 85
Chronic rheumatic arthritis, see Chronic osteo-
 arthritis, (179), (181), 15
 Chronic rheumatism, Note, 15
 — synovitis, 177
 — Ulcer of the Skin, Operation for, 283
 Chyluria, (123), 131
 CIBI NIMIETAS (ACRASIA), 12
 Cicatrices, 195
 — Operations for, 281
 Cicatricial adhesions, Division of, Operation,
 281
 — syphilis, 313
 CICATRICUM ADHERENTIU SECTIONI, Opus
 chirurgicum, 280
 CICATRIZATIO, (2)
 Cicatrization, (3)
 Cicatrix, or band, of the vagina, 153
 — — — as an obstacle to parturition, 163
 CICATRIX AUT HABENULA IN VAGINA, 152, 162
 CICUTA VIROSA, Venenum, 206
 Ciliary body, Diseases of, 41
 CINGULUM, vide ZONA, 190
 Circular amputation, Operation, 281
 Circulatory organs, Operation on, 259
 CIRCULATORY SYSTEM, DISEASES OF, 67
 Circumscribed Periostitis, see Inflammation
 of Bones, 175
 CIRRHOSIS JECORIS, 112
 — — — HYPERTROPHICA, 112
 — PULMONIS, 82
 Cirrhosis of the liver, 113
 — — lung, 83
 CIRSOCELE, 140
 Cirroid aneurysm, 75
Clap, see Gonorrhœa, 11
 CLASSIFICATION OF TUMOURS, 307
 Clavicle, Dislocation of, 245

COL

- Clavicle, Fracture of, 243
 CLAVICULÆ FRACTURA, 242
 — LUXATIO, 244
 CLAVUS, 194
 Cleft palate, Malformation, (99), 15, 299
 — Operation for, 259
 Climacteric insanity, 31
 CLIMACTERICA INSANIA, 30
 Climate, Effects of, 13
 CLITORIDIS AMPUTATIO, Opus chirurgicum, 274
 Clitoris, Amputation of, 275
 Clot, see Coagulum, (5)
 Clots in the heart, 69
 Club-foot, 187, 305
 Club-hand, 187
 COAGULA CORDIS, 68
 Coagulum, see Concretion, (5)
 Coal gas, Poison, 209
 COARCTATIO LARYNGIS, 78
 — TRACHEÆ ET BRONCHIORUM, 80
 — VENTRICULI, 102
 Coccus Indicus, Poison, 203
 Coccygodynia, (159), see Neuralgia, 29
 — Operation for, 275
 Cœlognathus morsitans, Parasite, 289
 COËUNDI IMPOTENTIA, 142
 Colchicum, Poison, 205
 Cold, Effects of, 13, 215
 — Action of, 217
 Colectomy, Operation, 265
 COLES FUSILLUS, Deformitas ingenua, (138),
 14, 296
 COLI DIVERTICULA, 104
 Colic, 109
 — Biliary, 117
 — Lead (109), 199
 COLICA, 108
 — BILLIARIS, 116
 — EX PLUMBO, (108), 198
 — PICTORUM, 198
 COLIS MORBI, 136
 Colitis, 105
 Collapse of lung, 85
 COLLAPSIUS PULMONIS, 84
 Colloid carcinoma, Tumour, 313
 COLLONEMA, vide MYXOMA, 308
 Coloboma of the choroid and ciliary body,
 Malformation, (41), 15, 299
 — — eyelids, (57), 15, 299
 — — iris, (41), 15, 299
 — — retina, 299

COL

- Coloboma of the sclerotic, 299
 — — sheath of optic nerve, (43), 15, 299
 COLOBOMA NERVI OPTICI THECÆ, (42), 14, 298
 Colocynth, Poison, 205
 COLOCYNTHIS, Venenum, 204
 Colon, Diverticula of, 105
 COLORIS RUBRI CUM VIRIDI CONFUSIO, 48
 COLOTOMIA, Opus chirurgicum, 264
 Colotomy, Operation, 265
 — Inguinal, 265
 — Lumbar, 265
 Colour-blindness, 49
 COLUM, 108
 — EX PLUMBO, (108), 198
 — PICTORUM, 198
 Commencement of the descending aorta, contracted or obliterated, Malformation, 295
 COMMISSURÆ PECTINIS FISSURA, Deformitas ingenta, 298
 Complete crush of a part, Injury, 219
 Compound fracture of the vault of the skull with depression, 227
 — — — — without depression, 225
 COMPRESSIO ARTERIÆ, Opus chirurgicum, 260
 — vide LÆSIONES MECHANICÆ, (2)
 Compression, (3)
 — of nerves, 219
 — of the brain, 227
 — — — chest, Asphyxia from, 215
 — — — spinal cord, without fracture or dislocation, 237
 — of vessel to arrest hæmorrhage, 261
 Concentric hypertrophy of bones, 175
 CONCOCTIO APPARATUS DEFORMITATES INGENITÆ, 294
 CONCOCTIONIS APPARATUS MORBI, 86
 CONCRETA IN INTESTINIS, 108
 Concretion, (5)
 Concretions Intestinal, 109
 — Salivary, Operation for, 259
 CONCRETUM, (4)
 CONCUSSIO CEREBRI, 226
 Concussion of the brain, 227
 — — spinal cord, 237
 CONCUSSUS, 214

CON

- CONDITIONUM ET ACTIONUM MOBBIDARUM ELENCHUS SIMPLICITER NULLA PARTIS AFFECTÆ RATIONE HABITA, 2
 Condyloma, see Papilloma, Tumour, 311
 — of the anus, (111), 15, 311
 — — skin, (197), 15, 311
 — — — of the penis, (137), 15, 311
 — — — — vulva, (155), 15, 311
 CONDYLOMA ANI, (110), 14, 310
 — CUTIS, (196), 14, 310
 — LATUM, vide PAPILLOMA, 14, 310
 — PENIS, (136), 14, 310
 — VULVÆ, (154), 14, 310
 Congenital deficiency of pigment, see Albinism, 193
 — displacements and unusual positions of parts of the fœtus, 303
 — distortions, 305
 — — of cranium, 305
 — — — limbs, 305
 — — — spine, 305
 — — — thorax, 305
 — hydrocele of the tunica vaginalis, 141
 — imbecility, 31 (No. 132)
 — inguinal hernia, 107
 CONGENITAL MALFORMATIONS, 293
 — phimosi, Malformation, 297
 — ptosis, Malformation, 293
 — syphilis, 313
Congestio jecoris, vide AMPLIFICATIO J., 112
 CONGESTIO LIENIS, 118
 — NERVORUM APPARATUS, 18
 — OPTICI DISCI, 42
 — PASSIVA PULMONIS, 82
 Congestion of the kidney; passive in heart and lung disease, 127
 — — — liver, 113
 — — — lung, (passive), 83
 — — — optic disc, 43
 — — — nervous system, 19
 — — — spleen, 119
 Conia, Poison, 205
 Conical cornea, 37
 Conium, Poison, 205
 Conjunctiva, Chemosis of, 33
 — Diseases of, 33

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

CON

- Conjunctiva, Ecchymosis of, 33
 — Emphysema of, 33
 — Foreign bodies in, (35), 13, 229
 — Hyperæmia of, 33
 — Malignant New Growth of, (33), 15
 — Metallic stains of, 35
 — — — from lead, 35
 — — — from nitrate of silver, 35
 — Non-malignant New Growth of, (33), 15
 — Œdema of, 33
 — Parasitic disease of, (35), 11
 — Pinguecula of, 33
 — Pterygium of, 33
 — Wound of, 229
 CONJUNCTIVÆ VULNUS, 228
 Conjunctivitis and its varieties, 33
 CONJUNCTIVITIS CATARRHALIS, 32
 — CHRONICA, 32
 — DIPHThERICA, (32), 6
 — GONORRHOÏCA, (32), 10
 — GRANULARIS, 32
 — MEMBRANOSA, 32
 — NEONATORUM, 32
 — PHLYCTENULARIS, 32
 — PURULENTA, 32
 Connective tissue, Abscess of, 189
 — — Diseases of, 189
 — — Emphysema of, 189
 — — Foreign Substances in, (189), 13, 223
 — — Hæmorrhage of, 189
 — — Inflammation of, 189
 — — Malignant New Growth of, (189), 15
 — — Non-malignant New Growth of, (189), 15
 — — Operations on, 231
 — — Parasitic disease of, (189), 11
 — — Slough of, 189
 Consecutive insanity, from fevers, &c., 31
 CONSTIPATIO, 108
 Constipation, 109
 Constitutional syphilis, 9, 313
 CONSTRICTIO TEMPORARIA ARTERIARUM, Opus
 chirurgicum, 258
 Constriction, temporary, of arteries, Opera-
 tion, 259
 Continued fever, Simple, Definition, 7
 Continuity of nerves with nerve centres,
 incomplete, Malformation, 293
 Contracted palmar fascia, 185
 Contracting granular kidney, see Granular
 Kidney, 127
 CONTRACTIO, vide LÆSIONES MECHANICÆ, (2)

CON

- CONTRACTIO BULBI, 46
 — DUFUYTRENII, 184
 — MUSCULORUM, 184
 — TRACHÆ ET BRONCHIORUM, 80
 — VENTRICULI, 102
 Contraction, see Mechanical affections, (3)
 Contraction Dupuytren's, see Contracted pal-
 mar fasciæ, 185
 Contracture of tendons, fasciæ, 185
 — of the trachea and bronchi, 81
 — — stomach, 103
 — — vagina, Operation for effecting, 275
 Contracture of muscles, 185
 Contused wound, see Wound, 217
 Contusion, see Bruise, 217
 CONTUSIO, 216
 — A TERGO, 236
 — CUM FORMATO HÆMATOMATE, 216
 — IN ABDOMINE, 238
 — IN MEMBRIS INFERIORIBUS, 244
 — — — SUPERIORIBUS, 242
 — IN THORACE, 232
 Contusion of the abdomen, 239
 — — — with rupture of muscles, 239
 — — — — of viscera, 239
 — of arteries, 219
 — of the back, 237
 — — brain, 227
 — — chest, 233
 — — eye, 229
 — — — with dislocation of the lens, 229
 — — — hæmorrhage into the globe, 229
 — — — rupture of the sclerotic, 229
 — — face, 227
 — — heart or lung, without wound, 235
 — — lower extremity, 245
 — — lymph gland, 221
 — — mucous membrane, 225
 — — nerves, 219
 — — organs of generation, 241
 — — pelvis, 241
 — — pinna, 231
 — — scalp, 225
 — — skull, 225
 — — soft parts of the neck, 231
 — — testicle, 243
 — — upper extremity, 243
 CONTUSUM A TERGO, 236
 — IN ARTERIIS, 218
 — — FACIE, 226
 — — MEMBRIS INFERIORIBUS, 244

CON

- CONTUSUM IN MEMBRIS SUPERIORIBUS, 242
 — — OCULO, 228
 — — PARTIBUS MOLLIORIBUS CERVICIS, 230
 — — PELVI, 240
 — — THORACE, 232
 CONTUSUM IN VENTRE, 238
 — — — RUPTIS MUSCULIS, 238
 — — — RUPTIS VISCERIBUS, 238
 CONTUSUS OCULUS CUM HÆMORRHAGIA INTERIORE, 228
 — — LENTE ELISA, 228
 — — RUPTA SCLEROTICA, 228
 CONVULSIO, 26
 Convulsions, Symptomatic, see Eclampsia, 27
 — consequent on parturition, (169), 27
 — during parturition, (167), 27
 — Puerperal, (169), 27
 Copper, Poison, 199
 Cord, Spermatic, Abscess of, 139
 — — Diseases of, 139
 — — Hæmatocele, diffused, of, 243
 — — Hydrocele of, 139
 — — — Diffused, 139
 — — — Encysted, 139
 — — Inflammation of, 139
 — — Injuries of, (141), 13
 — — Neuralgia of, (141), 29
 — — Non-malignant New Growth of, (141), 15
 — — Varicocele of, 141
 Cord, Spinal, Compression of, without fracture or dislocation, 237
 — — Concussion of, 237
 — — Diseases of, 19; for detail, see under Spinal Cord
 — — Wound or laceration of, 237
 CORDIS AUT PULMONIS SINE VULNERE CONTUSIO, 234
 — — — DIRUPTIO CITRA VULNUS AUT FRAC-
 RAM, 236
 — CAVA NUMERO DEFICIENTIA, Deformitas in-
 genita, 14, 292
 — COAGULA, 68
 — DEFECTUS, Deformitas ingenita, 14, 292
 — EJUSQUE MEMBRANARUM MORBI, 66

COR

- CORDIS HERNIA SIVE ECTOPIA, Deformitas in-
 genita, 14, 302
 — OSTIA OBSTRUCTA VEL IMPERFECTA, De-
 formitas ingenita, 14, 294
 — PALPITATIO ET TUMULTUS, 70
 — SEPTA IMPERFECTA, Deformitas ingenita,
 14, 292
 — SUBSTANTIE MUSCULARIS ABSCESSUS, 68
 — — ADIPIS NIMIA ABUNDANTIA, 70
 — — ATROPHIA, 68
 — — DEGENERATIO, 68
 — — HYPERTROPHIA, 68
 — — INFLAMMATIO, 68
 — — MORBI, 68
 — VALVÆ IMPERFECTÆ, Deformitas ingenita, 294
 Corn, 195
 Cornea, Arcus senilis of, 37
 — Conical, 37
 — Diseases of, 35
 — Fistula of, 37
 — Foreign bodies in, (37), 13, 229
 — Inflammation of, see Keratitis, 35, and its
 varieties,
 — Injuries of, (37), 13, 231
 — Malignant New Growth of, (37), 15
 — Non-malignant New Growth of, (37), 15
 — Opacity of, 37
 — Staphyloma of, 37
 — Wound of, 231
 — Ulcer of, and varieties, 35
 CORNEA CACUMINATA, 36
 — OPACA, 36
 CORNEÆ VULNUS, 230
 CORNU, 194
 Coronary arteries, Disease of, 71
 CORPORA ADVENTITIA IN INTESTINIS, (108), 238
 — — — ANTRO, (90), 12, 228
 — — — BRONCHIUS, (82), 12, 232
 — — — CONJUNCTIVA, (34), 12, 228
 — — — CORNEA, (36), 12, 228
 — — — FORAMINE AURIS, (60), 12, 230
 — — — ITINERE URINÆ VIRILE, (134), 12, 240
 — — — LARYNGE, (78), 12, 232
 — — — NARIBUS, (64), 12, 226

EXPLANATIONS.—The names for common use are printed in **Egyptian type**, Latin names proper in **ROMAN SMALL CAPITALS**, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

COR

- CORPORA ADVENTITIA IN ŒSOPHAGO, (100), 12, 232
 — — — ORGANIS ABSORBENTIBUS, 220
 — — — PARTIBUS MOLLIORIBUS FACIÆ, 228
 — — — PERITONÆO SITA, 238
 — — — PHARYNGE, (100), 12, 232
 — — — PULMONE, 236
 — — — RECTO INTESTINO ET ANO, (110), 12, 240
 — — — SPIRITUS ITINERIBUS, 232
 — — — TELA CONNEXIVA, (188), 12, 222
 — — — TRACHEA, (82), 12, 232
 — — — URETHRA, (134), 12, 240
 — — — VAGINA, (152), 12, 240
 — — — VENTRICULO, (102), 12, 238
 — — — VESICA, (132), 12, 240
 — — — INTRA OCULUM RECEPTA, 228
 — IRRITANTIA, 210
 — LIBERA IN TUNICA VAGINALI, 140
 CORPORIS THYROIDIS ATROPHIA, 122
 — — HYPERTROPHIA, 122
 — — INFLAMMATIO, 124
 — — MORBI, 122
 — — MORBUS PARASITICUS, (124), 10
 — — TUMORES MALIGNI, (124), 14
 — UNIVERSI LÆSIONES, 214
 — VITREI MORBI, 46
 CORPORUM ADVENTITIUM IN OCULO EXTRACTIO,
 Opus chirurgicum, 254
 — — ABLATIO, Opus chirurgicum, 250
 — — EXTRANEORUM EFFECTUS, 12
 CORPUS ADVENTITIUM IN PUNCTO LACRYMALE, 52
 — LIBERUM IN ARTICULO, 178
 Coryza, see Nasal Catarrh, 63
 COSTARUM CARTILAGINES LOCO MOTÆ DE OSSE
 PECTORALI, 232
 — — — INTER SE, 232
 — CARTILAGINUM OSSIFICATIO, 176
 — FRACTURA CARTILAGINUMQUE IN COSTIS,
 ILLESO PULMONE AUT CORDE, 234
 — — — LÆSO PULMONE, 234
 — — — CUM EMPHYSEMATE, 234
 — — — HÆMOTHORACE, 234
 — — — PNEUMOTHORACE, 234
 — — — CUM CORDIS AUT PERICARDII
 LÆSIONE, 234
 Costal cartilages, Dislocation of, 233
 — — — from each other, 233
 — — — sternum, 233
 Cow-pox, (211), 5
 COXÆ MALUM SENILE, vide OSTEOARTHRITIS
 CHRONICA, (178), 14
 — MORBUS, (178), 14

CUT

- Crab-louse, Parasite, (197), 289
 Cramp, see Spasm of Muscle, (185), 27
 CRANII DISTORTIONES INGENITÆ, 304
 — CONTUSIO, 224
 Craniotomy, Obstetric operation, 277
 Cranium defective, Malformation, 297
 — Congenital distortions of, 305
 Cretinism, 15
 CRETINISMUS, 14
 Croton Oil, Poison, 205
 Croup, 77
 Croup, Spasmodic, see Laryngismus strid
 27
 Croupous pneumonia, 83
 CRURIS OSSIS FLEXURA, 246
 — SURCULARIA FRACTURA, 246
 — UTRIUSQUE OSSIS FRACTURA, 246
 Crush, complete, of a part, 219
 CRUSTACEA VENENOSA, 208
 Crustaceans, poisonous, 209
Cryptococcus cerevisiæ, see *Torula cerevisiæ*,
 Parasite, 290
 CUCURBITULA ADHIBITA, Opus chirurgicum 282
 Culex annulatus, Gnat, Parasite, 288
 — anxifer, Mosquito, Parasite, 288
 — pipiens, Gnat, Parasite, 288
 — pulicans, Gnat, Parasite, 288
 CULTRARIORUM ASTHMA, 84
 Cupping, Operation, 283
 CUPRUM, Venenum, 198
 Curara, see Wourali, Poison, 207
 Cure of Aneurysms, Operations for, 261
 CURVATURA SPINÆ ANGULARIS, 180
 — — EX TRANSVERSO, 180
 — — IN DORSUM, 182
 — — — FRONTEM, 182
 — — RACHITICA, (182), 14
 Curvature of spine, Angular, 181
 — — Anterior, 183
 — — Lateral, 181
 — — Posterior, 183
 — Rickety, (183), 15
 Cut-throat, see Wound of neck, 283
 Cutaneous cyst of ovary, 145
 Cuterebra noxialis, Parasite, 287
Cutis areæ, vide MORBUS ADDISONI, (192) 124
 CUTIS MORBI, 188
 — ET TELÆ HYPODERMICÆ LÆSIONES, 222
 — — — ABRASIO, 222
 — — — AMBUSTA, 222
 — — — EX FRIGORE, 222

CUT

- CUTIS ET TELÆ HYPODERMICÆ CONTUSIO, 222
 — — — — CORPUS ADVENTITIUM, 222
 — — — — IRRITANTUM AUT CORROSIVORUM
 EFFECTUS, 222
 — — — — VULNUS, 222
 — INSERTIO, Opus chirurgicum, 282
 — MORBI PARASITICI, 196
 Cutting off uvula, Operation, 295
 Cyanide of potassium, Poison, 203
 Cyanogen, Poison, 209
 CYANOGENIUM, Venenum, 208
 Cyanosis, 71
 CYCLOBDELLA LUMBRICOIDES, Parasite, 290
 Cyclops, Malformation, (49), 15, 301
 Cylindroid carcinoma, Tumour, 313
 CYNANCHE GANGRÆNOSA, 98
Cynanche parotidea, 99, No. 427, 428
 CYNANCHE PUTRIS, vide C. GANGRÆNOSA, 98
 — TONSILLARIS, 98
Cyst, (15)
 Cyst of the antrum, 91
 — — — alveoli, Dentigerous, 95
 — of bone, 177
 — of the breast, female, 173
 — — — broad ligament of the uterus, 147
 — Cutaneous, of ovary, 145
 — Dentigerous, 95
 — — of the ovary, 145
 — Dermoid, 311
 — — of the ovary, 145
 — of the eyelids, see Chalazion, 55
 — — — Fallopian tube, 145
 — — — female breast, 173
 — of the jaws, 91
 — — — kidney, 127
 — — — larynx, 79
 — — — liver, 113
 — — — male mamilla, 175
 — — — mouth, 89
 — — — muscle, 185
 — — — nervous system, 23
 — — — nose, Sebaceous, 65
 — — — ovary, 143
 — — — Cutaneous, 145

CYS

- Cyst of the ovary, Dentigerous, 145
 — — — pancreas, 117
 — Parovarian, (309), 147
 — of the prostate gland, 137
 — — salivary glands, 99
 — Sebaceous, 309
 — of the spleen, 119
 — — — testicle, 141
 — — — uterine ligaments, 147
 — — — vagina, 153
 — — — vulva, 155
 Cystic disease of the kidney, 129
 — Goitre, see Goitre, 125
 — tumour of the ovary (simple), 143
 — — — (multiple), 143
 — — — (proliferous), 143
 — — — with intracystic growths, 143
 Cysticercus. (For the species of, see Cysti-
 cercus), Parasite, 285
 CYSTIUM IN OVARIO, ET CYSTIUM IN LIGAMENTO
 LATO PARACENTESIS, Opus chirurgicum, 272
 CYSTINA, CALCULUS, 132
Cystis dermatodes ovarii, vide C. CUTIGERA SIVE
 PILOSA OVARII, 142
 CYSTIS, (14)
 — DENTIGERA, 94
 — DERMATOIDES, 310
 — — OVARII, 142
 — GLANDULÆ PROSTATÆ, 136
 — JECORIS, 112
 — LARYNGIS, 78
 — LIGAMENTI LATI, 146
 — MAMMÆ MULIEBRIS, 172
 — MAMMILLÆ VIRILIS, 174
 — MAXILLARUM, 90
 — MEIBOMIANA, 54
 — MUSCULORUM, 184
 — NERVORUM APPARATUS, 22
 — OSSIUM, 176
 — OVARII, 142
 — — CONTINENS CORPORA AD TEGUMENTORUM
 SIMILITUDINEM STRUCTA 144
 — — — OSSA, DENTES, CORPORA MUSCULOSA AUT
 NERVOSA, 144

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

CYS

- CYSTIS OVARII CUTIGERA SIVE PILOSA 142
 — — INTUS INNASCENTE MATERIA MORBIDA, 142
 — PALPEBRARUM, 54
 — PAROVARII, (308), 146
 — RENUM, 126
 — SEBACEA AURICULÆ, 53
 — — NASI, 64
 — TARSALIS, 54
 — TUBÆ FALLOPIANÆ, 144
 — VULVÆ, 154
 Cystitis, see Inflammation of the Bladder, 131
 Cystocele, see Prolapse of vagina, 153
 CYTOSARCOMA OVARII, 142
 Cystosarcoma of the ovary, 143
 Cysts, see Retention Tumours, 307

Dacryoadenitis, 51

Dacryocystitis, 53

DACRYOLITHI, 52

Dacryo-lithiasis, 53

Dacryops, 53

Dance, *St. Vitus'*, see Chorea, 29

Darnel, Poison, 205

Day-blindness, 49

Deadly nightshade, Poison, 205

Deaf-dumbness, 63

Deafness, 63

Death, sudden, after delivery. (For subd-
 vision, see "Delivery, sudden death after"),
 171

DEBILITAS, 14

Debility, 15

Decapitation, see Embryotomy, 277

Decayed meat, Poison, 207

DEFECTIO ANIMÆ, vide SYNCOPE, 70

— CEREBRI, Deformitas ingenua, (24), 14,
 292

— GENITALIUM MULIEBRIMUM, Deformitas in-
 genita, 14, 296

— GENITALIUM VIRILIUM, Deformitas ingenua,
 14, 296

DEFLECTIONES VISUS, 48

Defective growth of lower jaw, Malformation,
 15, 297

Deficiency of milk, 173

DEFORMITAS ARTICULORUM EX ANKYLOSI,
 178

— INGENITA, 4

DEFORMITATES, 292

DEF

DEFORMITATES EX ABNORMI PARTIUM MAGNI-
 TUDINE, 302

— — BINIS INTER SE FŒTIBUS COHERENTIBUS,
 VEL EX UNIUS FŒTUS PARTIBUS NUMERO SUPE-
 RANTIBUS, 300

— — RUDI EVOLUTIONE VEL INCREMENTO EX-
 ORTÆ, 292

— INGENITÆ, 14, 292

— — ANI, (112), 14, 294

— — ARTERIARUM, (74), 14, 294

— — AURICULÆ, (60), 14, 292

— — AURIS EXTERNÆ, (60), 14, 292

— — — INTERIORIS, (62), 14, 292

— — CEREBRI, (24), 14, 292

— — CHOROIDIS, (40), 14, 298

— — CLITORIDIS, 14, 302

— — COLIS, (133), 14, 296

— — CORDIS, (70), 14, 292, 294, 302

— — CORPORIS VITREI, (46), 14

— — DUCTUUM JECORIS ET VESICULÆ FELLIS,
 (116), 14, 294

— — DUCTUS NASALIS, (52), 14

— — EX COËUNTIBUS QUÆ DEBUERANT IN PER-
 PETUUM DISSOCIARI PARTIBUS, 300

— — — LATIUS PATENTE DIMIDIARUM A LATE-
 RIBUS PARTIUM COMMISSURA, &c., 300

— — — PARUM COËUNTIBUS, QUÆ DEBUERANT
 CONJUNGI, PARTIBUS, 298

— — — — MEDIARUM REGIONUM A PRIORI
 PARTE, 298

— — — — — A TERGO, 298

— — FORAMINIS AURIS, (60), 14, 292

— — GENITALIUM MULIEBRIMUM, (296), 14

— — — VIRILIUM, (296), 14

— — GLOBI, (48), 14, 292

— — INTESTINORUM, (108), 14, 294, 302

— — IRIDIS, (40), 14, 298, 302

— — ITINERIS URINÆ VIRILIS, (134), 14, 299

— — JECORIS, (114), 14, 294

— — LABRORUM, (88), 14, 298

— — LARYNGIS, (78), 14, 294

— — LENTIS CAPSULÆQUE, (46), 14

— — LIENIS, (120), 14, 302

— — LINGUÆ, (96), 14, 302

— — MAMMÆ MULIEBRIS, (172), 14, 302

— — MAXILLARUM, (90), 14, 296

— — MEDIARUM REGIONUM A PRIORI PARTE ET
 ARCUBUS VISCERALIBUS, 298

— — MEDULLÆ IN SPINA, (24), 14, 292, 300

— — MEMBRORUM, 302

— — NASI, (64), 14, 292, 302

DEF

- DEFORMITATES INOENITÆ NERVI OPTICI, (42), 14, 298
 — — NERVORUM APPARATUS, (24), 14, 292, 298, 300, 302
 — — ŒSOPHAGI, (100), 14, 294
 — — OSSIUM, (176), 14
 — — OVARII, (144), 14, 286, 302, 304
 — — PALATI ET FAUCIUM, (98), 14, 298
 — — PALPEBRARUM, (56), 14, 292, 298
 — — PENIS, (138), 14, 296
 — — PERICARDII, (70), 14, 294
 — — PERITONÆI, (118), 14
 — — PHARYNGIS ET ŒSOPHAGI, (100), 14, 294
 — — PULMONIS, (84), 14, 294, 302
 — — RENUM, (128), 14, 296, 300, 302
 — — RESPIRANDI APPARATUS, 14, 294
 — — RETINÆ, (44), 14, 298
 — — SANGUINIS APPARATUS, 14, 292
 — — SCROTI, (138), 14, 298
 — — SENSUUM SINGULARIUM APPARATUS, 14, 292
 — — SPINÆ, (182), 14, 300, 304
 — — TESTICULORUM, (142), 14, 296, 302, 304
 — — TRACHEÆ ET BRONCHIORUM, (82), 14, 294
 — — TUNICÆ CONJUNCTIVÆ, (34), 14
 — — URETHRÆ, (134), 14, 298
 — — URINÆ APPARATUS, 14, 296
 — — UTERI, (150), 14, 296, 300
 — — VAGINÆ, (152), 14, 296, 300
 — — VALVARUM CORDIS, (68), 14, 294, 302
 — — VESICÆ, (132), 14, 296, 298
 — — VULVÆ, (154), 14, 296
 DEFORMITATIS CAUSA AMPUTATIO, Opus chirurgicum, 282
 Deformity, Amputation for, Operation, 283
 — from ankylosis of joint, 179
 — of spine, Angular, 181
 — — — from malformation, 183
 DEGENERATIO, (2)
 — ADIPOSA, (2)
 — — ET CALCAREA ARTERIARUM, 72
 — — — VALVARUM CORDIS, 66
 — — CORDIS, 68
 — — MUSCULORUM, 182
 — CALCAREA, (2)

DEL

- DEGENERATIO CARTILAGINIS ET SUMMORUM OSSIUM ARTICULARIUM, 178
 — COLLOIDES, (2)
 — FIBROSA, (2)
 — — CORDIS, 68
 — IN PULFAM MEMBRANÆ SYNOVIALIS, 176
 — LARDACEA, (2)
 — MUCOSA, (2)
 Degeneration, (3)
 — Calcareous, (3)
 — — of dental pulp, 91
 — Colloid, (3)
 — Fatty, (3)
 — Fatty and Calcareous, of arteries, see Atheroma of, 73
 — — — of valves of the heart, 67
 — — of the heart, 69
 — — of dental pulp, 91
 — — of muscles, 183
 — of arteries, 73
 — cartilage, and of the articular surfaces of bones, 179
 — Fibroid, (3)
 — — of the heart, 69
 — — of muscles, 183
 — Lardaceous, (3)
 — Mucous, (3)
 — Pigmentary, of the heart, 69
 — Pulp, of the synovial membrane of joints, 177
 Delayed involution of the Thymus, see Hypertrophy of Thymus, 123
 Delhi boil, 197
 DELIRIUM ALCOHOLICUM, (30), 12
 Delirium tremens, (31), 13
 Delivery, Sudden death after, 171
 — — — from embolism, (171), 69
 — — — — entrance of air into the veins from separation of the placenta, (171), 13
 — — — — impaction of coagula in the heart and pulmonary artery, (171), 69, 75
 — — — — shock or nervous exhaustion, 171
 — — — — thrombosis, (171), 69, 75

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

DEM

Dementia, 31**DEMENTIA EX ALIQUA CAUSA PRODIENS, 30****Demodex folliculorum, Parasite, 193, 289****Dengue, 7****DENGUIS, 6****Dental periosteum, Abscess of, 93**

— — Atrophy of, 93

— — Diseases of, 93

— — **Exanthematous Inflammation of, (93), 5, 7**

— — Gangrene of, 93

— — Hypertrophy of, 93

— — Inflammation of, 93

— — Malignant New Growth of, (95), 15

— — Mercurial inflammation of, (93), 199

— — Necrosis of, 93

— — Non-malignant New Growth of, (95), 15

— — Phosphoric inflammation of, (93), 201

— — Rheumatic inflammation of, (93), 15

— — Scorbutic inflammation of, (93), 13

— — Syphilis of, (95), 9

— — Suppuration of, 93

— — Syphilitic inflammation of, (93), 9

— — Ulceration of, 93

Dental pulp, Diseases of, 91

— — Degenerations of, and varieties, 91

— — Gangrene of, 91

— — Inflammation of, 91

— — Non-malignant New Growth of, (91), 15

— — Ulceration of, 91

Dental tissues, Diseases of, 95**DENTES AUT NULLI AUT INCHOATI, Deformitas ingenta, 294**

— — IMPACTI, 94

— — IPSI ET ALVEOLI QUOAD FORMAM, NUMERUM, NEXUM, ET EVOLUTIONEM MINUS RECTE ORDINATI, 94

— — MINUS RECTE POSITI, 94

— — SYPHILITICI, (94), 8

Dentigerous cyst of alveolus, 95

— — of the ovary, 145

DENTINÆ ET CEMENTI MORBI, 92

— — — CARRIES, 92

— — — EXTENUATIO, 92

— — — NECROSIS, 92

Dentine, Absorption of, 93

— — Caries of, 93

— — Exostosis of, (93), 15, 309

— — Necrosis of, 93

— — Non-malignant New Growth of, (93), 15

— — Odontoma, (93), 15, 309

DIG

DENTITIO, 90**DENTIUM AUT OMNIUM AUT ALIQUORUM DEFECTUS, 94**

— — EXTRACTIO, Opus chirurgicum, 258

— — FORMA ABNORMIS, 94

— — MOREI, 90

— — OBTURATIO, Opus chirurgicum, 258

— — PERIOSTEI INFLAMMATIO MERCURIALIS, SIVE EX HYDRARGYRO, (92), 198

— — STRUCTURA ABNORMIS, 94

Deposit, Gouty, of the auricle, (59), 15

— — in bones, (177), 15

— — in joints, (179), 15

DEPOSITA PODAGRICA IN ARTICULIS, (178), 14

— — — AURICULA, (58), 14

— — — OSSIBUS, (176), 14

Depressed nipple, 173**DEPRESSIO LENTIS, Opus chirurgicum, 254****Depression of the lens, Operation, 255****Deprivation of water, see Privation, 215****Dermatitis exfoliata, see Pityriasis rubra, 191****DERMATAGRA, 190****Dermoid cyst, 311**

— — of the ovary, 143

DESCENSUS CALCULI PER URETERES, 128**Detachment of Retina, 45****DEVELOPMENTAL DISEASES, 15****Development, Abnormal, of the alveoli, 97**

— — Errors of, (5), 293

DEVORANDI DIFFICULTAS, 100**Diabetes mellitus, (129), 17**

— — insipidus, 129

Diaphragm, Fissure of, Malformation, 15, 299**Diaphragmatic hernia, 107; Malformation, (109), 15, 303****DIAPHRAGMATIS FISSURA, Deformitas ingenta, 14, 298****Diarrhoea, 109**

— — Epidemic, 9

DIARRHŒA, 108

— — EPIDEMICA, 8

DIDUCTIO EPIPHYSIUM IN MEMBRIS INFERIORIBUS, 244

— — IN MEMBRIS SUPERIORIBUS, 242

DIET, DISEASES PRODUCED BY ERRORS OF, 13**Diffuse fibroma, Tumour, 309**

— — periostitis, see Inflammation of Bone, 175

Diffused aneurysm, Explanation, 73

— — palmar ganglion, 187

Digestive Organs, Operations on, 263

DIG

DIGESTIVE SYSTEM, DISEASES OF, 87

Digitalin, Poison, 205

DIGITALINA, Venenum, 204

Digitalis, Poison, 205

DIGITI MANUS AUT PEDIS COHERENTES, Deformitas ingenua, 14, 300

DIGITORUM NODI, vide OSTEOARTHRITIS CHRONICA, (178), 14

DILATATIO, vide LESIONES MECHANICÆ, (2)

— ARTERIARUM, 72

— BRONCHIORUM, 80

— CORDIS, 70

— INTESTINORUM, 104

— ŒSOPHAGI, 100

— PHARYNGIS, 100

— SIMPLEX OSTIORUM CORDIS, 68

— TUBÆ FALLOPIANÆ, 146

— VASORUM LYMPHIFERORUM, 122

— VESICULÆ FELLIS, 114

— VENTRICULI, 102

Dilatation, see Mechanical Affections, (3)

— of arteries, 73

— — bronchi, 81

— — Fallopiian tube, 147

— — female urethra, Opus chirurgicum, 271

— — heart, 71

— — — left side of the, 71

— — — right side of the, 71

— — — valvular orifices of the, 69

— — gall bladder, 115

— — cervix uteri, Obstetric operation, 277

— — intestines, 105

— — lymphatic vessels, 123

— — os uteri, Obstetric operation, 275

— — pharynx and œsophagus, including diverticula, 101

— — stomach, 103

Diphtheria, 7

Diphtheritic paralysis, (25), 7

Diplopia, 51

Direct inguinal hernia, 107

DIRUPTA EX PARTE ARTERIA, 74

DIRUPTIO, vide LESIONES MECHANICÆ, (41), 4

— ARTERIÆ, 74

DIS

DIRUPTIO ARTERIÆ EX IPSIUS VITIO, 74

— — — MORBO EXTRANE0, 74

— CHOROIDIS, (40), 12

— CORDIS, 70

— — AUT PULMONIS CITRA VULNUS AUT FRAC-
TURAM, 236

— MUSCULORUM, 222

— — SPONTANEA, 184

— TENDINUM, 222

— VENARUM, 220

— VENTRICULI SPONTANEA, 102

— VEL LACERATIO PERINÆI IN PARTURIENTIBUS,
166

— — — UTERI IN PARTURIENTIBUS, 164

— — — VAGINÆ IN PARTURIENTIBUS, 164

— — — VESICÆ IN PARTURIENTIBUS, 164

Discharge, Watery, from the uterus during
pregnancy, 159

DISCI OPTICI CONGESTIO, 42

— — ŒDEMA, 42

Disease, Addison's, (193), 125

— Amputations for, Operation, 283

— Basedow's, (71), 125

— Bright's, 127

— — Acute, 127

— — Chronic, 127

— Charcot's, (179), 23

— of the coronary arteries, 71

— Graves's, (71), 125

— of the lacrymal gland, Operation for, 253

— Lardaceous, see Lardaceous Degeneration,
(3)

— Wool-sorters', 11 (No. 34)

Diseased meat, Poison, 207

DISEASES DEPENDENT ON EXTERNAL
AGENTS OTHER THAN MORBID
POISONS, 11DISEASES DEPENDENT ON MORBID
POISONS, 5

DISEASES DEPENDENT ON PARASITES, 11

DISEASES, DEVELOPMENTAL, 15

DISEASES, GENERAL, A. 5

DISEASES, GENERAL, B. 11

DISEASES, LOCAL, 19

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

DIS

DISEASES OF THE WHOLE BODY, ETC., 5

- Diseases of the Alveoli, 93
- — Anus, 109
- — Antrum, 91
- — Arteries, 73
- — Auricle, 59
- — Bladder, 131
- — Blood Vessels, 73
- — Bones, 175
- — Breast, Female, 171
- — Bronchi, 81
- — Bursæ, 187
- — Cerebral arteries, (25), 73, 75
- — Choroid and ciliary body, 41

DISEASES OF THE CIRCULATORY SYSTEM, 67

- Diseases of the Conjunctiva, 33
- — Connective tissue, 189
- — Coronary arteries, 71
- — Cord, Spermatic, 139
- — — Spinal, 19
- — Cornea, 35
- — Cutaneous System, see Skin, 189
- — Dental periosteum, 93
- — Dental pulp, 91
- — Dental tissues, 95
- — Dentine and Cementum, 93

DISEASES OF THE DIGESTIVE SYSTEM, 87**DISEASES OF THE EAR, 59**

- Diseases of the Ear, External, 59
- — — Internal, 63
- — — Middle, 61
- — Eustachian tube, 61
- — External meatus of the ear, 59

DISEASES OF THE EYE, 33

- Diseases of the Eyelids, 55
- — Fallopiian tube, 145
- — Fauces, 97
- — Female breast, 171
- — Female Organs of Generation, 143
- — Gall bladder, 115

DISEASES OF THE GENERATIVE SYSTEM, 135

- Diseases of Generation, Female Organs of, 143
- — — Male Organs of, 135
- — — Gums, 91, 93
- — — Heart and its membranes, 67
- — — of the Muscular Substance of the, 69
- — — of the Valves of the, 67
- — Hepatic ducts and gall bladder, 115

DIS

Diseases of Hernial sacs, 109

- — Intestines, 105
- — Iris, 39
- — Jaws, 91
- — Joints, 177
- — Kidney and ducts, 127
- — Lacrymal apparatus, 51
- — — gland, 51
- — — sac, 53
- — — tracts, 53
- — Larynx, 79
- — Lens and its Capsule, 45
- — Lips, 87
- — Liver, 113
- — Locomotion, of the Organs of, 175
- — of the Lung, 83

DISEASES OF LYMPHATHIC SYSTEM, 119

- Diseases of the Lymphatics, 121
- — Male Breast, 173
- — Male Organs of Generation, 135
- — Male urethra, 135
- — Mastoid cells, 61
- — Mediastinum. (Note, that the return should be made under the organ or tissue affected)
- — Membrana tympani, 63
- — Membranes of the heart, 67
- — Mental, 29
- — of the Mesenteric glands, see Lymphatics, 121
- — Mouth, 89
- — Muscles, 183
- — Nasal duct, 53
- — Nerves, see Nervous System, 19 et seq.

DISEASES OF NERVOUS SYSTEM, 19 et seq.**DISEASES OF THE NOSE, 63****DISEASES NOT CLASSIFIED, 15**

- Diseases of the Orbit and neighbouring parts, 57
- — Esophagus, 101
- — Optic nerve, 43

DISEASES OF THE ORGANS OF LOCOMOTION, 175

- Diseases of the Ossicles of the Ear, 61
- — Ovary, 143
- — Palate and Fauces, 97
- — Pancreas, 117
- — Penis, 137
- — Pericardium, see Heart and its Membranes, 67
- — Periosteum of the Jaws, 93

DIS

- Diseases of the Peritonæum, 117
 — — Pharynx, 101
 — — Pleura, 87
DISEASES PRODUCED BY ERRORS OF DIET, 13
 Diseases of the Prostate gland, 137
 — — Rectum and Anus, 109
DISEASES OF THE RESPIRATORY SYSTEM, 77
 Diseases of the Respiratory System, not strictly local, 77
 — — Retina, 43
 — — Salivary glands, 99
 — — Sclerotic, 37
 — — Scrotum, 139
 — — Skin, 189
 — — — Parasitic, 197
 — — Sheaths of Tendons, 187
 — — Spermatic cord, 139
 — — Spine, 181
 — — Spleen, 119
 — — Stomach, 103
 — — Suprarenal capsules, 125
 — — Teeth, Alveoli, and Gums, 91
 — — Tendons and Fasciæ, 185
 — — Testicle, 141
 — — Thymus, 123
 — — Thyroid body, 123
 — — Tongue, 97
 — — Trachea and bronchi, 81
 — — Tunica vaginalis, 141
 — — Tympani, Membrana, 61
 — — Tympanum, 61
 — — — Ossicles of the, 61
 — — Urethra, Male, 135
DISEASES OF THE URINARY SYSTEM, 127
 Diseases of the Uterine ligaments and of the adjacent peritonæum and cellular tissue, 147
 — — Uterus, including the Cervix, 147
 — — Vagina, 151
 — — Veins, 75
 — — Vitreous humour, 47

DIS

- Diseases of the Vulva, 153
 — — whole body, 5
 Dislocation of articular cartilage, 181
 — astragalus, 249
 — at the calcaneo-astragaloid and scapho-astragaloid joints, 249
 — of carpus, 245
 — — clavicle, 245
 — — costal cartilages, 233
 — — — — from each other, 233
 — — — — from sternum, 233
 — — femur at the hip, 247
 — — fibula, of the head, 247
 — — foot at the ankle, 247
 — — — — — with fracture of the fibula only, 249
 — — — — — with fracture of the tibia and fibula, 247
 — — — — — without fracture, 249
 — — globe of the eye, 231
 — — humerus, 245
 — — hyoid bone, 233
 — — knee, 247
 — — lens, 47
 — — lower jaw, 229
 — — metacarpus, 245
 — — metatarsus and phalanges, 249
 — — nasal cartilages, 229
 — — os calcis, 249
 — — patella, 247
 — — phalanges of thumb, 245
 — — — fingers, 245
 — — radius, 245
 — — — and ulna, 245
 — — scapula, 245
 — — spine (from disease), 183
 — — — partial or complete, Injury, 237
 — — — with fracture, 237
 — — — without fracture, 237
 — — tarsal bones, 249
 — — ulna, 245
 Dislocations, Reduction of, Operation, 279
 Disorders of accommodation of the eye, 49
 — — function, (5)

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

DIS

- Disorders of muscular apparatus of the eye, 51
 — Urinary, 129
 — of Vision, 49
 Displacement, (3)
 — of articular cartilage, see Dislocation of, 181
 — — a part or parts, 219
 — — Fallopian tube, 147
 — — muscles, 223
 — — the ovary, 145
 — — tendon, 223
 Displacements and distortions of uterus, 149
 — of the uterus during pregnancy, 159
 Dissecting Aneurysm, see Aneurysm, 75
 Disseminated sclerosis, see Insular Sclerosis, 23
 Distended rectum as an obstacle to parturition, 163
 Distension of the bladder, 131
 — — Fallopian tube with blood, 145
 — — frontal sinuses, 57
 — — uterus, 151
 — — — with blood, 151
 — — — — secretion, 151
 — — — — pus, 151
 DISTENTIO UTERI, 150
 — VESICÆ, 130
 Distoma crassum, Parasite, 284
 — conjunctum, Parasite, 285
 — heterophyes, Parasite, 285
 — lanceolatum, Parasite, 284
 — ophthalmobium, Parasite, 285
 — Ringeri, Parasite, 285
 — Sinense, Parasite, 285
 DISTOMA HEPATICUM, Parasite, (116), vide FASCIOLA HEPATICA, 284
 DISTORTIONES INGENITÆ, 304
 Distortions, Congenital, 305
 — — of cranium, 305
 — — — limbs, 305
 — — — spine, 305
 — — — thorax, 305
 — of the Uterus, 149
 Diuresis, see Diabetes insipidus, 129
 Diverticula of colon, 105
 Divided nerve, Reunion of, Operation, 253
 DIVISI NERVI CONJUNCTIO, Opus chirurgicum, 252
 Division of fasciæ, Operation, 281
 — — frænum of tongue, Operation, 257

DUC

- Division of sphincter ani, Operation, 265
 — — cicatricial adhesions, Operation, 281
 DOCHMIUS DUODENALIS, Parasite, 287
 DOLOR FAUCIUM, 98
 Dolor mammarum, vide Mastodynia, (172), vide Neuralgia, 28
 DOLORES ET SPASMI SPERII SIVE NOTHI IN GRAVIDIS, 158
 Double fœtus, Malformation, (143), 15, 301
 — harelip, Malformation, (89), 15, 299
 — kidney, Malformation, (129), 15, 301
 — uterus, Malformation, (151), 15, 301
 — vagina, Malformation, (153), 15, 301
 Dracunculus Medinensis, see Filaria Medinensis, Parasite, 286
 Dropsy, (3)
 Dropsy, Acute renal, see Acute Nephritis, 127
 — of bursæ mucosæ, see Hygroma, 307
 Dropsy of the amnion, 159
 — — bursæ mucosæ, Tumour, 307
 — — Fallopian tube, 145
 — — hernial sac, 109
 — — joints, 177
 — — Nervous System, 19
 Drowned persons, Resuscitation of, Operation, 283
 Drunkenness (Ebriositas), 13, (No. 52)
 Dry-tetter, see Psoriasis, 191
 Duboisia, Poison, 205
 Ducts of secreting glands, Impaction of foreign bodies in, 221
 DUCTUUM EXCERNENTIUM GLANDULÆ LACRYMALIS DISTENSIO, 52
 Ductus arteriosus pervius, Malformation, 15, 295
 — — prematurely closed, Malformation, 15, 295
 DUCTUS ARTERIOSUS PERVIUS, Deformitas ingenta, 14, 294
 — — PRÆMATURE CLAUSUS, Deformitas ingenta, 14, 294
 — NASALIS MORBI, 52
 — MÜLLERI PERSISTENS, Deformitas ingenta, 14, 296
 — STENONIS LÆSIO, 226
 — THORACICI LÆSIO, 232
 — THORACIS OBSTRUCTUS, 122
 — VITELLINUS PERSISTENS, Deformitas ingenta, 294
 DUCTUUM JECORIS ET VESICULÆ FELLIS INFLAMMATIO, 114

DUC

- DUCTUUM JECORIS ET VESICULÆ FELLIS MORBI, 114
 — — — — OBSTRUCTIO, 116
 — — — — PERFORATIO, 114
 — — — — STRICTURA, 114
 — — — — ULCERATIO, 114
 Dumbness, 29
 DUPUYTRENII CONTRACTIO, 184
 Dupuytren's contraction, see Contracted palmar fascia, 185
 Dura mater, Inflammation of, 21
 DYSENTERIA, (108), 8
 Dysentery, (109), 9
 Dysmenorrhœa, 157
 Dyspareunia, 159
 Dyspepsia, 105
 Dysphagia, 101
 E CORROSIVIS IN PHARYNGE ET ŒSOPHAGO LÆSIO, 232
 EAR, DISEASES OF, 59
 Ear, External, absent, Malformation, (61), 15, 293
 — — Diseases of, 59
 — Foreign bodies in, (61), 13, 231
 — Internal, Malignant New Growth of, (63), 15
 — — diseases of, 63
 — — imperfect, Malformation, (63), 15, 293
 — — Malformations of, (63), 15, 293
 — Meatus externus, closed, Malformation, (61), 15, 293
 — Middle, Diseases of, 61
 — Operations on, 255
 Eccentric hypertrophy of bones, 175
 Ecchondrosis, see Chondroma, Tumour, 309
 Ecchymosis of the conjunctiva, 33
 ECCHYMOSIS TUNICÆ CONJUNCTIVÆ, 32
 Echinococcus hominis, Parasite, 286
 Echinorhynchus gigas, Parasite, 287
 Eclampsia, (169), 27
 Ecthyma, 191
 Ectopia of brain, Malformation, (25), 15, 303
 — — heart, Malformation, (71), 15, 303
 — — intestines, Malformation, (109), 15, 303
 — — kidney, Malformation, (129), 15, 303

ELE

- Ectopia of lungs, Malformation, (85), 15, 303
 — — ovary, Malformation, (145), 15, 305
 Ectopic gestation and its varieties, 161
 — menstruation, 157
 Ectozoa, 284
 Ectropion, 55
 — Operation for, 253
 Ectropium of the cervix uteri, 151
 Eczema, 191
 — female breast, (173), 191
 — vulva, (155), 191
Eczema pustulosum, see Impetigo, 191
 ECZEMA LABIORUM, (154), 190
 Effects of chemical agents, 13
 — — chemical irritants and corrosives, 13, 215
 — — climate, 13
 — — cold, 13, 215
 — — electricity, 13
 — — excessive exertion and strain, 13
 — — excessive venery, 13
 — — heat, 13
 EFFECTS OF INJURIES AND CLIMATE, 13
 Effects of irritants or corrosives on the mucous membrane, 225
 — — — — on the skin, 223
 — — mechanical injuries, 13
 EFFECTS OF POISONS, and their subdivisions, 11
 Effects of the presence of foreign bodies, 13
 Effluvia, Noxious, Poisons, 211
 EFFUSIO SEROSA, (2)
 — PLASTICA, (2)
 Effusion (plastic), see Inflammation, (3)
 — (serous), see Inflammation, (3)
 Elaterium, Poison, 205
 Electrical shock, 13, 215
 ELECTRICITATIS EFFECTUS, 12, 214
 Electricity, Effects of, 13, 215
Elephantiasis Arabum, see Elephantiasis, (123), (197), 15, 309
 — *Græcorum*, see Leprosy, (313), 17
 Elephantiasis, (123), (197), 15; Tumours, 309

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

ELE

- Elephantiasis, see Diffuse Fibroma, 309
 — of the scrotum, (139), 15, 309
 — — vulva, (155), 15, 309
 ELEPHANTIASIS SCROTI, (138), 14, 308
 — VULVÆ, (154), 14, 308
 Elongated uvula, 97
 Elongation of the cervix of the uterus, 161
 — — Fallopian tube, 147
 Embolism of arteries, 75
 — — kidney, 129
 — — lung, 85
 — — spleen, 121
 — as a cause of sudden death after delivery, (171), 69, 75
 EMBOLUS ARTERIARUM, 74
 EMBRYOTOMIA, Opus obstetricum, 276
 Embryotomy, Obstetric operation, 277
 EMPHYSEMA CONJUNCTIVÆ, 32
 — ORBITÆ, 56
 — PALPEBRARUM, 54
 — PULMONIS, 84
 — TELÆ CONNEXIVÆ, 188
 Emphysema of the conjunctiva, 33
 — — connective tissue, 189
 — — eyelids, 55
 — — lung, 85
 — — — Interlobular, 85
 — — — Vesicular, 85
 — — orbit, 57
 Empyema, 87
 Enamel, Abnormal development of, 95
 Encephalitis, see Inflammation of the Brain, 21
 Encephalocele, (25), 15, 299
 Enchondroma osteoides, 308
 ENDARTERITIS, 72
 Endocarditis, 67
 Endocardium, Diseases of, 67
 Enlarging os uteri, Operation for, 273
 — cervix uteri, Operation for, 273
 Entarsus cancriformis, Parasite, 289
 Enteric fever, (Note), 7
 Enteritis, see Inflammation of the Intestines, 105
 ENTEROCLE RECTI, vide PROLAPSUS VAGINÆ, 152
 Entophyta, Parasites, 290
 Entozoa, Parasites, 284
 Entropion, 55
 — Operation for, 253
 ENUMERATION OF LOCAL INJURIES, 217
 ENUMERATION OF MORBID STATES AND PROCESSES, 3

ERY

- Ephelis, see Freckles, 193
 EPICANTHIS, Deformitas ingenua, (56), 14, 292
 EPICRANI CONTUSIO, 224
 — VULNUS, 224
 Epidemic catarrh, 7 (No. 11)
 — cerebro-spinal meningitis, 7 (No. 15)
 — Cholera, 7 (No. 19)
 — Diarrhoea, 9
 — Rose Rash, 5
 Epididymitis, 141
 Epigastric hernia, 107
 EPIGLOTTIDIS ABLATIO, Opus chirurgicum, 262
 Epiglottis, Removal of, Operation, 263
 EPILEPSIA, 28
 Epilepsy, 29
 Epileptic Insanity, 31
 EPILEPTICORUM INSANIA, 30
 Epiphora, 53
 — Operation for, 253
 EPIPHYSIUM DUCTIO IN MEMBRIS SUPERIORIBUS, 242
 — — — INFERIORIBUS, 244
 Epiphyses, Separation of, of the lower extremity, 245
 — — — upper extremity, 243
 Epiphyta, Parasites, 290
 Epispadias, Operation for, 271
 Epispadic fissure of the urethra, Malformation, 299
 Epistaxis, 63
 — plugging nares for, Operation, 257
 Epithelioma, see Carcinoma, Tumour, 313
 Epulis, 309, 313
 EQUINIA, (212), (312), 10
 — MITIS, 10
 Equinia, see Horse-pox, 11 (No. 33)
 Erectile tumour of muscle, see Non-malignant New Growth of muscle, (185), 15
 Ergot of rye, Poison, 207
 ERGOTA, Venenum, 206
 Erosion of Uterus, see Abrasion, 149
 ERRORS OF DIET, DISEASES PRODUCED BY, 13
 ERRORS OF FORM, NUMBER, ATTACHMENT, AND DEVELOPMENT OF THE DENTAL TISSUES AND ALVEOLI, 95
 ERYSIPELAS PHLEGMONODES, (188), 8
 Erysipelas, 9
 — Phlegmonous, (189), 9 (No. 26)
 — Simple, (189), 9 (No. 26)
 Erythema, and its varieties, 189

ESE

- Eserine, Poison, 203
 ESKRINA, Venenum, 202
 Essential paralysis, see Myelitis of anterior cornua of the spinal cord, 21
 Ether-vapour, Poison, 209
 Eustachian tube, Catheterism of, Operation, 255
 — — Inflation of, Operation, 255
 — — Obstruction of, 61
 — — Diseases of, 61
 Eustrongylus gigas, Parasite, 286
 Eversion of puncta lacrymalia, 53
 Evisceration, see Embryotomy, Obstetric operation, 277
 EVOLUTIO IMPERFECTA, (4)
 EVULSIO FRAGMENTORUM CALCULORUM EX VESICA, Opus chirurgicum, 270
 Exanthems produced by certain drugs, Poisons, 211
Excess of uric acid in the urine, see Lithuria, 131
 Excessive exertion and strain, Effects of, 13
 — growth of fat on the heart, 71
Excessive menstruation, see Menorrhagia, 157
 Excessive venery, Effects of, 13
 EXCISIO CAPSULÆ OPACÆ, Opus chirurgicum, 254
 — CORPORUM ADVENTITIORUM EX OCULO, Opus chirurgicum, 254
 — OCULI, Opus chirurgicum, 254
 Excision of bones, Note, Operation, 279
 — of the eyeball, Operation, 255
 — of Fallopian tube, Operation, 273
 — — joints, partial or complete, Operation, 279
 — — lower jaw, (partial or complete), Operation, 257
 — — part of pharynx, Operation, 263
 — — portion of intestine, Operation, 265
 — — portion of stomach, Operation, 265
 — — spleen, Operation, 267
 — — upper jaw, (partial or complete), Operation, 257
 — — varices, Operation, 261
 EXHALATIONES NOXIÆ, Venena, 210
 — PUTRIDÆ ET MORBIDÆ, Venena, 210

EXT

- Exhalations, putrid and morbid, Poisons, 211
 Exhaustion, 215
 — of muscle, 185
 Exophthalmic goitre, (59), 125
 Exostosis, see Osteoma, Tumour, 309
 — of Alveoli, see Non-malignant New Growth of, (95), 15, 309
 — — external meatus, see Non-malignant New Growth of (59), 15, 309
 EX PARTE HYPERÆSTHESIA, 28
 Exploration of intestine per anum, 267
 EXSECTIO OVARII, Opus chirurgicum, 272
 Extension, forcible, of joints, Operation, 279
 External ear, absent or imperfect, Malformation, 15, 293
 — female organs of generation absent, Malformation, 15, 297
 — — — of infantile type, Malformation, 15, 297
 — male organs of generation absent, Malformation, 15, 297
 — meatus of ear, Abscess of, 59
 — — Accumulation of wax in, 59
 — — congenitally closed, Malformation, (61), 15, 293
 — — Diseases of, 59
 — — Exostosis of, see Non-malignant New Growth of, (59), 15, 309
 — — Foreign bodies in, (61), 13, 231
 — — Inflammation of, 59
 — — Malformations of, (61), 15, 293
 — — Polypus of, see Non-malignant New Growth of, (59), 15, 309
 — meatus, Sebaceous cyst of, 59
 Extirpation of larynx, Operation, 263
 — — pharynx, Operation, 263
 Extra-uterine gestation, see Ectopic gestation, 161
 EXTRA UTERUM GESTATIO, 160
 Extraction of foreign bodies from the eye, Operation, 255
 — — fragments of calculi from the urinary bladder, Operation, 271

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

EXT

- Extraction of the lens, Operation, 255
 — — nasal polypus, Operation, 257
 — — opaque capsule, Operation, 255
 — — teeth, Operation, 259
 Extravasation tumours, 307
 — of urine, 135
 Extremities, Lower, absent, Malformation, 15, 297
 — — conjoined (Syreniform fœtus), Malformation, 15, 301
 — — Contusion of, 245
 — — Dislocations of, 247
 — — Excision of bones from, 279
 — — False joint of, 177
 — — Fracture of, ununited, 177
 — — — Greenstick, 247
 — — Fractures of, 245, 247
 — — Injuries of, 245
 — — Separation of epiphyses of the, 245
 — — Sprain of, Note, 245
 — — Wound of, 245
 — — — of joint of the, 245
 Extremities, Upper and lower, absent, Malformation, 15, 297
 Extremities, Upper, Contusion of, 243
 — — Dislocations of, 245
 — — False joint of, 177
 — — Fracture of, 243
 — — — Greenstick, of, 245
 — — — Ununited, of, 177
 — — Injuries of, 243
 — — Separation of epiphyses of the, 243
 — — Sprain of, 243
 — — Wound of, 243
 — — — of joint of the, 243
 Extremity, One lower absent, Malform., 15, 297
 EXTROVERSIO VESICÆ, Deformitas ingenua, (132), 14, 298
 Extroversion of bladder, Operation for, 271
 — of the posterior wall of the bladder, Malformation, 15, 299
 Exudation Tumours, 307
 Eye, Black, see Hæmatoma of eyelid, 55
 Eye, Blear, 55
 — Chemical injuries of the eyelids and, 231
 — Contusion of, 229
 — — — with dislocation of the lens, 229
 — — — with hæmorrhage into globe, 229
 — — — with rupture of the sclerotic, 229
 — Diseases of, 33
 — Foreign bodies in, (35-37), 13, 229

FAL

- Eye, Formation of bone in the, 49
 — Injuries of, 13, 229
 — Malformations of, (35, 41, 43, 45, 47, 49, 53, 57), 15, 293, 299, 303
 — Operations on, 253
 — Parasitic disease of, (35, 53, 57), 11, 289
 — Wounds of, 229
 Eye, Globe of the, Dislocation of the, 231
 — — Hæmorrhage into, from contusion, 229
 Eye, globe of the, Ruptured, see Contusion of the eye, with rupture of the sclerotic, 229
 Eyeball, Excision of, Operation, 255
 — Extraction of foreign bodies from, 255
 — Operations on, 253, 255
 — Shrunk, 47
 Eyelid, Wound of, (57), 13, 229
 Eyelids absent, Malformation, 15, 293
 — Chemical injuries of, and eye, 231
 — Diseases of, 55
 — incomplete, Malformation, 15, 293
 — Malformations of, (57), 15, 293
 — Operations on, 253
 — Phthiriasis of, (57), 11, 289
 — remaining united, Malformation, 15, 293
 — restoration of, Operation for, 253
 Eyes absent, Malformation, (49), 15, 293
 — imperfect, Malformation, (49), 15, 293
 FABA CALABARICA, Venenum, 202
 FABRORUM MOLARIORUM PHTHISIS, 84
 Face, Contusion of, 227
 — Foreign bodies in soft parts of the, 229
 — Fracture of the bones of the, 229
 — Hypertrophy of the bones of the, 91
 — Injuries of, 227
 — Operations on, 257
 — Wound of, 227
 Facial neuralgia, 29
 FACIEI FISSURA, Deformitas ingenua, 14, 298
 Fæcal fistula, see Fistula of Intestines, 109
 Falling sickness, see Epilepsy, 29
 Fallopiian tube, Adhesion of, 147
 — — Cyst of, 145
 — — Dilatation of, 147
 — — Diseases of, 145
 — — Displacement of, 147
 — — Distension with blood, 145
 — — Dropsy of, 145
 — — Elongation of, 14

FAL

- Fallopian tube, Excision of, Operation, 273
 — — Hernia of, 147
 — — Malignant New Growth of, (145), 15
 — — Non-malignant New Growth of, (145), 15
 — — Occlusion of, 147
 — — Stricture of, 147
 — — Suppuration of, 145
 — — Tubercle of, (147), 15, 315
 FALSA COLORUM COGNITIO, 48
 FAMES, 12, 214
 Famine Fever, 7 (No. 10)
 Farcy, (213), (313), 11 (No. 32)
 FARCINUM, (212), (312), 10 (No. 32)
 Fasciæ, Operations on, 281
 — Division of, Operation, 281
 FASCIARUM SECTIO, Opus chirurgicum, 280
 Fasciola hepatica, Parasite, 284
 Fat, Excessive growth of, on the heart, 71
 — undue formation of, 189
 Fatty liver, 113
 — degeneration, (3)
 — — of arteries, see Atheroma, 73
 — — — bones, 175
 — — — heart, 69
 — — — muscles, 183
 — — — valves of the heart, 67
 — infiltration of muscles, 183
 — tumour, see Lipoma, 309
 — of the skin, (197), 15, 309
 Fauces, narrowed or impervious, Malformation, 15, 295
 — and palate, Diphtheria affecting, (99), 7
 — — — Diseases of, 97
 — — — Malformations of, (99), 15, 299
 — — — Malignant New Growth of, (99), 15
 — — — Non-malignant New Growth of, (99), 15
 — — — Paralysis of, (99), 25
 — — — Stricture of, 99
 — — — Syphilitic affection of, (99), 9, 313
 — — — Ulceration of, 99
 FAUCES COARCTATÆ AUT IMPERVÆ, Deformitas ingenta, 14, 294
 — ULCERATIO, 98

FEM

- FAUCIUM DOLOR, 98
 — INFLAMMATIO CATARRHALIS, 98
 — RESOLUTIO, 96
 — STRICTURA ITEM CACATRICES ET ADHÆRENTIA, 98
Faulty perception of colour, see Colour blindness, 49
 FAVO SIMILES DENTES, 94
 Favus, 197
 Febricula, 7 (No. 16)
 FEBRIS CEREBROSPINALIS, 6
 — CONTINUA SIMPLEX, 6
 — ENTERICA, 6
 — FLAVA, 6
 — INTERMITTENS, 8 (No. 23)
 — LACTANTIUM, 166
 — MALARIALIS, 8
 — RECIDIVA, 6
 — REMITTENS, 8 (No. 23)
 — RHEUMATICA, 14 (No. 57)
 — RUBRA, 4
 — SPLENICA, 10, (212)
 — TYPHOIDES, 6 (No. 17)
 — TYPHOMALARIALIS, 6 (No. 17)
 Female Breast, Diseases of (for their subdivision, see Breast, Female), 171
 — organs of Generation, Internal, Wound of, 241
 — — — Affections of, connected with parturition, 161
 — — — — consequent on parturition, 167
 — — — — Diseases of, 143
 — — — — Disorders of, connected with pregnancy, 159
 — — — — Functional disorders of the, 157
 — — — — Malformations of, (145, 151, 153, 155), 15, 297, 301
 — perineum and vulva, Wound of, 241
 Femoral hernia, 107
 Femoris, Cervix, Fracture of, 245
 — — Extracapsular fracture of, 247
 — — Intracapsular fracture of, 247
 FEMORIS FRACTURA, 244

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

FEM

- Femur, Dislocation of, at the hip, 247
 — Fracture of, 245
 FERRI SCOBS, Venenum, 210
 FERRUM, Venenum, 198
 Fever, Break-bone, 7 (No. 7)
 — Cerebro-spinal, 7
 — Enteric, 7
 — Famine, 7
 — Gastric, 7 (No. 17)
 — Intermittent, 9 (No. 23)
 — Malarial, 9
 — Milk, 167
 — Puerperal, Note, 9
 — Pythogenic, 7
 — Relapsing, 7
 — Remittent, 9 (No. 23)
 — Rheumatic, 15
 — Scarlet, 5
 — Simple continued, 7
 — Splenic, 11
 — Typhoid, 7 (No. 17)
 — Typho-malarial, 7 (No. 17)
 — Yellow, 7
 Fibrinous calculus of bladder, 133
 Fibroid degeneration, (3)
 — — of muscles, 183
 — — of the heart, 69
 — thickening of the valves of the heart, 67
 — tumour of the ovary, see Non-Malignant New Growth of, (145), 15, 311
 — — — uterus, see Non-malignant New Growth of (149), 15, 311
 FIBROMA, 308
 — DIFFUSUM, 308
 — PAPILLARE, 308
 — POLYPOIDES, 308
 — TUBEROSUM, 308
 Fibroma, Tumour, and its varieties, 309
 — molluscum, see Non-malignant New Growth of Skin, (197), 15
 Fibrous polypus, see Polypoid Fibroma, Tumour, 309
 — tumour, see Fibroma, Tumour, 309
 Fibula, Dislocation of the head of the, 247
 — Fracture of the, 247
Filaria lentis, see *Filaria oculi*, Parasite, 286
Filaria Medinensis, Parasite, the Varieties are given at page 286
 — oculi, Parasite, 286

FIS

- Filings, steel, Poison, 211
 Fingers or toes conjoined, Malformation, 15, 301
 — and toes deficient in number, Malformation, 15, 297
 — — — supernumerary, Malformation, 15, 303
 Fish, Poisonous, 209
 FISSURA ABDOMINIS, Deformitas ingenita, 14, 298
 — CALVARIÆ, Deformitas ingenita, 14, 298
 — CHOROIDIS ET PROCESSUM CILIARUM, Deformitas ingenita, (40), 14, 298
 — COMMISSURÆ PECTINIS, Deformitas ingenita, 14, 298
 — EPISPADICA URETHRÆ VEL ITINERIS URINÆ, Deformitas ingenita, 14, 298
 — FACIÆ, Deformitas ingenita, 14, 298
 — HYPOSPADICA URETHRÆ VEL ITINERIS URINÆ, Deformitas ingenita, 14, 298
 — IRIDIS, Deformitas ingenita, (40), 14, 298
 — LABRI, Deformitas ingenita, (88), 14, 298
 — MEDULLÆ IN SPINA, Deformitas ingenita, (24), 14, 300
 — MEMBRANÆ PRIORIS VESICÆ, Deformitas ingenita, (132), 14, 298
 — NASI, Deformitas ingenita, (64), 14, 298
 — OSSIS PECTORALIS, Deformitas ingenita, 14, 298
 — PALATI, Deformitas ingenita, (98), 14, 298
 — PALPEBRARUM, Deformitas ingenita, (56), 14, 298
 — SCROTI, Deformitas ingenita, 14, 298
 — SEPTI TRANSVERSI, Deformitas ingenita, 14, 298
 — VERTEBRARUM IN SPINA (SPINA BIFIDA), Deformitas ingenita, (182), 14, 300
 FISSURÆ BRANCHIALES PERSISTENTES, Deformitas ingenita, 14, 298
 — CUTIS, 194
 Fissures of skin, 195
 Fissure of the abdominal walls, Malformation, 15, 299
 — — anterior wall of the urinary bladder, (with extroversion of the posterior half), Malformation, (133), 15, 299
 — — anus, 111
 — — operation for, 267
 — — bladder, (urinary), Malformation, 133, 15, 299
 — — chest wall, Malformation, 15, 299

FIS

- Fissure of the choroid and ciliary processes, Malformation, (41), 15, 299
- — diaphragm, Malformation, 15, 299
 - — eyelids, Malformation, (57), 15, 299
 - — face, Malformation, 15, 299
 - — iris, Malformation, (41), 15, 299
 - — lip, Malformation, (89), 15, 299
 - — Double hare-lip, Malformation, (89), 15, 299
 - — Single hare-lip, Malformation, (89), 15, 299
 - — nose, Malformation, 15, 299
 - — palate, Malformation, (99), 15, 299
 - — — hard, Malformation, (99), 15, 299
 - — — soft, Malformation, (99), 15, 299
 - — pericardium, Malformation, 15, 299
 - — pubic symphysis, Malformation, 15, 299
 - — retina, Malformation, 15, 299
 - — sclerotic, Malformation, 15, 299
 - — scrotum, Malformation, 15, 299
 - — sheath of optic nerve, Malformation, (43), 15, 299
 - — skull, Malformation, 15, 299
 - — spinal column (*Spina bifida*), Malformation, (183), 15, 301
 - — spinal cord, Malformation, (25), 15, 201
 - — sternum, Malformation, 15, 299
 - — urethra, Epispadic, Malformation, 15, 299
 - — — Hypospadiac, Malformation, 15, 299
- Fistula, Abdominal, Operation for, 265
- in ano, 111
 - Biliary, 115
 - Corneal, 37
 - Faecal, see Intestinal fistula, 109
 - Gastric, 103
 - Intestinal, 109
 - of lacrymal sac, 53
 - Lacrymal, 53
 - — Operation for, 253
 - Lymph, 123
 - Recto-urethral, (111), 135
 - Recto-vaginal, (111), (169), 153

FIST

- Fistula, Recto-vaginal, Operation for, 275
- Recto-vesical, (111), 133
 - Salivary, 99
 - — Operation for, 259
 - Urinary, 135
 - Uretero-vaginal, (169), 153
 - Urethro-vaginal, (169), 153
 - Utero-intestinal, 151
 - Utero-vesical, (133), 151
 - — Operation for, 275
 - Vaginal, (169), 153
 - Vesico-intestinal, 133
 - Vesico-vaginal, (133), (169), 153
 - — Operation for, 275
- FISTULA BILIARIS, 114
- CORNEÆ, 36
 - GASTRICA, 102
 - GLANDULÆ LACRYMALIS, 52
 - INTESTINORUM, 108
 - IN VAGINA, (168), 152
 - LYMPHALIS, 122
 - MAMMÆ MULIEBRIS, 172
 - RECTUM INTER ET URETHRAM, (110), 134
 - — — ET VAGINAM, (110), 168, 152
 - — — ET VESICAM, (110), 132
 - SALIVOSA, 98
 - SINUS LACRYMALIS, 52
 - STERCOROSA, vide INTESTINORUM, 108
 - URETEREM INTER ET VAGINAM, (168), 152
 - URETHRAM INTER ET VAGINAM, (168), 152
 - URINALIS, 134
 - UTERUM INTER ET INTESTINA, 150
 - — — ET VESICAM, (132), 150
 - VAGINALIS, (168), 152
 - VESICAM INTER ET INTESTINA, 132
 - — — ET VAGINAM, (132), 168, 152
- Flap amputation, Operation, 281
- Flat foot, 187
- Fluid tumours, Paracentesis of, Operation, 251
- FEMINARUM PALLOR LUTEUS, 16
- Fœtal remains, Removal of, in ectopic gestation, Operation, 273
- — in testicle, Malformation, 15, 303

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

FŒT

- Fetid Sweat*, see *Hyperidrosis*, 197
Fœtus, more or less perfect, constituting a tumour, covered by integument, Malformation, 15, 301
 — — — — — contained within another fœtus, Malformation, 15, 301
 — Double, Malformation, 15, 301
 — Removal of, in ectopic gestation, Operation, 273
 — Syreniform, Malformation, 15, 301
FŒTUS PLUS MINUS ABSOLUTUS, ALIO IN FŒTU INCLUSUS, Deformitas ingenita, 14, 300
 — — — — — TUMOREM REPRESENTANS CUTE OBDUCTUM, Deformitas ingenita, 14, 300
 — DUPLEX, Deformitas ingenita, 14, 300
 — ECTOPICI, SIVE EXTRA UTERUM GESTATI DETRACTIO, Opus chirurgicum, 272
 — MORTUUS, (166), 160,
 — RELIQUÆ IN TESTICULO, Deformitas ingenita, 14, 302
 — RELIQUIARUM ABLATIO, Opus chirurgicum, 272
 — SYRENIFORMIS, Deformitas ingenita, 14, 300
Follicular tonsillitis, 99
 — inflammation of the pharynx, 101
Fool's parsley, Poison, 205
Foot, Dislocations of, at the ankle, 247
 — Flat-, 187
 — Fracture of the bones of the, 247
FORAMEN AURIS CLAUSUM, Deformitas ingenita, 14, 292
 — OVALE PERSISTENS, Deformitas ingenita, 14, 292
 — — — — — PRÆMATURE CLAUSUM, Deformitas ingenita, 14, 294
Foramen ovale, persistent, Malformation, 15, 293
 — — — — — prematurely closed, Malformation, 15, 295
FORCEPS ADHIBITUS, Opus obstetricum, 274
Forceps, Application of, Obstetric operation, 275
Forcible extension or flexion of joints, Operation, 279
Forearm, Fracture of bones of, 243
Foreign bodies, Effects of the presence of, 13
 — — — in the air passages, 233
 — — — — — antrum, (91), 13, 229
 — — — — — bladder, (133), 13, 241
 — — — — — bronchi, (83), 13, 233
 — — — — — cavity of the eye, 229
 — — — — — connective tissue, (189), 13, 223
 — — — — — cornea or conjunctiva, (35, 37), 13, 229

FRA

- Foreign bodies in the ducts**, Impaction of, 13, 221
 — — — — — external meatus of the ear, (61), 13, 231
 — — — — — eye, (35, 37), 13, 229
 — — — — — face, soft parts of the, 13, 229
 — — — — — intestines, (109), 13, 239
 — — — — — larynx, (79), 13, 233
 — — — — — lung, (85), 13, 237
 — — — — — lymphatic system, 13, 221
 — — — — — mucous membrane, 13, 225
 — — — — — nose, (65), 13, 227
 — — — — — œsophagus, (101), 13, 233
 — — — — — peritoneal cavity, 13, 239
 — — — — — pharynx, (101), 13, 233
 — — — — — punctum lacrymale, 13, 53
 — — — — — rectum, (111), 13, 241
 — — — — — skin and subcutaneous tissue, 223
 — — — — — soft parts of nose, (65), 13, 229
 — — — — — stomach, (103), 13, 239
 — — — — — trachea, (83), 13, 233
 — — — — — urethra, (135), 13, 241
 — — — — — vagina, 13, 241
 — — — Removal of, Operation, 251
 — — — substances in the connective tissue, (189), 13, 223
FORMATIO CYSTICA, (2)
Formation of bone in the eye, 49
Foxglove, Poison, 205
FRACŒTUM ET LOCO MOTUM OS COXARUM, 242
FRACTURA, vide **LESIONES MECHANICÆ**, (4), 218
 — BASIS CALVARIÆ, 226
 — BRACHII, 242
 — CALVARIÆ SUPERIORIS, 244
 — CARPI, METACARPI, PHALANGIUM, 242
 — CARTILAGINUM LARYNGIS, 232
 — CERVICIS FEMORIS, 244
 — — — — — EXTRA CAPSULAM, 246
 — — — — — INTRA CAPSULAM, 246
 — COSTARUM, ILLÆSO PULMONE, 234
 — — — — — LÆSO PULMONE, 234
 — CRURIS, UTRIQUE OSSIS, 246
 — FEMORIS, 244
 — HUMERI, 242
 — JUGULI, 242
 — MEMBRORUM INFERIORUM SURCULARIA, SIVE OSSIS FLEXURA, 246
 — — — — — SUPERIORUM SURCULARIA SIVE OSSIS FLEXURA, 244
 — METATARSI, 246
 — OSSIS HYOIDIS, 230
 — — — — — PECTORALIS 234

FRA

- FRACTURA OSSIS SCAPULARUM, 242
 — OSSIUM FACIÆ, 228
 — — PEDIS, 246
 — PATELLÆ, 246
 — PROCESSUS FEMORIS MAJORIS, 246
 — SPONTANEA SPINÆ, 182
 — — OSSIUM, 176
 — SURÆ, 246
 — SURCULARIA SIVE OSSIS FLEXURA, 244, 246
 — TARSI, 246
 — TIBIÆ, 246
 Fracture, see Mechanical affections, (3), 219
 — of carpus, metacarpus, and phalanges, 243
 — — cartilages of the larynx, 233
 — — cervix femoris, 245
 — — — Extracapsular, 247
 — — — Intracapsular, 247
 — — clavicle, 243
 — — facial bones, 229
 — — femur, 245
 — — fibula, 247
 — — foot, of the bones, 247
 — — forearm, of the bones, 243
 — — humerus, 243
 — — hyoid bone, 231
 — — leg, both bones, 247
 — — metacarpus, 243
 — — metatarsus, 247
 — — patella, 247
 — — pelvis, and dislocation, 243
 — — phalanges of the fingers, 243
 — — — of toes, 247
 — — ribs (including costal cartilages), with injury to the lung, 235
 — — — — with injury to heart or pericardium, 235
 — — — — without injury to the lung, 235
 — — radius, 243
 — — scapula, 243
 — — skull, of the base, 227
 — — — vault, 225

FUN

- Fracture of the skull, compound, of the vault, without depression, 225
 — — — — compound, with depression, 227
 — — — — incised, 227
 — — — — of inner table only, 227
 — — — — of outer table only, 227
 — — — — penetrating, 227
 — — — — punctured, 227
 — — — — simple, with depression, 225
 — — — — simple, without depression, 225
 — — spine, with displacement, 237
 — — — without displacement, 237
 — — — compound, with injury to cord, 237
 — — — with injury to spinal nerves, 237
 — — — without injury to cord, 237
 — — — simple, with compression of the cord, 237
 — (Spontaneous), of bones, 177
 — of the sternum, 235
 — — tarsus, 247
 — — tibia, 247
 — — trochanter major, 247
 — — ulna, 243
 Fractures of the lower extremity, Greenstick, 247
 — — upper extremity, Greenstick, 245
Frambasia, see Yaws, (197), 17 (No. 70)
 Frænum of tongue, division of, Operation, 257
 Freckles, 193
 Friction-burn, see Abrasion, 217
 FRIGORIS ACTIO, 216
 — EFFECTUS, 12, 214
 Frost-bite, 193, 215, 217, 223
 FULMINIS ICTUS, 214
 Functional disorders, (5)
 — and symptomatic disorders of the Female organs of generation, 157
 Fungi, Parasitic, 290
 — Poisonous, 207
 FUNGI VENENOSI, 206
 Fungus or Hernia cerebri, 227

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

FUN

FUNGUS TESTICULI, vide TESTICULORUM PRO-
CIDENTIA TUBULORUM, 140

Fungus testis, see Protrusion of tubuli, 141

Fungus testis, Operation for, 273

FUNICULI SEMINALIS ABSCESSUS, 138

— MORBI, 138

— HÆMATOCELE DIFFUSA, 242

— INFLAMMATIO, 138

— NEURALGIA, (140), 28

FURUNCULUS, (188), 194

— DELHINUS, 196

Fusible calculus, 133

Fusiform aneurysm, 73

Gadfly, Larva of the, see *Cæstrus hominis*,
Parasite, 287

Galactorrhœa, 173

Galeodes araneoides, Parasite, 289

Gall-bladder absent, Malformation, 15, 295

Gall-bladder and hepatic ducts, Dilatation
of, 115

— — — Diseases of, 115

— — — Inflammation of, 115

— — — Injuries of, (117), 13

— — — Malformations of, (117) 15, 295

— — — Malignant New Growth of, (115),
15

— — — Non-malignant New Growth of,
(115), 15

— — — Obliteration of, 115

— — — Obstruction of, 117

— — — Parasitic disease of, (117), 11, 284

— — — Perforation of, 115

— — — Stricture of, 115

— — — Ulceration of, 115

Gallstones, 117

Galvano-puncture of aneurysm, 261

— — — fluid tumours, 251

— — — hydatid cyst, 251

Gamasus, Species of, Parasite, 290

Gamboge, Poison, 205

GAMBOGIA, Venenum, 204

Ganglion, (307), 187

— Diffused palmar, 187

GANGLION PALMARE DIFFUSUM, 186

— TUMOR, (306), 186

GANGRENA, (2)

— ALVEOLORUM, 92

— COLIS, 136

— CUTIS, 194

GEN

GANGRENA GINGIVARUM, 92

— MEDULLÆ DENTIIUM, 90

— MUSCULORUM, 182

— ORIS, 88

— PULMONUM, 82

— SENILIS, 194

— UTERI, 148

— VULVÆ, 154

Gangrene, (3)

— Hospital, 9 (No. 25)

— of the alveoli, 93

— — dental pulp, 91

— — gums, 93

— — lung, 83

— — muscles, 183

— — penis, 137

— Senile, 195

— of the skin, 195

— — uterus, 149

— — vulva, 155

Gangrenous stomatitis, see Noma, 89

Gases, Poisonous, 209

— — Asphyxia from, (215), 209

GASTRENCHYTA ADHIBITA, Opus chirurgicum,
264

Gastric Fever, 7 (No. 17)

— fistula, 103

Gastritis, see Inflammation of the stomach, 103

Gastrodynia, 105

GASTROSTOMIA, Opus chirurgicum, 264

Gastrostomy, Operation, 265

GASTROTOMIA, Opus chirurgicum, 264

Gastrotomy, Operation, 265

Gelatinous tumour, see Myxoma, 309

Gelsemium, Poison, 205

General anæsthesia, 27

— hyperæsthesia, 29

GENERAL INJURIES, 215

GENERAL DISEASES (A), 5

GENERAL DISEASES (B), 11

General paralysis of the insane, 31

Generation, Female organs of, Affections of,
connected with parturition, 161

— — — consequent on parturition, 167

— — — Diseases of, 143

— — — Disorders of, connected with preg-
nancy, 159

— — — Functional disorders of the, 157

— — — Malformations of, (145, 151, 153,
155), 15, 297

— Male organs of, Diseases of, 135

GEN

- Generation, Male organs of, Malformations of, (135, 139, 143), 15, 297
 Generative Organs, Male, Operations on, 271
 — — Female, Operations on, 273
GENERATIVE SYSTEM, DISEASES OF, 135
 GENTILIA MUTILATA, 242
GENITALIUM MORBI, 134
 GENITALIUM MULIEBRIMUM ACTIONUM NATURALIUM VITIA, ITEM VITIA SYMPTOMATICA, 156
 — — DEFORMITATES INGENITÆ, (144, 150, 152, 154), 14, 296
 — — MORBI, 142
 — VIRILIUM DEFORMITATES INGENITÆ, (134, 138, 142), 14, 296
 — — MORBI, 134
Genitals, Mutilation of, 243
Genu valgum, see Knock-knee, 181
Genu varum, see Bow-leg, 181
 GENUA ARCUATA, 180
 — INTRORSUM FLEXA, 180
 German Measles, 5 (No. 5)
 Gestation, Extra-uterine, 161
 GINGIVA CÆRULEA, vide PLUMBUM VENENUM, 198
 GINGIVARUM DURITIES, 92
 — MORBI, 90
Gland, Lacrymal, Affections of, 51
 — Prostate, Diseases of (for their subdivision, see Prostate Gland), 137
Glanders, (213), (313), 11
Glands, Lymph-, Atrophy of, 121
 — — Contusion of, 221
 — — Hypertrophy of, 121
 — — Inflammation of, 121
 — — Syphilis of, (123), 9, 313
 — — Suppuration of, 121
 — — Wound of, 221
Glands, Lymph-, Scrofula of, see Caseation of, (123), 15
Glands, Salivary, Diseases of (for their subdivision, see Salivary Glands), 99, 101
 — — Secreting, and Viscera, Injuries of, (their varieties), 221
 GLANDULÆ LACRYMALIS MORBI, 50
 — LYMPHATICÆ CONTUSIO, 220

GLA

- GLANDULÆ LYMPHATICÆ IN CASEUM CONVERSÆ (SCROFULA), (122), 14
 — — VULNUS, 220
 — PROSTATÆ ABSCESSUS, 136
 — — AMPLIFICATIO CHRONICA, 136
 — — ATROPHIA, 136
 — — CALCULUS, 136
 — — CYSTIS, 136
 — — HYPERTROPHIA, 136
 — — INFLAMMATIO, 136
 — — — ACUTA, 136
 — — — CHRONICA SIVE LONGA, 136
 — — MORBI, 136
 — SUBMAXILLARIS ABLATIO, *Opus chirurgicum*, 258
 — THYMI MORBI, 122
 — — HYPERTROPHIA, 122
 — — TUMORES MALIGNI, (122), 14
 — — — NON MALIGNI, (122), 14
 — VULNUS, 220
Glandular tumour, see Adenoma, 311
 GLANDULARUM LYMPHATICARUM ATROPHIA, 120
 — — HYPERTROPHIA, 120
 — — MORBI, 120
 — — SUPPURATIO, 120
 — LYMPHATICARUM MORBIDARUM ABLATIO, *Opus chirurgicum*, 266
 — SALIVOSARUM ABSCESSUS, 98
 — — CYSTIS, 98
 — — INFLAMMATIO, 98
 — — MORBI, 98
 — SECERNENTIUM DUCTUUM VULNUS AUT DIRUPTIO, 220
 — — ET VISCERUM LÆSIONES, 220
 — — — CONTUSIO, 220
 — — — CORPORA ADVENTITIA IN DUCTIBUS INFIXA, 220
 — — — — DIRUPTIO ET LACERATIO, 220
 — — — — VULNUS, 220
Glass, Pounded, Poison, 211
Glaucoma, Note, 43
 — Hæmorrhagic, 43
 — Inflammatory, and varieties, 43
 — Secondary, 43

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

GLA

- Glaucoma, Simple, 43
 Gleet, 135
 Glioma, Tumour, 311
 Globe of the eye, Affections of, the various, 47, 49
 — — — Dislocation of, 231
Globe of the eye, Ruptured, see Contusion of the eye, with rupture of the sclerotic, 229
 GLOBI (OCULI) CONTRACTIO, 46
 — MORBI, 46
 — NEURALGIA, 50
 GLOBULORUM PLUMBEORUM ABLATIO, 250
 Glomerular nephritis, see Acute nephritis, 127
 Glossina morsitans, Parasite, 288
 Glossitis, 97
 GLOTTIDIS ŒDEMA, 78
 — SPASMUS, 80
 Glottis, Œdema of, 79
 — Spasm of, 81
Glottis, Spasm of, as a synonym of Laryngismus stridulus, 27
 Glycosuria, (128), 17
 — persistent, 17 (No. 78)
 Goitre, 125
 — cystic, 125
 — exophthalmic, (59), (71), 125
 — fibrous, 125
 — gelatinous, 125
 — parenchymatous, 125
 — vascular, 125
 Gonorrhœa, (135, 149, 151, 155), 11
 — in the Female, (149, 151, 155), 11
 — — Male, (135), 11
 — of the uterus (149), 11
 — — vagina, (151), 11
 — — vulva, (155), 11
 GONORRHŒA FEMINARUM, (148, 150, 154), 10
 — MARIUM, (134), 10
 — MUCOSA, 10, 134
 — UTERI, (148), 10
 — VULVÆ, (154), 10
 Gonorrhœal arthritis, (179), 11
 — inflammation of vagina, (151), 11
 — iritis, (39), 11
 — ophthalmia, (33), 11
Gonorrhœal rheumatism, see G. arthritis, (179), 11
 Gout, 15
 Gouty deposit in the auricle, (59), 15
 — — — bones (177), 15
 — — — joints, (179), 15

GUM

- Gouty inflammation of joints, (179), 15
 — iritis, (39), 15
Gouty kidney, see Granular Kidney, 15, 127
 — synovitis, see Gouty inflammation of joints, (179), 15
 Grain, Poisonous, 207
 GRANA VENENOSA, 206
 Granular inflammation of the uterus, 149
 — kidney, see Bright's disease, 127
 Granulation tumours, 311
Gravel see Nasal Catarrh, 63
Graves's Disease, see Exophthalmic Goitre, (59, 71), 125
 GRAVESII MORBUS, (58, 70), 124
Green sickness, (159), 17 (No. 74)
 Greenstick fracture of upper extremity, 245
 — — — lower extremity, 247
Grey degeneration of the Nervous System, see Sclerosis, 23
 Grey matter of the spinal cord, Sclerosis of the anterior cornua of, 23
 — — — — — lateral columns of, 23
 — — — — — posterior columns of, 23
 — tubercle, 315
 — — inflammatory, 315
 — — retrograde and cicatricial, 315
 — — simple, 313
 — — ulcerative and destructive, 315
 Grinders' Asthma, 85
 Growth, New, Malignant, 15
 — — Non-malignant, 15
Guinea worm, Parasite, see *Filaria Medinensis*, 286
Gum-boil (Parulis), see Abscess of Dental Periosteum, etc., 93
 Gumma, see Granulation tumour, (313), 9
 Gummatous Syphilis, 313
 Gums, Atrophy of, 93
 — Blue, from lead, (95), 199
 — Diseases of, 91, 93
 — Hypertrophy of, 93
 — Induration of, 93
 — Inflammation of, 93
 — — exanthematous, (93), 5, 7
 — — Mercurial, (93), 199
 — — Phosphoric, (93), 201
 — — rheumatic, (93), 15
 — — scorbutic, (93), 13
 — — syphilitic, (93), 9, 313
 — Non-malignant New Growth of, (95), 15
 — Polypus of, (95), 15, 309

GUM

- Gums, Syphilis of, (95), 9, 313
 — Ulceration of, 93
 Gunshot wound, see Wound, 217
 GUSTUS PERDITUS AUT DEPRAVATUS, 96
 Gutta rosea, 191
- Hæmenteria Ghiliana, Parasite, 290
 — Mexicana, Parasite, 290
 — Officinalis, Parasite, 290
 Hæmatinuria, Paroxysmal, see Intermittent hæmaturia, 131
 Hæmatocele of tunica vaginalis, 141
 — diffused, of cord, 243
 — periuterine or pelvic, 147
 HÆMATOCELE EXTRA PERITONÆUM, 146
 — INTRA PERITONÆUM, 146
 Hæmatoma, Tumour, (307)
 — of the auricle, (307), 59
 — — eyelid, (307), 55
 — — pinna, see Contusion of Pinna, (307), 231
 HÆMATOMA PALPEBRARUM, (306), 54
 — TUMOR, (306)
 Hæmatometra, see Distension of uterus with blood, 151
 HÆMATOPOTA PLUVIALIS, Parasite, 288
 Hæmatosalpinx, 145
 Hæmaturia and varieties, 131
 HÆMATURIA INTERMITTENS, 130
 — PAROXYSMALIS, vide HÆMATURIA INTERMITTENS, 130
 — RENALIS, 130
 Hæmopericardium, 67
 Hæmophilia, 17
 Hæmopsis sanguisuga, Parasite, 290
 Hæmoptysis, 83
 Hæmorrhage, (3)
 — of bladder, 131
 — Cerebral, 19
 — of choroid, 41
 — of the connective tissue, 189
 — into the globe of the eye, with contusion, 229
 — Intestinal, 105
 — of iris, 39

HAN

- Hæmorrhage of lung, 83
 — Nervous System, 19
 — Operations for, 261
 — of orbit, 57
 — — ovary, 143
 — during parturition, 165
 — — pregnancy, 159
 — post partum, 167
 — from the rectum, 109
 — of retina, 45
 — Spinal, 19
 — of stomach, 103
 — — uterus, 147
 — — vitreous, 47
 — — vulva, 153
 HÆMORRHAGIA, (2)
 — CHOROIDIS, 40
 — CORPORIS VITREI, 46
 — E RECTO INTESTINO, 108
 — GRAVIDARUM, 158
 — INTESTINALIS, 104
 — IRIDIS, 38
 — NERVORUM APPARATUS, 18
 — OVARII, 142
 — PARTURIENTIUM, 164
 — POST PARTUM, 166
 — PUERPERARUM, 158
 — PULMONALIS, 82
 — RETINÆ, 44
 — SPINALIS, 18
 — TELÆ CONNEXIVÆ, 188
 — UTERINA, 156
 — — IN PARTURIENTIBUS, 164
 — VENTRICULI, 102
 — VULVÆ, 152
 HÆMORRHOÏDES, 110
 Hæmorrhoids, External, see Piles, 111
 — Internal, 111
 — Operation for, 267
 Hand, Club-, 187
 Hands and feet articulated to scapulæ and pelvis, Malformation, 15, 297
 Hanged persons, Resuscitation of, Operation, 283

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

HAR

- Hard Cataract, 45
 — Chancre, see Primary Syphilis, 9
Hard palate, Fissure of, see Cleft palate, Malformation, (99), 15, 299
 Hare-lip, Malformation, (89), 15, 299
 — Operation for, 259
 Harvest-bug, Parasite, 290
 Hay asthma, 77
 — fever, see Hay-asthma, 77
 Head, absent or rudimentary, Malformation, 15, 297
 — raising depressed bone from, Operation, 257
 — — — by trephining, Operation, 257
 Head and face, Injuries of, 225
 — Operations on, 257
 Heart, Abscess of, 69
 — absent, Malformation, 15, 293
 — and its membranes, Diseases of, 67
 — Aneurysm of, 71
 — Aortic aperture of, obstructed or imperfect, Malformation, (75), 15, 295
 — Atrophy of, 69
 — Cavities of, deficient in number, Malformation, (71), 15, 293
 — Clots in, 69
 — Degeneration of, and its varieties, 69
 — Dilatation of, 71
 — Diseases of muscular structure of, 69
 — — — valves of, 67
 — Ectopia of, Malformation, (71), 15, 303
 — Excessive growth of fat on, 71
 — Fatty degeneration of, 69
 — Fibroid degeneration of, 69
 — Hernia or Ectopia of, Malformation, 15, 303
 — Hypertrophy of, 69
 — Inflammation of, 69
 — Injuries of, (71), 13, 235, 237
 — Irregularity of the action of the, 71
 — Left auriculo-ventricular aperture of, obstructed, Malformation, (295), 15, 69
 — Malformations of, (71), 15, 293, 295
 — Malignant New Growth of, (69), 15
 — Non-malignant New Growth of, (69), 15
 — Palpitation of, 71
 — Parasitic disease of, (71), 11
 — Pulmonic aperture of, obstructed, Malformation, (69), 15, 295
 — Right auriculo-ventricular aperture of, obstructed, Malformation, (69), 15, 295
 — Rupture of, 71

HEP

- Heart, Rupture of, from injury without wound or fracture, (71), 237
 — Septa of, incomplete, Malformation, (71), 15, 293
 — septum, Auricular, incomplete, Malformation, (71), 15, 293
 — — Ventricular, incomplete, Malformation, (71), 15, 293
 — Syphilis of, (69), 9, 313
 — Tubercle of, (69), 15, 315
 — Valves, disease of, 67
 — Valves of, imperfect, Malformation, (69), 15, 295
 — — — supernumerary, Malformation, (69), 15, 303
 — Wound of, 235
 Heat-apoplexy, see Heat-stroke, (25), 13, 215
 Heat, Effects of, 13
 Heat-stroke, (25), 13, 215
 Hellebore, Black, Poison, 203
 — White, Poison, 207
 HELLEBORUS NIGER, Venenum, 202
 HELOPHILUS PENDULUS, Parasite, 288
Hemeralopia, see Day-blindness, 49
 Hemianæsthesia, 27
Hemianopsia, see Hemiopia, 51
 Hemichorea, 29 (No. 123)
 HEMICRANIA, 28
 Hemiopia, 51
 Hemiparaplegia, 25
 Hemiplegia, 25
 Hemlock, Poison, 205
 Hemlock dropwort, Poison, 205
 Hemp, Indian, Poison, 205
 Henbane, Poison, 205
 Hepatic ducts and gall-bladder, Diseases of, 115
 — — — Gallstones in, 117
 — — — Inflammation of, 115
 — — — Injuries of, (117), 13, 239
 — — — Malformations of, (117), 15, 295
 — — — Malignant New Growth of, (115) 15
 — — — Non-malignant New Growth of, (115), 15
 — — — Obliteration of, 115
 — — — Obstruction of, 117
 — — — Parasitic disease of, (117), 11, 284
 — — — Perforation of, 115
 — — — Stricture of, 115
 — — — Ulceration of, 115

HEP

- Hepatitis, 113
 Hernia (of intestines), 107
Hernia, Abdominal, see *H.* or ectopia of the intestine through the abdominal walls, Malformation, (109), 15, 303
 Hernia of the bladder, 131
 — (or ectopia) of the brain, Malformation, (25), 15, 303
 — cerebri (from injury), 227
 — (or ectopia) through the diaphragm, Malformation, (109), 15, 303
 Hernia, Diaphragmatic, 107 :—Malformation, see Hernia or ectopia of the intestines through the diaphragm, (109), 15, 303
 — Epigastric, 107
 — of the Fallopian tube, 147
 — Femoral, 107
 — (or ectopia) of the heart, Malformation, (71), 15, 303
 — Inflamed, 107
 — Inguinal, 107
 — — Congenital, 107
 — — Direct, 107
 — — Incomplete, 107
 — — Infantile, 107
 — — Oblique, 107
 — — Scrotal, 107
 — of the intestines, 107
 — (or ectopia) of the intestines, Malformation, (109), 15, 303
 — — — — — through the abdominal walls, Malformation, (109), 15, 303
 — — — — — through the diaphragm, Malformation, (109), 15, 303
 — — — — — through the umbilicus, Malformation, (109), 15, 303
 — Irreducible, 107
 — Ischiatic, 107
 — (or ectopia) of the kidney, Malformation, (129), 15, 303
 — Lumbar, 107
 — (or ectopia) of the lungs, Malformation, (85), 15, 303
 — Obstructed, 107

HER

- Hernia, Obturator, 107
 — Omental, (107), 119
 — Operations for, 265
 — (or ectopia) of the ovary, 145; Malformation, (145), 15, 305
 — Perineal, 107
 — Radical cure of, 265
 — Reducible, 107
 — of the stomach, 103
 — Strangulated, 107
 — — Operation for, 265
 — — — — — with opening sac, 265
 — — — — — without opening sac, 265
 — *Testis*, see Protrusion of tubuli, 141
 — Umbilical, 107
 — *Umbilical*, see Hernia or ectopia of intestines through the umbilicus, Malformation, (109), 15, 303
 — of the uterus, 149
 — — — in pregnancy, 159
 — of the vagina, see Prolapse of, 153
 — vaginal, 107
 — ventral, 107
Hernia abdominalis, v. *H. INTESTINORUM PER ABDOMEN*, Deformitas ingenua, (108), 14, 302
 HERNIA DIAPHRAGMATICA, 106; Deformitas ingenua, (108), 14, 302
 — EPIGASTRICA, 106
 — FEMORALIS, 106
 — IN INTEGRUM RESTITUTIO, *Opus chirurgicum*, 264
 — INFLAMMATA, 106
 — INGUINALIS, 106
 — — IMPERFECTA, 106
 — — INFANTILIS, 106
 — — INGENITA, 106
 — — OBLIQUA, 106
 — — RECTA, 106
 — — SCROTALIS SIVE LABIALIS, 106
 — ISCHIADICA, 106
 — LUMBARIS, 106
 — OBSTRUCTA, 106
 — OBTURATORIA, 106

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

HER

- HERNIA OMENTALIS, (106), 118
 — OVARI, 144; Deformitas ingenua, (144), 14, 304
 — PERINEALIS, 106
 — REFOENDI PATIENS, 106
 — — NON PATIENS, 106
 — STRANGULATA, 106
Hernia testiculi, vide TESTICULORUM PROCI-
 DENTIA TUBULORUM, 140
 HERNIA TUBÆ FALLOPIANÆ, 146
 — UMBILICARIS, 106
Hernia umbilicaris, vide H. INTESTINORUM PER
 UMBILICUM, Deformitas ingenua, (108), 14,
 302
 HERNIA UTERI, 148
 — UTERI IN GRAVIDIS, 158
 — VAGINALIS, 106
 — VENTRALIS, 106
 — VENTRICULI, 102
 — VESICÆ, 130
 — SIVE ECTOPIA CEREBRI, Deformitas ingenua,
 (24), 14, 302
 — — — CORDIS, Deformitas ingenua (70), 14,
 302
 — — — INTESTINORUM, Deformitas ingenua,
 (108), 14, 302
 — — — — PER ABDOMEN, Deformitas ingenua,
 (108), 14, 302
 — — — — PER SEPTUM TRANSVERSUM, Deformi-
 mitas ingenua, (108), 14, 302
 — — — — UMBILICUM, Deformitas ingenua,
 (108), 14, 302
 — — — — PULMONUM, Deformitas ingenua, (84)
 14, 302
 Hernial sacs, Adhesion of, 109
 — — Diseases of, 109
 — — Dropsy of, 109
 — — Inflammation of, 109
 — — Laceration of, 109
 — — Suppuration of, 109
 Herpes, 191
 — facialis, 191
 — preputialis, (137), 191
Herpes zoster, see Zona, 191
 Hexathyridium pingicola, Parasite, 285
 — venarum, Parasite 285
 Hip, Dislocation of femur at, 247
 Histrionic Spasm of Muscle, 27
 HODGKINI MORBUS, 122 (No. 531)
Hodgkins's Disease, see Lymphadenoma, 123
 Honeycombed teeth, 95

HYD

- Hordeolum*, see Styte, 55
 HORDEOLUS, 54
 Horn, 195
 Horse-pox, 11
 Horse-shoe Kidney, Malformation, (129), 15,
 301
 Hospital gangrene, 9 (No. 25)
Housemaid's knee, see Inflamed bursa (patellæ),
 187
 HUMAN PARASITES, 284
 HUMERI FRACTURA, 242
 — LUXATIO, 244
 Humerus, Dislocation of, 245
 — Fracture of, 243
 Hyalitis, 47
 Hydatid Cyst of Liver, Operation for, 267
 — — Operation for removal of, 251
 Hydatids of the Tænia, see Cysticercus and
 Echinococcus, Parasites, 285, 286
Hydatids of Uterus. Term no longer used
 HYDATIS JECORIS, (114), 286
 HYDRARGYRUS, Venenum, 198
 Hydrocele, Congenital, 15, 141, 297
 — Encysted, 141
 — Infantile, 141
 — of the Spermatic cord, 139
 — — — — Diffused, 139
 — — — — Encysted, 139
 — — — — Tunica vaginalis and its varieties,
 141
 — Radical cure of, Operation, 273
 — Tapping of, Operation, 273
 HYDROCELE FUNICULI SEMINALIS, 138
 — INGENITA, 14, 140, 296
Hydrocephalus, Acute, see Tubercular menin-
 gitis, (21), 15, 315
 Hydrocephalus, Chronic, 19
 — — Acquired, 19
 — — Congenital, 19
 HYDROCEPHALUS ACUTUS, vide MENINGITIS
 TUBERCULOSA, (20), 14, 314
 — CHRONICUS SIVE LONGUS, 18
 — — — — ACTIONIS MORBIÆ EFFECTUS, SIVE
 ACQUISITUS, 18
 — — — — INGENITUS, 18
 Hydrochloric acid, Poison, 201
 — — Gaseous poison, 209
 Hydrocyanic Acid, Poison, 203
 Hydrofluoric Acid, 201
 — — Gaseous poison, 209
 Hydrogen, Arseniuretted, Poison, 209

HYD

- Hydrogen, Sulphuretted, Poison, 211
 HYDROGENII ARSENIURETUM, Venenum, 208
 — SULPHURETUM, Venenum, 210
Hydrometra, see Distension of the Uterus with secretion, 151
 Hydropericardium, 67
 Hydronephrosis, 129
 — Operation for, 269
 Hydrophobia, (29, 211), 11
 Hydrophthalmos anterior, 37
 HYDROPTHALMUS ANTERIOR, 36
Hydrops articulari, see Dropsy of Joints, 177
 HYDROPS, (2)
 — AMNII, 153
 — ARTICULORUM, 176
 — NERVORUM APPARATUS, 18
 — RENUM, 123
 — SUBRETINALIS, vide SEPARATIO RETINÆ, 44
 — TUBE FALLOPIANÆ, 144
 — VELAMENTORUM HERNIARUM, 108
 HYDRORRHACHIS INTERNA, 18
 Hydrorrhœa, in pregnancy, 159
 HYDRORRHŒA UTERI, 153
Hydrosalpinx, see Dropsy of the Fallopian tube, 145
 Hydrothorax, 87
 Hygroma, Tumour, 307
 — proliferating, of bursæ mucosæ, 307
 Hymen, Imperforate, Malformation, (153), 15, 297
 — removal of remains of, Operation, 275
 Hyoid bone, Dislocation of, 233
 — — Fracture of, 231
 HYOSCYAMINA, Venenum, 204
 Hyoscyamus, Poison, 205
 Hyperæmia, (3)
 — Active, (3)
 — Passive, (3)
 — of Conjunctiva, 33
 — — Female breast, 171
 HYPERÆMIA TUNICÆ CONJUNCTIVÆ, 32
 HYPERÆSTHESIA GENERALIS, 28
 — LOCALIS, 28
 — MAMMÆ MULIEBRIS, (172), 28

HYP

- Hyperæsthesia, 29
 — of the female breast, (173), 29
 — General, 29
 — of the larynx, 81
 — Local, 29
 Hyperidrosis, 197
 Hypermetropia, 49
 Hyperostosis, see Osteoma, 309
 HYPERTROPHIA, (2)
 — ALVEOLORUM, 92
 — ARTERIARUM, 72
 — CAPSULARUM SUPRARENALIIUM, 124
 — CEREBRI, 18
 — CORDIS, 68
 — CORPORIS THYROIDES, 122
 — GINGIVARUM, 92
 — GLANDULÆ PROSTATÆ, vide AMPLIFICATIO CHRONICA, 136
 — — THYMI, 122
 — GLANDULARUM LYMPHATICARUM, 120
 — JECORIS, 112
 — LIENIS, 118
 — LINGUÆ, 96
 — MAMMÆ MULIEBRIS, 170
 — MAMMILLÆ VIRILIS, 172
 — MEMBRANÆ MUCOSÆ NASI, 62
 — MUSCULORUM, 182
 — NASI, 62
 — NERVORUM APPARATUS, 18
 — OSSIIUM, 174
 — — FACIÆ, 90
 — OVARII, 142
 — RENUM, 126
 — UTERI, 146
 — VESICÆ, 130
 — VULVÆ, 152
 Hypertrophy, (3)
 — of alveoli of teeth, 93
 — — arteries, 73
 — — bladder, 131
 — — bones, 175
 — — — of the face, 91
 — — brain, 19
 — — breast, female, 171

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with ; the figures without brackets indicating where the disease should be registered ; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

HYP

- Hypertrophy of gums, 93
 — heart, 69
 — — — left side of the, 69
 — — — right side of, 69
 — kidney, 127
 — liver, 113
 — lymph-glands, 121
 — male breast, 173
 — mucous membrane of the nose, 63
 — muscles, 183
 — Nervous System, 19
 — nose, 63
 — ovary, 143
 — periosteum of the jaws, 93
 — prostate gland, 137
 — spleen, 119
 — suprarenal capsules, 125
 — thymus, 123
 — thyroid body, 123
 — tongue, 97
 — tonsils, 97
 — uterus, 147
 — vulva, 153
 Hypochondriasis, 29
 Hypopyon, Note, 43
 Hypospadias, Operation for, 271
 Hypospadiac fissure of the urethra, Malformation, (135), 15, 299
 Hysteralgia during pregnancy, 159
 Hysteria, 29
 Hystero-epilepsy, 29 (No. 124)
- Ichthyosis, 193
 — linguae, see Leucoplasia, 97
 Icterus GRAVIS, vide JECORIS ATROPHIA ACUTA, 112
Icterus, see Jaundice, 115
 ICTUS ELECTRICUS, 214
 Idiopathic anæmia, 17
 Idiocy, 31
 ILEUS, vide VOLVULUS, 106
 Iliac and pelvic abscesses following parturition, 169
 ILIUM ET PELVIS ABSCESSUS, 168
 Imbecility, acquired, 31 (No. 131)
 — congenital, 31 (No. 132)
 Immaturity at birth, 15
 Impacted calculus in the male urethra, 135
Impaction, see Plugging, Mechanical affections, (3)

INF

- Impaction of teeth, 95
 — foreign bodies in ducts, 221
 IMPEDIMENTA CORPOREA PARTUI OBSTANTIA, 160
 IMPERFECTA EXPLICATIO PULMONIS, vide ATELECTASIS, 84
 Imperforate anus, Operation for, 267
 — hymen, Malformation, (153), 15, 297
 Impetigo, 191
 Impotence, 143
 IN CAPITIS LESIONES, 224
 — FACIE ET IN ORE LESIONES, 226
 — — CONTUSIO, 226
 — — VULNUS, 226
 — MEMBRIS INFERIORIBUS LESIONES, 244
 — — SUPERIORIBUS LESIONES, 242
 — OCULO LESIONES, 228
 — ORBITA EMPHYSEMA, 56
 — — HÆMORRHAGIA, 56
Inanition. Return under cause, see p. 13, No. 50, etc.
 Incised wound, see Wound, 217
 Incision of joints, Operation, 279
 — for stricture of the rectum, Operation, 265
 INCOMMODA E CORPORUM IRRITANTUM AUT MECHANICE AUT CHEMICE AUT ALITER NOXIORUM INHALATIONE, 84
 Incomplete inguinal hernia, 107
 Incontinence of urine, 133
 INCONTINENTIA URINÆ, 132
 Indian hemp, Poison, 205
 — tobacco, Poison, 205
Indigestion, see Dyspepsia, 105
 INDIGI SULPHAS, Venenum, 200
 Induction of labour, Obstetric operation for, 277
 Induration of the gums, 93
 — and enlargement of the Spleen from ague, 119
 Infantile convulsions, 27
 — inguinal hernia, 107
Infantile paralysis, see Myelitis of anterior cornua, 21
 — remittent fever, see Enteric fever, Note 7
 Infarct, see Embolism, 85, 121, 129
 Inflamed bursa, 187
 — hernia, 107
 INFLAMMATIO, (2)
 — ALVEOLORUM, 92
 — AURICULÆ, 58
 — ARTICULORUM, 176

INF

- INFLAMMATIO CÆCI INTESTINI, vide TYPHILITIS, 104
- CELLULARUM MASTOIDEARUM, 60
 - CEREBRI, 20
 - — ET EJUS MEMBRANARUM, 20
 - — ET MEDULLÆ SPINALIS MEMBRANARUM, 20
 - — MEMBRANARUM, 20
 - COLIS, 136
 - CORPORIS THYROIDIS, 124
 - DUCTUUM JECORIS ET VESICULÆ FELLIS, 114
 - DURÆ MATRIS, 20
 - FORAMINIS AURIS, 58
 - FUNICULI SEMINALIS, 138
 - GINGIVARUM, 92
 - GLANDULÆ LACRYMALIS, 50
 - — PROSTATÆ, 136
 - GLANDULARUM LYMPHATICARUM, 120
 - — SALIVOSARUM, 98
 - INTESTINORUM, 104
 - ITINERIS URINÆ VIRILIS, 134
 - JECORIS, 112
 - LARYNGIS, 78
 - LIGAMENTORUM UTERI, 146
 - LINGUÆ, 96
 - MAMMÆ MULIEBRIS, 170
 - MAMMARUM IN PUERPERIS, (168), 170
 - MAMMILLÆ VIRILIS, 172
 - MEMBRANÆ TYMPANI, 60
 - MUSCULORUM, 182
 - NASI, 62
 - NERVI OPTICI, 42
 - NERVORUM APPARATUS, 20
 - OSSICULORUM AUDITUS, 60
 - OSSIUM, 174
 - OVARIJ, 142
 - PASSIVA CONJUNCTIVÆ, 32
 - PERICARDII, 66
 - PLÆ MATRIS ET MEMBRANÆ ARACHNOIDIS, 20
 - SUBSTANTIÆ MUSCULARIS CORDIS, 68
 - SYNOVIALIS PODAGRICA, (178), 14
 - TELÆ CONNEXIVÆ, 188
 - TENDINUM, 184
 - TESTICULORUM, 140
 - TUBÆ EUSTACHIANÆ, 60

INF

- INFLAMMATIO TUBÆ FALLOPIANÆ, 144
- TUNICÆ CONJUNCTIVÆ, 32
 - — SCLEROTICÆ, 36
 - — VAGINALIS, 140
 - TYMPANI, 60
 - UTERI, 148
 - — CATARRHALIS, 148
 - — GRANULOSA, 148
 - VAGINÆ, 150
 - VASORUM LYMPHIFERORUM, 120
 - VELAMENTORUM HERNIARUM, 108
 - VENÆ PORTARUM, 114
 - VENTRICULI, 102
 - VESICÆ, 130
 - VULVÆ, 152
- Inflammation, (3)
- of the alveoli, 93
 - — arachnoid, 21
 - — auricle, 59
 - — bladder, 131
 - — bones, 175
 - — brain. *Syn.*, Encephalitis, 21
 - — — and its membranes. *Syn.*, Meningo-encephalitis, 21
 - — breast, female, 171
 - — — — — consequ. on parturition, (169), 171
 - — cerebral membranes. *Syn.*, Meningitis, 21
 - — *Chronic interstitial, of brain or cord, see Sclerosis, 23*
 - — of the connective tissue, 189
 - — dental periosteum, 93
 - — dental pulp, 91
 - — dura mater. *Syn.*, Pachymeningitis, 21
 - — external meatus of the ear, 59
 - — Fallopian tube, 145
 - — gall-bladder, 115
 - — glans penis, 137
 - — Gouty, of joints, (179), 15
 - — Granular, of the cervix of the uterus, 149
 - — of the gums, 93
 - — heart, 69
 - — hepatic ducts, 115

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with ; the figures without brackets indicating where the disease should be registered ; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

INF

- Inflammation of hernial sac, 109
 — — intestines, and its varieties, 105
 — — joints, 177
 — — larynx, 79
 — — ligaments of uterus, 147
 — — liver, 113
 — — lungs, see Pneumonia, 83
 — — — chronic interstitial, see Cirrhosis of lungs, 83
 — — lymph-glands, 121
 — — — vessels, 121
 — — male breast, 173
 — — membrana tympani, 61
 — — membranes of the brain and spinal cord.
 Syn., Cerebro-spinal Meningitis, 21
 — — Mercurial, of dental periosteum, (93), 199
 — — of the muscles, 183
 — — nose, 63
 — — optic nerve, 43
 — — ovary, 143
 — — penis, 137
 — — pia mater and arachnoid, 21
 — — Phosphoric, of the alveoli, (93), 201
 — — of the prostate gland, 137
 — — Rheumatic, of the dental periosteum, (93), 15
 — — of the salivary glands, 99
 — — spermatic cord, 139
 — — spinal cord and its membranes. *Syn.*,
 Meningo-myelitis, 21
 — — stomach, and its varieties, 103
 — — tendons, 185
 — — testicle, 141
 — — thyroid gland, 125
 — — tongue, 97
 — — tunica vaginalis, 141
 — — tympanum, 61
 — — uterine ligaments, 147
 — — uterus, 149
 — — — Granular, 149
 — — vagina, 151
 — — vena portæ, 115
 — — vulva, Note, 155
 Inflammatory and Exudative Syphilis, 313
 Inflation of Eustachian tube, Operation, 255
 Influenza, 7
 Inguinal hernia, 107
 Ingrown toe-nail, see Onychia, 195
 INJECTIO HYPODERMICA, Opus chirurgicum, 282
 — IN VENAS ALII PRÆTER SANGUINEM LIQUORIS,
 Opus chirurgicum, 282

INJ

- Injection of bronchocele, Operation, 269
 — — other fluid than blood into the veins,
 Operation, 283
 — — fluids into uterus to arrest hæmorrhage, Obstetric operation, 279
 — — Subcutaneous, Operation, 283
 INJECTIONES IN UTERUM AD HÆMORRHAGIAM
 COHIBENDAM, 278
 INJURIES, LIST OF, 215
 Injuries of the abdomen, 13, 239
 — — alveoli and teeth, (97), 13, 229
 — — anus, (111), 13, 241
 — — arteries, (75), 13, 219
 — — auricle, (61), 13, 231
 — — back, 13, 237
 — — bladder, (urinary), (133), 13, 241
 — — blood-vessels, (75, 77), 13, 219
 — — bones, (177), 13, 225, et seq.
 — — brain (23), 13, 227
 — — bursæ, 13, 243-245
 — — cerebral nerves, (23), 13, 219
 — — Chemical, of the eyelids and eye, 13, 231
 — — of the chest, 13, 233
 — — choroid, (41), 13, 229
 — — conjunctiva, (35), 13, 229
 — — cornea, (37), 13, 229
 — — ear, (61, 63), 13, 231
 INJURIES, EFFECTS OF, 13
 Injuries, Effects of mechanical, 13
 — — of the external ear, (61), 13, 231
 — — eye, (35, 37, 41, 45), 13, 229
 — — eyelids, (57), 13, 229
 — — face and mouth, 13, 227
 — — gall-bladder, (117), 13, 239
 — — General, 215
 — — of the head and face, 13, 225
 — — heart, (71), 13, 235, 237
 — — hepatic ducts and gall-bladder, (117),
 13, 239
 — — iris, (41), 13, 231
 — — intestines, (109), 13, 239
 — — jaws and teeth, (97), 13, 229
 — — joints, (181), 13, 229, 233, 237, 243,
 245, 247, 249
 — — kidney, (129), 13, 239
 — — lacrimal apparatus, (53), 13, 231
 — — — sac and duct, (53), 13, 231
 — — larynx, (79), 13, 233
 — — liver, (115), 13, 239
 — — Local, General note, 217
 — — of the lower extremities, 13, 245

INJ

- Injuries, of the lung, (85), 13, 235
 — — lymphatic system, (121, 123, 125), 13, 221
 — — membrana tympani, (63), 13, 231
 — — muscles, (185), 13, 223
 — — mucous membrane and submucous tissue, 13, 225
 — — neck, exclusive of vertebral column, 13, 231
 — — nerves, (23), 13, 219
 — — nose, (65), 13, 227, 229
 — — œsophagus (101), 13, 233
 — — organs of generation, (135 to 155), 13, 241
 — — parts within the orbit, (59), 13, 229
 — — pelvis, 13, 241
 — — penis, (137), 13, 241
 — — pericardium, (69), 13, 235
 — — peritonæum, (119), 13, 239
 — — pharynx and œsophagus by corrosive substances, (101), 13, 233
 — — pleura, (87), 13, 235
 — — pregnant uterus, 241
 — — rectum, (111), 13, 241
 — — retina, (45), 13, 229
 — — sclerotic, (37), 13, 229
 — — secreting glands and viscera, 13, 221
 — — skin and subcutaneous tissue, 13, 223
 — — spermatic cord, (141), 13, 243
 — — spinal cord, (23), 13, 237
 — — spine, (183), 13, 237
 — — spleen, (121), 13, 239
 — — of Steno's duct, 13, 227
 — — stomach, (103), 13, 239
 — — teeth, (97), 13, 229
 — — thoracic duct, 13, 233
 — — tendons, (187), 13, 223
 — — testicle, (143), 13, 243
 — — thyroid body, (125), 13, 231
 — — trachea and bronchi, (83), 13, 233
 — — tympanum, (63), 13, 231
 — — upper extremities, 13, 243
 — — urethra, male, (135), 13, 241
 — — uterus, 13, 241
 — — — pregnant, 13, 241
 — — vagina, (153), 13, 241

INT

- Injuries of the veins, (77), 13, 221
 — — vessels, (75, 77), 13, 219
 — — — of chest, 13, 235
 — — — vulva, (155), 13, 241
 Injury, Multiple, 13, 215
 INOPIA LACTIS, 172
 — RERUM NECESSARIARUM, 214
 Inorganic poisons, Effects of, 11
 Insane, Paralysis of the, 31
 INSANIA, 28
 — CLIMACTERICA, 30
 — CUM MANIFESTA CEREBRI DEPRAVATIONE CONJUNCTA, 30
 — EPILEPTICORUM, 30
 — EX PLUMBO, 30, 198
 — FEBRES, VISCERUM INFLAMMATIONES, ETC., SUBSEQUENS 30
 — MERCURIALIS, SIVE EX HYDRARGYRO, 30, 198
 — PUERPERARUM, (168), 30
 — PUBESCENTIUM, 30
 — SENILIS, 30
 — TOXICA, EX ALCOHOLE, 30, 202
 — — — PLUMBO, 30, 198
 — — — PODAGRA, 14, 30
 — TRAUMATICA, 30
 Insanity, 29
 — associated with obvious change in the brain, 31
 — Climacteric, 31
 — Consecutive, from fevers, &c., 31
 — Epileptic, 31
 — Mercurial, 31, 199
 — of puberty, 31
 — Puerperal, (169), 31
 — Senile, 31
 — Toxic, 31
 — Traumatic, 31
 INSANORUM PARALYSIS GENERALIS, 30
 Insecta parasitica, 287
Insolatio, see Sunstroke, (25), 215
 Intermediate amputation, 281
Intermittent fever, see Malarial fever, 9
 Intermittent hæmaturia, 131
 Internal ear, Diseases of, 63

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

INT

- Internal ear, imperfect, Malformation, (63), 15, 293
- — Malformations of, (63), 15, 293
 - — Malignant New Growth of, (63), 15
 - — Necrosis of, 63
 - — Syphilis of, (63), 9
- Internal Piles, 111
- strangulation, 107
 - urethrotomy, Operation, 271
- Intertrigo, 191
- INTESTINA IMPERVIA, COARCTATA, IN SACCULOS PARTITA, AUT IN VARIIS PARTIBUS INTERRUPTA, Deformitas ingenua, (108), 14, 294
- Intestines, Abscess in the subperitoneal tissue of the, 105
- Concretions in, 109
 - Dilatation of, 105
 - Diseases of, 105
 - Diverticula of, 105
 - Ectopia of, Malformation, (109), 15, 303
 - Excision of portion of, Operation, 265
 - Exploration of, per anum, 267
 - Fistula of, 109
 - Foreign bodies in, (109), 239
 - Hæmorrhage of, 105
 - Hernia of (for subdivision, see Hernia), 107
 - Hernia or Ectopia of, Malformation, (109), 15, 303
 - Impervious, narrowed, sacculated, diverticulate, or interrupted in various regions, Malformation, (109), 15, 295
 - Inflammation of, and varieties, 105
 - Injuries of, (109), 239
 - Internal strangulation of, 107
 - Intussusception of, 107
 - Lardaceous disease of, 105
 - Malformations of, (109), 15, 295, 303
 - Malignant New Growth of, (105), 15
 - Non-malignant New Growth of, (105); 15
 - Obstruction of, 107
 - opening abnormally, Malformation, (109), 15, 295
 - Paralysis of, 109
 - Parasitic disease of, (109), 11
 - Perforation of, 109
 - strangulation of, Internal, 107
 - Stricture of, 107
 - Tubercle of, (105), 15, 315
 - Tympanites of, 105
 - Ulcer of, 105
 - Volvulus of, 107

IRI

- INTESTINORUM ABSCESSUS SUB PERITONÆO ORTUS, 104
- CONCRETA, 108
 - DILATATIO, 104
 - FISTULA, 108
 - HÆMORRHAGIA, 104
 - HERNIA SIVE ECTOPIA, Deformitas ingenua, (108), 14, 302
 - INFLAMMATIO, 104
 - INTUSSUSCEPTIO, 106
 - MORBI, 104
 - MORBUS LARDACEUS, 104
 - OBSTRUCTIO, 106
 - OSTIUM ABNORME, Defectio ingenua, (108), 14, 294
 - PARALYSIS, 108
 - PERFORATIO, 108
 - STRANGULATIO INTERNA, 106
 - STRICTURA, 106
 - ULCUS, 104
 - VOLVULUS, 106
- Intussusception (of intestine), 107
- Invagination of intestines, see Intussusception, 107
- Invasion, (Parasitic), (5)
- Inversion of the bladder, 131
- — uterus during parturition, 167
- Inverted uterus, Reduction of, Obstetric operation, 277
- Involution, Senile, of female breast, 171
- Iodine, Poison, 201
- IODUM, Venenum, 200
- IRIDECTOMIA, Opus chirurgicum, 254
- Iridectomy, Operation, 255
- Irideremia, see Malformation of the iris, (41), 15, 293
- IRIDIS FISSURA, Deformitas ingenua, (40), 14, 298
- MORBI, 38
 - PARALYSIS, 38, (No. 165)
 - VULNUS, 230
- Iridoplegia, 39
- Iris, Atrophy of, 39
- Diseases of the, 39
 - Fissure of the, Malformation, (41), 15, 299
 - Hæmorrhage of, 39
 - Injuries of, (41), 13, 231
 - Malformations of, (41), 15, 293, 299
 - Malignant New Growth of, (41), 15
 - Mydriasis of, and varieties, 39
 - Myosis of, and varieties, 39
 - Non-malignant New Growth of, (41), 15

IRI

- Iris, Paralysis of, see Iridoplegia, 39
 — Synechia of, and varieties, 39
 — Tremulus, 41
 — Wound of the, (41), 13, 231
 IRIS TREMULA, 40
 Iritis, 39
 — Gonorrhœal, (39), 11
 — Gouty, (39), 15
 — Rheumatic, (39), 15
 — Scrofulous, (39), 15
 — Serous, 39
 — Sympathetic, 39
 — Syphilitic, (39), 9, 313
 — Traumatic, 39
 — Tubercular, (39), 15
 Iron, Poison, 199
Iron-grey induration of lungs, see Black induration of lungs, 83
 Irreducible hernia, 107
 Irregularity of the heart's action, see Palpitation, 71
 Irritability of the bladder, 133
 Irritable stump, see Neuralgia, 29
 Irritant drugs, Poisons, 211
 Irritants, Mechanical, Poisons, 211
 — or corrosives, Effects of, on the skin, 223
 IRRITATIO SYMPATHETICA OCULI, 50
 Irritation by nettles and other stinging plants, 197
 ISCHIAS, 28
 Ischiatic hernia, 107
 Itch, 197
 Ixodes Carapato, Parasite, 289
 — hominis, Parasite, 289
 — Monbata, Parasite, 289
 Jaborandi, Poison, 205
 Jasmine, Yellow, see Gelsemium, Poison, 205
 Jaundice, 115
 Jaw, Lower, absent or defective, Malformation, (91), 15, 297
 — — Defective growth of, Malformation, (91), 15, 297
 — — Dislocation of, (97), 13, 229

JOI

- Jaw, Lower, Excision of, (partial or complete), Operation, 257
 — — Fracture of, (97), 13, 229
 — Upper, Excision of, (partial or complete), Operation, 257
 Jaws, Cyst of, 91
 — Diseases of, 91
 — Malformations of, (91), 15, 297
 — Malignant New Growth of, (91), 15
 — Non-malignant New Growth of, (91), 15
 JECORIS ABSCESSUS, 112
 — ATROPHIA, 112
 — — ACUTA, 112
 — CONGESTIO, 112
 — CYSTIS, 112
 — DUCTUS IMPERVIUS, Deformitas ingenita, 14, 249
 — — OBLITERATIO, 114
 — HYPERTROPHIA, 112
 — INFLAMMATIO, 112
 — MORBI, 112
 — MORBUS AMYLOIDES, 112
 — PYÆMIA, (112), 8
 JECUR ADIPOSUM, 112
 — CEREUM, 112
 — CLAVIFORME, vide JECORIS INFLAMMATIO, 112
 — HYPERTROPHICUM, vide JECORIS INFLAMMATIO, 112
 — LARDACEUM, 112
 — PRÆTER NATURAM EXIGUUM, (114), 294
 Joints, Abscess of, 179
 — — Pyæmic, of, (179), 9
 — Ankylosis of, and varieties, 179
 — Aspiration of, Operation, 281
 — Charcot's disease of, (179), see Locomotor ataxy, 23
 — Chronic osteo-arthritis of, (179), 15
 — Deformity of, from ankylosis, 179
 — Diseases of, 177
 — Dropsy of, 177
 — Excision of, partial or complete, Operation, 279
 — Extension of, forcible, Operation, 279
 — Flexion of, forcible, Operation, 279
 — Gonorrhœal arthritis of, (179), 11

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

JOI

- Joints, Gouty deposit in, (179), 15
 — inflammation of, (179), 15
 — Incision of, Operation, 279
 — Inflammation of, and varieties, 177
 — Injuries of, (181), 13, 229, 233, 237, 243, 245, 247, 249
 — Loose body in, 179
 — — cartilage in, see Loose body in, 179
 — — — Removal of, Operation, 281
 — Malignant New Growth of, (179), 15
 — Neuralgia of, (181), 29
 — Non-malignant New Growth of, (179), 15
 — Operations on, Note, 279
 — Perforation of, 181
 — Rheumatism of, (179), 15
 — Scrofulous disease of, (179), 15
 — Tapping, Operation, 281
 JUGULI FRACTURA, 242

- Keloid, 195, 309
 — of Addison, see Morphœa, 193
 Keratitis, 35
 — Interstitial, 35
 — Superficial, 35
 — Suppurative, 35
 — Syphilitic, (35), 9
 — Traumatic, 35
 — Vascular, 35

KERATITIS CIRCUMSCRIPTA, 34

- DIFFUSA, 34
 — EX VULNERE, 34
 — EXTERIOR, 34
 — INTERIOR, 34
 — SUPPURANS, 34
 — VASCULARIS, 34

KERATOCONUS, vide CORNEA CACUMINATA, 36

Kerato-globus, see Hydrophthalmos anterior, 37

- Kidney, Abscess of, and varieties, 127
 — absent, Malformation, (129), 297
 — acute nephritis of, 127
Kidney, Amyloid disease of, see Lardaceous, 127
 Kidney, Atrophy of, 127
 — Bright's disease of, and varieties, 127
 — Calculus of, 129
 — Cirrhosis of, 127
Kidney, Contracting granular, see Granular K., 127
 Kidney, Cystic disease of, 129
 — Cysts, of, 127
 — Diseases of, 127

LAC

- Kidney, Double, Malformation, (129), 15, 301
 — Embolism of, 129
 — Fibrosis of, 127
Kidney, Gouty, see Granular K., 15, 127
 Kidney, Granular, 127
 — Hernia or Ectopia of, Malformation, (129), 15, 303
 — Hypertrophy of, 127
 — Injuries of, (129), 13, 239
 — Lardaceous, 127
 — Large white, 127
 — Lobulated, Malformation, (129), 15, 297
 — Malformations of, (129), 15, 297, 301, 303
 — Malignant New Growth of, (129), 15
 — Movable, Malformation, (129), 15, 303
 — Non-malignant New Growth of, (129), 15
 — Parasitic disease of, (129), 11, 285, et seq.
 — Passive congestion of, 127
 — Syphilis of, (129), 9, 313
 — Thrombosis of, 129
 — Tubercle of, (129), 15, 315
Kidney, Waxy, see Lardaceous K., 127
 Kiln-vapours, Poison, 209
 Knee-joint, Dislocation of, 247
Knee, Housemaid's, see Chronic Inflamed Bursa, 187
 Knee, Knock-, 181
 — Out-, see Bow-leg, 181
 Knock-knee, 181
Kyphosis, see Posterior curvature of spine, 183

LABRI FISSURA, Deformitas ingenua, (88), 14, 298

LABRORUM FISSURA, 86

- MORBI, 86
 — PARALYSIS, (88), 24
 — ULCUS, 86

LABRUM LEPORINUM, Deformitas ingenua, (88), 14, 298

Laburnum, Poison, 205

LAC VENENOSUM, Venenum, 208

Lacerated wound, see Wound, 217

LACERATIO, vide LÆSIONES MECHANICÆ, (4)

- CAPSULÆ OPACÆ, Opus chirurgicum, 254
 — CEREBRI SINE CALVARIÆ FRACTURA, 226
 — PERINEI IN PARTURIENTIBUS, 166
 — UTERI IN PARTURIENTIBUS, 164
 — — CERVICIS, 150
 — — IPSIUS, 150
 — VAGINÆ, (152), 12, 240
 — — IN PARTURIENTIBUS, 164
 — VALVARUM CORDIS, 68

LAC

- LACERATIO, VELAMENTORUM HERNIARUM, 108
 — VENTRICULI SPONTANEA, 102
 — VESICÆ IN PARTURIENTIBUS, 164
Laceration of hernial sac, 109
 — the bladder during parturition, 165
 — — — from fracture, 241
 — — — without wound, 241
 — — brain, without fracture of skull, 227
 — — opaque capsule, Operation, 255
 — — perineum during parturition, 167
 — — spinal cord, 237
 — — stomach, Spontaneous, 103
 — — uterus, 151
 — — urinary bladder during parturition, 165
 — — urethra from fracture of pelvis, 241
 — — uterus during parturition, 165
 — — vagina, (153), 13, 241
 — — — during parturition, 165
 — — valves of the heart, 69
 — — vulva during parturition, 165
Lacrymal apparatus, Affections of, 51
 — Fistula, 53
 — — Operation for, 253
 — gland, Abscess of, 51
 — — Affections of, 51
 — — Distension of excretory ducts of, 53
 — — Fistula of, 53
 — — Inflammation of, 51
 — obstruction, Operations for, 253
 — sac, Abscess of, 53
 — — Affections of, 53
 — — Fistula of, 53
 — sac and duct, Injuries of, 231
 — tracts, Affections of, 53
LACRYMARUM APPARATUS MORBI, 50
LACTANTIUM FEBRIS, 166
LACTIS INOPIA, 172
Lacunar abscess, 135
LACUNARUM ABCESSUS, 134
LÆSIO MULTIPLEX, 214
LÆSIONES, 214
LÆSIONES A TERGO, 236
 — ARTERIARUM, (74), 12, 218
 — ARTICULORUM, (180), 12, 228, et seq.

LÆS

- LÆSIONES AURIS, 230**
 — — EXTERNÆ, (60), 12, 230
 — CELLULARUM MASTOIDEARUM, (62), 12
 — CHOROIDIS, (40), 12, 230
 — OORDIS, (70), 12, 234, 236
 — CORPORIS THYROIDIS, (124), 12
 — CUTIS ET TELE HYPODERMICÆ, 224
 — DUCTUS NASALIS, (52), 12, 230
 — DUCTUUM JECORIS, (116), 12
 — FUNICULI SEMINALIS, (140), 12, 242
LÆSIONES GENERALES, 214
 — IN ABDOMINE SIVE VENTRE, 238
 — IN PELVI ET GENITALIBUS, 240
 — IN THORACE, 232
 — INTESTINORUM, (103), 12, 238
 — IRIDIS, (40), 12, 230
 — JECORIS, (114), 12, 238
 — LARYNGIS, (78), 12, 232
 — LIENIS, (120), 12, 238
LÆSIONES LOCALES, 216
 — MAXILLARUM ET DENTITUM, (96), 12, 228
 — MEMBRANÆ MUCOSÆ ET TELE SUBMUCOSÆ, 224
 — — TYMPANI, (62), 12, 230
 — MUSCULORUM, (184), 12, 222
 — NASI, (64), 12, 226
 — NERVORUM APPARATUS, (22), 12, 218, 226, 236
 — GESOPHAGI, (100), 12, 232
 — ORBITÆ, (58), 12, 230
 — OSSICULORUM, (62), 12
 — OSSIUM, (176), 12, 224, et seq.
 — PALPEBRARUM, (56), 12, 228
 — PERITONÆI, (118), 12, 238
 — PHARYNGIS, (100), 12, 232
 — PLEURÆ, (86), 12, 234
 — PENIS, (136), 12, 240
 — PULMONIS, (84), 12, 234
 — RECTI INTESTINI ET ANI, (110), 12, 240
 — RENUM, (128), 12, 238
 — RETINÆ, (44), 12, 228
 — SPINÆ, (182), 12, 236
 — TENDINUM ET FASCIARUM, (186), 12, 222
 — TESTICULORUM, (142), 12, 242
 — TYMPANI, (62), 12, 236
 — TRACHÆÆ ET BRONCHIORUM, (82), 12, 232

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

LÆS

- LÆSIONES TUBÆ EUSTACHIANÆ, (62), 12
 — TUNICÆ CHOROIDIS, (40), 12, 228
 — — CONJUNCTIVÆ, (34), 12, 228
 — — CORNEÆ, (36), 12, 228
 — — SCLEROTICÆ, (36), 12, 228
 — URETHRÆ, (134), 12, 240
 — UTERO GRAVIDO ILLATÆ, 12, 240
 — VAGINÆ, (152), 12, 240
 — VESICÆ, (132), 12, 249
 — VESICULÆ FELLIS, (116), 12, 238
 — VASORUM LYMPHIFERORUM, (122), 12, 220
 — VENARUM, (76), 12, 220
 — VENTRICULI, (102), 12, 238
 — VULVÆ, (154), 12, 240
 LÆSIONIS CAUSA AMPUTATIO, Opus chirurgicum, 280
 LÆSIONUM ET AËRUM EFFECTUS, 12
 LÆSIONUM LOCALIUM ELENCHUS SIMPLICITER NULLA PARTIS AFFECTA RATIONE HABITA, 216
 LÆSIONUM MECHANICARUM EFFECTUS, 12
 — — — (GENERALES), 12
 — — — (LOCALES), 12
 LAPAROTOMIA, vide ABDOMINIS SECTIO, Opus chirurgicum, 266
 Laparotomy, see Abdominal section, Operation, 267
 Lardaceous degeneration, (3)
 — intestines, 105
 — kidney, 127
 — liver, 113
 — spleen, 119
 — stomach, 103
 — suprarenal capsules, 125
 Larva of the gadfly, Parasite, see *Cæstrus hominis*, 287
 LARYNGIS ABSCESSUS, 78
 — ANÆSTHESIA, 80
 — CARTILAGINUM ARYTENOIDIUM ANKYLOSIS, 78
 — — FRACTURA, 232
 — — NECROSIS, 78
 — — OSSIFICATIO, 78
 — CATHETERISMUS, Opus chirurgicum, 262
 — COARCTATIO, 78
 — CYSTIS, 78
 — EXTIRPATIO, Opus chirurgicum, 262
 — HYPERÆSTHESIA, 80
 — INFLAMMATIO, 78
 — LÆSIONES, (78), 12, 232
 — MORBI, 78
 — NEURALGIA, 80

LEA

- LARYNGIS PARALYSIS, 80
 — ULCERATIO, 78
 Laryngismus stridulus, 27
 Laryngitis, 79
 Laryngotomy, Operation, 263
 LARYNGOTOMIA, Opus chirurgicum, 262
 LARYNGOTRACHEOTOMIA, Opus chirurgicum, 262
 Laryngo-tracheotomy, Operation, 263
 Larynx, Abscess of, 79
 — absent or imperfect, Malformation, (79), 15, 295
 — Anæsthesia of, 81
 — Burn and scald of, 233
 — Catheterisation of, Operation, 263
 — Cyst of, 79
 — Diseases of, 79
 — Extirpation of, Operation, 263
 — Foreign bodies in, (79), 13, 233
 — Fracture of the cartilages of, 233
 — Hyperæsthesia of, 81
 — Inflammation of, and varieties, 79
 — Injuries of, (79), 13, 233
 — Malformations, (79), 15, 295
 — Malignant New Growth of, (79), 15
 — Narrowing of, 79
 — Necrosis of the cartilages of, 79
 — Non-malignant New Growth of, (79), 15
 — Neuralgia of, 81
 — Ossification of cartilages of, 79
 — Paralysis of, 81
 — Syphilitic disease of, (79), 9, 313
 — Tubercle of, (79), 15, 315
 — Ulceration of, 79
 LARYNX ET TRACHEA AUT NULLA AUT INCHOATA, Deformitas ingenua, (78), 14, 294
 Latent Menstruation, (157)
 Lateral curvature of the spine, 181
 LATERUM VULNUS, 234
 — — CUM ARTERIÆ INTERCOSTALIS LÆSIONE, 234
 — — — MAMMARIÆ INTERNÆ LÆSIONE, 234
 Lathyrus, Poison, 207
 Laughing Gas, Poison, see Nitrous oxide, 211
 Laurel water, Poison, 203
 LAUROCERASI AQUA, Venenum, 202
 Lead, Poison, 199
 — Blue gum from, 199
 — cachexia, 199
 — colic, (109), 199
 — insanity, 81, 199
 — palsy, 27, 199
 — Stain of conjunctiva from, 85, 199

LEG

- Leg, Fracture of (both bones), 247
 Lens, Depression of, Operation, 255
 — Diseases of, 45
 — Dislocation of, 47; from contusion, 229
 — Extraction of, Operation, 255
 — Malformations of, (47), 15, 293
 — Solution of, Operation, 255
 — Wound of, 231
Lentigo, see Freckles, 193
 LENTIS DEPRESSIO, Opus chirurgicum, 254
 — EJUSQUE CAPSULÆ MORBI, 44
 — EXTRACTIO, Opus chirurgicum, 254
 — SOLUTIO, Opus chirurgicum, 254
 — VULNUS, 230
Lepra, see Psoriasis, Note, 191
 Lepra Arabum, see Granulation tumours, 313
 LEPRO, (194), 16
 — VERA, 16
 Leprosy, (195), 17
 — Anæsthetic, 17
 — Tubercular, 17
 Leptodera intestinalis, Parasite, 287
 — stercoralis, Parasite, 287
 — teres, Parasite, 287
 Leptothrix buccalis, Parasite, 290
 Leptus autumnalis, Parasite, 290
 LEONTIASIS OSSEA, 90
 Leuchæmia, (119), 17 (No. 76)
 Leucocythæmia, (119), 17
 Leucoderma, 193
Leucoma, see Opacity of the Cornea, 37
 Leucoplacia, 97
 Leucorrhœa, 159, see also Inflammation of
 vagina, 151
 LEUCORRHŒA vide VAGINÆ INFLAMMATIO, 150,
 158
 Lever, Application of, Obstetric operation, 275
 Lichen, 191
 — planus, 191
 — tropicus, 191*
Lien cereus, vide LIEN LARDACEUS, 118
 LIEN LARDACEUS, 118
 LIENES DUO AUT PLURES, Deformitas ingenua,
 (120), 14, 302

LIP

- LIENIS ABSCESSUS, 118
 — ATROPHIA, 118
 — CONGESTIO, 118
 — CYSTIS, 118
 — DURITIES ET AMPLIFICATIO EX FEBRE INTER-
 MITTENTE, 118
 — EMBOLUS, 120
 — EXCISIO, Opus chirurgicum, 266
 — HYPERTROPHIA, 118
 — MORBI, 118
 — MORBUS AMYLOIDES, 118
 — PYÆMIA, (118), 8
 LIGAMENTORUM ET CARTILAGINUM SPINÆ UL-
 CERATIO, 180
 — RESOLUTIO, 180
 Ligaments and cartilages of the spine, Ulcera-
 tion of, 181
 — Relaxation of, 181
 LIGATURA ARTERIARUM, Opus chirurgicum, 262
 Ligature of arteries, Operation, 259; for cure
 of aneurysm, Operation, 261
 — of vessels (to arrest hæmorrhage), Opera-
 tion, 263
 Lightning stroke, 215
 LIGUSTRUM VULGARE, Venenum, 206
 Limbs as a whole, Operations on, 281
 — Congenital distortions of, 305
 Lime, Poison, 201
 Linear atrophy of the skin, 193
 LINGUA FRENATA, Deformitas ingenua, (96),
 14, 302
 LINGUÆ ABLATIO PERFECTA AUT IMPERFECTA,
 Opus chirurgicum, 256
 — ABSCESSUS, 96
 — ANÆSTHESIA, (96), 26
 — ATROPHIA, 96
 — INFLAMMATIO, 96
 — MORBI, 96
 — PARALYSIS, (96), 24
 — ULCUS, 96
 — VULNUS, 226
 Lip, Restoration of, Operation, 259
 Lip, Hare-, Malformation, (89), 15, 299
 — Operation for, 259

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

LIP

- Lipoma, Tumour, 309
 — (so called) of nose, Removal of, Operation, 257
Lipoma of nose, see Hypertrophy of, Note, 63
 Lips, Diseases of, 87
 — Fissure of, 87
 — Fissure of, Malformation, (89), 15, 299
 — Malformations of, (89), 299
 — Malignant New Growth of, (87), 15
 — Non-malignant New Growth of, (87), 15
 — Paralysis of, (89), 25
 — Syphilis of, (89), 9, 313
 — Ulcer of, 87
 LIPPITUDO, 54
 LITHOTOMIA, Opus chirurgicum, 268
 Lithotomy, Operation, 269
 — Bilateral, 269
 — Lateral, 269
 — Median, 269
 — Medio-bilateral, 269
 — Recto-perineal, 269
 — Supra-pubic, 269
 — Vaginal, 271
 LITHOTRIPSIS, Opus chirurgicum, 270
 Lithotritry and varieties, 271
 Lithuria, 131
 Liver, Abscess of, Note, 113
 — — — Pyæmic, (113), 9
 — Acute yellow atrophy of, 113
Liver, Amyloid disease of, see Lardaceous L., 113
 Liver, Atrophy of, 113
 — Cirrhosis of, see Inflammation of, 113
 — Congestion of, 113
 — Cyst of, 113
 — Diseases of, 113
 — Fatty, 113
 — Hydatid of, (115), 11, 286
 — — cyst of, Operation for, 267
 — Hypertrophy of, 113
 — Injuries of, (115), 13, 239
 — Lardaceous, 113
 — Malformations of, (115), 15, 295
 — Malignant New Growth of, (115), 15
 — Non-malignant New Growth of, (115), 15
 — Parasitic disease of, (115), 11, 284
 — preternaturally small, Malformation, (115), 15, 295
 — Syphilis of, (115), 9, 313
 — Tubercle of, (115), 15, 315
Liver, Waxy, see Lardaceous L., 113

LUM

- Lobar pneumonia, 83
 LOBELLA INFLATA, Venenum, 204
 Lobular pneumonia, 83
 Local anæsthesia, Note, 27
 LOCAL DISEASES, Explanation, 19
 Local hypersthesia, Note, 29
 LOCAL INJURIES, General note, 217
 Local paralysis, 25
 Lock-jaw, 29 (No. 120)
 LOCO MOTA PATELLA, 246
 — — TARSII OSSA, 248
 — MOTUM SURÆ CAPUT, 246
 — — FEMUR AD COXAM, 246
 — — GENU, 246
 — MOTUS ASTRAGALUS, 248
 — — CARPUS, 244
 — — HUMERUS, 244
 — — METATARSUS ET PHALANGES, 248
 — — OS CALCIS, 248
 — — OCULUS, 230
 — — PES CIRCA TALOS, 246
 — — — — — CUM TIBIÆ ET FIBULÆ FRACTURA, 246
 — — — — — FIBULÆ SOLIUS FRACTURA, 248
 — — — — — SINE FRACTURA, 248
 — — — — — PES CALCANEUM INTER ASTRAGALUMQUE ET OS SCAPHOIDES INTER ASTRAGALUMQUE, 248
 Locomotion, Diseases of the Organs of, 175
Locomotor ataxy, see Sclerosis of the posterior columns of the Spinal Cord, 23
 LOLIUM TEMULENTUM, Venenum, 204
 Loose bodies in the tunica vaginalis, 141
 — body in joint, 179
 — — Removal of, from joint, Operation, 281
 — cartilage in joint, see Loose body in joint, 179
Lordosis, see Anterior Curvature of the Spine, 183
 Loss or perversion of the sense of smell, 65
 — — — — — taste, 97
Lousiness, see Phthiriasis, 197
 Lower extremities conjoined, Malformation, 15, 301
 — — absent, Malformation, 15, 297
 — — Injuries of, 13, 245
 Lower extremity absent, Malformation, 15, 297
 Lower jaw absent or defective, Malformation, 15, 297
 Lucilia hominivora, Parasite, 288
 Lumbago. (A vague term to be returned under cause or condition.)

LUM

- Lumbar abscess, 181
 — hernia, 107
 Lung, Abscess of, 83
 — — — Pyæmic, (83), 9
 — absent, one or both, Malformation, (85), 15, 295
 — Affections of, due to noxious inhalations, 85
 — Aneurysm (of Pulmonary Artery), 85
 — Atelectasis of, 85
 — Black induration of, 83
 — Brown induration of, 83
 — Cirrhosis of, 83
 — Collapse of, 85
 — Congestion of, Passive, 83
 — Diseases of, 83
 — Ectopia of, Malformation, (85), 15, 303
 — Embolism of, 85
 — Emphysema of, 85
 — — Interlobular, 85
 — — Vesicular, 85
 — Foreign bodies in, (85), 13, 237
 — Gangrene of, 83
 — Hæmorrhage of, 83
 — Hernia or Ectopia of, Malformation, (85), 15, 303
 — Inflammation of, see Pneumonia, 83
 — Injuries of, (85), 13, 235, 237
 — Malformations of, (85), 15, 295, 303
 — Malignant New Growth of, (85), 15
 — Non-malignant New Growth of, (85), 15
 — Oedema of, 83
 — Parasitic disease of, (85), 13
 — Passive congestion of, 83
 — Pyæmia of, (83), 9
 — Syphilis of, (85), 9, 313
 — Tubercle of, (85), 15, 315
 — Wound, penetrating, of, 235
 Lupus, 195; Tumour, 311
 — erythematous, 195
 LUXATIO, (2)
 — LENTIS, 46
 Lymph fistula, 123
 — gland, Contusion of, 221

MAL

- Lymph gland, Wound of, 221
 — glands, Atrophy of, 121
 — — Caseation of, (123), 15
 — — Hypertrophy of, 121
 — — Inflammation of, 121
 — — Malignant New Growth of, (121), 15
 — — Non-malignant New Growth of, (121), 15
 — — Removal of diseased, Operation, 267
 — — Suppuration of, 121
 — — Syphilis of, (123), 9, 313
 — — Tubercle of, (121), 15, 315
 — — Wound of, (123), 221
 — — vessels, Dilatation of, 123
 — — Inflammation of, 121
 — — Obliteration of, 123
 — — Obstruction of, 123
 — — Rupture of, 123
 — — Suppuration of, 121
 — — Wound of, (123), 13, 221
 Lymphadenoma, 123, 313
 LYMPHANGIECTASIS, 122
 Lymphangitis, 121
 LYMPHANGITIS PELVICA, 146
 Lymphatic organs, Operations on, 267
 LYMPHATIC SYSTEM, DISEASES OF THE, 119
 Lymphatic system, Injuries of, 13, 221
 — tissue tumour, see Lymphoma, 313
 Lymphoma, Tumour, 313
 Lymphorrhœa, 123
Lyssa, see Hydrophobia, 11

Macroglossa, see Hypertrophy of Tongue, 97
 Macropsia, 49
 MACULÆ METALLICÆ IN CONJUNCTIVA, 34
 Madarosis, 55
 Maize, poisonous, 207
 MAIZENA VENENOSA, 206
 MALA GENITALIUM GRAVIDIS INCIDENTIA, 158
 MALA GRAVIDIS INCIDENTIA, 158
 MALA PARTURIENTIBUS INCIDENTIA, 160
 MALA PUERPERIS INCIDENTIA, 166

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

MAL

- MALA SYPHILITICA FAUCIUM ET TONSILLARUM, (98), 8, 312
 — — PHARYNGIS ET ŒSOPHAGI, (98), 8, 312
 Malarial cachexia, 9 (No. 23)
 — fever, 9
 Male Breast, Cyst of, 175
 — — Diseases of, 173
 — — Hypertrophy of, 173
 — — Inflammation of, 173
 — — Malignant New Growth of, (175), 15
 — — Non-malignant New Growth of, (175), 15
 — — — — — Organs of Generation, Diseases of, 135
 — — — — — Malformations of, (135, 139, 143), 15, 297, 299, 305
 — — — — — Operations on, 271
 — — — — — urethra, Diseases of, 135
 Malformations, 15
 MALFORMATIONS ASSOCIATED WITH INCOMPLETE COALESCENCE OF PARTS WHICH SHOULD BECOME CONJOINED, 299
 MALFORMATIONS, CONGENITAL, 293
 MALFORMATIONS CONSISTING IN THE DISPROPORTIONATE GROWTH OF PARTS, 303
 Malformations of the anus, (113), 15, 295
 — — arteries, (75), 15, 295
 — — auricle, (61), 15, 293
 — — bladder, (133), 15, 299
 — — bones, (177), 15, 297, 299, 301
 — — brain, (25), 15, 293
 — — breast, female, (173), 15, 303
 — — causing apparent duplication, 301
 — — of clitoris, 303
 — — from coalescence of parts which should remain distinct, 301
 — — — — — of two foetuses or from excess in number of the parts of one foetus, 301
 — — of the digestive system, (89, 91, 97, 99, 101, 109, 113, 115, 117, 119), 15, 295
 — — from displacements and unusual positions of parts of the foetus, 303
 — — of the ear, (61, 63), 15, 293
 — — from extension of a commissure between the lateral halves of parts, 301
 — — of external meatus, (61), 15, 293
 — — eye, (35, 41, 43, 45, 47, 49), 15, 293, 299, 303
 — — eyelids, (57), 15, 293, 299, 303
 — — fauces and palate, (99), 15, 295, 299

MAL

- Malformations of the Female organs of Generation, (145, 151, 153, 155), 15, 297, 303
 — — globe of the eye, (49), 15, 293, 299
 — — heart, (69, 71), 15, 293, 295, 303
 — — — — — of the muscular structure, (71), 293, 295, 303
 — — — — — valves, (69), 15, 295, 303
 — — hepatic ducts and gall-bladder, (117), 15, 295
 — — from incomplete coalescence of part 299
 — — — — — dorsal median plane, 299
 — — — — — ventral median plane, 299
 — — from incomplete development, 293
 — — of the internal ear, (63), 15, 293
 — — intestines, (109), 15, 295, 303
 — — iris, (41), 15, 299
 — — kidney, (129), 15, 297, 301, 303
 — — jaws, (91), 15, 297
 — — larynx, (79), 15, 295
 — — lens, (47), 15, 293
 — — limbs, 303, 305
 — — lips, (89), 15, 299
 — — liver, (115), 15, 295
 — — lung, (85), 15, 295, 303
 — — Male organs of Generation, (135, 139, 143), 15, 297, 299, 303, 305
 — — nasal duct, (53), 15, 293, 303
 — — Nervous System, (25), 15, 293, 299, 301, 303
 — — nose, (65), 15, 293, 299, 303
 — — œsophagus, (101), 15, 295
 — — optic nerve, (43), 15, 299
 — — Organs of Special Sense, 293
 — — ovary, (145), 15, 297, 303, 305
 — — palate and fauces, (99), 15, 295, 299
 — — penis, (139), 15, 297, 299
 — — pericardium, 15, 299
 — — peritonæum, (119), 15, 295, 299, 303
 — — rectum and anus, (113), 15, 295
 — — Respiratory System, (79, 83, 85), 15, 295, 303
 — — retina, (45), 15, 293, 299
 — — scrotum, (139), 15, 299
 — — spinal cord, (25), 15, 293, 301
 — — spine, (183), 15, 301, 305
 — — spleen, (121), 15, 303
 — — testicle, (143), 15, 297, 303, 305
 — — tongue, (97), 15, 303
 — — trachea and bronchi, (83), 15, 295
 — — urethra, male, (135), 15, 299

MAL

- Malformations of the Urinary System, (129, 133), 15, 297, 299, 301, 303
 — — uterus, (151), 15, 297, 301
 — — Vascular System, (69, 71, 75), 15, 293, 295, 303
 — — vagina, (153), 15, 297, 301
 — — veins, 15, 295
 — — vitreous, (47), 15, 293
 — — vulva (external female parts), (155), 15, 297
- Malignant New Growth, 15
 — — — of the alveoli, (95), 15
 — — — antrum, (91), 15
 — — — anus, (111), 15
 — — — auricle, (59), 15
 — — — bladder, (131), 15
 — — — bones, (177), 15
 — — — brain, (23), 15
 — — — breast, female, (173), 15
 — — — bronchi, (81), 15
 — — — choroid, (41), 15
 — — — conjunctiva, (33), 15
 — — — connective tissue, (189), 15
 — — — cornea, (37), 15
 — — — dental periosteum, (95), 15
 — — — external ear, (59), 15
 — — — eyelids, (55), 15
 — — — Fallopian tube, (145), 15
 — — — fauces, (99), 15
 — — — female breast (173), 15
 — — — gall bladder, (115), 15
 — — — gums, (95), 15
 — — — heart, (71), 15
 — — — hepatic ducts and gall bladder, (115), 15
 — — — internal ear, (63), 15
 — — — intestines, (105), 15
 — — — iris, (41), 15
 — — — jaws, (91), 15
 — — — joints, (179), 15
 — — — kidney, (129), 15
 — — — lacrymal apparatus, (53), 15
 — — — larynx, (79), 15
 — — — lips, (87), 15

MAL

- Malignant New Growth of the liver, (115), 15
 — — — lung, (85), 15
 — — — lymphatics, (121), 15
 — — — male breast, (175), 15
 — — — membranes of the heart, (69), 15
 — — — mouth, (89), 15
 — — — muscles, (185), 15
 — — — nervous system, (23), 15
 — — — nose, (65), 15
 — — — œsophagus, (101), 15
 — — — optic nerve, (43), 15
 — — — orbit, (57), 15
 — — — ovary, (145), 15
 — — — palate, (99), 15
 — — — pancreas, (117), 15
 — — — penis, (137), 15
 — — — pericardium, (69), 15
 — — — peritonæum, (119), 15
 — — — pharynx, (101), 15
 — — — pleura, (87), 15
 — — — prostate gland, (137), 15
 — — — rectum, (111), 15
 — — — retina, (45), 15
 — — — salivary glands, (101), 15
 — — — sclerotic, (37), 15
 — — — scrotum, (139), 15
 — — — skin, (197), 15
 — — — spinal cord, (23), 15
 — — — spine, (183), 15
 — — — spleen, (121), 15
 — — — stomach, (103), 15
 — — — suprarenal capsules, (125), 15
 — — — tendons and fasciæ, (185), 15
 — — — testicle, (141), 15
 — — — thymus, (123), 15
 — — — thyroid body, (125), 15
 — — — tongue, (97), 15
 — — — tonsils, (99), 15
 — — — trachea, (81), 15
 — — — tympanum, (61), 15
 — — — uterus, (149), 15
 — — — vagina, (153), 15
 — — — vulva, (155), 15
 — — — pustule, (195, 213), 11

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

MAL

- Malposition of the testicle**, (143), 15, 305
 — — **teeth**, 95
MALUM ALEPPENSE, 196
Mammilla, Male, Diseases of, (for their subdivision, see **Male breast**), 173
MAMMÆ ABLATIO, *Opus chirurgicum*, 278
 — — **MULIEBRIS ABSCESSUS**, (168), 170
 — — **ATROPHIA**, 170
 — — **CYSTIS**, 172
 — — **ECZEMA**, (172), 190
 — — **FISTULA**, 172
 — — **HYPERÆMIA**, 170
 — — **HYPERTROPHIA**, 170
 — — **INFLAMMATIO**, (168), 170
 — — **MORBI**, 170
 — — **PAPILLA DEPRESSA**, 172
 — — — **SCISSA**, 172
 — — — **ULCERATA**, 172
MAMMARUM AUT PAPILLARUM PLUS JUSTO NUMERUS, *Deformitas ingenita*, (172), 14, 302
 — — — **MINUS JUSTO NUMERUS**, *Deformitas ingenita*, (172), 14
Mammarum dolor, vide **MASTODYNIA**, (172), 28
 — *neuralgia*, vide **MASTODYNIA**, (172), 28
MAMMARUM TUMOR CHRONICUS, *sive LONGUS*, (172), 14, 310
Mammary tumour, Chronic, (173), 15, 311
MAMMILLÆ VIRILIS CYSTIS, 174
 — — **HYPERTROPHIA**, 172
 — — **INFLAMMATIO**, 172
 — — **MORBI**, 172
Mania, 31
MANUS CURTA, 186
 — — **PEDESQUE SCAPULARUM ET COXARUM OSSIBUS INSERTI**, *Deformitas ingenita*, 14, 296
MANUUM PEDUMQUE DIGITI NUMERO DEFICIENTES, *Deformitas ingenita*, 14, 296
Marasmus. Term no longer used.
Mastitis, see **Inflammation of the breast**, (169), 171
Mastodynia, (173), 29
Mastoid cells, Inflammation within, 61
 — — **Perforation of**, *Operation*, 255
Masturbation, (Manustrupatio), 13, No. 43
MAXILLA LAMBOIDES, *Deformitas ingenita*, (90), 14, 296
 — — **INFERIOR AUT NULLA AUT IMPERFECTA**, *Deformitas ingenita*, (90), 14, 296
 — — **LOCO MOTA**, 228
MAXILLÆ INFERIORIS EXCISIO, *Opus chirurgicum*, 256

MEM

- MAXILLÆ LATERA MINUS SYMMETRICA**, *Deformitas ingenita*, (90), 14, 296
 — — **SUPERIORIS EXCISIO**, *Opus chirurgicum*, 256
MAXILLARUM CYSTIS, 90
 — — **MORBI**, 90
Measles, 5
 — — **German**, 5 (No. 5)
Meat, Decayed, Poison, 207
 — — **Diseased, Poison**, 207
 — — **Poisonous**, 209
Meatus, External, closed, Malformation, (61), 15, 293
 — — **Diseases of the** (for subdivision see **External meatus, Diseases of**), 59
 — — **Urinarius, Vascular tumour of**, (155), 15, 311
Mechanical injuries, Effects of, 13
 — — **irritants, Poisons**, 211
 — — **obstacles to the expulsion of the fœtus**, 161
MEDIASTINI PRIORIS VULNUS, 234
Mediastinum, Affections of (to be returned under diseases of the several contained organs and tissues)
MEDICAMENTA IRRITANTIA, VENENA, 210
Mediastinum, Wound of the anterior, 235
MEDULLA SINE FRACTURA AUT LUXATIONE COMPRESSA, 236
 — — **CONCUSSA**, 236
 — — **SPINÆ AUT NULLA AUT INCHOATA**, *Deformitas ingenita*, 14, 292
 — — **VULNERATA AUT LACERATA**, 236
MEDULLÆ DENTIIUM DEGENERATIONES, 90
 — — **GANGRENA**, 90
 — — **INFLAMMATIO**, 90
 — — **MORBI**, 90
 — — **ULCERATIO**, 90
 — — **IN SPINA FISSURA**, *Deformitas ingenita*, (24), 14, 300
 — — **MOLLITIBUS ALBENS**, 22
Medullary Carcinoma, Tumour, 15, 313
Megrim, 29
Melæna, see **Hæmorrhage of the intestines**, 105
Melancholia, 31
Melanoderma, see **Melasma**, 193
Melanoma, Tumour, 15, 311
Melanotic Carcinoma, Tumour, 15, 313
 — — **Sarcoma, Tumour**, 15, 313
Melasma, 193
MELASMA ADDISONI, (192), 124
MEMBRA INFERIORA AUT NULLA AUT RUDIA, *Deformitas ingenita*, 14, 296

MEM

- MEMBRA INFERIORA COMMISSA, Deformitas inge-
nita, 14, 300
- SUPERIORA ET INFERIORA AUT NULLA AUT
RUDIA, Deformitas inge'nita, 14, 296
- MEMBRANA PUPILLARIS PERSISTENS, Deformitas
inge'nita, (40), 14
- TYMPANI PERFORATA, 62
- — VULNERATA, 230
- VULVÆ IMPERVIA, Deformitas inge'nita, (152)
14, 296
- Membrana tympani, Diseases of, 61
- — Injuries of, (63), 13, 231
- — Perforation of, Operation, 255
- — — from disease, 63
- — Rupture of, (63), 13, 231
- — Ulceration of, 61
- — Wound of, (63), 13, 231
- MEMBRANÆ MUCOSÆ DUCTUS NASALIS DENSATIO,
52
- — ET TELÆ SUBMUCOSÆ ABRASIO, 224
- — — — — AMBUSTA, 224
- — — — — CONTUSIO, 224
- — — — — CORPUS ADVENTITIUM, 224
- — — — — ; IRRITANTIUM AUT CORROSI-
VORUM EFFECTUS, 224
- — — — — LÆSIONES, 224
- — — — — VULNUS, 224
- PRIORIS VESICÆ FISSURA (DIMIDIO POSTERIORE
FORAS Everso), Deformitas inge'nita, (132),
14, 298
- SYNOVIALIS IN PULPAM DEGENERATIO, 176
- TYMPANI DIRUPTIO, 230
- — MORBI, 60
- — PERFORATIO, Opus chirurgicum, 254
- — ULCERATIO, 60
- VULVÆ RELIQUIARUM ABLATIO, Opus chirur-
gicum, 274
- MEMBRANORUM CORDIS MORBI, 66
- MEMBRI STRANGULATIO, 218
- MEMBRORUM DISTENTIO, 26
- — INFANTILIS, vide CONVULSIO, 26
- — IN PARTURIENTIBUS, (166), 26
- — — PUERPERIS, (168), 26
- DISTORTIONES INGENITÆ, 304

MEN

- MEMBRUM INFERIUS ALTERUTRUM AUT NULLUM
AUT RUDE, Deformitas inge'nita, 296
- Ménière's Disease*, see *Auditory Vertigo*, (63), 29
- Menierii morbus*, vide *VERTIGO AUDITORIA*, (62),
28
- Meninges, Pigment-tumour of, see *Mela-
noma*, 15, 311
- Meningitis, 21
- MENINGITIS CEREBROSPINALIS, 20
- Meningitis, Epidemic cerebro-spinal*, see *Cere-
bro-spinal fever*, 7
- MENINGITIS EPIDEMICA CEREBROSPINALIS, 6 (No.
15)
- Meningitis, Spinal, 21
- MENINGITIS SPINALIS, 20
- — SYPHILITICA, (20), 8, 312
- Meningitis, Syphilitic, (21), 9, 313
- Tubercular, (21), 15, 315
- MENINGITIS SYPHILITICA, (20), 8, 312
- TUBERCULOSA, (20), 14, 314
- Meningocele, Malformation, (25), 15, 299
- MENINGOENCEPHALITIS, 20
- MENINGOMYELITIS, 20
- Menorrhagia, 157
- Menstrua difficilia*, vide *DYSMENORRHŒA*, 156
- MENSTRUÆ SUPPLEMENTO, 156
- ECTOPICA, 156
- EXILIA, 156
- Menstrua immodica*, vide *MENORRHAGIA*, 156
- MENSTRUÆ IN GRAVIDIS, 158
- Menstrua non apparentia ex profluvii interclu-
sione*, 156
- — *provenientia*, vide *AMENORRHŒA*, 156
- MENSTRUÆ VICARIA, 156
- Menstruation, Absent*, see *Amenorrhœa*, 157
- Menstruation during pregnancy, 159
- Menstruation, Excessive*, see *Menorrhagia*, 157
- *Painful*, see *Dysmenorrhœa*, 157
- Menstruation, Scanty, 157
- Vicarious, see *Ectopic Menstruation*, 157
- Mentagra*, see *Sycosis*, 193
- Mental Diseases, 29
- MENTIS AFFECTUS, 28
- IMBECILLITAS INGENITA, 30 (No. 132)

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

MER

- Mercurial inflammation of the gums and dental periosteum, (93), 199
 — insanity, 31, 199
 — tremor, 27, 199
 Mercury, Poison, 199
 METACARPI LUXATIO, 244
 Metacarpus, Dislocation of, 245
 — Fracture of the, 243
 METALLA ET SALES METALLICI, Venena, 198
 METALLARIORUM ASTHMA, 84
 METALLIS SIMILIA ET EX EIS COM-
 POSITA, VENENA, 200
 Metallic poisons, 199
 — Stains of the Conjunctiva, 35, 199
 Metatarsus, Fractures of, 247
 — and phalanges, Dislocation of, 249
 Methyl (Mercuric), Poison. Return under
 Organic poisons, 203
 METHYLENE BICHLORIDUM, 208
 METRAGLIA GRAVIDARUM, 158
Metritis, see Inflammation of the uterus,
 149, 159
 Metritis consequent on parturition, 169
 — during pregnancy, 159
 METRITIS PUERPERARUM, 168
 METROPERITONITIS, vide PUERPERARUM PERI-
 TONITIS, 166
 Metrorrhagia, 157
 MICROPHTHALMUS, Deformitas ingenita, (48),
 14, 292
 Micropsia, 49
 Microsporon furfur, Parasite, 11, 291
 — mentagrophytes, Parasite, 11, 291
 Migraine, see Megrim, 29
 Miliaria, 191
 Miliary Tubercle, Nervous System, (23), 15, 315
 Milk, Deficiency of, 173
 — fever, 167
 — Poisonous, 209
 Millstone-maker's phthisis, 85
 Miner's asthma, 85
 Mineral substances, Wound poisoned by, 213
Miscarriage, see Premature labour, 161
 Mitral valve, Disease of the, 67
Moist tetter, see Eczema, 191
 MOLLITIES (CEREBRI) ALBENS, 22
 — — FLAVENS, 22
 — — RUBENS, 22
 Mollities ossium, 175
 MOLLUSCA VENENOSA, 208
 Molluscum contagiosum vel sebaceum, 195, 311

MOR

- Molluscum fibrosum, Tumour, (197), 15, 309
 — sebaceum, see Molluscum contagiosum,
 15, 195, 311
 Mollusks, Poisonous, 209
 Monkshood, Poison, 205
 MORBI ALVEOLORUM, 90
 — ANI, 108
 — ARTERIARUM, 72
 — — CEREBRI, (24), 72
 — ARTICULORUM, 176
 — AURICULÆ, 58
 MORBI AURIS, 58
 MORBI AURIS EXTERNÆ, 58
 — — INTERNÆ, 62
 — — MEDIÆ, 60
 — CAPSULARUM SUPRARENALIUM, 124
 — CAUSA AMPUTATIO, Opus chirurgicum, 282
 — CELLULARUM MASTOIDEARUM, 60
 — CEREBRI, 18
 — CERVICIS UTERI, 146
 — COLIS, 136
 MORBI CONCOCTIONIS APPARATUS, 86
 MORBI CONJUNCTIVÆ, 32
 — CORDIS EJUSQUE MEMBRANARUM, 66
 — CORDIS SUBSTANTIA MUSCULARIS, 68
 — CORNEÆ, 34
 — CORPORIS THYROIDIS, 122
 MORBI CORPORIS UNIVERSI, ETC., 4
 MORBI CORPORIS CILIARIS, 40
 — — VITREI, 46
 — CUTIS, 188
 — — PARASITICI, 196
 MORBI DIÆTETICI, 12
 MORBI DENTINÆ ET CEMENTI, 92
 — DENTIUM ALVEOLORUM ET GINGIVARUM, 90
 — DUCTUM JECORIS ET VESICULÆ FELLIS, 114
 — ENDOCARDII, 66
 MORBI EX EVOLUTIONE, 14
 MORBI FAUCIUM ET PALATI, 96
 — FORAMINIS AURIS, 58
 — FUNICULI SEMINALIS, 138
 MORBI GENERALES, 4
 MORBI GENITALIUM, 134
 MORBI GENITALIUM MULIEBRUM, 142
 — — VIRILIUM, 134
 — GINGIVARUM, 92
 — GLANDULÆ PROSTATÆ, 136
 — — THYMI, 122
 — GLANDULARUM LYMPHATICARUM, 120
 — — SALIVOSARUM, 98
 — GLOBI OCULI, 46

MOR

- MORBI INTESTINORUM, 104
 — IRIDIS, 38
 — ITINERIS URINÆ VIRILIS, 134
 — JECORIS, 112
 — LABRORUM, 86
 — LARYNGIS, 78
 — LENTIS EJUSQUE CAPSULÆ, 41
 — LIENIS, 118
 — LINGUÆ, 96
 — LOCALES, 18
 — MAMMÆ FEMINÆ, 170
 — MAMMILLÆ VIRILIS, 172
 — MAXILLARUM, ITEM ANTRI, 90
 — MEDULLÆ DENTII, 90
 — MEMBRANÆ TYMPANI, 60
 — MEMBRANARUM CORDIS, 66
 — MUSCULORUM, 182
 — — APPARATUS OCULI, 50
MORBI NASI, 62
 MORBI NERVI OPTICI, 42
 — NERVORUM APPARATUS, 18
MORBI NON IN CLASSES DISTRIBUTI, 14
MORBI OCULORUM, 32
 MORBI ŒSOPHAGI, 100
 — ORBITE ET PARTIUM VICINARUM, 56
MORBI ORGANORUM CORPUS MOVENTIUM, 174
MORBI ORGANORUM LYMPHATICORUM, 118
 MORBI ORIS, 88
 — OSSICULORUM TYMPANI, 60
 — OSSIUM, 174
 — OVARI, 142
 — PALATI ET FAUCIUM, 56
 — PALPEBRARUM, 54
 — PANCREATIS, 116
MORBI PARASITICI, 10
MORBI PARTIUM SINGULARUM, (18)
 MORBI PENIS, 136
 — PERICARDII, 63
 — PERIOSTEI DENTII, 92
 — PERITONÆI, 116
 — PHARYNGIS ET ŒSOPHAGI, 100
 — PLEURÆ, 86

MOR

- MORBI QUI E CAUSIS EXTERNIS ORIUNTUR, 10**
MORBI QUI EX VENENIS MORBIDIS ORIUNTUR, 4
 MORBI PULMONIS, 82
 — RECTI INTESTINI ET ANI, 108
 — RENUM ET DUCTUUM, 126
 — RETINÆ, 44
MORBI SANGUINIS APPARATUS, 66
 MORBI SCROTI, 138
 — SINUÆ, 180
 — TUBI EUSTACHIANI, 60
 — TUNICÆ CHOROIDIS ET CORPORA CILIARIS, 40
 — — SCLEROTICÆ, 36
MORBI SPIRITUS ORGANORUM, 76
 MORBI SPIRITUS ORGANORUM AD PARTES SINGULAS NON RESTRICTI, 76
 — TENDINUM, 184
 — TESTICULORUM, 140
 — TRACHEÆ ET BRONCHIORUM, 80
 — TUBI EUSTACHIANI, 60
 — — FALLOPIANI, 144
 — TUNICÆ CHOROIDIS, 40
 — — VAGINALIS, 140
 — TYMPANI, 60
 — URETHRÆ, 134
MORBI URINÆ APPARATUS, 126
 MORBI UTERI ET LIGAMENTORUM ET VICINI PERITONÆI, 146
 — VAGINÆ, 150
 — VALVARUM CORDIS, 66
 — VASORUM SANGUIFERORUM, 72
 — VELAMENTORUM HERNIARUM, 103
 — VENARUM, 74
 — — ET SINUM CEREBRALIUM, (24), 74
 — VENTRICULI, 102
 — VESICÆ, 130
 — VULVÆ, 152
 Morbid Exhalations, Poison, 211
 — Secretions, Wound poisoned by, 213
 MORBILLI, 4
 MORBUS ADDISONI, 124
 — ARTERIARUM CORONARIARUM, 70
 — BRIGHTII, 126

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

MOR

- MORBUS BASEDOVII, (58), (70), 124
Morbus cæruleus, vide CYANOSIS, 70
 MORBUS CHARCOTII, (178), 22
 — COLLOIDES, 312
 — COXÆ, (178), 14
 MORBUS COXÆ, (179), 15
 MORBUS GRAVESII, (58), (70), 124
 — HODGKINII, vide LYMPHADENOMA, 122
 — LANARIUS, 10 (No. 34)
 — LIENIS AMYLOIDES, 118
 — POTTII, 180
 — PARASITICUS, (4)
 — — ANI, (110), 10
 — — AURIS, (60), 10
 — — BRONCHIORUM, (80), 10
 — — CEREBRI, (22), 10
 — — CORPORA THYROIDIS, (124), 10
 — — — VITREI, (46), 10
 — — DUCTUUM JECORIS, (116), 10
 — — IN CANALICULO, (52), 10, 290
 — — INTESTINORUM, (108), 10
 — — JECORIS, (114), 10
 — — LIENIS, (120), 10
 — — MAMMÆ MULIEBRIS, (172), 10
 — — NERVORUM APPARATUS, (22), 10
 — — ORIS, (88), 10
 — — OSSIUM, (176), 10
 — — OVARI, (144), 10
 — — PALPEBRARUM, (56), 10
 — — PERITONÆI, (118), 10
 — — PULMONIS, (84), 10
 — — RECTI INTESTINI, (110), 10
 — — RENUM, (128), 10
 — — SPINÆ, (182), 10
 — — SUBSTANTIA MUSCULARIS CORDIS, (70), 10
 — — TELÆ CONNEXIVÆ, (188), 10
 — — TRACHEÆ ET BRONCHIORUM, (80), 10
 — — TUNICÆ CONJUNCTIVÆ, (34), 10
 — — VASORUM LYMPHIFERORUM, (122), 10
 — — VENARUM, (76), 10
 — — VENTRICULI, (102), 10
 — — VESICÆ, (132), 10
 — — VESICULÆ FELLIS, (116), 10
 — — SYPHILITICUS ARTERIARUM, (72), 8, 312
 — — CORDIS SUBSTANTIA MUSCULARIS, (70), 8, 312
 — — MEMBRANARUM CORDIS, (68), 8, 312
 — — MUSCULORUM, (184), 8, 312
 — — NERVORUM APPARATUS, (22), 8, 312
 — — UTERI, (150), 8, 312
 Morphia, Poison, 207

MUS

- Morphœa, see Scleroderma, 193
 MORS REPENTINA POST PARTUM, 170
 MORULA, (196, 312), 16
 Mouldy bread, Poison, 207
 Mouth, Cyst of, 89
 — Diphtheria of, (89), 7
 — Diseases of, 89
 — Inflammation of, see Stomatitis, 89
 — Malignant New Growth of, (89), 15
 — Non-malignant New Growth of, (89), 15
 — Noma of, 89
 — Parasitic Disease of, (89), 11, 290
 — Syphilis of, (89), 9, 313
 — Wound of the neck, from the, 233
 Movable Kidney, 129; Malformation, 15, 303
Mucocœle, see Retention tumours, (309); see Dacryocystitis, 53
 MUCOUS MEMBRANE AND SUBMUCOUS TISSUE, INJURIES OF, 225
 Mucous membrane Abrasion of, 13, 225
 — Burns and scalds of, 13, 225
 — Contusion of, 13, 225
 — Effects of irritants or corrosives on, 13, 225
 — Foreign bodies in, 13, 225
 — Wound of, 13, 225
 — polypus, see Adenoma, 15, 311
 — tubercle, see Papilloma, 15, 311
Mucous tumour, see Myxoma, 15, 309
 MÜLLERI DUCTUS PERSISTENS, Deformitas ingenua, 14, 296
 Multiple injury, 215
 Mumps, 7
 MUSCA CÆSAR, Parasite, 288
 — CARNARIA, Parasite, 288
 — CIBARIA, Parasite, 288
 — DOMESTICA, Parasite, 288
 — LARVARUM, Parasite, 288
 — NIGRA, Parasite, 288
 — STABULANS, Parasite, 288
 — VOMITORIA, Parasite, 288
Muscæ volitantes, 51
 Muscles, Abscess of, 183
 — Atrophy of, 183
 — Bruise of, 13, 223
 — Contracture of, 185
 — Cramp of, see Spasm, (185), 27
 — Cyst of, 185
 — Diseases of, 183
 — Displacement of, 13, 223
 — Erectile tumour of, (185), 15

MUS

- Muscles, Exhaustion of, 185
 — Fatty degeneration of, 183
 — — infiltration of, 183
 — Fibroid degeneration of, 183
 — Gangrene of, 183
 — Hypertrophy of, 183
 — Inflammation of, 183
 — Injuries of, (185), 13, 223
 — Malignant New Growth of, (185), 15
 — Non-malignant New Growth of, (185), 15
 — Operations on, 281
 — Ossification of, 185
 — Paralysis of, (185), 25
 — Parasitic diseases of, (185), 11, 286
 — Progressive atrophy of, see *Miliary sclerosis* of cord, 23
 — Rupture of, from external violence, 13, 223
 — — — from violent contraction, 13, 223
 — Spasm of, (185), 27
 — Spontaneous rupture of, 185
 — Strain of, 13, 223
 — Syphilitic disease of, (185), 9, 313
 — Wounds of, 13, 223
Muscle-tissue tumour, see *Myoma*, 15, 311
Muscular atrophy, *Progressive*, see *Sclerosis* of the spinal cord, 23
 MUSCULORUM ABSCESSUS, 182
 — APPARATUS OCULI MORBI, 50
 — ATROPHIA, 182
 — CONTRACTIO, 184
 — CONTUSIO, 222
 — CYSTIS, 184
 — DEGENERATIO ADIPOSA, 182
 — — FIBROSA, 182
 — DIRUPTIO, 222
 — — EX CONTRACTIONE VIOLENTA, 222
 — — EX VI EXTERNA, 222
 — — SPONTANEA, 184
 — GANGRÆNA, 182
 — HYPERTROPHIA, 182
 — IN CALCEM CONVERSIO, vide *MUSCULORUM* OSSIFICATIO, 184
 — INFILTRATIO ADIPOSA, 182
 — INFLAMMATIO, 182

NAR

- MUSCULORUM LÆSIONES, (184), 12, 222
 — LOCO MOTUS, 222
 — MORBI, 182
 — MORBUS SYPHILITICUS, (184), 8, 312
 — — PARASITICUS, (184), 4, 285
 — OSSIFICATIO, 184
 — PARALYSIS, (184), 24
 — SPASMUS, 26
 — — TONICUS, 26
 — — CLONICUS, 26
 — STREMA, 222
Musculorum tumour spongiosus, vide *TUMORES* NON MALIGNI, (184), 14
 MUSCULORUM TUMORES MALIGNI, (184), 14
 — — NON MALIGNI, (184), 14
 — VULNUS, 222
 Mutilation of genitals, 13, 243
 MUTATIO LOCI ET PARTIUM POSITURA INUSITATA IN FÆTU INGENITA, Deformitas ingenua, 302
 MUTITAS, 28
 Mydriasis, 39
 Myelitis, 21
 MYELITIS CORNUUM ANTERIORUM, 20
 Myelitis of the anterior cornua, 21
 Myeloid sarcoma, Tumour, 15, 313
 Myocarditis, 69
 Myo-fibroma, see *Myoma*, 15, 311
 MYO-FIBROMA LIGAMENTORUM UTERI (146), 14, 310
 — OVARII, (144), 14, 310
 — UTERI, (148), 14, 310
 — VAGINÆ, (152), 14, 310
 Myoma, Tumour, 15, 311
 Myopia, 49
 Myosis, 39
 MYOTOMIA, Opus chirurgicum, 280
 Myotomy, Operation, 281
 Myxœdema, 15
 Myxoma, Tumour, 15, 309
 Nævus, see *Non-malignant New Growth* of Skin, (197), 15, 77, 311
Nail, Ingrown, see *Onychia*, 195
 Nares, Plugging for Epistaxis, Operation, 257
 NARIUM CARTILAGINES LOCO NOTÆ, 228

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with ; the figures without brackets indicating where the disease should be registered ; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

NAR

- NARIUM CONTRA EPISTAXIM OBTURATIO**, Opus chirurgicum, 256
- Narrowing and obliteration of arteries**, 73
- of the larynx, 79
- Nasal bones**, Fracture of, 229
- cartilages, Dislocation of, 229
- catarrh, 63
- duct, Diseases of, 53
- NASI ABSCESSUS**, 62
- CARTILAGINUM NECROSIS, 64
- CYSTIS SEBACEA, 64
- ET BUCCARUM FISSURA, Deformitas ingenta, 14, 298
- FISSURA, Deformitas ingenta, 14, 298
- HYPERTROPHIA, 62
- INFLAMMATIO, 62
- NASI MORBI**, 62
- NASI SEPTUM PERFORATUM**, 64
- ULCERATIO, 64
- Naso-pharyngeal polypus**, (65), 15, 309, 311
- NASUS AUT IMPERFECTUS AUT NULLUS**, Deformitas ingenta, 14, 292
- Nebula*, see Cornea, Opacity of, 57
- Neck**, Contusions of soft parts of, 231
- Injuries of, 231
- Wound of, 233
- — — from the mouth, 233
- — — Opening air-passages, 233
- — — cesophagus, 233
- — — Superficial, 233
- Necrosis of the alveoli**, 93
- — bone, 175
- — — Central, 175
- — — Intra-osseous, 175
- — cartilages of the larynx, 79
- — — nose, 65
- — — trachea, 81
- — dentine and cementum, 93
- — internal ear, 63
- — nose, 65
- — orbit, 57
- — ossicles of ear, 61
- — spine, 181
- NECROSIS ALVEOLORUM**, 92
- AURIS INTERNÆ, 62
- CARTILAGINUM LARYNGIS, 78
- NASI, 64
- TRACHEÆ, 80
- DENTINÆ ET CEMENTI, 92
- NASI, 64
- ORBITÆ, 56

NER

- NECROSIS OSSICULORUM AUDITUS**, 60
- OSSIUM, 174
- — CENTRALIS, 174
- — INTRA OSSA, 174
- SPINÆ, 180
- NEMATODA**, Parasites, 286
- NEOPLASMA**, (2)
- Nephralgia**, 129
- NEPHRECTOMIA**, Opus chirurgicum, 268
- Nephrectomy**, Operation, 269
- NEPHRITIS ACUTA**, 126
- ACUTA DESQUAMANS, vide NEPHRITIS ACUTA, 126
- DIFFUSA, vide NEPHRITIS ACUTA, 126
- INTERSTITIALIS CHRONICA, 126, vide MORBUS BRIGHTII
- TUBALIS, vide NEPHRITIS ACUTA, 126
- SUPPURANS DISSEMINATA, vide RENUM ABSCESSUS, 126
- Nephritis, Acute**, 127
- Nephritis, Acute desquamative*, see Acute nephritis, 127
- *Chronic diffuse*, see Chronic nephritis, 127
- — *parenchymatous*, see Chronic nephritis, 127
- NEPHROLITHOTOMIA**, vide CALCULORUM RENALIUM ABLATIO, Opus chirurgicum, 268
- Nephro-lithotomy**, see Removal of renal calculi, Operation, 269
- NEPHROTOMIA**, Opus chirurgicum, 268
- Nephrotomy**, Operation, 269
- Nerves**, Atrophy of, 19
- Compression of, 219
- Continuity of, with nervous centres, incomplete, Malformation, (25), 15, 293
- Contusion of, 219
- Diseases of, 19
- Inflammation of, see Neuritis, 21
- Injuries of, 219
- Operations on, 253
- Reunion of divided, Operation, 253
- Rupture of, 219
- Sclerosis of, 23
- Section of, Operation, 253
- Strain of, 219
- Stretching of, Operation, 253
- Wound of, 219
- Nerve, optic**, Diseases of, 43
- -tissue tumour, see Neuroma, 311
- NERVI EXTENSIO**, Opus chirurgicum, 252
- OPTICI MORBI, 42

NER

- NERVI OPTICI INVOLUCRI FISSURA, Deformitas ingenua, (42), 14, 298
NERVORUM APPARATUS MORBI, 18
 NERVORUM COMPRESSIO, 218
 — CONTUSIO, 218
 — CUM CENTRIS SUIS COMMISSURA IMPERFECTA, Deformitas ingenua, 14, 292
 — DIRUPTIO, 218
 — FIBRE OPACÆ, vide DEFORMITATES INGENITE RETINÆ, (44), 14
 — LESIONES, 218
 — STREMA, 218
 — VULNUS, 218
Nervous System, Diseases of, 19
 — — Anæmia, 19
 — — Atrophy, 19
 — — Cyst, 23
 — — Congestion, 19
 — — Dropsy, and varieties, 19
 — — Hæmorrhage, 19
 — — Hypertrophy, 19
 — — Inflammation, 21
 — — Injuries, (23), 13, 219, 227, 237
 — — Malformations of, (25), 15, 293, 299, 301, 303
 — — Malignant New Growth, (23), 15
 — — Non-malignant New Growth, (23), 15
 — — Parasitic disease, (23), 11
 — — Syphilis, (23), 9, 313
 — — Tuberculosis, (23), 15, 315
Nettle rash, see *Urticaria*, 191
Neuralgia, 29
 — of the anus, 29, 113
 — — bladder, (133), 29
Neuralgia of the breast, female, see *Mastodynia*, (173), 29
Neuralgia of the eyeball, 29, 51
 — Facial, 29
 — of the joints, (181), 29
 — — larynx, 29, 81
 — — rectum, 29, 113
 — — spermatic cord, (141), 29
 — — testicle, (143), 29
NEURALGIA ARTICULORUM, (180), 28
 — FACIÆ, 28
 — FUNICULI SEMINALIS, (140), 28

NON

- NEURALGIA GLOBI**, 28, 50
 — ISCHIAS, vide **NEURALGIA**, 28
 — LARYNGIS, 80, 28
Neuralgia mammae muliebris, vide **MASTODYNIA**, (172), 28
NEURALGIA RECTI INTESTINI ET ANI, 28, 112
 — TESTICULORUM, (142), 28
 — VESICÆ, (132), 28
Neuritis, 21
NEURITIS OPTICA, vide **NERVI OPTICI INFLAMMATIO**, 42
Neuroglia tumour, see **Glioma**, 311
Neuroma, Tumour, 311
NEUROTOMIA, Opus chirurgicum, 252
New blood vessels in vitreous, 47
New Growth, Malignant, 15
 — — Non-malignant, 15
NICOTINA, Venenum, 206
Nicotine, Poison, 207
Night-blindness, 49
NIMI CALORIS EFFECTUS, NERVORUM APPARATUS, (24), 12
 — NISUS ET INTENTIONIS EFFECTUS, 12
NIPHALEPSIA, 48
Nipple (of the female breast), Chapped, 173
 — — — Deficient number of, Malformation, (173), 15
 — — — Depressed, 173
 — — — Excessive number of, Malformation, (173), 15, 303
 — — — Ulcerated, 173
Nitric acid, Poison, 201
 — vapours, Poison, 209
Nitrite of Amyl, Gaseous poison, 209
Nitro-benzol, Poison, 203
NITROBENZOLEUM, Venenum, 202
Nitro-glycerine, Poison, 203
NITROGLYCERINUM, Venenum, 202
Nitrous oxide, Poison, 211
Node, see **Circumscribed periostitis**, 175
NODI OSSIIUM, vide **OSSIIUM INFLAMMATIO**, 174
Noma, 89
Non-malignant New Growth, 15
Non-malignant New Growth of the abdomen, see — — — of the peritoneum, (119), 15

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

NON

Non-malignant New Growth of the alveoli,
(95), 15

- — — — antrum, (91), 15
- — — — anus, (111), 15
- — — — auricle, (59), 15
- — — — bladder, (131), 15
- — — — bones, (177), 15
- — — — brain, (23), 15
- — — — breast, female, (173), 15
- — — — bronchi, (81), 15
- — — — choroid, (41), 15
- — — — conjunctiva, (33), 15
- — — — connective tissue, (189), 15
- — — — cornea, (37), 15
- — — — dental periosteum, (95), 15
- — — — — pulp, (91), 15
- — — — dentine and cementum, (93), 15
- — — — eyelids, (55), 15
- — — — Fallopian tube, (145), 15
- — — — fauces, (99), 15
- — — — female breast, (173), 15
- — — — gall bladder, (115), 15
- — — — gums, (95), 15
- — — — heart, (71), 15
- — — — hepatic ducts, (115), 15
- — — — intestines, (105), 15
- — — — iris, (41), 15
- — — — jaws, (91), 15
- — — — joints, (179), 15
- — — — kidney, (129), 15
- — — — lacrymal apparatus, (53), 15
- — — — larynx, (79), 15
- — — — lips, (87), 15
- — — — liver, (115), 15
- — — — lung, (85), 15
- — — — lymphatics, (121), 15
- — — — male breast, (175), 15
- — — — membranes of the heart, (69), 15
- — — — mouth, (89), 15
- — — — muscles, (185), 15
- — — — nervous system, (23), 15
- — — — nose, (65), 15
- — — — œsophagus, (101), 15
- — — — optic nerve, (43), 15
- — — — orbit, (57), 15
- — — — ovary, (145), 15
- — — — palate, (99), 15
- — — — pancreas, (117), 15
- — — — penis, (137), 15
- — — — pericardium, (69), 15
- — — — peritonæum, (119), 15

NOS

Non-malignant New Growth of the pharynx,
(101), 15

- — — — pleura, (87), 15
- — — — prostate gland, (137), 15
- — — — rectum, (111), 15
- — — — retina, (45), 15
- — — — salivary glands, (101), 15
- — — — sclerotic, (37), 15
- — — — scrotum, (139), 15
- — — — skin, (197), 15
- — — — spermatic cord, (141), 15
- — — — spinal cord, (23), 15
- — — — spine, (183), 15
- — — — spleen, (121), 15
- — — — stomach, (103), 15
- — — — suprarenal capsules, (125), 15
- — — — tendons and fasciæ, (185), 15
- — — — testicle, (141), 15
- — — — thymus, (123), 15
- — — — tongue, (97), 15
- — — — tonsils, (99), 15
- — — — trachea, (81), 15
- — — — tympanum, (61), 15
- — — — uterine ligaments, (147), 15
- — — — uterus, (149), 15
- — — — vagina, (153), 15
- — — — vulva, (155), 15

Non-metals and their compounds, Poisons, 201

Nose, Abscess of the, 63

- absent or imperfect, Malformation, (65), 15, 293

NOSE, DISEASES OF, 63

Nose, Fissure of, Malformation, (65), 15, 299

- Foreign bodies in, (65), 13, 227
- Hypertrophy of, 63
- — of the mucous membrane of the, 63
- — skin and sebaceous glands of the, 63
- imperfect, Malformation, (65), 15, 293

Nose, Lipoma of, see Hypertrophy of, 63

Nose, Malformations of, (65), 15, 293, 299

- Inflammation of, 63
- Injuries of, (65), 13, 227, 229
- Malignant New Growth of, (65), 15
- Non-malignant New Growth of, (65), 15
- Operations on, 257
- Perforation of the septum of the, 65
- Polypus of, see Non-malignant New Growth of, (65), 15, 309, 311
- — Naso-pharyngeal, see Non-malignant New Growth of, (65), 15, 309, 311
- Restoration of, Operation, 257

NOS

- Nose, Sebaceous cyst of, 65
 — Syphilis of, (65), 9, 313
 — Ulceration of, 65
 — Wart of, see Non-malignant New Growth of, (65), 15, 311
 NOTARIORUM SPASMUS, vide MUSCULORUM SPASMUS, 26
 Noxious effluvia, Poison, 211
 Nutmeg Liver, see Congestion of Liver, 113
 Nux vomica, Poison, 207
 Nyctalopia, see Night-blindness, 49
 Nystagmus, 51

OBESITAS, 188

Obesity, 189

Oblique inguinal hernia, 107

Obliteration of arteries, 73

- — hepatic duct, 115
 — — lymphatic vessels, 123
 — — varices, Operation, 261
 — — veins, 77

Obstetric operations, 275

OBSTRUCTION ARTERIARUM EX IMPACTIS COAGULIS, 74

- DUCTUUM JECORIS ET VESICULÆ FELLIS, 116
 — DUCTUS PANCREATIS, 116
 — INTESTINORUM, 106
 — TUBÆ EUSTACHIANÆ, 60
 — VENARUM, 74

Obstruction of arteries by clots, 75

- — the hepatic ducts and gall bladder, 117
 — — Eustachian tube, 61
 — — intestines, 107
 — — lymphatic vessels, 123
 — — pancreatic duct, 117
 — — thoracic duct, Note, 123
 — — vena portæ, 115
 — — veins, 75

OBTURATIO, vide LÆSIONES MECHANICÆ, (2)

Obturator hernia, 107

OCCLUSIO TUBÆ FALLOPIANÆ, 146

- UTERI, 150
 — VULVÆ, 154

CESO

Occlusion of arteries by compression, 73

- — Fallopian tube, 147
 — — external os of the uterus, 151
 — — internal os of the uterus, 151
 — — canal of the uterus, 151
 — — vagina, 153
 — — vulva, Note, 155

OCULI CONTUSIO, 228

— EXCISIO, Opus chirurgicum, 254

— IMPERFECTI, Deformitas ingenita, (48), 14, 292

OCULORUM DEFECTUS, Deformitas ingenita, (48), 14, 292

OCULORUM MORBI, 32

ODONTALGIA, 96

Odontalgia, see Tooth-ache, 97

Odontoma, see Osteoma, (93), 15, 309

ODORATUS PERDITUS AUT DEPRAVATUS, 64

Œdema glottidis, 79

- of the conjunctiva, 33
 — — connective tissue, 189
 — — lungs, 83
 — — optic disc, 43
 — — penis, 137
 — — scrotum, 139
 — — vulva, 155

ŒDEMA LABIORUM VULVÆ, 154

— OPTICI DISCI, 42

— PENIS, 136

— PULMONUM, 82

— SCROTI, 138

— SUB TUNICA CONJUNCTIVA, 32

ŒNANTHE CROCATA, Venenum, 204

ŒSOPHAGI CATHETERISMUS, Opus chirurgicum, 262

— PERFORATIO, 100

— VARIX, 100

Œsophagus, Catheterisation of, Operation, 263

— Diseases of, 101

— Foreign bodies in, (101), 13, 233

— impervious, Malformation, (101), 15, 295

— Injury of, by corrosive substances, (101), 13, 233

— Malformations of, (101), 15, 295

— Paralysis of, (101), 25

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

ESO

- Œsophagus, Perforation of, 101**
 — Stricture of, 101
 — Ulceration of, 101
 — Varix of, 101
ŒSOPHAGUS IMPERVIUS, Deformitas ingenua,
 (100), 14, 294
ŒSOPHAGOTOMIA, Opus chirurgicum, 264
Œsophagotomy, Operation, 265
Œstrus hominis, Parasite, 287
 — *Guldingii*, Parasite, 287
 — *Livingstonii*, Parasite, 287
Oidium albicans, Parasite, 290
Oil of bitter almonds, Poison, 203
Old age, 15
OLEUM AMYGDALÆ AMARÆ, Venenum, 202
 — *CROTONIS*, Venenum, 204
Omental Hernia, (107), 119
Onychia, see Whitlow, 195
Onyx, see *Circumscribed suppurative Keratitis*,
 35
OÖPHORECTOMIA, Opus chirurgicum, 272
Oöphorectomy, 273
Oöphoritis, see **Inflammation of the ovary, 143**
OPACITATES CORPORIS VITREI, 46
Opacities of vitreous, 47
Opacity of cornea, 37
Opaque capsule, Extraction of, Operation, 255
 — Laceration of, Operation, 255
Opening of Abscess, Operation, 251
OPERA CHIRURGICA, 250
OPERA AD LABRUM RESTITUENDUM, 258
 — *PALPEBRAM RESTITUENDAM*, 252
 — *VAGINAM CONTRAHENDAM*, 274
 — *ADVERSUS ANUM IMPERVIUM*, 266
 — *CICATRICES*, 280, 282
 — *COCCYGODYNIAM*, 274
 — *CONCRETA SALIVOSA*, 258
 — *CYSTIM HYDATICAM*, 250
 — *ECTROPION*, 252
 — *ENTROPION*, 252
 — *EPIPHORAM*, 252
 — *EPISPADIAM*, 270
 — *FISTULAM IN ABDOMINE SIVE VENTRE*, 264
 — — — *ANO*, 264
 — — — *LACRYMALEM*, 252
 — — — *RECTUM INTER ET VAGINAM*, 274
 — — — *SALIVOSAM*, 258
 — — — *UTERUM INTER ET VESICAM*, 274
 — — — *VESICAM INTER ET VAGINAM*, 274
 — *FRACTURAM NON COEUNTEM*, 278
 — *GLANDULÆ LACRYMALIS MORBUM*, 252

OPE

- OPERA ADVERSUS HÆMATOCELEM, 272**
 — — — *POST UTERUM ET ABSCESSUM*, 274
 — — — *HÆMORRHAGIAM*, 260
 — — — ; — *OBTURATIO RECTI INTESTINI*, 266
 — — — ; — *OBTURATIO VAGINÆ*, 274
 — — — *HÆMORRHOIDES*, 266
 — — — *HERNIAM*, 264
 — — — *HYDROCELEM*, 272
 — — — *HYPOSPADIAM*, 270
 — — — *JECORIS CYSTIM HYDATIDICAM*, 266
 — — — *LABRUM LEPORINUM*, 258
 — — — *LACRYMARUM INTERCLUSIONEM*, 252
 — — — *MENSTRUUA RETENTA*, 274
 — — — *MORBUM GLANDULÆ LACRYMALIS*, 252
 — — — *PALATUM FISSUM*, 258
 — — — *PARAPHIMOSIM*, 270
 — — — *PERINEUM RUPTUM*, 274
 — — — *PHIMOSIM*, 270
 — — — *PTERYGION*, 252
 — — — *RANULAM*, 256
 — — — *RECTI INTESTINI STRICTURAM*, 264
 — — — — *ULCUS*, 266
 — — — *RHAGADAS IN ANO*, 266
 — — — *STAPHYLOMA*, 254
 — — — *STRABISMUM*, 252
 — — — *STRANGULATIONEM (INTESTINI)*, 264
 — — — — ; *ILLESO VELAMENTO*, 264
 — — — — ; *VELAMENTUM APERIENDO*, 264
 — — — *SYMBLEPHARON ET ANKYLOBLEPHARON*, 252
 — — — *TESTICULI FUNGUM*, 272
 — — — *TRICHIASIM*, 252
 — — — *ULCUS VETUSTUM*, 282
 — — — *UNGUEM*, 252
 — — — *UTERI CERVICIS LACERATIONEM AUT FIS-*
SURAM, 274
 — — — *UVATIONEM OCULI*, 254
 — — — *VAGINÆ AUT UTERI ATRESIAM*, 274
 — — — *VESICÆ EXTROVERSIONEM*, 270
 — — — *CIRCA ANEURYSMATA*, 260
 — — — ; *PER ARTERIÆ COMPRESSIONEM*, 260
 — — — ; — *LIGATURAM*, 260
 — — — ; — *CIRCULATIONIS IN MEMBRO CO-*
HIBITIONEM PERFECTAM, 260
 — — — ; — *CONTRACTATIONEM*, 260
 — — — ; — *FLEXIONEM*, 260
 — — — ; — *SACCI IPSIUS DIRECTAM COMPRES-*
SIONEM, 260
 — — — ; — *SECTIONEM ET LIGATURAM IN-*
TERNAM, 260
 — — — — *SANGUINIS COAGULATIONEM ARTI-*
FICIOSAM, 260

OPE

- OPERA CIRCA ARTERIAS, 258
 — — ANEURYSMATA; ACUPRESSURA, 258
 — — —; CONSTRICTIO TEMPORARIA, 258
 — — —; LIGATURA, 258
 — — ARTICULOS, 278
 — — —; ABLATIO CORPORA LIBERORUM, 280
 — — —; EXCISIO ARTICULORUM, PERFECTA AUT IMPERFECTA, 278
 — — —; EXTENSIO AUT FLEXIO VIOLENTA, 278
 — — —; LOCO MOTORUM RESTITUTIO, 278
 — — —; PARACENTESIS AUT ASPIRATIO, 280
 — — —; SECTIO ARTICULORUM, 278
 — — AUREM, 254
 — — BURSAS, 280
 — — CONCOCTIONIS ORGANA, 262
 — — CORPUS THYROIDE, 268
 — — CUTEM, 282
 — — GENITALIA MULIEBRIA, 272
 — — VIRILLA, 270
 — — MAMMAM, 278
 — — MEMBRA INTEGRA, 280
 — — MUSCULOS, 280
 — — NASUM, 256
 — — NERVOS, 252
 — — OCULUM ET EJUS APPENDICES, 252
 — — ORGANA CORPUS MOVENTIA, 278
 — — ORGANA LYMPHATICA, 266
 — — OS ET ALIAS CAPITIS ET FACIEI PARTES, 256
 — — OSSA, 278
 — — —; OSSIUM EXCISIO, 278
 — — —; — — EX CAPIT. TEREBRATIO, 256
 — — —; — — ITERATA FRACTURA, 278
 — — PALPEBRAS, 252
 — — TELAM CONNEXIVAM, 280
 — — TENDINES, 280
 — — SANGUINIS APPARATUM, 258
 — — SPIRITUS ORGANA, 262
 — — URINÆ APPARATUS, 268
 — — VENAS, 260
 — — —; OBLITERATIO VARICUM, 260
 — — IN HYDRONEPHROSI, 268
 — — IPSO OCULO, 252
 — — PYONEPHROSI, 268
 — — URETHRÆ STRICTURA, 270

OPE

- OPERA NON IN CLASSES DISTRIBUTA, 282
 — OBSTETRICIA, 274
 — — AD OVUM TOLLENDUM, 276
 — — PARTUM INDUCENDUM, 276
 — — SECUNDAS ANTE PARTUM EVEHENDAS, 276
 — — — — — TOLLENDAS, 276
 — PISTORIA, Venenum, 208
OPERATIONS, SURGICAL, 251
 Operations for abdominal fistula, 265
 — — anal fissure, 267
 — — cure of aneurysms, 261
 — — by artificial coagulation of blood, 261
 — — — — — complete (or by partial), arrest of the circulation in a limb, 261
 — — — — — compression of the artery, 261
 — — — — — direct compression of sac, 261
 — — — — — flexion, 261
 — — — — — incision of the sac, and ligature from within the sac, 261
 — — — — — ligature of artery, 261
 — — — — — manipulation, 261
 — for ankyloblepharon, 253
 — on arteries, 259
 — — — by acupressure, 259
 — — — ligature, 259
 — — — temporary constriction, 259
 — on bones, 279
 — for atresia of vagina, 275
 — — — uterus, 275
 — on breast, female, 279
 — — bursæ, 281
 — Calculi, for removal of (for subdivision, see Calculi, removal of), 269
 — for chronic ulcer, 283
 — — cicatrices, 281, 283
 — on circulatory organs, 259
 — not classified, 283
 — for cleft palate, 259
 — — coccygodynia, 275
 — on connective tissue, 281
 — for contracting vagina, 275
 — on digestive organs, 263

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

OPE

Operations for disease of the lacrymal gland, 253

- — — ectropion, 253
- — — enlarging os uteri, 273
- — — cervix uteri, 273
- — — entropion, 253
- — — on the ear, 255
- for epiphora, 253
- — epispadias, 271
- — extraction of tooth, 259
- — extroversion of the bladder, 271
- on the eye and its appendages, 253
- — eyeball, 253
- — eyelids, 253
- — face, 257
- — fasciæ, 281
- for fissured cervix uteri, 275
- — fistula, abdominal, 265
- — — in ano, 265
- — — lacrymalis, 253
- — — recto-vaginal, 275
- — — utero-vesical, 275
- — — vesico-vaginal, 275
- — fracture, ununited, 279
- — fungus testis, 273
- on generative organs, male, 271
- — — female, 273
- for hæmatocele, 273
- — hæmorrhage, 261
- — — by plugging the rectum, 267.
- — — — vagina, 275
- — hæmorrhoids, 267
- — hare-lip, 259
- — on head, 257
- for hernia, Note, 265
- — — strangulation of, 265
- — — — with opening of the sac, 265
- — — — without opening of the sac, 265
- — — radical cure, 265
- — hydatid cyst, 251
- — — of liver, 267
- — hydrocele, 273
- — hypospadias, 271
- — imperforate anus, 267
- on joints, 279
- — — by excision, 279
- — — — forcible extension or flexion, 279
- — — — incision, 279
- — — — for reduction of dislocations, 279
- — — — removal of loose bodies, 281
- for lacerated cervix uteri, 275

OPE

Operations for lacrymal gland, disease of, 253

- — — obstruction, 253
- on limbs as a whole, 281
- — lymphatic organs, 267
- — — the mouth, 257
- — — muscles, 281
- — — nerves, 253
- — — the nose, 257
- obstetric, 275
- on the organs of locomotion, 279
- for paraphimosis, 271
- on the penis, 271
- for perineal rupture, 275
- — phimosis, 271
- — plugging rectum for hæmorrhage, 267
- — pterygium, 253
- — removal of diseased lymphatic glands, 267
- — — — foetal remains, 273
- — — — foreign bodies, 251
- — — — part of rectum for cancer, 267
- — — — tumours, 251
- — — — uterus (whole), 273
- — — — — above cervix, 273
- — — — of vesical calculi. (For their division, see Calculi, Removal of), 269
- on respiratory organs, 263
- for restoration of eyelid, 253
- — — of lip, 259
- — resuscitation of drowned persons, 283
- — — — hanged persons, 283
- — recto-vaginal fistula, 275
- — retained menstrual fluid, 275
- — retro-uterine abscess, 275
- — — hæmatocele, 275
- — ruptured perineum, 275
- on the scrotum, 273
- for separation of the placenta before birth of child, 277
- on skin, 283
- for staphyloma, 255
- — strabismus, 253
- — stricture of the rectum, 265
- — — — urethra, 271
- — symblepharon, 253
- on tendons, 281
- — testes, 273
- — thyroid body, 269
- for trichiasis, 253
- — ulcer of the rectum, 267

OPE

Operations for an ununited fracture, 279

— on the urinary organs, 269

— — varices, for the obliteration of, 261

— — veins, 261

(The other operations will be found scattered through the Index under their appropriate headings.)

Ophthalmia, see Conjunctivitis, 33

— Chronic, 33

— Catarrhal, 33

— Diphtheritic, (33), 7

— Follicular, 33

— Gonorrhœal, (33), 11

— Granular, 33

— Herpetic, 33

— Membranous, 33

— Papillary, 33

— Phlyctenular, 33

— Purulent, 33

— — of new-born infants, 33

— Pustular, 33

— Scrofulous, 33

— Tarsal, see Blepharitis, 55

OPHTHALMIA CHRONICA, 32

— CATARRHALIS, 32

— FOLLICULARIS, 32

— GONORRHOÏCA, (32), 10

— GRANULARIS, 32

— HERPETICA, 32

— MEMBRANOSA, 32

— MUCOPURULENTA, vide O. CATARRHALIS, 32

— NEONATORUM, 32

— PAPILLARIS, 32

— PHLYCTENULARIS, 32

— PURULENTA, 32

— PUSTULARIS, 32

— SCROFULOSA, vide O. PHLYCTENULARIS, 32

— SIMPLEX, 32

— TARSI, 54

Ophthalmoplegia externa, 25

Opium, Poison, 207

Optic Neuritis, see Inflammation of the optic nerve, 43

Orbit, Abscess of, 57

ORI

Orbit, Caries of, 57

— Cellulitis of, 57

— Diseases of, 57

— Emphysema of, 57

— Erysipelas of, 57

— Hæmorrhage of, 57

— Injuries of parts within, (59), 231

— Malignant New Growth of, (57), 15

— Necrosis of, 57

— Non-malignant New Growth of, (57), 15

— Periostitis of, 57

— Wounds of parts within, (59), 231

ORBITE ABSCESSUS, 56

— CARIES, 56

— EMPHYSEMA, 56

— ERYSIPELAS, 56

— ET PARTIUM VICINARUM MORBI, 56

— HÆMORRHAGIA, 56

— NECROSIS, 56

— PERIOSTITIS, 56

— PHLEGMONE, 56

Orbital aneurysm, 59

Orchitis, 141

— acute, 141

— chronic, 141

Organic stricture of the male urethra, 135

— substances, Poisons, 203

ORGANICA VENENA, 202

ORGANORUM CORPUS MOVENTIUM MORBI, 174

ORGANORUM LYMPHATICORUM MORBI, 118

ORGANORUM LYMPHATICORUM CORPORA ADVENTITIA, (220), 12

— — LESIONES, (220), 12

Organs of locomotion, Operations on, 279

Orifices of heart obstructed or imperfect, Malformation, 15, 295

Origin of ascending aorta from left ventricle, and of descending aorta from right ventricle, through the ductus arteriosus, Malformation, 15, 295

Origins of aorta and pulmonary artery transferred, Malformation, 15, 295

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

ORI

- ORIS CYSTIS, 88
 — GANGRÆNA, 88
 — MORBI, 88
 — MORBUS PARASITICUS, (88), 10, 290
 — SYPHILIS, (88), 8, 312
 — TUMORES MALIGNI, (88), 14
 — — NON MALIGNI, (88), 14
Ornithomyia avicularis, Parasite, 289
 Os calcis, Dislocation of, 249
 OS HYOIDES LOCO MOTUM, 232
 Os uteri, Operation for enlarging, 273
 — — Dilatation of, Operation, 277
 — — Occlusion of (internal and external), 151
 — — — — — obstacle to expulsion of foetus, 161
 — — Rigidity of, obstacle to expulsion of foetus, 161
 — — Stricture of, (internal and external), 151
 Osmic Acid, Gaseous poison, 211
 Ossicles of the tympanum, Diseases of the, 61
 — — — — — Ankylosis of, 61
 — — — — — Necrosis of, 61
 OSSICULORUM ANKYLOSIS, 60
 — MORBI, 60
 — NECROSIS, 60
 OSSIFICATIO MUSCULORUM, 184
 Ossification of muscles, 185
 — — cartilages of larynx, 79
 — — — — — ribs, 177
 — — — — — trachea and bronchi, 81
 OSSIS DEPRESSI ELEVATIO, Opus chirurgicum, 256
 — — — — — ETHMOÏDIS ET VOMERIS NECROSIS, 64
 — — — — — HYOIDIS FRACTURA, 230
 — — — — — IN OCULO FORMATIO, 48
 — — — — — PECTORALIS FISSURA, Deformitas ingenta, 14, 298
 — — — — — FRACTURA, 234
 — — — — — PETROSI NECROSIS, 62
 — — — — — SCAPULARUM FRACTURA, 242
 OSSIUM ABSCESSUS CHRONICUS VEL LONGUS, 174
 — ATROPHIA, 174
 — CARIES, 174
 — CYSTIS, 176
 — DEGENERATIO ADIPOSA, 174
 — EXCISIO, Opus chirurgicum, 278
 — FACIEI HYPERTROPHIA, 90
 — — — — — FRACTURA, 228

OVA

- OSSIUM FRACTURA SPONTANEA, 176
 — — NON COEENS, 176
 — — HYPERTROPHIA CONCENTRICA, 174
 — — ECCENTRICA, 174
 — — INFLAMMATIO, 174
 — — ITERATA FRACTURA, Opus chirurgicum, 278
 — — MOLLITIES, 174
 — — NASALIUM NECROSIS, 64
 — — NECROSIS, 174
 — — NODI, 174
 — — PEDIS FRACTURA, 246
 — — (PRÆTER SPINAM) MORBI, 174
 Osteitis, see Inflammation of bones, 175
 — — deformans, see Inflammation of bones, 175
 Osteoarthritis, 15
 — — Chronic, of joints, (179), 15
 — — of the spine, (181), 15
 OSTEOARTHRITIS, 14
 — — CHRONICA sive LONGA, (178, 180), 14
 — — — — — SPINÆ, (180), 14
 Osteoid Carcinoma, Tumour, 313
 — — Enchondroma, see Chondroma, Tumour, 309
 Osteoma, Tumour, 309
Osteo-malacia, see Mollities ossium, 175
 Osteomyelitis, see Inflammation of bones, 175
 Osteophyte, see Osteoma, Tumour, 309
 OSTEOPHYTUM, 308
Osteoporosis, see Eccentric hypertrophy of bones, 175
 OSTROTOMIA, Opus chirurgicum, 278
 Osteotomy, Operation, 279
 OSTIA CORDIS OBSTRUCTA AUT IMPERFECTA, Deformitas ingenta, (68), 14, 294
 OSTIUM AORTICUM OBSTRUCTUM AUT IMPERFECTUM, Deformitas ingenta, (68), 14, 294
 — DEXTRUM CORDIS OBSTRUCTUM, Deformitas ingenta, (68), 14, 294
 — PULMONALE OBSTRUCTUM, (68), 14, 294
 — SINISTRUM CORDIS OBSTRUCTUM, Deformitas ingenta, (68), 14, 294
 Ostitis, see Inflammation of bones, 175
 Oval amputation, Operation, 281
 Ovarian cysts, Paracentesis of, Operation, 273
 OVARIUM ABSCESSUS, 142
 — ATROPHIA, 142
 — CYSTIS, 142
 — — — — — EXSECTIO, Opus chirurgicum, 272
 — — — — — HÆMORRHAGIA, 142
 — — — — — HERNIA, 142 ; Deformitas ingenta, 14, 304
 — — — — — HYPERTROPHIA, 142

OVA

- OVARIUM INFLAMMATUM, 142
 — MORBI, 142
 OVARIORUM DEFECTUS (ALTERUTRIUS VEL UTRIUSQUE), Deformitas ingenita, (144), 14, 296
 Ovariectomy, 273
 OVARII LOCO MOTUM, 141
 — PROLAPSUM, 144
 — TRANSLATUM, 144
 Ovary, Abscess of, 143
 — absent, one or both, Malformation, (145), 15, 297
 — Atrophy of, 143
 — Cyst of, and varieties, 143
 — — — containing bones, teeth, etc., 145
 — — — tegumentary structures, 145
 — — — with intracystic growths, 143
 — Cystosarcoma of, see Cyst of, 143
 — Dermoid cyst of, see Cyst of, 143
 — Diseases of, 143
 — Displacement of, 145
 — Ectopia of, Malformation, (145), 15, 305
 — Fibroid tumour of, see Non-malignant New Growth of, (145), 15, 311
 — Hæmorrhage of, 143
 — Hernia of, 145; Malformation, (145), 15, 305
 — Hypertrophy of, 143
 — Inflammation of, 143
 — Malformations of, (145), 15, 297, 303, 305
 — Malignant New Growth of, (145), 15
 — Multiple cystic tumour of, see Cyst of, 143
 — — — with intracystic growths, see Cyst of, 143
 — Non-malignant New Growth of, (145), 15
 — Parasitic disease of, (145), 11
 — Prolapse of, see Displacement of, 145
 — Proliferous cystic tumour of, see Cyst of, 143
 — Simple cystic tumour of, see Cyst of, 143
 — Transplantation of, see Displacement of, 145
 — Tubercle of, (145), 15, 315
 Over-distention of the uterus, 161
 Overlying, Asphyxia from, 215

PAL

- Ovum, Removal of, Obstetric operation, 277
 OXALAS POTASSÆ ACIDA, Venenum, 200
 Oxalate of calcium calculus, 133
 Oxalic acid, Poison, 201
 Oxaluria, 131
 OXIDUM CARBONICUM, Venenum, 208
 — NITROSUM, Venenum, 210
 Oxyuris vermicularis, Parasite, 287
 Ozæna, 65
 Pachymeningitis, see Inflammation of the Dura mater, 21
 Painful Menstruation, see Dysmenorrhœa, 157
 Pains and cramp, Spurious, during pregnancy, 159
 Palate, Adhesions of the soft, 99 (No. 426)
 — Cleft, Malformation, (99), 15, 299
 — — Operation for, 259
 — Diseases of, 97
 Palate, Fissure of, see Cleft P., Malformation, (99), 15, 299
 Palate, Malformations of, (99), 15, 299
 — Malignant New Growth of, (99), 15
 — Non-malignant New Growth of, (99), 15
 — Paralysis of, (99), 25
 PALATI ET FAUCIUM MORBI, 96
 — — — PARALYSIS, (98), 24
 — FISSURA, Deformitas ingenita, (98), 14, 298
 — TUMORES MALIGNI, (98), 14
 — — NON MALIGNI, (98), 14
 PALATUM FISSUM, Deformitas ingenita, (98), 14, 298
 Palmar ganglion, Diffused, 187
 — fascia, Contracted, 185
 PALPEBRÆ IMPERFECTÆ, Deformitas ingenita, (56), 14, 292
 PALPEBRARUM DEFECTUS, Deformitas ingenita, (56), 14, 292
 — ET OCULI LESIONES CHIMICÆ, 230
 — FISSURA, Deformitas ingenita, (56), 14, 298
 — MORBI, 54
 — PERPETUA CONJUNCTIO, Deformitas ingenita, (56), 14, 292

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

PAL

- PALPEBRARUM VULNUS, 228
 PALPITATIO ET TUMULTUS CORDIS, 70
 Palpitation and irregularity of the action of the heart, 71
Palsy, see Paralysis, 25
 Palsy, Lead, 27, 199
Palsy, Scrivener's, see Writer's cramp, 27
 — *Shaking*, see Paralysis agitans, 27
 Pancreas, Abscess of, 117
 — Calculus of, 117
 — Cyst of, 117
 — Diseases of, 117
 — Malignant New Growth of, (117), 15
 — Non-malignant New Growth of, (117), 15
 — Obstruction of the duct of the, 117
 PANCREATIS ABSCESSUS, 116
 — CALCULUS, 116
 — CYSTIS, 116
 — DUCTUS OBSTRUCTIO, 116
 — MOREI, 116
 — TUMORES MALIGNI, (116), 14
 — — NON MALIGNI, (116), 14
 Pangonia Brucei, Parasite, 288
 PANIS MUCIDUS, Venenum, 206
 Panophthalmitis, 47
 PAPILLA MAMMÆ DEPRESSA, 172
 — — SCISSA, 172
 — — ULCERATA, 172
 Papillary fibroma, Tumour, 309
 PAPILLITIS, vide NEURITIS OPTICA, 42
 Papilloma, Tumour, 311
 Paracentesis, Operation, 251
 — Abdominal, 267
 — Cephalic, 257
 — of cysts in broad ligament, 273
 — — fluid tumours, 251
 — — — — with drainage, 251
 — — — — galvano-puncture, 251
 — — — — subsequent injections, 251
 — of hydrocele, 273
 — Ovarian, 273
 — of ovarian cysts, 273
 — Pericardiac, 259
 — of pleura, 263
 — — Spina bifida, see Paracentesis of fluid tumours, 251
 — Vesical, 269
 — — above the pubes, 269
 — — through the rectum, 269
 PARACENTESIS ABDOMINIS, Opus chirurgicum, 266
 — CAPITIS, 256

PAR

- PARACENTESIS HYDROCELES, 272
 — OVARII, 272
 — PERICARDII, 258
 — THORACIS, 262
 — TUMORUM FLUIDORUM, 250
 — VESICÆ, 268
 — — FER RECTUM INTESTINUM, 268
 — — SUPRA PUBEM, 268
 Paralysis, Note, 25
 — acute ascending, 25
 — after acute disease, 25
 — agitans, 27
 — of the bladder, (133), 25
Paralysis, Bulbar, see Glosso-labio-pharyngeal Paralysis, 25
 Paralysis, Diphtheritic, (25), 7
 — General, of the insane, 31
 — Glosso-labio-pharyngeal, Note, 25
Paralysis, Infantile, see Myelitis of the anterior cornua, 21
 Paralysis of the intestines, 25, 109
Paralysis of the Iris, see Iridoplegia, 39
 Paralysis of the larynx, 25, 81
 — — lips, 25, 89
 — from Lathyrus, (207), 27
 — Local, 25
 — of muscles, (185), 25
 — of the œsophagus, (101), 25
 — — palate and fauces, (99), 25
 — — pharynx, (101), 25
 — — tongue, (97), 25
 — Pseudo-hypertrophic, 27
 — Toxic, 27
 PARALYSIS ASCENDENS ACUTA, 24
 — CARPUM DEBILITANS, 26
 — DIPHTHERITICA, (24), 6
 — EX LATHYRO (206), 26
 — — PLUMBO, 26, 198
 — GLOSSOLABIOPHARYNGIA, 24
 — INSANORUM GENERALIS, 30
 — INTESTINORUM, 24, 108
Paralysis iridis, vide IRIDOPLEGIA, 38
 PARALYSIS LINGUÆ, (96), 24
 — LOCALIS, 24
 — MUSCULORUM, (184), 24
 — OESOPHAGI, (100), 24
 — PHARYNGIS, (100), 24
 — POST MORBUM ACUTUM, 24
 — PSEUDOHYPERTROPHICA, 26
 — TOXICA, 26
 — VESICÆ, (132), 24

PAR

- Parangi, (197), 17
 PARANGIA, (196), 16
 Paraphimosis, 137
 — Operation for, 271
 Paraplegia, 25
 PARASITES, DISEASES DEPENDENT ON, 11
 Parasites, animal, 11
 PARASITES, HUMAN, 284
 Parasites, vegetable, 11
 Parasitic disease, (5)
 — — of the bladder, (133), 11
 — — — bone, (177), 11
 — — — the brain, (23), 11
 — — — breast, female, (173), 11
 — — — bronchi, (81), 11
 — — — canaliculus, (53), 11
 — — — connective tissue, (189), 11
 — — — conjunctiva, (35), 11
 — — — external ear, (61), 11
 — — — eyelids, (57), 11
 — — — gall bladder, (117), 11
 — — — heart, (71), 11
 — — — hepatic ducts, (117), 11
 — — — intestines, (109), 11
 — — — kidney, (129), 11
 — — — lacrymal sac, (53), 11
 — — — liver, (115), 11
 — — — lung, (85), 11
 — — — lymphatics, (123), 11
 — — — mouth, (89), 11
 — — — muscles, (185), 11
 — — — ovary, (145), 11
 — — — peritonæum, (119), 11
 — — — rectum, (111), 11
 — — — skin, (197), 11
 — — — spine, (183), 11
 — — — spleen, (121), 11
 — — — stomach, (103), 11
 — — — trachea and bronchi, (81), 11
 — — — thyroid body, (125), 11
 — — — uterus, (151), 11
 — — — veins, (77), 11
 — — — vitreous humour, (47), 11
 — invasion, (5)

PAR

- PARASITI ANIMALES, 10, 284
 — VEGETABILES, 10, 290
 Parietes (of chest), Wound of, 235
 PARONYCHIA, 194
 PAROTITIS, (98), 6
 Parovarian cyst, (309), 147
 PAROVARIUM CYSTITIS, (308), 146
 Paroxysmal sick-headache, 29 (No. 119)
Paroxysmal Hæmaturia, see Intermittent Hæmaturia, 131
 — *Hæmatinuria*, see Intermittent Hæmaturia, 131
 — *Hæmoglobinuria*, see Intermittent Hæmaturia, 131
 PARTES EXTERIORES GENITALIUM MULIEBRIMUM
 INFANTILIBUS SIMILES, Deformitas ingenta, (154), 14, 296
 PARTIS AUT PARTIUM E LOCO EXPULSIO, 218
 — AVULSIO, 218
 — COMPRESSIO PERFECTA, 218
 — INTESTINORUM EXCISIO, Opus chirurgicum, 264
 — MOLLIS DIRUPTIO, 218
 — PHARYNGIS EXCISIO, Opus chirurgicum, 262
 — RECTI INTESTINI ADVERSUS CARCINOMA AB-
 SCISSIO, Opus chirurgicum, 266
 — VENTRICULI EXCISIO, Opus chirurgicum, 264
 PARTIUM EXTERIORUM GENITALIUM VIRILIUM
 DEFECTUS, Deformitas ingenta, (138, 142), 14, 296
 — — — MULIEBRIMUM DEFECTUS, Deformitas ingenta, (154), 14, 296
 — — — FETALIS CONDITIO PERSISTENS, Deformitas ingenta, 14, 296
 — INTRA ORBITAM VULNERA ET LÆSIONES. 230
 PARTIUM SINGULARUM LÆSIONES, 216
 PARTIUM SINGULARUM MORBI, 18
 PARTURITION, AFFECTIONS CONNECTED WITH, 161
 Parturition, Atony of the uterus during, 161
 — Convulsions during, (167), 27
 — Hæmorrhage during, and its varieties, 165
 — Over-distention of the uterus during (for details, see Uterus, pregnant, over distention of), 161

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

PAR

- Parturition, Inversion of the uterus during, 167
 — Mechanical obstacle to the expulsion of the fœtus during, 161
 — Retention of the Placenta during, 167
 — Rupture or laceration of the perineum during, 167
 — — — urinary bladder during, 165
 — — — uterus during, 165
 — — — vagina during, 165
 — — — vulva during, 165
 — Affections consequent on, 167
 PARTUS INTEMPESTIVUS, (166), 14, 160
Parulis, vide *ABCESSUS PERIOSTEI DENTII*, 92
 Passing of catheter, Operation, 271
 Passive congestion of the lung, 83
 — — — kidney, 127
 Patella, Dislocation of, 247
 — Fracture of, 247
 PATELLE BURSA AMPLIFICATA, 186
 — FRACTURA, 246
 Pediculus, Parasite, 289; and its Varieties, 289
 Pellagra, 191
 Pelvic abscess, from parturition, 169
 — cellulitis, 147
 — — from parturition, 169
 — hæmatocele, 147
 — peritonitis, 147
 PELVIS CONFUSIO, 240
 Pelvis, Contusion of, 241
 — Fracture and dislocation of, Note, 243
 — Injuries of, 241
 Pemphigus, 191
 — foliaceus, 191
 Penis, Abscess of, 137
 — Amputation of, 271
 — absent, Malformation, (139), 15, 297
 — Condyloma of, see *Non-malignant New Growth of*, (137), 15, 311
 — diminutive, Malformation, (139), 15, 297
 — Diseases of, 137
 — Gangrene of, 137
 — Injuries of, (137), 13, 241
 — Inflammation of, 137
 — Malformations of, (139), 15, 297, 299
 — Malignant New Growth of, (137), 15
 — Non-malignant New Growth of, (137), 15
 — Oedema of, 137
 — Operations on, 271
 — Phagedæna of, (137), 9
 — Syphilis affecting, (137), 9, 313
 — Ulcer of, 137

PER

- Penis, Wound of, 241
 PENIS ABCESSUS, 136
 — AMPUTATIO, *Opus chirurgicum*, 270
 — GANGRÆNA, 136
 — INFLAMMATIO, 136
 — MORBI, 136
 — ŒDEMA, 136
 — PHAGEDÆNA, (136), 8
 — SIVE COLES, PUSILLUS, *Deformitas ingenua*, (138), 14, 296
 — ULCUS, 136
 Pentastoma constrictum, Parasite, 289
 — denticulatum, Parasite, 289
 PER VAGINAM LITHOTOMIA, *Opus chirurgicum* 270
 PERFORATIO, vide *LÆSIONES MECHANICÆ*, (4)
 Perforation, see *Mechanical affections*, (5)
 — of the hepatic ducts and gall bladder, 115
 — — intestines, 109
 — — joints, Note, 181
 — — mastoid cells, Operation, 255
 — — membrana tympani, 63
 — — — Operation, 255
 — — nasal septum, 65
 — — œsophagus, 101
 — — pharynx, 101
 — — stomach, 103
 PERIARTERITIS, 72
 Pericardiac paracentesis, Operation, 259
 PERICARDII ET CORDIS VULNUS, 234
 — FISSURA, *Deformitas ingenua*, 14, 298
 — INFLAMMATIO, 66
 — MORBI, 66
 — PARACENTESIS, *Opus chirurgicum*, 258
 Pericarditis, 67
 — Pyæmic, (67), 9
 — Suppurative, 67
 PERICARDITIS CUM ENDOCARDITIS, 66
 — PYÆMICA, (66), 8
 — SUPPURANS, 66
 Pericardium, absent or defective, Malformation, 15, 295
 — adherent, Note, 67
 — Air in, see *Pneumopericardium*, 67
 — Diseases of, 67
 — Effusion in, see *Hydropericardium*, 67
 — Hæmorrhage in, see *Hæmopericardium*, 67
 — Injuries of, (69), 13, 235
 — Malformations of, (69), 15, 295, 299
 — Wound of, 235
 PERICARDIUM ADHÆRENS, 66

PER

- PERICARDIUM AUT NULLUM AUT CURTUM, Deformitas ingenua, 14, 294
 Perichondritis, see Inflammation of Bone, 175
 Perihepatitis, see Inflammation of Liver, 113
 Perineal hernia, 107
 — section, see External Urethrotomy, Operation, 271
 PERINEI DIRUPTIO AUT LACERATIO, 166
 — MULIEBRIS ET VULVÆ VULNUS, 240
 Perinephritic abscess, 127
 Perineum, Female, Rupture or laceration of, during parturition, 167
 — — — Operation for, 275
 — — — Sloughing of, consequent on parturition, 169
 — — — Wound of, 241
 — Male, Wound of, 241
 Periorchitis, see Inflammation of the tunica vaginalis, 141
 Periosteal abscess, Acute, see Diffuse periostitis, 175
 PERIOSTEI DENTITUM MORBI, 92
 — — — ABSCESSUS, 92
 — — — INFLAMMATIO, 92
 — — — GINGIVARUM ET ALVEOLORUM MORBI, 92
 — — — ATROPHIA, 92
 — — — CARIES, 92
 — — — GANGRENA, 92
 — — — HYPERTROPHIA, 92
 — — — INFLAMMATIO, 92
 — — — NECROSIS, 92
 — — — SUPPURATIO, 92
 — — — ULCERATIO, 92
 PERIOSTEOTOMIA, Opus chirurgicum, 278
 Periosteotomy, Operation, 279
 Periostitis, see Inflammation of bones, 175
 — Circumscribed, 175
 — Diffuse, 175
 — of Orbit, 57
 PERIOSTITIS CIRCUMSCRIPTA, 174
 — DIFFUSA, 174
 Periphlebitis, 75
 PERIPNEUMONIA, 82
 Peritoneal cavity, Foreign bodies in, 239

PHA

- PERITONÆI ADHÆRENTIA, 118
 — MORBI, 116
 Peritonæum, Adhesions of, 119
 — Diseases of, 117
 — Injuries of, (119), 13, 239
 — Malformation of, (119), 15
 — Malignant New Growth of, (119), 15
 — Non-malignant New Growth of, (119), 15
 — Parasitic disease of, (119), 11
 PERITONITIS ACUTA, 116
 — CHRONICA, SIVE LONGA, 116
 — FELVICA, 146
 — PUERPERARUM, (166), 116
 — SUPPURANS, 116
 — TUBERCULOSA, (116), 14
 Peritonitis, Acute, 117
 — Chronic, 117
 — Puerperal, (167), 117
 — Suppurative, 117
 — Tubercular, (117), 15
 Pernicious anæmia, 17 (No. 75)
 PERNIO, 192
 Persistence of early foetal state of external genital organs of female, Malformation, (154), 15, 297
 Persistent branchial fissures, Malformation, 15, 299
 Persistent glycosuria, see Diabetes mellitus, 17 (No. 78)
 Persistent hyaloid artery, Malformation, (47), 15, 293
 — Müller's ducts, Malformation, 15, 297
 — pupillary membrane, (41), 15, 293
 PERTUSSIS, (76), 6
 PES PLANUS, 186
 PESTIS, 6
 Petroleum, Poison, 203
 Petrous bone, Necrosis of, 63
 PHAGEDÆNA, 8
 Phagedæna, 9
 — Sloughing, 9
 — of the penis, (137), 9
 — — vulva, (155), 9
 Phalanges of the fingers, Dislocation of, 245

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

PHA

- Phalanges of the fingers, Fracture of, 243
 — — thumb, Dislocation of, 245
 — — toes, Dislocation of, 249
 — — — Fractures of, 247
 PHALANGIUM DIGITORUM LUXATIO, 244
 — POLLICIS LUXATIO, 244
 PHARYNGIS ET ŒSOPHAGI DILATATIO, ITEM
 DIVERTICULA, 100
 — — — MORBI, 100
 — — — PARALYSIS, (100), 24
 — — — STRICTURA, 100
 — — — SYPHILIS, (100), 8
 — — — TUMORES MALIGNI, (100), 14
 — — — — NON MALIGNI, (100), 14
 — — — ULCERATIO, 100
 — EXTIRPATIO, Opus chirurgicum, 262
 PHARYNGITIS FOLLICULARIS, 100
 Pharynx, Dilatation of, 101
 — Diphtheria of, (101), 7
 — Diseases of, 101
 — Excision of part of, Operation, 263
 — Extirpation of, Operation, 263
 — Foreign bodies in, (101), 13, 233
 — Injury of, by corrosive substances, (101),
 13, 233
 — Malformations of, (101), 15, 295
 — Malignant New Growth of, (101), 15
 — Non-malignant New Growth of, (101), 15
 — Paralysis of, (101), 25
 — Perforation of, 101
 — Stricture of, 101
 — Syphilis of, (101), 9
 — Ulceration of, 101
 Phimosi, 137
 — Congenital, (139), 15, 297
 — Operation for, 271
 PHIMOSIS INGENITA, Deformitas ingenita, (138),
 14, 296
 PHLEBITIS PUERPERARUM, (168), 74
 Phlebitis, 75
 — consequent on parturition, (169), 75
 — Plastic, 75
 — Suppurative, 75
 PHLEBOLITHI, 76
 Phleboliths, 77
 PHLEBOTOMIA, Opus chirurgicum, 260
 Phlebotomy, Operation, 261
 Phlegmasia dolens, 75
 — — consequent on parturition, (169), 75
 PHEGMONE ORBITÆ, 56
 — PELVICA, 146, 168

PIT

- Phlegmonous Erysipelas, (189), 9
 Phosphate of calcium calculus, 133
 Phosphoric acid, Poison, 201
 — inflammation of the gums and alveoli,
 (93), 199
 Phosphorous acid, Poison, 201
 Phosphorus, Poison, 201
 Phosphuria, 131
 Photopsia, 51
 Phthiriasis, 11, 197
 — of eyelids, (57), 11, 197, 289
 Phthirus inguinalis, Parasite, 197, 289
 Phthitical necrosis of the cartilage of the
 trachea, Note, (81), 15
 Phthisis, see Tubercle of Lung, (85), 15, 315
 — Acute pneumonic, 85
 — Chronic pneumonic, 85
 PHTHISIS FABRORUM MOLARIORUM, 84
Phthisis fibroid, see Cirrhosis of Lung, 83
 — *fibrosa*, vide CIRRHOSIS PULMONIS, 82
 — *globi*, vide CONTRACTIO GLOBI, 46
 Phthisis, Millstone-maker's, 85
 — PNEUMONICA ACUTA, 84
 — — CHRONICA, SIVE LONGA, 84
 Physostigma venenosum, see Calabar bean,
 Poison, 203
 Pia mater, Inflammation of the, 21
 Picric acid, Poison, see Carbazotic acid, 203
 Picrotoxin, Poison, see Cocculus indicus, 203
 PICROTOXINA, Venenum, 202
 Pies, Poisonous, 209
Pigment-tumour of Meninges, see Melanoma,
 Tumour, 311
 Piles, 111
 — external, 111
 — internal, 111
 PILOCARPINA, Venenum, 204
 Pilocarpine, Poison, see Jaborandi, 205
 Pinguecula, see Non-malignant New Growth
 of the conjunctiva, (33), 15
 Pinna, Contusion of, 231
 — Hæmatoma of, 231
 — Wound of, 231
 PINNA CONTUSA, 230
 — VULNERATA, 230
 PINNÆ HÆMATOMA, 230
 PISCES VENENOSI, Venenum, 208
 Pityriasis, 191
 — rubra, 191
Pityriasis versicolor, see Tinea versicolor,
 197, 291

PLA

- Placenta, Hæmorrhage from accidental detachment of, 165
 — Removal of, Obstetric operation, 277
 — Retention of, from atony of the uterus, 167
 — — from irregular, or hour-glass contraction of the uterus, 167
 — — from preternatural adhesions, 167
 — Separation of, before birth of child, Obstetric operation, 277
 PLACENTÆ FRAGMENTORUM, MEMBRANÆ, AUT COAGULI, RETENTIO, 166
 Plague, 7
 Plastic effusion, (3)
 Pleura, Adhesions of, 87
Pleura, Air in the, see Pneumothorax, 87
 Pleura, Diseases of, Note, 87
 — Injuries of, (87), 13, 235
 — Malignant New Growth of, (87), 15
 — Non-malignant New Growth of, (87), 15
 — Ossification of, see Adhesions of, 87
 — Paracentesis of, Operation, 263
Pleura, Serous Effusion in, see Hydrothorax, 87
 Pleura, Syphilis of, (87), 9, 313
 — Thickening of, see Adhesions of, 67
 — Penetrating wound of, 235
 — Tubercle of, (87), 15, 315
 PLEURÆ AUT PULMONIS VULNUS PENETRANS, 234
 — MORBI, 86
 — PARACENTESIS, Opus chirurgicum, 262
 Pleurisy, 87
 — Acute, 87
 — Chronic, 87
 PLEURITIS, 86
 — ACUTA, 86
 — CHRONICA, SIVE LONGA, 86
 Plugging, Mechanical affection, (3)
 — of the air passages, Asphyxia from, 215
 — — nares for Epistaxis, Operation, 257
 — — rectum, Operation, 267
 — — vagina, Operation, 275
 PLUMBI CHROMAS, Venenum, 198
 PLUMBUM, Venenum, 198
 Pneumonia, Note, 83
 — Lobar, 83

POI

- Pneumonia, Lobular, 83
 Pneumonic phthisis, Acute, 85
 — — Chronic, 85
 Pneumopericardium, 67
 Pneumothorax, 87
 PODAGRA, 14
 Poisoned arrows, Poisoned Wound by, 213
 — wound, Injuries, 217
 POISONED WOUNDS; Poisons, 211
 Poisoned wounds, by animal venom, 217
 — — — decomposing organic matter, 217
 — — — animals having infectious disease, 211
 — — — cowpox, (211), 5
 — — — dead animal matter, 213
 — — — farcy, (213), 11
 — — — fish, 211
 — — — glanders, (213), 11
 — — — hydrophobia, (211), 11
 — — — malignant pustule, (213), 11
 — — — mineral substances, 213
 — — — morbid secretions, 213
 — — — rabies, (211), 11
 — — — scorpions, 211
 — — — snakes, 211
 — — — splenic fever, (213), 11
 — — — stinging insects, 211
 — — — subcutaneous injection, 213
 — — — vegetable substances, 11, 213
 — — — venomous animals, 11, 211
 — — — wourali, or curare, (213) 207
 Poisoning, Treatment of cases of, 283
 Poisonous cheese, 209
 — crustaceans, 209
 — fish, 209
 — fungi, 207
 — gases and vapours, 209
 — grain, 207
 — maize, 207
 — meat, 209
 — milk, 209
 — mollusks, 209
 — pies, 209
 — sausages, 209
 POISONS, 199

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

POI

- Poisons, Acids and acid salts, 201
 — Animal, 11, 207
 — Caustic alkalies, 201
POISONS, EFFECTS OF, 11
 — Poisons, Inorganic, 11, 199
 — Mechanical irritant, 211
 — Metals and their salts, 199
 — Vegetable, 11, 203
POLIOMYELITIS ANTERIOR, vide MYELITIS, 20
Polycoria, Malformation, (41), 15, 303
POLYPT AURIS ABLATIO, Opus chirurgicum, 254
 — NASALIS EXTRACTIO, Opus chirurgicum, 256
 — NASOPHARYNGEALIS ABLATIO, Opus chirurgicum, 256
Polyptoid fibroma, Tumour, 309
Polypus of the dental periosteum, (95), 15, 309, 311
 — — ear, Removal of, Operation, 255
 — — external meatus, (59), 15, 309, 311
 — — gums, (95), 15, 309, 311
 — — nasal, (65), 15, 309, 311
 — — Extraction of, Operation, 257
 — — naso-pharyngeal, (65), 15, 309, 311
 — — Removal of, Operation, 257
 — — of rectum, Removal of, Operation, 267
 — — of the uterus, (149), 15, 309, 311
 — — vagina, (153), 15, 309, 311
POLYPUS FORAMINIS AURIS, (58), 14, 308
 — MUCOSUS, 310
 — NASI, (64), 14, 308, 310
 — — CUM PHARYNGE, (64), 14, 308, 310
 — UTERI, (148), 14, 308
 — VAGINÆ, (152), 14, 308
Polyuria, see *Diabetes insipidus*, 129
Pompholyx, see *Pemphigus*, 191
Porrigio decalvans, see *Alopecia areata*, 193
 — *lupinosa*, see *Favus*, 197
POSITURA PRAVA TESTICULI, Deformitas ingenta, (142), 14, 304
POSTHEMIPLEGIAM CHOREA, vide MUSCULORUM SPASMUS, 26
POST PHARYNGEM ABSCESSUS, 100
Post-hemiplegic Chorea, see Spasm of Muscle, 27
Post-partum hæmorrhage, 167
Post-pharyngeal abscess, 101
Posterior curvature of the Spine, 183
Potash, Poison, 201
 — Bichromate of, Poison, 199
 — Bisulphate of, Poison, 201
POTASSA, Venenum, 200

PRO

- POTASSÆ BICHROMAS, Venenum, 198**
 — BISULPHAS, Venenum, 200
 — OXALAS ACIDA, Venenum, 200
POTASSII CYANIDUM, Venenum, 202
Potassium, Poison, 199
 — Cyanide of, Poison, 203
Pott's disease, see *Angular Curvature of Spine*, 181
POTTHI MORBUS, 180
Pounded Glass, Poison, 211
Poz, see *Syphilis*, 9
PREGNANCY, AFFECTIONS CONNECTED WITH, 159
 — Premature birth, (167), 15 (No. 53)
 — Premature labour, 161
 — Presbyopia, 49
 — Priapism, 139
PRIAPISMUS, 138
Prickly heat, see *Lichen tropicus*, 191
Primary amputation, 281
 — *Syphilis*, 9 (No. 29), 313
 — — of the tongue, (97), 9, 313
Privation, 215
Privet, Poison, 207
PROCESSUS MAJORIS FEMORIS FRACTURA, 246
Procidencia uteri, 149
PROCIDENTIA TUBULORUM TESTICULI, 140
PROFLUVIUM AQUOSUM EX UTERO GRAVIDARUM, 158
 — LACTIS, 172
Progressive muscular atrophy, see Sclerosis of spinal cord, 23
PROLAPSIO RECTI INTESTINI, 110
 — UTERI IN GRAVIDIS, 158
 — VAGINÆ, 152
Prolapse of the vagina, 153
 — — — Cystocele, 153
 — — — Rectocele, 153
Prolapsus of the rectum, 111
 — — uterus, 149
 — — — connected with pregnancy, 159
Proliferating hygroma of bursæ mucosæ, Tumour, 307
Proliferation tumours, 309
Proliferous cystic tumour of ovary, see Cyst of ovary, 143
Proptosis, 57
 — Pulsatile, 57
PROPTOSIS PULSATILIS, 56
Prostate gland, Abscess of, 137
 — — Atrophy of, 137

PRO

- Prostate gland, Calculus of, 137
 — — Chronic enlargement of, see *Hyper-trophy* of, 137
 — — Cyst of, 137
 — — Diseases of, 137
 — — Inflammation of, 137
 — — Malignant New Growth of, (137), 15
 — — Non-malignant New Growth of, (137), 15
 — — Tubercle of, (137), 15, 315
 Protrusion of the eyeball, see *Proptosis*, 57
 — — tubuli of the testicle, 141
 Prurigo, 191
 — senilis, 191
 Pruritus, ani, 113
 — of the scrotum, 139
 — — skin, 197
 — — vulva, 159; in pregnancy, (161), 159
 PRURITUS ANI, 112
 — CUTIS, 196
 — SCROTI, 138
 — VULVÆ, 158
 — — IN GRAVIDIS, (160), 158
 Prussic acid, Poison, 203
 Psammoma, Tumour, 309
 Pseudo-hypertrophic paralysis, 27
 Psoas, lumbar, and other abscesses of the spine, 181
 Psoriasis, 191
 Pterygium, 33
 — Operation for, 253
 Ptosis and varieties, 55
 PTOSIS INGENITA, Deformitas ingenua, (56), 14, 292
Ptyalism, see *Salivation*, 101
 PUBESCENTIUM INSANIA, 30
 Pubic symphysis, fissure of, Malformation, 15, 299
 Puerperal convulsions, (167), 27
Puerperal fever, Note, 9 (No. 28)
 Puerperal insanity, (169), 31
 — — connected with parturition, (169), 31
 — — lymphangitis, (167), 121
 — — peritonitis, (167), 117
 — — pyæmia, (167), 9

PUN

- Puerperal septicæmia, (167), 9
 PUERPERARUM INSANIA, (168), 30
 — LYMPHANGITIS, (166), 120
 — PERITONITIS, (166), 116
 — PYÆMIA, (166), 8
 — SEPTICÆMIA, (166), 8
Pulex Irritans, Parasite, 288
 — *penetrans*, Parasite, 289
 Pulmonary apoplexy, see *Hæmorrhage* of lungs, 83
 — lobes deficient in number, Malformation, (85), 15, 295
 Pulmonic valve-disease, 67
 PULMONIS ABSCESSUS, 82
 — CIRRHOSIS, 82
 — COLLAPSIO, 84
 — CONGESTIO PASSIVA, 82
 — EMBOLUS, 84
 — EMPHYSEMA, 84
Pulmonis explicatio imperfecta, vide *ATELECTASIS*, 84
 PULMONIS GANGRÆNA, 82
 — INDURATIO FUSCA, 82
 — — NIGRA, 82
 — MORBI, 82
 — OEDEMA, 82
 — PYÆMIA, (82), 8
 — VOMICA, 82
 PULMONUM DEFECTUS (ALTERUTRIUS VEL UTRIUSQUE), Deformitas ingenua, (84), 14, 294
 — HERNIA, SIVE ECTOPIA, Deformitas ingenua, (84), 14, 302
 — LÆSIONES, (84), 12, 234, 236
 — LOBI NUMERO DEFICIENTES, Deformitas ingenua, (84), 14, 294
 Pulpary degeneration of synovial membrane, see *Chronic Synovitis*, 177
 Pulsating bronchocele, see *Goitre*, 125
 PUNCTURUM ET CANALICULORUM LACRYMALIUM STRICTURA ET OBLITERATIO, 52
 — LACRYMALIUM EVERSIO, 52
 PUNCTUM DUPLEX, Deformitas ingenua, (52), 14, 302
 Punctured wound, see *Wound*, 217

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

PUP

- Pupil, Artificial, Operation, 253
 PUPILLA FACTITIA, Opus chirurgicum, 252
 Purpura, 17
 Purulent Ophthalmia, see Conjunctivitis, 33
 — — of infants, see Conjunctivitis, 33
 PUSTULA MALIGNA, (194), 10 (No. 34)
Pustular Ophthalmia, see Phlyctenular Con-
 junctivitis, 33
 Pustule, Malignant, 11 (No. 34)
 Putrid and morbid exhalations, Poisons, 211
Putrid sore throat, see Sloughing sore throat, 99
 Pyæmia, 9
 Pyæmic abscess of joints, (179), 9
 — — lung, (83), 9
 — — spleen, (119), 9
 — — liver, (113), 9
 — pericarditis, (67), 9
 Pyelitis, 127
Pylephlebitis, see Inflammation of the vena
 portæ, 115
 Pyometra, see Distension of the Uterus with
 pus, 151
 Pyonephrosis, see Abscess of Kidney, 127
 — Operation for, 269
 Pyrosis, 105
 Pythogenic fever, 7, (No. 17)
- Quinsy, 99
- Rabies, see Hydrophobia, (211), 11, (No. 31)
 RACHITIS, (176), 14
 Radical cure of hernia, Operation, 265
 RADII FRACTURA, 242
 — LUXATIO, 244
 — ET ULNÆ FRACTURA, 242
 — — — LUXATIO, 244
 Radius, Dislocation of, 245
 — Fracture of, 243
 — and ulna, Dislocation of, 245
 — Fracture of both, 243
 Raising depressed bone, Operation, 257
 Ranula, 89
 — Operation for, 257
 RECTI INTESTINI ADVERSUS HÆMORRHAGIAM
 OBTURATIO, Opus chirurgicum, 265
 — — — ET ANI ABSCESSUS, 108
 — — — — HÆMORRHAGIA, 108
 — — — — MORBI, 108
 — — — — NEURALGIA, 112
 — — — — PROLAPSO, 110
 — — — — STRICTURA, 110

REM

- RECTI INTESTINI ET ANI ULCERATIO, 108
 — — PER ANUM EXPLORATIO, Opus chirurgicum,
 266
 — — — VULNUS, 240
 Rectocele, see Prolapse of vagina, 153
 Recto-urethral fistula, (111), 135
 Recto-vaginal fistula, (111), 153
 — — — consequent on parturition, (169), 153
 — — — Operation for, 275
 Recto-vesical fistula, (111), 133
 Rectum, Abscess of, 109
 — Diseases of, 109
 — Foreign bodies in, (111), 13, 241
 — Hæmorrhage from, 109
 — Injuries of, (111), 13, 239, 241
 — Malformations of, (113), 15, 295
 — Malignant New Growth of, (111), 15
 — Neuralgia of, 29, 113
 — Non-malignant tumours of, (111), 15
 — Parasitic disease of, (111), 11
 — Plugging of, for hæmorrhage, Operation, 267
 — Prolapsus of, 111
 — Sloughing of, consequent on parturition, 169
 — Stricture of, 111
 — — Operation for, 265
 — Syphilis of, (111), 9, 313
 — Ulceration of, 109
 — — Operation for, 267
 — Wound of, (111), 15, 239, 241
 Red softening of the brain, 23
 Reducible hernia, 107
 Reduction of dislocations, Operation 279
 — — inverted uterus, Obstetric operation, 277
 Reduvius personatus, Parasite, 288: and
 other species
 Refracture of bone, Operation, 279
 Regurgitation through the valves of the
 heart, see Valvular disease, 67, 69
 Relapsing fever, 7
 Relaxation of ligaments, 181
 Relaxed throat, 97
 Remittent fever, 9
 Removal of breast, Operation, 279
 — — bronchocele, Operation, Note, 269
 — — bullets and shots, Operation, 251
 — — calculi, biliary, Operation, see Cholecy-
 stotomy, 267
 — — — renal, Operation, 269
 — — — salivary, Operation, 259
 — — — urethral, Operation, 271
 — — — vesical, Operation, 269

REM

- Removal of cervix uteri, Operation, 273
 — — embedded or impacted substances, Operation, 251
 — — enlarged or diseased ovary, see Ovariotomy, Operation, 273
 — — epiglottis, Operation, 263
 — — foetal remains, Operation, 273
 — — foetus in ectopic gestation, 273
 — — — by Cæsarean section, Operation, 277
 — — foreign bodies, Operation, 251
 — — — from external meatus of ear, Operation, 255
 — — healthy ovaries, see Oöphorectomy, Operation, 273
 — — hydatid cyst, Operation, 251
 — — loose bodies from joints, Operation, 281
 — — lymphatic glands, diseased, Operation for, 267
 — — naso-pharyngeal polypus, Operation, 257
 — — ovum, Obstetric operation, 277
 — — placenta, Obstetric operation, 277
 — — polypus from the ear, Operation, 255
 — — — of rectum, Operation, 267
 — — rectum, part of, for cancer, Operation, 267
 — — remains of hymen, Operation, 275
 — — sequestra, Operation, 279
 — — (so-called) lipoma, Operation, 257
 — — submaxillary gland, Operation, 259
 — — tongue, in part or in whole, Operation, 257
 — — tonsils, Operation, 259
 — — tumours, Note, Operation, 251
 — — uterus above cervix, Operation, 273
 — — wax from external meatus of ear, Operation, 255
 — — whole uterus, Operation, 273
 REN MOBILIS, Deformitas ingenua, (128), 14, 302
 Renal calculi, Removal of, Operation, 269
 Renal dropsy, Acute, see Acute nephritis, 127
 Renes cerei, vide RENES LARDACEI, 126
 — granulatim contracti, v. RENES GRANULOSI, 126
 RENES GRANULOSI, 126
 — IN UNUM CONJUNCTI, Deformitas ingenua, (128), 14, 300
 — LARDACEI, 126

RES

- RENES MOBILES, 128
 — MULTIFIDI, Deformitas ingenua, (128), 14, 296
 Renes podagræci, vide RENES GRANULOSI, 126
 RENIS HERNIA, SIVE ECTOPIA, Deformitas ingenua, (128), 14, 302
 Renum abscessus pyæmicus, vide Renum abscessus, (126), 8
 RENUM CALCULUS, 128
 Renum cirrhosis, vide MORBUS BRIGHTII, 126
 RENUM DEFECTUS (ALTERUTRIUS VEL UTRIUSQUE), Deformitas ingenua, (128), 14, 296
 — EMBOLUS, 128
 — ET DUCTUUM ABSCESSUS, 126
 — — — ATROPHIA, 126
 — — — CONGESTIO PASSIVA, 126
 — — — CYSTIS, 126
 — — — HYPERTROPHIA, 126
 — — — MORBI, 126
 — — — MORBUS CYSTICUS, 128
 Renum fibrosis, vide MORBUS BRIGHTII, 126
 RENUM MORBUS AMYLOIDES, vide RENES LARDACEI, 126
 — THROMBOSIS, 128
 RERUM CHIMICARUM EFFECTUS, 12
 — NECESSARIARUM INOPIA, 214
 RESOLUTIO FAUCIUM, 96
 — LIGAMENTORUM, 180
 — UTERI IN PARTURIENTIBUS, 160
 Resorcin, Poison, 203
 RESORCINA, Venenum, 202
 RESPIRATIO ARTIFICIOSA, Opus chirurgicum, 282
 Respiration, Artificial, Operation, 283
 Respiratory organs, Operations on, 263
 RESPIRATORY SYSTEM, DISEASES OF, 77
 Respiratory system, Diseases of, not strictly local, 77
 RESTITUTIO ANIMÆ A SUSPENDIO, Opus chirurgicum, 282
 — — IN DEMERSIS, Opus chirurgicum, 282
 — (HERNIE) IN INTEGRUM, Opus chirurgicum, 264
 Restoration of eyelid, Operation for, 253
 — — lip, Operation for, 259
 — — nose, Operation for, 257

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

RES

- Resuscitation of drowned persons, Operation, 283
 — — hanged persons, Operation, 283
 Retained menstrual fluid, Operation for, 275
 RETENTIO SECUNDARUM IN PARTURIENTIBUS, 166
 URINÆ, 132
 RETENTION TUMOURS, 307
 Retention of the placenta, 167
 — — placental fragments, membrane, or clots, 167
 — — urine, 133
 Reticular, or Alveolar cancer, Tumour, see Colloid carcinoma, 313
 Retina, Diseases of, 45
 RETINÆ FISSURA, Deformitas ingenua, (44), 14, 298
 — ISCHÆMIA, 44
 Retinitis, 45
 — Albuminuric, (45), 127
 — Diabetic, (45), 17
 — Hæmorrhagic, 45
 — Leucocythæmic, (45), 17
 — Pigmentary, 45
 — Syphilitic, (45), 9
 Retroflexion of the uterus, 149
 — — — during pregnancy, 159
 Retroversion of the uterus, 149
 — — — during pregnancy, 159
 Retro-uterine abscess, Operation for, 275
 — — hæmatocele, Operation for, 275
 Reunion of divided nerve, Operation, 253
 Rhabditiis genitalis, Parasite, 287
 Rhabdomyoma, see Myoma, 311
 Rhagades, see Fissures, 195
 RHAGADES ANI, 110
 Rheumatic arthritis, Chronic, see Chronic osteo-arthritis, (179), 15
 Rheumatic fever, 15
 — inflammation, see Rheumatism, 15
 — iritis, (39), 15
 Rheumatism, 15
 — Acute, see Rheumatic fever, 15 (No. 57)
 — Chronic, 15 (No. 58),
 — Gonorrhœal, (179), 11
 — of joints, (179), 15
 — Synovial, (179), 15
 RHEUMATISMUS, 14
 — ACUTUS, 14
 — ARTICULORUM, (178), 14
 — GONORRHOÏCUS, (178), 10
 — LONGUS, 14

RUP

- RHEUMATISMUS SYNOVIALIS, (178), 14
 Rheumatoid arthritis, see Osteo-arthritis, 15
 RHINOLITHI, 64
 Rhinoliths, 65
 Ribs, Fracture of, with injury to heart or pericardium, 235
 — — — — — the lung, 235
 — — — without injury to lung or heart, 235
 RICINI SEMINA, Venenum, 202
 Rickets, 15
 — of bones, (177) 15
 Rickety curvature of the spine, (183), 15
 Rinae, see Fissures, 195
 Ringworm, 197
 Rodent ulcer, see Epithelioma, 313
 Rose rash, see Roseola, 191
 Rose rash, Epidemic, 5
 Roseola, 191
 ROSEOLA EPIDEMICA, vide RUBEOLA NOTHA, 4
 Rötheln, 5 (No. 5), see Epidemic rose rash
 Round-celled sarcoma, Tumour, 313
 RUBEOLA NOTHA, 4
 Rubeola, see Measles, 5, and Epidemic Rose rash, 5
 Rupia, 191
 Ruptum album oculi, vide Contusus oculus rupta sclerotica, 228
 Rupture, see Hernia, 107
 Rupture of arteries, from disease, 75
 — — — Complete, from injury, (75), 13, 219
 — — — Partial, from injury, (75), 13, 219
 — — abdominal muscles, with contusion, 239
 — — bladder, 131
 — — — from fracture of the pelvis, 241
 — — — during parturition, 165
 — — — without wound, 241
 — — ducts of secreting glands, 221
 — — heart, Note 71
 — — — or lung, without wound or fracture, 235
 — — membrana tympani, 231
 — — — from concussion, 231
 — — muscle, Spontaneous, 185
 — — — from external violence, 223
 — — — violent exertion, 223
 — — nerve, 219
 — — perineum during parturition, 167
 — — — Operation for, 275
 — — sclerotic, with contusion of the eye, 229
 — — secreting glands, 221

RUF

- Rupture of a soft part, 219
 — — — tendon, 223
 — — — — from external violence, 223
 — — — — violent exertion, 223
 — — — Spontaneous, 187
 — — — trachea, 233
 — — — urethra, 241
 — — — urinary bladder, 131
 — — — — during parturition, 165
 — — — — from fracture of pelvis, 241
 — — — uterus during parturition, 165
 — — — vagina during parturition, 165
 — — — vas deferens, 243
 — — — vein, 221
 — — — viscera, 221, 239
 — — — vulva during parturition, 165
Ruptured globe of the eye, see *Contusion with rupture of the sclerotic*, (No. 1074), 229
 Rye, Ergot of, Poison, 207

- Sabadilla, Poison, 203
 SABINA, Venenum, 206
 Saccular aneurysm, 73
 Sacculation of the bladder, 131
 SACCULI LACRYMALIS ET DUCTUS LÆSIONES, 230
Sago Spleen, see *Lardaceous Spleen*, 119
Saint Vitus' dance, see *Chorea*, 29
 SAL LIMONIS, Venenum, 200
 SALES ALCALINI, Venena, 200
 Salivary calculus, 101
 — — — Removal of, Operation, 259
 — — — fistula, 99
 — — — Operation for, 259
 — — — glands, Abscess of, 99
 — — — Diseases of, 99
 — — — Inflammation of, 99
 — — — Malignant New Growth of, (101), 15
 — — — Non-malignant New Growth of, (101), 15
 SALIVA FREQUENS, 100
 Salivation, 101
Salpingitis, see *Inflammation of the Fallopian tube*, 145
 Salt of Lemon, Poison, 201

SCA

- Sanguineous apoplexy, see *Apoplexy*, 25, and *Hæmorrhage*, 19
 — — — cyst, see *Hæmatoma*, 307
 — — — discharge during pregnancy, 159
 SANGUINIS APPARATUS DEFORMITAS INGENITA, 14, 292
 SANGUINIS APPARATUS MORBI, 66
Sanguisuga interrupta, Parasite, 290
 — — — Javanica, Parasite, 290
 — — — Medicinalis, Parasite, 290
 — — — Officinalis, Parasite, 290
 — — — Tagalla, Parasite, 290
Sarcina ventriculi, Parasite, 290
Sarcoma, Tumour, and its varieties, 313
 SARCOMA CELLAS HABENS FUSIFORMES, Tumour, 312
 — — — ROTUNDAS, Tumour, 312
 — — — MELANOTICUM, Tumour, 312
 — — — MYELOIDES, Tumour, 312
Sarcoptes crustosæ, Parasite, 289
 — — — scabiei, Parasite, 289
Saturnine arthritis, see *Lead*, Poison, 199
Satyriasis, a symptom of cerebral or spinal disease; to be returned according to its association
 Sausages, Poisonous, 209
 Savin, Poison, 207
Scabies, see *Itch*, 197
 Scalds, 215, 217
 — — — of the skin, 223
 — — — larynx, 233
 — — — mucous membrane, 225
 Scalp-wound, 225
 — — — bone exposed, 225
 — — — bone not exposed, 225
 Scalp, contusion of, 225
 Scanty menstruation, 157
 Scapula and arm, Amputation of, Operation, see *Amputations*, 281
 — — — Dislocation of, 245
 — — — Fracture of, 243
 SCAPULÆ LUXATIO, 244
 Scarlatina, 5 (No. 6)
 Scarlet fever, 5

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

SCI

- Sciatica, see Neuralgia, 29
 SCILLA, Venenum, 206
 Scirrhus, see Carcinoma, 313
 — of the female breast, see Malignant New Growth of, (173), 15, 313
 — — uterus, see Malignant New Growth of, (149), 15, 313
 Scleriasis, see Scleroderma, 193
 Scleroderma, 193
 Sclerosis, 23
 — of the anterior cornua of the grey matter of the spinal cord, 23
 — Diffuse, 23
 — Disseminated, see Insular, 23
 — Insular, 23
 — of the lateral columns of spinal cord, 23
 — Miliary, 23
 — of nerves, 23
 — — posterior columns of spinal cord, 23
 SCLEROSIS CIRCUMSCRIPTA, 22
 — COLUMNARUM LATERALIMUM, 22
 — — POSTERIORUM, 22
 — CORNUUM ANTERIORUM MATERIE CINEREÆ MEDULLA SPINALIS, 22
 — DIFFUSA, 22
 — MILIARIA, 22
 — NERVORUM, 22
 Sclerostoma duodenale, see Dochmius duodenalis, Parasite, 287
 Sclerotic, Contused wound of the eye, with rupture of the, 229
 — Diseases of, 37
 — Inflammation of, 37
 — Injuries of, (37), 13, 229
 — Staphyloma of, 37
 — Syphilis of, (37), 9
 — Malignant New Growth of, (37), 15
 — Non-malignant New Growth of, (37), 15
 — Wound of, 229
 SCLEROTICÆ UVATIO, vide STAPHYLOMA, 36
 — INFLAMMATIO, 36
 — LESIONES, (36), 12, 228
 — MORBI, 36
 — SYPHILIS, (36), 8
 — TUMORES MALIGNI, (36), 14
 — — NON MALIGNI, (36), 14
 — VULNUS, 228
 — — FISSURA, Deformitas ingenua, 14, 298
 Sclerotitis, 37
 SCORBUTUS, 12
 Scorpions, Wound poisoned by, 211

SEC

- Scraping cavity of the uterus, Obstetric operation, 275
 Scriveners' palsy, see Spasm of Muscle (Writer's Cramp), 27
 Scrofula, 15
 Scrofulous disease of joints, (175), 15
 — iritis, (39), 15
 Scrofulous ophthalmia, see Phlyctenular conjunctivitis, 33
 — suppuration of glands, see Caseation of, (123), 15
 Scrotal hernia, 107
 SCROTI ABSCESSUS, 138
 — DEFORMITATES INGENITÆ, (138), 14, 298
 — INFLAMMATIO, 138
 — MORBI, 138
 — ŒDEMA, 138
 — PRURITUS, 138
 — SPHACELUS, 138
 — SYPHILIS, (138), 8
 — TUMORES MALIGNI, (138), 14, 312
 — — NON MALIGNI, (138), 14
 Scrotum, Chimney-sweeper's Cancer of, (139), 15, see Epithelioma, 313
 — Diseases of, 139
 — Elephantiasis of, see Non-malignant New Growth of, (139), 15
 — Fissure of, Malformation, (139), 15, 299
 — Inflammation of, 139
 — Malformations of, (139), 15, 299
 — Malignant New Growth of, (139), 15
 — Non-malignant New Growth of, (139), 15
 — Œdema of, 139
 — Pruritus of, 139
 — Sloughing of, 139
 — Syphilis of, (139), 9, 313
 — Wound of, 241
 Scurvy, 13
 Sea-sickness, see Vomiting, 105
 Sebaceous cyst, see Wen, (309), 195
 — — of the nose, 65
 — tumour of the external ear, 59
 — — of the skin, 195
 Seborrhœa, see Steatorrhœa, 193
 Secondary amputation, Operation, 281
 — pneumonia, Note, 83
 — syphilis, see Constitutional Syphilis, 313
 — — of the tongue, (97), 9, 313,
 Secreting glands and viscera, Injuries of, 221
 Secretions, Morbid, Wounds poisoned by, 213
 SECUNDARUM RETENTIO, 166

SEC

- SECTIO ABDOMINIS, Opus chirurgicum, 266
 — CÆSAREA, Opus chirurgicum, 276
 — SPHINCTERIS ANI, Opus chirurgicum, 264
 Section of nerve, Operation, 253
 — Abdominal, Operation, 267
 — Cæsarean, Operation, 277
 — Perineal, see External urethrotomy, Operation, 271
 SENECTUS, 14
 Senile atrophy of uterus, 147
 — insanity, 31
 SENILIS INSANIA, 30
 SENSUUM SINGULARIUM APPARATUS DEFORMITATES INGENITE, 14, 292
 SEPARATIO RETINÆ, 44
 Separation of cartilage (of ear) from bone, 231
 — — the epiphyses of the lower extremity, 245
 — — — — upper extremity, 243
 — — placenta, before birth of child, Obstetric operation, 275
 SEPTA IMPERFECTA CORDIS, Deformitas ingenita, (70), 14, 292
 Septa of heart incomplete, Malformation, (71), 15, 293
 SEPTI TRANSVERSI FISSURA, Deformitas ingenita, 14, 298
 Septicæmia, 9
 SEPTUM NASI PERFORATUM, 64
 Septum of the nose, Perforation of the, 65
 Sequestra, Removal of, Operation, 279
 SEQUESTRORUM ABLATIO, Opus chirurgicum, 278
 Shaking palsy, see Paralysis agitans, 27
 Shingles, see Zona, 191
 Shock, 215
 Short sight, see Myopia, 49
 Shoulder-joint, Amputation at, Operation, see Amputations, 281
 — Dislocation of, see Dislocation of Humerus 245
 Shrunken eyeball, 47
 Sick headache, paroxysmal, 29 (No. 119)
 Sickness, Green, 17 (No. 74)
 Sight, Long, see Hypermetropia, 49
 Sight, Short, see Myopia, 49

SKU

- Sight, Various defects of, see Disorders of Vision, 49
 Silver, Poison, 199
 — stain, of the conjunctiva, see Metallic deposit from nitrate of silver, 35
 Simple angioma, Tumour, 311
 — cholera, see Sporadic Cholera, 9
 — continued fever, Definition, 7
 — cyst of the kidney, 127
 — granulation tumour, 311
 — enlargement of the liver, see Hypertrophy of, 113
 — erysipelas, 9
 Simulium reptans, Parasite, 288
 Sinus of the female breast, 173
 SINUS LACRYMALIS MORBI, 52
 SINUUM FRONTALIUM DISTENSIO, 56
 SITIS, 214
 Skin, Bronzed, see Addison's Disease, 125
 Skin, Diseases of, 189
 — grafting, Operation, 283
 — Operations on, 283
 — Parasitic diseases of, 11, 197
 — and subcutaneous tissue, Abrasion of, 223
 — — — — Bruise of, 223
 — — — — Burn and scald of, 223
 — — — — Effects of irritants or corrosives on, 223
 — — — — Foreign body of, 223
 — — — — Frostbite of, 223
 — — — — Injuries of, 13, 223
 — — — — Wound of, 223
 Skoliosis, see Lateral curvature of the spine, 181
 Skull, Contusion of, 225
 — Fissure of, Malformation, 299
 — Fracture of the base of the, 227
 — — — vault of the, 225
 — — — — compound, with depression, 227
 — — — — — without depression, 225
 — — — — simple, with depression, 225
 — — — — — without depression, 225
 — — — — Incised fracture, 227
 Skull, Fracture of the vault of the, Penetrating fracture, 227

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

SKU

- Skull, Fracture of the vault of the, Punctured fracture, 227
 — — — inner table only, 227
 — — — outer table only, 227
 — Wound of, 227
 Slough of the connective tissue, 189
 Sloughing of the bladder, 131
 — — — from parturition, 169
 — — — cervix uteri from parturition, 169
 — — — perineum from parturition, 169
 — phagedæna, 9 (No. 25)
 — — rectum from parturition, 169
 — — scrotum, 139
 — sore throat, Note, 99
 — of the vagina from parturition, 169
 Small-pox, 5
 Smell, Loss or perversion of the sense of, 65
 Snakes, Poisoned wounds by, 211
 Snow-blindness, 49
 Soda, Poison, 201
 SODA ET CALX CHLORATA, Venenum, 200
 SODÆ BISULPHAS, Venenum, 200
 Soft cataract, 47
 — chancre, see Ulcer of Penis, 137
 Softening of the brain or cord, 23
 — Red, of the brain or cord, 23
 — White, of the brain or cord, 23
 — Yellow, of the brain or cord, 23
 — of cartilages of trachea, 81
 SOLIS ICTUS, (24), 12, 214
 Solution of the lens, Operation, 255
 SOLUTIO LENTIS, Opus chirurgicum, 254
 Somnambulism, 29
 Sore throat, Putrid, see Sloughing S. T., 99
 Sore throat, Sloughing, Note, 99
 Spanish fly, Poison, see Cantharides, 209
 Spasm of the bladder, (133), 27
 — Clonic, 27
 — of glottis, 27, 81
Spasm of the glottis, see Laryngismus stridulus, 27
 Spasm, Histrionic, 27
 — of muscle, 27
 — of the sphincter ani, 27, 113
 — Tonic, 27
 Spasmodic Asthma, 83
Spasmodic cholera, see Cholera, 7
Spasmodic croup, see Laryngismus stridulus, 27
 SPASMUS ANI, 26, 112
 — GLOTTIDIS, 26, 80

SPI

- Spasmus glottidis*, vide LARYNGISMUS STRIDULUS, 26
 SPASMUS MUSCULORUM, (184), 26
 — — CLONICUS, 26
 — — HISTRIONICUS, 26
 — — NOTARIORUM, 26
 — — TONICUS, 26
 — VESICÆ, (132), 26
 Spastic spinal paralysis, see Sclerosis of the lateral columns, 23
Spaying, see Oöphorectomy, Operation, 273
 SPECIFIC FEBRILE DISEASES, 5
 Spermatic cord, Abscess of, 139
 — — diffused hæmatocele of, Injury, 243
 — — Diseases of, 139
 — — Hydrocele of, 139
 — — — — Diffused, 139
 — — — — Encysted, 139
 — — Injuries of, (141), 13, 243
 — — Neuralgia of, (141), 29
 — — Non-malignant New Growth of, (141), 15
 Spermatorrhœa, 143
 SPHACELUS PERINEI IN PUERPERIS, 168
 — RECTI INTESTINI IN PUERPERIS, 168
 — SCROTI, 138
 — TELE CONNEXIVÆ, 188
 — UTERI CERVICIS IN PUERPERIS, 168
 — VAGINÆ IN PUERPERIS, 168
 — VESICÆ, 130
 — — IN PUERPERIS, 168
 Sphincter ani, Spasm of, 27, 113
 — — Incision of, Operation, 265
 SPHINCTERIS ANI SECTIO, Opus chirurgicum, 264
 SPINA FRACTA ET LOCO MOTA, 236
 — — NON AUTEM LOCO MOTA, 236
 SPINÆ ANKYLOSIS, 182
 — ATROPHIA, ITEM EX COMPRESSIONE ABSORPTIO, 180
 — CARIES, 180
 — CUM MEDULLA COMPRESSA FRACTURA SIMPLEX, 236
 — CURVATURA EX TRANSVERSO, 180
 — — IN DORSUM, 182
 — — — FRONTEM, 182
 — — RACHITICA, (182), 14
 — DEFORMITAS ANGULARIS, 180
 — DISTORTIONES INGENITÆ, (182), 14, 304
 — FRACTURA FORAS PATENS, 236
 — — SPONTANEA, 182
 — LUXATIO sive LOCO MOTUS, 182
 — — AUT IMPERFECTA AUT PERFECTA, 236

S'P

SPINÆ MORBI, 180

— NECROSIS, 180

Spina bifida, Malformation, (25, 183), 15, 301

— — Paracentesis of, Operation, see Paracentesis of fluid tumours, 251

Spinal apoplexy, see Hæmorrhage, 19

Spinal column, Fissure of, see Spina bifida, Malformation, (25, 183), 15, 301

Spinal cord, absent or imperfect, Malformation, (25), 15, 293

— — Atrophy of, 19

— — Compression of, without fracture or dislocation, 237

— — Concussion of, 237

— — Softening of, 23

— — Sclerosis of, 23

— — and its membranes, Diseases of, see Diseases of Nervous System, 19 et seq.

— — — Fissure of, Malformation, (25), 15, 301

— — — Hæmorrhage of, 19

— — — Inflammation of, see Myelitis, 21

— — — Injuries of, (23), 11, 237

— — — Malformations of, (25), 15, 293, 301

— — — Malignant New Growth of, (23), 15

— — — Meningitis of, 21

— — — Non-malignant New Growth of, (23), 15

Spinal meningitis, 21

— — Syphilitic, (21), 9

— — Tubercular, (21), 15

Spindle-celled Sarcoma, Tumour, 313

Spine, Abscesses of, 181

— Angular curvature of, 181

— Ankylosis of, 183

— Anterior curvature of, 183

— Atrophy of, 181

— Caries of, 181

— Chronic osteo-arthritis of, (181), 15

— Compound fracture of, 237

— — — with injury to cord, 237

— — — with injury to spinal nerves, 237

— — — without injury to cord, 237

— Congenital distortion of, Malformation, (183), 15, 305

S'P.L

Spine, Curvature of, Angular, 181

— — — Anterior, 183

— — — Lateral, 181

— — — Posterior, 183

— — — Rickety, (183), 15

— Diseases of, 181

— Dislocation of, from disease, 183

— — — Partial or complete, from injury, 237

— — — with fracture, 237

— — — without fracture, 237

— Distortion of, from malformation, (183), 15, 305

— Fracture of, with displacement, 237

— — — without displacement, 237

— Injuries of, (183), 13, 237

— Lateral curvature of, 181

— Malformations of, (183), 15, 301, 305

— Malignant New Growth of, (183), 15

— Necrosis of, 181

— Non-malignant New Growth of, (183), 15

— Osteo-arthritis, Chronic, of, (181), 15

— Parasitic disease of, (183), 11

— Psoas, lumbar and other abscesses of, 181

— Simple fracture of, with compression of cord, 237

— Spontaneous fracture of, 183

— Ulceration of ligaments and cartilages of, 181

SPIRITUS APPARATUS DEFORMITATES INGENITÆ, (78, 82, 84), 14, 294

SPIRITUS ORGANORUM MORBI, 76

Spleen, Abscess of, 119

Spleen, Amyloid disease of, see Lardaceous S., 119

Spleen, Atrophy of, 119

— Congestion of, 119

— Cyst of, 119

— Diseases of, 119

— Embolism of, 121

— Excision of, Operation, 267

— Hypertrophy of, 119

— Induration of, from Ague, 119

— Lardaceous, 119

— Malformations of, (121), 15, 303

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

SPL

- Spleen, Malignant New Growth of, (121), 15
 — Non-malignant New Growth of, (121), 15
 — Parasitic disease of, (121), 11
 — Pyæmic inflammation and abscess of, (119), 9
 — Tubercle of, (121), 15, 315
Spleen, Waxy, see *Lardaceous S.*, 119
 Splenic Fever, 11, see *Malignant pustule*, (195), 11
 Splenitis, 119
 Spondylolisthesis (Parturition), 163
 Spontaneous aneurysmal varix, 77
 — fracture of bones, 177
 — — of the spine, 183
 — laceration or rupture of stomach, 103
 — rupture of muscles, 185
 — — — tendons, 187
 — varicose aneurysm, 77
 Sporadic Cholera, 9
 Sprain, (219),
 — of the back, 237
 — — lower extremity, 245
 — — upper extremity, 243
Sprue or *Sprew*, see *Thrush*, (89), 11
 Spurious pains and cramp during pregnancy, 159
Spurious valgus, see *Flat foot*, 187
 Squill, Poison, 207
 Squint and its varieties, 51
 Stain, Metallic, of the conjunctiva, 35
 — — — from lead, 35
 — — — — nitrate of silver, 35
 Stammering, see *Spasm of muscle*, 27
 STAPHYLOMA, 36
 Staphyloma of the cornea, 37
 — — sclerotic, 37
 — Operation for, 255
 Starvation, 13, 215
 Steatoma, see *Wen*, *Sebaceous tumour*, (309), 195
 Steatorrhœa, 193
 — Nigricans, 193
 — Simplex, 193
 Steel filings, Poison, 211
 Steno's duct, Injury of, 227
 STENONIS DUCTUS LÆSIO, 226
 STERILITAS, 158
 Sterility, 159
 Sternum, Fracture of, 235
 — Fissure of, Malformation, 15, 299
 Still-birth, (167), 161
 Stinging insects, Death caused by, 211

STR

- Stinging insects, Irritation caused by, under
 Parasites, 288, et seq.
 — — Poisoned wounds by, 211
 — plants, Irritation caused by, 197
 Stomach, Chronic ulcer of, 103
 — Contraction of, 103
 — Dilatation of, 103
 — Diseases of, 103
 — Divided by constrictions, Malformation, 15, 295
 — Excision of portion of, Operation, 265
 — Fistula of, 103
 — Foreign bodies in, (103), 13, 239
 — Hæmorrhage of, 103
 — Hernia of, 103
 — Inflammation of, 103
 — Injuries of, (103), 13, 239
 — Laceration of, Spontaneous, 103
 — Lardaceous disease of, 103
 — Malignant New Growth of, (103), 15
 — Non-malignant New Growth of, (103), 15
 — Parasitic disease of, (103), 11
 — Perforation of, 103
 — Rupture of, Spontaneous, 103
 — Stricture of, 103
 — Ulceration of, 103
 — Ulcer of, Perforating, 103
 — Washing out of, Operation, 265
Stomach-ache, see *Gastrodynia*, 105
 Stomach-pump, Application of, Operation, 265
 Stomatitis, 89
Stomatitis gangrænosa, vide *NOMA*, 88
 — *Gangrenous*, see *Noma*, 89
 Stomatitis, Ulcerative, 89
 STOMATITIS ULCERANS, 88
 Stomatitis, vesicular, 89
 STOMATITIS VESICULOSA, 88
 Stomoxys calcitrans, Parasite, 288
 Stone, see *Calculus*, (5)
 Strabismus, see *Squint*, 51
 — Operation for, 253
 Strain, 219
 — Effects of excessive, 13
 — of muscles, 223
 — — nerves, 219
 — — tendons, 223
 Stramonium, Poison, 207
 Strangulated hernia, 107
 — — Operations for, 265
 STRANGULATIO INTERNA INTESTINORUM, 106
 — MEMBRI, 218

STR

- Strangulation, Asphyxia from, 215
 — Internal, of intestines, 107
 — of a part, 219
 STRANGULATORUM ASPHYXIA, 214
 STREMA, 218
 — A TERGO, 236
 — IN MEMBRIS INFERIORIBUS, 244
 — — — SUPERIORIBUS, 242
 Stretching of nerve, Operation, 253
 STRICTURA, vide LÆSIONES MECHANICÆ, (2)
 — CANALIS UTERI, 150
 — DUCTUS NASALIS, 52
 — FAUCIUM, 98
 — INTESTINORUM, 106
 — ITINERIS URINÆ VIRILIS, 134
 — ŒSOPHAGI, 100
 — ORIS UTERI, 150
 — RECTI INTESTINI ET ANI, 110
 — TUBÆ FALLOPIANÆ, 146
 — URETHRÆ, 134
 — VENTRICULI, 102
 Stricture of the canal of the uterus, 151
 — — external os of the uterus, 151
 — — Fallopian tube, 147
 — — fauces, including cicatrices and adhesions, 99
 — — hepatic ducts and gall bladder, 115
 — — internal os of the uterus, 151
 — — intestines, 107
 — — nasal duct, 53
 — — œsophagus, 101
 — — pharynx, 101
 — — puncta and canaliculi, 53
 — — rectum and anus, 111
 — — — Operation for, 265
 — — — — by forcible dilatation, 265
 — — — — simple dilatation, 265
 — — — — incision, 265
 — — stomach, 103
 — — urethra, male, 135
 — — — Organic, 135
 — — — Spasmodic, 135
 — — — Traumatic, 135
 — — — Operations for, 271

SUP

- Stricture of the urethra, Operations for, by continuous dilatation, 271
 — — — — — external urethrotomy, 271
 — — — — — forcible dilatation, 271
 — — — — — gradual dilatation, 271
 — — — — — internal urethrotomy, 271
 Striped muscle tumour, see Myoma, 311
 Stroke, see Apoplexy, 25
 Strongylus bronchialis, Parasite, 287
 Strophulus. (Includes several names. Not to be used.)
 STRUMA, 14
 — ARTICULORUM, (178), 14
 Strumous ophthalmia, see Scrofulous O., (33), 15
 Stump, Irritable, see Neuralgia, 29
 Strychnia, Poison, 207
 Sty, 55
 STYPTICA ADHIBITA, Opus chirurgicum, 262
 Subcutaneous injection, Operation, 283
 — — Poisoned wound, 213
 Submaxillary gland, Removal of, Operation, 259
 Submersion, Asphyxia from, 215
 Sub-peritoneal tissue, Abscess in, 105
 Subretinal Dropsy, see Detachment of Retina, 45
 SUCTORIA PARASITICA, 290
 Sudamina, see Miliaria, 191
 Sudden death after delivery, 171
 SUDOR FÆTIDUS, 196
 SUFFUSIO, vide CATARACTA, 44
 Sulphate of indigo, Poison, 201
 Sulphuretted hydrogen, Poison, 211
 Sulphuric acid, Poison, 201
 Sulphurous acid, Poison, 211
 SUMMÆ CAVITATIS NARIUM PUNCTIO, 226
 Sun-stroke, see Heat-stroke, 13, 215
 SUPERANTES NUMERO ARTUS, ET DIGITI MANUS
 PEDISQUE, Deformitas ingenita, 14, 302
 — — DENTES, Deformitas ingenita, 14, 94, 302
 — — MAMMÆ, Deformitas ingenita, (172), 14, 302
 — — PAPILLÆ, Deformitas ingenita, (172), 14, 302
 — — PULMONES, Deformitas ingenita, (84), 14, 302
 — — PUPILLÆ, Deformitas ingenita, (40), 14, 302
 — — RENES, Deformitas ingenita, (128), 14, 302

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

SUP

- SUPERANTES NUMERO URETERES, Deformitas ingenua, (128), 14, 302
 — — CORDIS VALVULÆ, Deformitas ingenua, (68), 14, 302
 SUPERANTIA NUMERO CORDIS CAVA, Deformitas ingenua, (70), 14, 302
 — — OVARIA, Deformitas ingenua, (144), 14, 302
 — — PUNCTA LACRYMALIA, Deformitas ingenua, (52), 14, 302
Superinvolution of uterus, see *Atrophy of uterus*, 147
 Supernumerary cavities of the heart, Malformation, (71), 15, 303
 — kidney, Malformation, (129), 15, 303
 — limbs, fingers and toes, Malformation, 15, 303
 — lungs, Malformation, (85), 15, 303
 — mammæ, Malformation, (173), 15, 303
 — nipples, Malformation, (173), 15, 303
 — ovaries, Malformation, (145), 15, 303
 — puncta lacrymalia, Malformation (53), 15, 303
 — pupils, Malformation, (41), 15, 303
 — spleen, Malformation, (121), 15, 303
 — teeth, Malformation, 15, 95, 303
 — ureters, Malformation, (129), 15, 303
 — valves of the heart, Malformation (69), 15, 303
 Suppression of urine, 129
 — — teeth, total or partial, 95
 SUPPURATIO GLANDULARUM LYMPHATICARUM. 120
 — VASORUM LYMPHIFERORUM, 120
 — VESICÆ, 130
 Suppurating bubo, 121
 — — Syphilitic, (123), 9
 Suppuration of alveoli, 93
 — — dental periosteum, 93
 — — Fallopian tube, 145
 — — bladder, 131
 — — gums, 93
 — — hernial sac, 109
 — — lymph-glands, 121
 — — lymph-vessels, 121
 Suppurative keratitis, 35
 — nephritis, disseminated, 127
 — pericarditis, 67
 — peritonitis, 117
 — perityphlitis, 105
 — phlebitis, 75
 — tonsillitis, see *Quinsy*, 99
 SUPRA NUMERUM JUSTUM DENTES, 94
 Suprarenal capsule, Diseases of, 125
 — — Addison's Disease of, (193) 125

SYP

- Suprarenal capsule, Atrophy of, 125
 — — Hypertrophy of, 125
 — — Lardaceous Disease of, 125
 — — Malignant New Growth of, (125), 15
 — — Non-malignant New Growth of, (125), 15
 — — Tubercle of, (125), 15
 SURÆ SOLIUS FRACTURA, 246
 SURDITAS, 62
 SURDORUM MUTITAS, 62
 Surfeit, 13
 SURGICAL OPERATIONS, 251
 Sycosis, 193
 Symblepharon, Note, 55; Malformation, (57), 15, 293
 — Operation for, 253
 Sympathetic irritation of eyeball, 51
 Symphysiotomy, Obstetric operation, 277
 SYMPHYSIOTOMIA, Opus obstetricum, 276
Symptomatic convulsions, see *Eclampsia*, 27
 Synechia (Iris), 39
 Synchysis, 47
 Syncope, 71
Synostosis, see *Ankylosis of the Spine*, 183
 Synovial membrane, Pulpy degeneration of, 177
 — rheumatism, 15
 SYNOVIALIS INFLAMMATIO PODAGRICA, (178), 14
 Synovitis, Acute, see *Inflammation of Joints*, 177
 — Chronic, see *Inflammation of Joints*, 177
 — Gouty, (179), 15
 Syphilis, 9
 — of the alveoli, (95), 9
 — — arteries, (73), 9
 — — bones, (177), 9
 — Cicatricial, 9, 313
 — Constitutional, 9, 313
 — of the dental periosteum, (93), 9
 — — Eustachian tube, (61), 9
 — — external ear, (59), 9
 — — internal ear, (63), 9
 — — eyelids, (55), 9
 — — fauces, (99), 9
 — — female breast, (173), 9
 — Gummatous, 9, 313
 — of the gums, (95), 9
 — — heart, (71), 9
Syphilis, Hereditary, 9, 313
 — manifested at birth, 9, 313
 Syphilis, Inflammatory and exudative, 9, 313
 — of the kidney, (129), 9

SYP

- Syphilis of the larynx, (79), 9**
 — — lips, (89), 9
 — — liver, (115), 9
 — — lung, (85), 9
 — — lymphatic glands, (123), 9
 — — mastoid cells, (61), 9
 — — mouth, (89), 9
 — — muscles, (185), 9
 — — nose, (65), 9
 — — œsophagus, (101), 9
 — — palate, (99), 9
 — — penis, (137), 9
 — — pericardium, (69), 9
 — — pharynx, (101), 9
 — — pleura, (87), 9
 — Primary, 9 (No. 29), 313
 — of the rectum, (111), 9
 — — sclerotic, (37), 9
 — — scrotum, (139), 9
 — Secondary, 9 (No. 29), 313
 — of the skin, (197), 9
 — — teeth, (95), 9
 — Tertiary, Note, 9 (No. 29), 313
 — of the testicle, (143), 9
 — — tongue, (97), 9
 — — trachea, (81), 9
 — — tympanum, (61), 9
 — — uterus, (149), 9
 — — vagina, (153), 9
 — — vulva, (155), 9
 — Ulcerative and destructive, 9, 313
- SYPHILIS, 8**
 — ALVEOLORUM, (94), 8
 — ANI, (110), 8
 — ARTERIARUM, (72), 8
 — AURIS INTERNÆ, (62), 8
 — CELLULARUM MASTOIDEARUM, (60), 8
 — COLIS, (136), 8
 — CORDIS, (70), 8
 — CUTIS, (196), 8
 — DENTIUM, (94), 8
 — FAUCIUM ET PALATI, (98), 8
 — GINGIVARUM, (94), 8
 — GLANDULARUM LYMPHATICARUM, (122), 8

SYP

- SYPHILIS GUMMOSA, 8, 312**
 — INGENITA, 8, 312
 — — CUM CICATRICE, 312
 — — GUMMOSA, 312
 — — INFLAMMATIONE ET EXUDATIONE, 312
 — — ULCERANS ET ERODENS, 312
 — JECORIS, (114), 8
 — LABRORUM, (88), 8
 — LARYNGIS, (78), 8
 — LINGUÆ, (96), 8
 — MAMMÆ MULIEBRIS, (172), 8
 — MEMBRANÆ TYMPANI, (60), 8
 — MUSCULORUM, (184), 8
 — NASI, (64), 8
 — ORIS, (88), 8
 — OSSIUM, (176), 8
 — PALPEBRARUM, (54), 8
 — PENIS, (136), 8
 — PERICARDII, (68), 8
 — PHARYNGIS ET ÆSOPHAGI, (100), 8
 — PLEURÆ, (86), 8
 — PRIMARIA, 8, 312
 — — LINGUÆ, (96), 8
 — PULMONIS, (84), 8
 — RECTI INTESTINI, (110), 8
 — RENUM, (128), 8
 — SCROTI, (138), 8
 — SECUNDARIA, 8 (No. 29)
 — — LINGUÆ, (96), 8
 — TESTICULORUM, (142), 8
 — TRACHÆ ET BRONCHIORUM, (80), 8
 — TUBÆ EUSTACHIANÆ, (60), 8
 — TUNICÆ SCLEROTICÆ, (36), 8
 — TYMPANI, (60), 8
 — UTERI, (148), 8
 — VAGINÆ, (152), 8
 — VULVÆ, (154), 8
- Syphilitic affections of the fauces, (99), 9**
 — — — larynx, (79), 9
 — — — pharynx and œsophagus, (101), 9
 — — — tonsils, (99), 9
 — — — bubo, (123), 9
 — — — deposit of the liver, (115), 9
 — — — lung, (85), 9

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with ; the figures without brackets indicating where the disease should be registered ; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

SYP

- Syphilitic deposit in muscle, (185), 9
 — disease, 9
 — — of bones, (177), 9
 — — — brain, (23), 9
 — — — testicle, (143), 9
 — inflammation, 9, 313,
 — — of glands, (123), 9
 — iritis, (39), 9
 — laryngitis, (79), 9
 — meningitis, (21), 9
 — necrosis of the cartilages of the larynx,
 (79), 9
 — — — — trachea, (81), 9
 — ulcer of the larynx, Note, (79), 9
 — — — lips, (89), 9
 Syreniform fœtus, Malformation, 15, 301

TABACUM, Venenum, 206

Tabes dorsalis, see Sclerosis of the posterior columns, 23

— *mesenterica*, see Tubercle of lymph-glands, (121), 15

Tœnia, Parasite (the varieties are given at p. 285)

Talipes calcaneus, 187; Malformation, 15, 305

— equino-valgus, 187; Malformation, 15, 305

— — varus, 187; Malformation, 15, 305

— equinus, 187; Malformation, 15, 305

— valgus, 187; Malformation, 15, 305

— varus, 187, Malformation, 15, 305

Tapping antrum, Operation, 257

— and drainage of hydatid cyst, Operation, 251

— (Aspiration) of hydatid cyst, Operation, 251

— bronchocele, Operation, 269

— joint, Operation, 281

— of urinary bladder, Operation, 269

— — — — above pubes, 269

— — — — through rectum, 269

Tarsal bones, Dislocation of, 249

Tarsal ophthalmia, see Blepharitis, 55

TARSI OPHTHALMIA, 54

Tarsus, Fracture of, 247

Tartaric acid, Poison, 201

TAXUS BACCATA, Venenum, 206

Teeth, Abnormal structure of, 95

— Deficient or imperfectly developed, Malformation, 15, 295

— Diseases of, 91

TEN

Teeth, Dislocation of, see Injuries of Teeth, (97), 13, 229

— Extraction of, Operation, 259

— Fracture of, see Injuries of Teeth, (97), 13, 229

— Honeycombed, 95

— Impaction of, 95

— Irregularity in form of, see Abnormal form of Teeth, 95

— — — — number of, 95 (Nos. 405, 406)

— — — — position of, 95 (No. 408)

— Mechanical injuries of, (97), 13, 229

— Stopping, Operation, 259

— Supernumerary, 95

— Suppression of, 95

Teething, Note, 91

TELE CONNEXIVÆ ABSCESSUS, 188

— — — — EMPHYSEMA, 188

— — — — HÆMORRHAGIA, 188

— — — — INFLAMMATIO, 188

— — — — MORBI, 188

— — — — SPHACELUS, 188

— — — — TUMORES MALIGNI, (188), 14

— — — — NON MALIGNI, (188), 14

Teleangiectasis, see Simple Angeioma, 311

TENDINUM DIRUPTIO SPONTANEA, 186

— ET EORUM THECARUM LÆSIONES, 222

— — — — — DIRUPTIO, 222

— — — — — EX MUSCULORUM CONTRACTIONE
 VIOLENTA, 222

— — — — — EX VI EXTERNA 222

— — — — — LOCO MOTUS, 222

— — — — — STREMA, 222

— — — — — VULNUS IMPERFECTA, 222

— — — — — PERFECTA, 222

— — — — — FASCIARUM COARCTATIO, 184

— — — — — INFLAMMATIO, 184

— — — — — MORBI, 184

TENDO ADHÆRENS, 184

Tendons, Adhesion of, 185

— Contraction of, 185

— Diseases of, 185

— Displacement of, 223

— Inflammation of, 185

— Injuries of, (187), 13, 223

— Malignant New Growth of, (185), 15

— Non-malignant New Growth of, (185), 15

— Operations on, 281

— Rupture of, 223

— — — — — from violent muscular exertion, 223

— — — — — external violence, 223

TEN

- Tendons and their sheaths, Injuries of, 223
 — Spontaneous rupture of, 187
 — Strain of, 223
 — Wound of, 223
Tenebrio molitor, Parasite, 287
TENONTOTOMIA, *Opus chirurgicum*, 280
TENOTOMIA, *Opus chirurgicum*, 280
Tenotomy, Operation, 281
 — of tensor tympani, Operation, 255
Tensor tympani, Tenotomy of, Operation, 255
TENSORIS TYMPANI TENONTOTOMIA, *Opus chirurgicum*, 254
Tephromyelitis, see *Myelitis* of the anterior cornua, 21
TEREBINTHINA, Venenum, 202
TREBRATIO, *Opus chirurgicum*, 256
 Tertian ague, under Malarial Fever, 9
 Tertiary Syphilis, Definition, 9, 313
Testicle absent, Malformation, (143), 15, 297
 — Abscess of, 141
 — Atrophy of, 141
 — Contusion of, 243
 — — — with formation of hæmatocele, 243
 — Cystic disease of, 141
 — Diseases of, 141
 — Fœtal remains in, Malformation, see Double fœtus, 15, 203
 — Injuries of, (143), 13, 243
 — Malformations of, (143), 15, 297, 305
 — Malignant New Growth of, (141), 15
 — Malposition of, (143), 15, 305
 — Neuralgia of, (143), 29
 — Non-malignant New Growth of, (141), 15
 — Protrusion of the tubuli of, 141
 — — — — Operation for, 273
 — retained in the abdomen, Malformation, (143), 15, 305
 — — — inguinal canal, Malformation, (143), 15, 305
 — Syphilitic disease of, (143), 9
 — Tubercle of, (143), 15
 — Wound of, (143), 13, 243
TESTICULI CONTUSIO, 242
 — FUNGUS, 140

THIR

- TESTICULI HERNIA*, 140
 — VULNUS, 242
TESTICULORUM ABSCESSUS, 140
 — ATROPHIA, 140
 — CYSTIS, 140
 — DEFECTUS (ALTERUTRIUS VEL UTRIUSQUE), Deformitas ingenta, (142), 14, 296
 — INFLAMMATIO, 140
 — MORBI, 140
 — TUBULORUM PROCIDENTIA, 140
TESTICULUS IN FORAMINE INGUINALI RETENTUS, Deformitas ingenta, (142), 14, 304
 — IN VENTRE RETENTUS, Deformitas ingenta, (142), 14, 304
Testis, *Fungus* of, see Protrusion of the Tubuli of the Testicle, 141
 — *Hernia* of, see Protrusion of the Tubuli of the Testicle, 141
TETANIA, 28
Tetanus, 29
 — consequent on parturition, (169), 29
Tetany, 29
Tetrastoma renale, Parasite, 285
Thecal abscess, 187
THECARUM ABSCESSUS, 186
Thickening of the capsule of Glisson, see Perihepatitis, 113
Thickening of the pleura, see Adhesions of, 87
Thigh, Amputation of, Operation, 281
Thirst, see Privation, 215
Thoracic duct, Obstruction of, Note, 123
 — — — Injury of, 233
 — — — Wound of, 221
 — paracentesis, Operation, 263
THORACIS DISTORTIONES INGENITE, 14, 304
 — FISSURA, Deformitas ingenta, 14, 298
 — VULNUS PERFORANS, 234
Thorax, Congenital distortion of, 15, 305
Thorn-apple, Poison, 207
Throat, Cut-, see Wound of Neck, 233
Throat, Putrid sore, see Sloughing S. T., 99
Throat, Relaxed, 97
 — Sloughing sore, Note, 99
 — Sore, 99

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with ; the figures without brackets indicating where the disease should be registered ; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

THR

- Throat, Ulcerated (Ulceration of fauces), 99
 Thrombosis of arteries, 75
 — — kidney, 75, 77, 129
 — — pulmonary artery as a cause of sudden death after delivery, 171
 — — uterine ligaments, 147
 — — veins, 77
 THROMBOSIS ARTERIARUM, 74
 — IN PUERPERIS, (170), 74
 — RENUM, (128), 74
 — VENARUM, 76
 — VENOSA IN PUERPERIS, (168), 76
 Thrombus of vulva, (155), 75, 77
 THROMBUS VULVÆ, (154), 74, 76
 Thrush, 89
 — fungus, (89), 11, 290
 Thumb, Dislocation of, 245
 Thymus, Diseases of, 123
 — Delayed involution of, see Hypertrophy of, 123
 — Hypertrophy of, 123
 — — Malignant New Growth of, (123), 15
 — Non-malignant New Growth of, (123), 15
 Thyrectomy, Operation, 269
 Thyroid body, Atrophy of, 123
 — — Cyst of (Cystic Goitre), 125
 — — Diseases of, 123
 — — Hypertrophy of, 123
 — — Inflammation of, 125
 — — Injuries of, (125), 13
 — — Malignant New Growth of, (125), 15
 — — Operations on, 269
 — — Parasitic disease of, (125), 11
 THYROTOMIA, Opus chirurgicum, 262
 Thyrotomy, Operation, 263
 Tibia, Fracture of, 247
 TIBIÆ SOLIUS FRACTURA, 246
Tic douloureux, see Facial neuralgia, 29
 Tinea circinata, see Ringworm, 197
 — favosa, see Favus, 197
 — marginata, see Ringworm, 197
 — tonsurans, see Ringworm, 197
 — versicolor, 197
 TINEA TONDENS, 196
 Tinnitus, 63
 Tobacco, Poison, 207
 Toes, Amputation of, 281
 — Conjoined, Malformation, 15, 301
 — deficient in number, Malformation, 15, 297
 — Supernumerary, Malformation, 15, 303
 Tongue, Abscess of, 97

TRA

- Tongue, Anæsthesia of, (97), 27
 — Atrophy of, 97
 — Diseases of, 97
 — Hypertrophy of, 97
 — Inflammation of, 97
 — Malformations of, (97), 15, 303
 — Malignant New Growth of, (97), 15
 — Non-malignant New Growth of, (97), 15
 — Paralysis of, (97), 25
 — Removal of, Operation, 257
 — Syphilis of, Primary, (97), 9
 — — Secondary, (97), 9
 — —tie, Malformation, (97), 15, 303
 — Ulcer of, 97
 TONSILLARUM ABLATIO, Opus chirurgicum, 258
 — HYPERTROPHIA, 96
 TONSILLITIS FOLLICULARIS, 98
 Tonsillitis, 99
 — Follicular, 99
 — Suppurative, see Quinsey, 99
 Tonsils, Enlarged, 97
 — Malignant New Growth of, (99), 15
 — Non-malignant New Growth of, (99), 15
 — Removal of, Operation, 259
 — Syphilitic affection of, (99), 9
 Toothache, 97
Torticollis, see Wry-neck, 27
 TORSIO ARTERIARUM, Opus chirurgicum, 262
 Torsion of vessels, 263
 Torula cerevisiæ, Parasite, 290
 Toxic Insanity, and varieties, 31
 — Paralysis, 27
 TOXICA INSANIA, 30
 — — EX ALCOHOLE, 30
 — — — PLUMBO, 30
 — — — PODAGRA, 30
 Trachea absent or imperfect, Malformation, (83), 15, 295
 — Necrosis of the cartilages of, Note, 81
 — and bronchi, Contraction of, 81
 — — — Diseases of, 81
 — — — Dilatation of, 81
 — — — Foreign bodies in, (83), 15, 233
 — — — Malformations of, (83), 15, 295
 — — — Malignant New Growth of, (81), 15
 — — — Non-malignant New Growth of, (81), 15
 — — — Ossification of cartilages of, 81
 — — — Parasitic disease of, (81), 11
 — — — Rupture of, 233
 — — — Softening of cartilages of, 81

TRA

- Trachea and bronchi, Syphilis of, (81), 9
 — — — Tubercle of, (81), 15
 — — — Ulcer of, 81
 TRACHEA RUPTA, (82), 12, 232
 TRACHEÆ ET BRONCHIORUM COARCTATIO, 80
 — — — CARTILAGINUM MOLLITIES, 80
 — — — MORBI, 80
 — — — — NECROSIS, 80
 — — — — ULCUS, 80
 TRACHEOTOMIA, Opus chirurgicum, 262
 Tracheotomy, Operation, 263
 Trachoma, vide OPHTHALMIA GRANULARIS, 32
 TRACTUM (SIVE VIARUM) LACRYMALIUM MORBI, 52
 Transfusion, Operation, 279, 283
 TRANSFUSIO, Opus chirurgicum, 278, 282
 Transplantation of the ovary, 145
 Transposition of viscera, Malformation, 15, 303
 Transudation tumours, (307)
 Traumatic aneurysm, 75
 — aneurysmal varix, 77
 — cataract, 47
 — insanity, 31
 — iritis, 39
 — varicose aneurysm, 77
 TRAUMATICA INSANIA, 30
 Treatment of cases of poisoning, 283
 Trematoda, Parasites, 284
 TREMOR MERCURIALIS *sive* EX HYDRARGYRO, 26, 198
 Tremor, Mercurial, 27, 199
 TREMULA IRIS, 40
 Tremulous iris, 41
 Trephining, Operation, 257
 Trichiasis, 55
 — Operation for, 253
 Trichina spiralis, Parasite, 286
 Trichinosis, (185), 11, 286
 Trichocephalus dispar, Parasite, 286
 Trichophyton tonsurans, Parasite, 291
 Tricuspid valve, Disease of, 67
 Triple phosphate calculus, 133
 Trismus, see Tetanus, 29
 Trismus nascentium, see Tetanus, or Tetany, 29
 Trochanter major, Fracture of, 247

TUB

- Trombidium cinereum, Parasite, 290
 True leprosy, 17
 TUBE EUSTACHIANÆ, CATHETERISMUS, Opus chirurgicum, 254
 — — INFLATIO, Opus chirurgicum, 254
 — — MORBI, 60
 — — OBSTRUCTIO, 60
 — — FALLOPIANÆ ADHÆRENTIA, 146
 — — CYSTIS, 144
 — — DILATATIO, 146
 — — E SANGUINE DISTENSIO, 144
 — — EXCISIO, Opus chirurgicum, 272
 — — HERNIA, 146
 — — HYDROPS, 144
 — — INFLAMMATIO, 144
 — — MORBI, 144
 — — OCCLUSIO, 146
 — — PRODUCTIO, 146
 — — STRICTURA, 146
 — — SUPPURATIO, 144
 Tubercle, 15, 315
 — of bones, (177), 15
 — of the brain, Miliary or granular, Note, (23), 15, 315
 — — — Yellow, (23), 15, 315
 — — bronchi, (81), 15
 — — bronchial glands, see Lymphatics, (121), 15
 — — Fallopian tube, (147), 15
 — — kidney, (129), 15
 — — heart, (71), 15
 — — intestines, (105), 15
 — — larynx, (79), 15
 — — liver, (115), 15
 — — lung, (85), 15
 — — lymphatics, (121), 15
 — — mesenteric glands, see Lymphatics, (121), 15
 — — miliary or granular, of the brain, Note, (23), 15, 315
 — — ovary, (145), 15
 — — pericardium, (69), 15
 — — pleura, (87), 15
 — — prostate gland, (137), 15

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with ; the figures without brackets indicating where the disease should be registered ; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

TUB

- Tubercle of the spleen, (121), 15
 — — suprarenal capsules, (125), 15
 — — testicle, (143), 15
 — — trachea and bronchi, (81), 15
 — — uterus, (149), 15
 — Grey, 15, 315
 — — Inflammatory, 315
 — — Retrograde, 315
 — — Simple, 315
 — — Ulcerative and destructive, 315
 — Yellow, 15, 315
 — — Inflammatory, 315
 — — Retrograde, 315
 — — Simple, 315
 — — Ulcerative and destructive, 315
 TUBERCULA, 14
 — DEPOSITA IN CEREBRO, (22), 14
 — MILIARIA ACUTA PULMONIS, (84), 14
 — — NERVORUM APPARATUS, (22), 14
 Tubercular degeneration of the supra-renal capsules, (125), 15
 — deposit of the brain, (23), 15
 — Leprosy, see Leprosy, 17
 — meningitis. *Syn.*, Acute Hydrocephalus, (21), 15
 — pericarditis, (69), 15
 — peritonitis, (117), 15
 — pleurisy, (87), 15
 TUBERCULOSIS, 2
 Tuberculosis, Acute miliary, of lung, (85), 15
 — of arteries, (73), 15
 — — nervous system, (23), 15
 TUBERCULUM, (312), 14, 314
 — CAPSULARUM SUPRARENALIUM, (124), 14
 — CINEREUM, 314
 — — CUM INFLAMMATIONE, 314
 — — RETROGRADUM CUM CICATRICE, 314
 — — SIMPLEX, 314
 — — ULCERANS ET ERODENS, 314
 — FLAVUM, 314
 — — CUM INFLAMMATIONE, 314
 — — NERVORUM APPARATUS, (22), 14
 — — RETROGRADUM CUM CICATRICE, 314
 — — ULCERANS ET ERODENS, 314
 — GLANDULÆ PROSTATÆ, (136), 14
 — GLANDULARUM BRONCHIALIUM, (120), 14
 — — LYMPHATICARUM, (120), 14
 — — MESENTERII, (120), 14
 — INTESTINORUM, (104), 14
 — JECORIS, (114), 14

TUM

- TUBERCULUM LARYNGIS, (78), 14
 — LIENIS, (120), 14
 — MEMBRANARUM CORDIS, (68), 14
 — NERVORUM APPARATUS, (22), 14
 — — FLAVUM, (314), 14
 — OSSIUM, (176), 14
 — OVARII, (144), 14
 — PLEURÆ, (86), 14
 — PULMONIS, (84), 14
 — RENUM, (128), 14
 — TESTICULORUM, (142), 14
 — TRACHEÆ ET BRONCHIORUM, (80), 14
 — TUBÆ FALLOPIANÆ, (146), 14
 — UTERI, (148), 14
 Tuberos fibroma, Tumour, 309
 Tubuli of the testicle, Protrusion of the, 141
 TUBULORUM TESTICULI PROCIDENTIA, 140
 TUBA FALLOPIANA LOCO MOTUS, 146
 Tumor adenoides *mammæ muliebris*, vide
 TUMORES NON MALIGNI, (172), 14, 310
 TUMOR ADIPOSUS, 308
 — CUTIS, (196), 14, 310
 Tumor alveolaris, glutinosus, collodes ovarii,
 vide TUMOR CYSTICUS MULTIPLEX O., 142
 TUMOR BURSE, 186
 — CARTILAGINOSUS, vide CHONDROMA, 308
 — CHELOIDES, 194, 308
 — CYSTICUS FÆCUNDUS OVARII, 142
 — — MULTIPLEX OVARII, 142
 — — SIMPLEX OVARII, 142
 — FIBROMUSCULARIS UTERI, (148), 14
 — FIBROMUSCULARIS VAGINÆ, (152), 14
 — FIBROSUS, vide FIBROMA, 308
 — — OVARII, (144), 14, 308
 — MAMMARUM CHRONICUS SIVE LONGUS, (172),
 14, 310
 — MUCOSUS, 308
 — MYELOIDES, vide SARCOMA MYELOIDES, 312
 — OSSEUS, 308
 — SEBACEUS, (308), 194
 — SPONGIOSUS MUSCULORUM, (184), 14
 — VASCULOSUS, vide ANGEIOMA, 310
 — — URETHRÆ, (154), 14, 310
 — VERRUCOSUS, vide PAPILLOMA, 310
 TUMORES EX GRANULATIONE, 310
 — — Var., SIMPLEX, 310
 — — PROLIFERATIONE, 306, 308
 — — RETENTIONE, (306)
 — — IN LOCO FORMATIONIS, (306)
 — — IN LOCO DISTANTE, 308
 — — SUFFUSIONE *sive* EXTRAVASATIONE, 306

TUM

TUMORES EX TRANSUDATIONE ET EXUDATIONE,
306

TUMORES IN CLASSES DISTRIBUTIO, 306

TUMORES MALIGNI, 14
 — ANI, (110), 14
 — ARTICULORUM, (178), 14
 — AURIS, (58), 14
 — — EXTERNÆ, (58), 14
 — — INTERNÆ, (62), 14
 — — MEDLÆ, (60), 14
 — CAPSULARUM SUPRARENALIIUM, (124), 14
 — CELLULARUM MASTOIDEARUM, (60), 14
 — CEREBRI, (22), 14
 — COLIS, (136), 14
 — CORDIS, (70), 14
 — CORPORA THYROIDIS, (124), 14
 — CORNEÆ, (36), 14
 — CUTIS, (196), 14
 — DUCTUS NASALIS, (52), 14
 — DUCTUM JECORIS, (114), 14
 — GINGIVARUM ET ALVEOLORUM, (94), 14
 — GLANDULÆ PROSTATÆ, (136), 14
 — — THYMI, (122), 14
 — GLANDULARUM LYMPHATICARUM, (120), 14
 — — SALIVOSARUM, (100), 14
 — INTESTINORUM, (104), 14
 — IRIDIS, (40), 14
 — JECORIS, (114), 14
 — LABRORUM, (86), 14
 — LARYNGIS, (78), 14
 — LIENIS, (120), 14
 — LINGUÆ, (96), 14
 — MAMMÆ MULIEBRIS, (172), 14
 — MAMMILLÆ VIRILIS, (174), 14
 — MAXILLARUM, ITEM ANTRI, (90), 14
 — MEDULLÆ SPINALIS, (22), 14
 — MEMBRANARUM CORDIS, (68), 14
 — MEMBRANÆ TYMPANI, (60), 14
 — MUSCULORUM, (184), 14
 — NASI, (64), 14
 — NERVI OPTICI, (42), 14
 — NERVORUM APPARATUS, (22), 14
 — ŒSOPHAGI, (100), 14
 — ORBITÆ, (56), 14

TUM

TUMORES MALIGNI ORIS, (88), 14
 — — OSSICULORUM AUDITUS, (60), 14
 — — OSSIIUM, (176), 14
 — — OVARIUM, (144), 14
 — — PALATI ET FAUCIUM, (98), 14
 — — PALPEBRARUM, (54), 14
 — — PANCREATIS, (116), 14
 — — PENIS, (136), 14
 — — PERITONÆI, (118), 14
 — — PHARYNGIS, (100), 14
 — — PLEURÆ, (86), 14
 — — PULMONIS, (84), 14
 — — RECTI INTESTINI, (110), 14
 — — RENUM, (128), 14
 — — RETINÆ, (44), 14
 — — SCROTI, (138), 14
 — — SPINÆ, (182), 14
 — — TELÆ CONNEXIVÆ, (188), 14
 — — TENDINUM ET FASCIARUM, (184), 14
 — — TESTICULORUM, (140), 14
 — — TRACHÆÆ ET BRONCHIORUM, (80), 14
 — — TUBÆ EUSTACHIANÆ, (60), 14
 — — — FALLOPIANÆ, (144), 14
 — — TUNICÆ CHOROIDIS, (40), 14
 — — — CONJUNCTIVÆ, (32), 14
 — — — SCLEROTICÆ, (36), 14
 — — TYMPANI, (60), 14
 — — UTERI, (148), 14
 — — VAGINÆ, (152), 14
 — — VENTRICULI, (102), 14
 — — VESICÆ, (130), 14
 — — VESICULÆ FELLIS, (114), 14
 — — VULVÆ, (154), 14
 — NON MALIGNI, 14
 — ANI, (110), 14
 — ARTICULORUM, (178), 14
 — AURIS EXTERNÆ, (58), 14
 — — INTERNÆ, (62), 14
 — — — MEDLÆ, (60), 14
 — CAPSULARUM SUPRARENALIIUM, (124), 14
 — CELLULARUM MASTOIDEARUM, (60), 14
 — CEREBRI, (22), 14
 — — COLIS, (136), 14
 — CORDIS, (70), 14

EXPLANATIONS.—The names for common use are printed in **Egyptian type**, Latin names proper in **ROMAN SMALL CAPITALS**, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

TUM

- TUMORES NON MALIGNI CORNEÆ (36), 14
 — — CORPORIS THYROIDIS, (124), 14
 — — CUTIS, (196), 14
 — — DENTINÆ, (92), 14
 — — DUCTUS NASALIS, (52), 14
 — — DUCTUUM JECORIS, (114), 14
 — — FUNICULI SEMINALIS, (140), 14
 — — GINGIVARUM ET ALVEOLORUM, (94), 14
 — — GLANDULARUM LYMPHATICARUM, (120), 14
 — — — SALIVOSARUM, (100), 14
 — — GLANDULÆ PROSTATÆ, (136), 14
 — — — THYMI, (122), 14
 — — INTESTINORUM, (104), 14
 — — IRIDIS, (40), 14
 — — JECORIS, (114), 14
 — — LABRORUM, (86), 14
 — — LARYNGIS, (78), 14
 — — LIENIS, (120), 14
 — — LINGUÆ, (96), 14
 — — MAMMÆ MULIEBRIS, (172), 14
 — — MAMMILLÆ VIRILIS, (174), 14
 — — MAXILLARUM, ITEM ANTRI, (90), 14
 — — MEDULLÆ DENTII, (90), 14
 — — — SPINALIS, (22), 14
 — — MEMBRANARUM CORDIS, (68), 14
 — — MEMBRANÆ TYMPANI, (60), 14
 — — MUSCULORUM, (184), 14
 — — NASI, (64), 14
 — — NERVI OPTICI, (42), 14
 — — NERVORUM APPARATUS, (22), 14
 — — ŒSOPHAGI, (100), 14
 — — ORBITÆ, (56), 14
 — — ORIS, (88), 14
 — — OSSICULORUM AUDITUS, (60), 14
 — — OSSIUM, (176), 14
 — — OVARII, (144), 14
 — — PALATI ET FAUCIUM, (98), 14
 — — PALPEBRARUM, (54), 14
 — — PANCREATIS, (116), 14
 — — PENIS, (136), 14
 — — PERITONÆI, (118), 14
 — — PHARYNGIS, (100), 14
 — — PLEURÆ, (86), 14
 — — PULMONIS, (84), 14
 — — RECTI INTESTINI ET ANI, (110), 14
 — — RENUM, (128), 14
 — — RETINÆ, (44), 14
 — — SCROTI, (138), 14
 — — SPINÆ, (182), 14
 — — TELÆ CONNEXIVÆ, (188), 14
 — — TENDINUM ET FASCIARUM, (184), 14

TUM

- TUMORES NON MALIGNI TESTICULORUM, (140), 14
 — — TONSILLARUM, (98), 14
 — — TRACHEÆ ET BRONCHIORUM, (80), 14
 — — TUBÆ EUSTACHIANÆ, (60), 14
 — — — FALLOPIANÆ, (144), 14
 — — TUNICÆ CHOROIDIS, (40), 14
 — — — CONJUNCTIVÆ, (32), 14
 — — — SCLEROTICÆ, (36), 14
 — — TYMPANI, (60), 14
 — — UTERI, (148), 14
 — — — LIGAMENTORUM, (146), 14
 — — VAGINÆ, (152), 14
 — — VENTRICULI, (102), 14
 — — VESICÆ, (130), 14
 — — VESICULÆ FELLIS, (114), 14
 — — VULVÆ, (154), 14
 TUMORIS ADIPOSI NASI QUEM VOCANT LIPOMA
 ABLATIO, Opus chirurgicum, 256
 TUMORUM A PARTIBUS ABLATIO, Opus chirurgi-
 cum, 250
 — FLUIDORUM PARACENTESIS, Opus chirurgicum,
 250
 — — — PER DERIVATIONEM, Opus chirurgicum,
 250
 — — — — GALVANOPUNCTIONEM, Opus chi-
 rurgicum, 250
 — — — — SEQUENTES INFUSIONES, 250
 Tumour, Adenoid, of the female breast
 (173), 15, 311
 — Bursal, 187
 — Cartilaginous, see Chondroma, 15, 309
 — Chronic mammary, (173), 15, 311
 — Fatty, see Lipoma, 15, 309
 — Fibrous, see Fibroma, 15, 309
 — Fluid, Paracentesis of, Operation, 251
 — Gelatinous, see Myxoma, 309
 — Molluscous, of the external meatus, see
 Sebaceous T. of, 59
 — Mucous, see Myxoma, 309
 Tumour, Multiple cystic, of the ovary, 143
 — Myeloid Sarcoma, 15, 313
 — Osseous, see Osteoma, 15, 309
 — of the Eyelids, Operation for, see Removal
 of tumours, 251
 — Proliferous cystic, of ovary, 143
 — Retention, 307
 — — in loco formationis, 307
 — — — distante, 309
 — Sebaceous, see Wen, (309), 195
 — — of the External meatus, (309), 59

TUM

- Tumour, Sebaceous, of the skin, (309), 15, 195
 — Simple cystic, of ovary, 143
 — Vascular, see *Angeioma*, 311
 — of the meatus urinarius, (155), 15, see
 Papilloma, 311
 — Warty, see *Papilloma*, 311
TUMOURS, CLASSIFICATION OF, 307
 Tumours Extravasation, (307), 15
 — Fluid, Paracentesis of, Operation, 251
 — Malignant. (For their classification and
 local distribution, see *Malignant New*
 Growths, 15, 307)
 — Non-malignant. (For their classification
 and local distribution, see *Non-malignant*
 New Growths, 15, 307)
 + Proliferation, 309
 — Removal of, 251
 — Retention, (307), 15
 — Transudation and exudation, (307), 15
TUNICA VAGINALIS CORPORA LIBERA, 140
 — — *HÆMATOCELE*, 140
 — — *HYDROCELE*, 140
 — — — *CYSTICA*, 140
 — — — *INFANTILIS*, 140
 — — — *INGENITA*, 140
 — — *INFLAMMATIO*, 140
 — — *MORBI*, 140
Tunica vaginalis, Diseases of, 141
 — — *Hæmatocele* of, 141
 — — *Hydrocele* of, 141
 — — *Infantile*, 141
 — — *Congenital*, 141
 — — — *Encysted*, 141
 — — *Inflammation* of, 141
 — — *Loose bodies* in, 141
TUNICÆ CONJUNCTIVÆ DEFORMITATES INGENITÆ,
 (34), 14
 — — *ECCHYMOSES*, 32
 — — *EMPHYSEMA*, 32
 — — *HYPERÆMIA*, 32
 — — *LÆSIONES*, (34), 12, 228
 — — *MORBI*, 32
 — — *MORBUS PARASITICUS*, (34), 10
 — — *TUMORES MALIGNI*, (32), 14

ULC

- TUNICÆ CONJUNCTIVÆ TUMORES NON MALIGNI,**
 (32), 14
 — *CORNÆÆ FISTULA*, 36
 — — *LÆSIONES*, (36), 12, 230
 — — *MORBI*, 34
 — — *TUMORES MALIGNI*, 36
 — — — *NON MALIGNI*, 36
 — — *ULCUS*, 34
 — *SCLEROTICÆ INFLAMMATIO*, 36
 — — *LÆSIONES*, (36), 12, 228
 — — *MORBI*, 36
 — — *STAPHYLOMA*, 36
 — — *SYPHILIS*, (36), 8
 — — *TUMORES MALIGNI*, (36), 14
 — — — *NON MALIGNI*, (36), 14
Turning, see *Version*, Obstetric operation, 277
Turpentine, Poison, 203
Twist of gut, see *Volvulus*, 107
Tylosis, see *Leucoplacia*, 97
Tympani, Membrana, Diseases of, 61
 — — *Inflammation* of, 61
 — — *Injuries* of, (63), 13, 231
 — — *Perforation* of, 63
 — — *Ulceration* of, 61
TYMPANI MORBI, 60
Tympanites, 105
Tympanum, Diseases of, 61
 — — — *ossicles* of the, 61
 — — *Inflammation* of, 61
 — *Malignant New Growth* of, (61), 15
 — *Non-malignant New Growth* of, (61), 15
 — *Syphilis* of, (61), 9
Typhlitis, 105
Typhoid fever, 7 (No. 17)
Typho-malarial fever, 7
Typhus, 7
Tyroglyphus Mericourti, Parasite, 289

Ulcer of the bronchi, 81
 — — *cornea*, 35
 — — *hepatic ducts and gall-bladder*, 115
 — — *intestines*, 105
 — — *larynx*, 79

EXPLANATIONS.—The names for common use are printed in *Egyptian type*, Latin names proper in *ROMAN SMALL CAPITALS*, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

ULC

- Ulcer of the larynx, Phthisical, (Tubercle), (79), 15
 — — Syphilitic, (Syphilis), (79), 15
 — — lips, 87
 — — — Syphilitic, (89), 9
 — — penis, 137
 — — pharynx, 101
 — — rectum, Operation for, 267
 — — skin, 193
 — — stomach, 103
 — — — Perforating, 103
 — Syphilitic, of the lips, (89), 9
 — of the tongue, 97
 — — trachea, 81
 — — urethra, male, 135
 — — uterus, 149
 — — vulva, 155
 Ulcerated nipple, 173
 — throat, see Ulceration of fauces, 99
 ULCERATIO, (2)
 — CARTILAGINIS, 178
 — DUCTUUM JECORIS ET VESICULÆ FELLIS, 114
 — INTESTINORUM, 104
 — LARYNGIS, 78
 — — EX PHTHISI, (78), 14 (under TUBERCLE)
 — — EX SYPHILIDE, (78), 8
 — LIGAMENTORUM ET CARTILAGINUM SPINÆ, 180
 — NASI, 64
 — ŒSOPHAGI, 100
 — PHARYNGIS, 100
 — RECTI INTESTINI ET ANI, 108
 — VALVARUM CORDIS, 66
 — VESICÆ, 130
 Ulceration (Caries), (3)
 — of the anus, 109
 — — bladder, 131
 — — cartilage, 179
 — — dental pulp, 91
 — — fauces, 99
 — — gall-bladder, 115
 — — gums, 93
 — — hepatic ducts, 115
 — — intestines, 105
 — — larynx, 79
 — — ligaments and cartilages of the spine, 181
 — — membrana tympani, 61
 — — nose, 65
 — — Œsophagus, 101
 — — pharynx and Œsophagus, 101
 — — rectum, 109

URE

- Ulceration of the stomach, 103
 Ulcerative and destructive syphilis, 9, 313
 — — — tubercle, 9, 315
 — — stomatitis, 89
 ULCUS CORNEÆ, 34
 — CUTIS, 192
 — ERODENS, 312
 — EX CUBANDO, 194
 — ITINERIS URINÆ VIRILIS, 134
 — LABRORUM, 86
 — — SYPHILITICUM, (88), 8
 — LINGUÆ, 96
 — PERFORANS VENTRICULI, 102
 — TRACHEÆ ET BRONCHIORUM, 80
 — UTERI, 148
 Ulna, Dislocation of, 245
 — Fracture of, 243
 ULNÆ FRACTURA, 242
 — LUXATIO, 244
 Umbilical hernia, 107
 — — Congenital, 303
 Undue formation of fat, 189
 UNGUIS OCULI, vide PTERYGIUM, 32
 Unoculus, Malformation, (49), 15, 301
 Un-united fracture of bones, 177
 — — — Operation for, 279
 Upas antiar, Poison, 207
 — tienté, Poison, 207
 UPAS ANTIARICUM, Venenum, 206
 — TIENTICUM, Venenum, 206
 Upper extremity absent, Malformation, 15, 297
 — — Contusion of, 243
 — — Dislocations of, 245
 — — Excision of bones from, Operation, 279
 — — Fractures of, 243
 — — — Greenstick, 245
 — — Injuries of, 243
 — — Separation of epiphyses, 243
 — — Sprain of, 243
 — — Wound of, 243
 — — of joint of, 243
 Urachus persistent, Malformation, 15, 297
 URACHUS PERSISTENS, Deformitas ingenua, 14, 296
 URALIA, Venenum, 206
 Urate of ammonia calculus, see Urates, 133
 Urates, Calculus of, 133
 Ureter, Calculus in, 129
 Ureters absent or impervious, Malformation (129), 15, 297

URE

- URETERES AUT NULLI AUT IMPERVII, Deformitas ingenua, (128), 14, 296
- Urethra, male, Calculus impacted in, 135
- — Diseases of, 135
 - — Fissure of, Malformation, (135), 15, 299
 - — — Epispadic, (135), 15, 299
 - — — Hypospadic, (135), 15, 299
 - — Foreign bodies in, (135), 13, 241
 - — Gleet of, 135
 - — Laceration of, from fracture of pelvis, 241
 - — Lacunar abscess of, 135
 - — Malformations of, (135), 15, 299
 - — Rupture of, 241
 - — Stricture of, 135
 - — — Operation for, 271
 - — — Organic, 135
 - — — Spasmodic, 135
 - — — Traumatic, 135
 - — Ulcer of, 135
 - — Urinary abscess of, 135
 - — — fistula of, 135
 - — Wound of, 241
 - Female, Dilatation of, Operation, 271
- URETHRÆ ABSCESSUS URINALIS, 134
- CARUNCULA, (154), 14, 310
 - DIRUPTIO, 240
 - EX PELVIS FRACTURA LACERATIO, 240
 - FISSURA EPISPADICA, Deformitas ingenua, (134), 14, 298
 - — HYPOSPADICA, Deformitas ingenua, (134), 14, 298
 - FEMINEÆ DILATATIO, Opus chirurgicum, 270
 - LACUNARUM ABSCESSUS, 134
 - MASCULE, PERINEI, SCROTI, PENISQUE VULNUS, 240
 - MORBI, 134
 - STRICTURA, 134
 - — ORGANICA, 134
 - — SPASMODICA, 134
 - — TRAUMATICA, 134
 - TUMOR VASCULOSUS, (154), 14
 - ULCUS, 134

UTE

- Urethral calculi, Removal of, 271
- caruncle, (155), 15, see Papilloma, 311
- Urethritis, 135
- URETHROTOMIA INTERIOR, Opus chirurgicum, 270
- Urethrotomy, External, Operation, 271
- Internal, Operation, 271
 - — Sudden dilatation of stricture, see Forceful dilatation, 271
- Uric acid calculus, 133
- Uric oxide calculus*, see *Xanthin C*, 133
- URINA DEPRAVATA, 128
- URINA SUPPRESSA, 128
- Urinary abscess, 135
- bladder, Diseases of (for their subdivision, see Bladder, Urinary), 131
 - disorders, 129
 - fistula, 135
 - organs, Operations on, 269
- URINARY SYSTEM, DISEASES OF THE, 127
- Urinary System, Malformations of the, (129, 133), 15, 297, 299
- URINÆ APPARATUS MORBI, 126
- URINÆ APPARATUS DEFORMITATES INGENITÆ, (128), (132), 14, 296, 298
- EXTRAVASATIO, SIVE SUFFUSIO, 134
 - INCONTINENTIA, 132
 - ITINERIS VIRILIS MORBI, 134
 - RETENTIO, 132
- Urine, Extravasation of, 135
- Incontinence of, 133
 - Retention of, 133
 - Suppression of, 129
- Urosteolith, see Calculus of bladder, Note, 133
- Urticaria, 191
- UTERI ABSCESSUS, 148
- ATROPHIA, 146
 - — SENILIS, 146
 - CERVICIS ABLATIO, Opus chirurgicum, 272
 - — ECTROPION, 150
 - — EXTENSIO, 160
 - CERVIX PRODUCTA, 146
 - DIRUPTIO, 150, 164
 - DISTENTIO, 150
 - — E PURE, 150

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

UTE

- UTERI DISTENSIO E PURE SANGUINE, 150
 — — — SECRETIS, 150
 — FISTULA, 150
 — GANGRENA, 148
 — HYPERPLASIA, vide HYPERTROPHIA, 146
 — IMMODICA DISTENSIO IN PARTURIENTIBUS, 160
 — — — — EX AMNII LIQUORE IMMODICO, 160
 — — — — GESTATIONE MULTIPLICI, 160
 — INFLAMMATIO, 148
 — — CATARRHALIS, 148
 — — GRANULOSA, 148
 — INTERNI RASURA, Opus chirurgicum, 274
 — ITEM CERVICIS EJUS MORBI, 146
 — LACERATIO, 150, 164
 — LIGAMENTORUM MORBI, ET VICINI PERITONÆI ET MEMBRANÆ CELLULOSÆ, 146
 — — ABSCESSUS, 146
 — — CYSTIS, 146
 — — HÆMATOCELE, 146
 — — — EXTRA PERITONÆUM, 146
 — — — INTRA PERITONÆUM, 146
 — — INFLAMMATIO, 146
 — — THROMBOSIS, 146
 — — VARIX, 146
 — MORBI, ITEM CERVICIS EJUS, 146
 — OCCLUSIO, 150
 — ORIS ET CERVICIS DILATATIO, Opus obstetricum, 276
 — PROCIDENTIA, 148
 — RESOLUTIO IN PARTURIENTIBUS, 160
 — SUBINVOLUTIO, vide U. HYPERTROPHIA, 146
 — SUPERINVOLUTIO, vide U. ATROPHIA, 146
 — SUPRA CERVICEM ABLATIO, Opus chirurgicum, 272
 — TOTIUS ABLATIO, Opus chirurgicum, 272
 — — AUT PARTIS DEFECTUS, Deformitas ingenta, (150), 14, 296
 — TUMOR FIBROSUS, vide MYOFIBROMA, (148), 14, 310
 — ULCUS, 148
 Uteri, Cervix, Cancer of, as an obstacle to parturition, 163
 — — — Elongation of, 161
 — — Sloughing of, consequent on parturition, 169
 — Os, Occlusion of, as an obstacle to parturition, 161
 — — Rigidity of, as an obstacle to parturition, 161

UTE

- Uterine hæmorrhage, see Metrorrhagia, 157
 — ligaments, Diseases of, 147
 Utero-vesical fistula, 151
 — — — Operation for, 275
 Uterus, Abrasion of the cervix of, 149
 — Abscess of, 149
 — absent, Malformation, (151), 15, 297
 — Ante flexion of, 149
 — Anteversion of, 149
 — — — Extreme, as an obstacle to parturition, 165
 — Atony of, during parturition, 161
 — — causing retention of the placenta, 167
 — Atresia of, Operation for, 275
 — Atrophy of, 147
 — — Senile, 147
 — — Superinvolution, 147
 — bicornis, Malformation, (151), 15, 301
 — Catarrh of, see Inflammation of, 149
 — Diminutive, Malformation, (151), 15, 297
 — Discharge of watery fluid from the pregnant, 159
 — Diseases of, 147
 — Displacements of, 149
 — — of the pregnant, 159
 — Distension of, 151
 — — — with blood, 151
 — — — — secretion, 151
 — — — — pus, 151
 — Distortions of, 149
 — Double, Malformation, (151), 15, 301
 — Elongation of the cervix of the, 147, 161
 — Ectropium of the cervix of, 151
 — Erosion of, see Abrasion of, 149
 — Fibroid tumour of, see Myo-fibroma, Non-malignant New Growth, (149), 15, 311
 — Fistula of, 151
 — — — utero-vesical, 151
 — — — — intestinal, 151
 — Functional diseases of, 157
 — Gangrene of, 149
 — Gonorrhœa of, (149), 11
 — Granular inflammation of cervix of, 149
 — Hæmorrhage from the, 147
 — — — pregnant, 159
 — — — — during parturition, 165
 — — — post partum, 167
 — Hernia of, 149
 — — of the pregnant, 159
 — Hour-glass contraction of, causing retention of the placenta, 167

UTE

- Uterus, Hydrorrhœa of the pregnant, 159
 — Hypertrophy of, 147
 — Hysteralgia of the pregnant, 159
 — Inflammation of, 149
 — — Catarrhal of, 149
 — — Granular, of the cervix of, 149
 — Impervious, Malformation, (151), 15, 297
 — Injections into, to arrest hæmorrhage, Obstetric operation, 279
 — Injuries of, 241
 — — of the pregnant, 241
 — Inversion of, 149
 — — — during parturition, 167
 — Inverted, Reduction of, Obstetric operation, 277
 — Laceration or rupture of, 151
 — — the body of, 151
 — — cervix of, 151
 — — from parturition, 165
Uterus, Leucorrhœa of, see Catarrh of, 149
 Uterus, Mechanical obstacle to the action of, during parturition, 161
 — — — from ankylosed coccyx, 163
 — — — cancer of the cervix uteri, 163
 — — — cancer of the vagina, 163
 — — — cicatrix or band of the vagina, 163
 — — — death of the foetus, 165
 — — — entanglement of two or more foetuses, 165
 — — — exostosis of the pelvis, 163
 — — — extreme anteversion of the, 165
 — — — foetus, enlargement of the, from disease, 165
 — — — excessive size of the, 165
 — — — malformation of the, 165
 — — — malposition of the, 165
 — — — from foreign bodies in the vagina, 165
 — — — occlusion of the os uteri, 161
 — — — malposition of the cervix uteri, 163
 — — — narrowness of the vagina, 163
 — — — partial retroflexion of the uterus, 163

UTE

- Uterus, Mechanical obstacle to the action of, from pelvis being diminutive, 163
 — — — — — distorted or contracted, 163
 — — — — — fractured, 163
 — — — — — occupied by dislocated lumbar vertebræ, 163
 — — — — — plural births, 165
 — — — — — polypus, 163
 — — — — — prolapsus of the bladder, 163
 — — — — — rectum, 163
 — — — — — rectum being distended, 163
 — — — — — rigidity of the os uteri, 161
 — — — — — perineum, 161
 — — — — — vagina, 161
 — — — — — stone in the bladder, 163
 — — — — — tumour, 163
 — — — — — of the bladder, 163
 — — — — — external parts, 163
 — — — — — the rectum, 163
 — — — — — ovarian, 163
 — — — — — pelvic, 163
 — — — — — uterine, 163
 — — — — — unusual shortness of funis, 165
 — — — — — thickness of foetal membranes, 165
 — — — — — vagina, cicatrix or band of, 163
 — — — — — narrowness of, 163
 — — — — — vaginal cyst, 163
 — Malformations of, (151), 15, 297, 301
 — Malignant New Growth of, (149), 15
 — Non-malignant New Growth of, (149) 15
 — Occlusion of the canal of the, 151
 — — External os of, 151
 — — Internal os of, 151
 — Polypus of, (149), 15, 309, et seq.
 — pregnant, Discharge of watery fluid from, 159
 — Disorders of, 159
 — Displacements of, 159
 — Hæmorrhage from, 159
 — — during parturition, 165
 — — — from accidental detachment of the placenta, 165

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

UTE

- Uterus, pregnant, Hæmorrhage from, during parturition, placenta prævia, 165
 — — — — — thrombus of the cervix uteri or labium, 165
 — — — — — Hernia of, 159
 — — — — — Hydrorrhœa of, 159
 — — — — — Hysteralgia of, 159
 — — — — — Injuries of, 13, 241
 — — — — — Menstruation of, 159
 — — — — — Over-distension of, 161
 — — — — — from excess of liquor amnii, 161
 — — — — — multiple gestation, 161
 — — — — — Prolapsus of, 159
 — — — — — Retroversion of, 159
 — — — — — Spurious pains and cramp of, 159
 — — — — — Prematural adhesions of, causing retention of the placenta, 167
 — — — — — Prolapsus of, 149
 — — — — — of the pregnant, 159
 — — — — — Procidencia of, 149
 — — — — — Removal of, above cervix, Operation, 273
 — — — — — whole, Operation, 273
 — — — — — Retroflexion of, 149
 — — — — — of the pregnant, 159
 — — — — — Retroversion of, 149
 — — — — — of the pregnant, 159
 — — — — — Rupture or laceration of, 151
 — — — — — during parturition, 165
 — — — — — Sloughing of cervix of, consequent on parturition, 169
 — — — — — Stricture of the canal of the, 151
 — — — — — external os of, 151
 — — — — — internal os of, 151
 — — — — — Subinvolution of, see Hypertrophy of, 147
 — — — — — Superinvolution of, see Atrophy of, 147
 — — — — — Syphilis of, (149), 9
 — — — — — Tubercle of, (149), 15
 — — — — — Ulcer of, 149
 UTERUS ABRASUS, 148
 — — — — — BICORNIS, Deformitas ingenita, (150), 14, 300
 — — — — — DUPLEX, Deformitas ingenita, (150), 14, 300
 — — — — — IMPERVIUS, Deformitas ingenita, (150), 14, 296
 — — — — — INVERSUS, 148, 166
 — — — — — LOCO MOTUS ET DISTORTUS, 148, 158
 — — — — — PROLAPSUS, 148, 158
 — — — — — PRONUS, 148, 158
 — — — — — PROVOLUTUS, 148, 158
 — — — — — PUSILLUS, Deformitas ingenita, (150), 14, 296

VAG

- UTERUS RESUPINATUS, 148, 158
 — — — — — RETROFLEXUS, 148, 158
 UVA DESCENDENS, 96
 UVÆ ABSCISSIO, Opus chirurgicum, 258
 UVATIO CORNEÆ, 36
 — — — — — SCLEROTICÆ, 36
 Uvula elongated, 97
 — — — — — Cutting off, Operation, 259

 Vaccination, see Cowpox, (211), 5
 VACCINIA, (210), 4
 Vagina, Abscess of, 153
 — — — — — absent, Malformation, (153), 15, 297
 — — — — — Atresia of, Operation for, 275
 — — — — — Atrophy of, 151
 — — — — — Catarrh of, 151
 — — — — — during pregnancy, (159), 151
 — — — — — Cicatrix or band of, 153
 — — — — — as an obstacle to parturition, 163
 — — — — — Contracting the, Operation, 275
 — — — — — a cul-de-sac, Malformation, (153), 15, 297
 — — — — — Cyst of, 153
 — — — — — Diseases of, 151
 — — — — — Double, Malformation, (153), 15, 301
 — — — — — Fistula of, 153
 — — — — — Recto-vaginal, 153
 — — — — — Uretero-vaginal, 153
 — — — — — Urethro-vaginal, 153
 — — — — — Vaginal, Note, 153
 — — — — — Vesico-vaginal, 153
 — — — — — Foreign bodies in, (153), 13, 241
 — — — — — Gonorrhœa of, 9, 151
 — — — — — impervious, Malformation, (153), 15, 297
 — — — — — Inflammation of, 151
 — — — — — Injuries of, (153), 13, 241
 — — — — — Laceration of, (153), 13, 241
 — — — — — during parturition, 165
 — — — — — Malformations of, (153), 15, 297, 301
 — — — — — Malignant New Growth of, (153), 15
 — — — — — Narrowness of, as an obstacle to parturition, 163
 — — — — — Non-malignant New Growth of, (153), 15
 — — — — — Occlusion of, 153
 — — — — — Plugging of, Operation, 275
 — — — — — Polypus of, (153), 15
 — — — — — Prolapse of, 153
 — — — — — Cystocele, 153
 — — — — — Rectocele, 153
 — — — — — Rigidity of, as an obstacle to parturition, 161

VAG

- Vagina, Rupture of, during parturition, 165
 — Sloughing of, consequent on parturition, 169
 — Syphilis of, (153), 9
 — Wound of, and internal female organs of generation, 241
 VAGINA DUPLEX, Deformitas ingenta, (152), 14, 300
 — IMPERVIA, Deformitas ingenta, (152), 14, 296
 — INSINUM DESINENS, Deformitas ingenta, (152), 14, 296
 VAGINÆ ABSCESSUS, 152
 — ADVERSUS HEMORRHAGIAM OBTURATIO, Opus chirurgicum, 274
 — ATROPHIA, 150
 — CATARRHUS, (158), 150
 — CICATRIX AUT HABENULA, 152
 — CYSTIS, 152
 — DIRUPTIO AUT LACERATIO IN PARTURIENTIBUS, 164
 — ET PARTIUM INTERIORUM MULIEBRUM VULNUS, 240
 — FISTULA, 152
 — INFLAMMATIO, 150
 — — CATARRHALIS, 150
 — — GONORRHOICA, 150
 — MORBI, 150
 — OCCLUSIO, 152
 — PROLAPSIO, 152
 — TOTIUS AUT PARTIS DEFECTUS, Deformitas ingenta, (152), 14, 296
 Vaginal cyst, as an obstacle to parturition, 163
 — fistula, 153
 — lithotomy, Operation, 271
 — prolapse, 153
 Vaginismus, 159
 VALGUS SPURIUS, 186
 VALVÆ CORDIS IMPERFECTÆ, Deformitas ingenta, (68), 14, 294
 VALVARUM CORDIS MORBI, 66
 Valvular disease of the heart, 67
 — Aortic, 67
 — Mitral, 67

VAR

- Valvular disease, Pulmonic, 67
 — — Tricuspid, 67
 Valves of the Heart, Aneurysm of, 69
 — — — Atheroma of (Fatty and calcareous degeneration of), 67
 — — — Calcareous degeneration of the, see Atheroma of, 67
 — — — Dilatation, Simple, of the orifices of the, 69
 — — — Fatty degeneration of the, see Atheroma of, 67
 — — — Fibroid thickening of the, 67
 — — — Imperfect, Malformation, (69), 15, 295
 — — — Laceration of the, 69
 — — — Malformations of the, (69), 15, 295, 303
 — — — — Aortic aperture obstructed or imperfect, Malformation, (69), 15, 295
 — — — — Left auriculo-ventricular aperture obstructed or imperfect, Malformation, (69), 15, 295
 — — — — Pulmonic aperture obstructed or imperfect, Malformation, (69), 15, 295
 — — — — Right auriculo-ventricular aperture obstructed or imperfect, Malformation, (69), 15, 295
 — — — — Valves imperfect, Malformation, (69), 15, 295
 — — — — supernumerary, Malformation, (69), 15, 303
 — — — Obstructive disease of the, Note, 69
 Valves of the heart, Ossification of, see Calcareous degeneration, 67
 Valves of the heart, Regurgitant disease of, Note, 69
 — — — Vegetations of the, 67
 VAPOR E LIGNI CARBONE, Venenum, 208
 — EX FORNACE, Venenum, 208
 VAPORES NITRICI, Venenum, 208
 VAPORES VENENOSI, 208
 Vapours, Poisonous, 209
 VARICELLA, 4
 Varices, Excision of, Operation, 261
 — Obliteration of, Operation, 261

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

VAR

- Varicocele, 141
 — — — Obliteration of, Operation, 261
 Varicose aneurysm, 77
 — — Spontaneous, 77
 — — Traumatic, 77
 — veins, 75
 — — Obliteration of, Operation, 261
 — — of the labia, (155), 75
 — — — vulva, (155), 75
 VARIOLA, 4
 Various defects of sight (Disorders of Vision), 49
 VARIX, 74
 — ANEURYSMATICUS, 76
 — — EX VULNERE, 76
 — — SPONTANEUS, 76
 — VULVÆ, (154), 74
 Varix, 75
 — Aneurysmal, 77
 — — Spontaneous, 77
 — — Traumatic, 77
 — Obliteration of, Operation, 261
 — of the œsophagus, 75, 101
 — — vulva, (155), 75
 — — uterine ligaments, 75, 147
 Varix, Arterial, see Cirroid aneurysm, 75
 Vas deferens, Rupture of, 243
 VASA LYMPHIFERA DILATA, 122
 — — OBLITERATA, 122
 — — OBSTRUCTA, 122
 — NOVA IN CORPORE VITREO, 46
 VASIS DEFERENTIS DIRUPTIO, 242
 Vascular System, Malformations of, (69, 71, 75), 15, 293, 295, 299, 303
 — tumour, see Angeioma, 311
 VASORUM LYMPHIFERORUM DIRUPTIO, 122
 — — INFLAMMATIO, 120
 — — SUPPURATIO, 120
 — — VULNUS, 220
 — SANGUIFERORUM LÆSIONES, (74), (76), 12, 218
 — — MORBI, 72
 VECTIS ADHIBITUS, Opus obstetricum, 274
 Vegetable parasites, 11
 — poisons, 11, 203
 — substances, Wounds poisoned by, 213
 Vegetations on the valves of the heart, 67
 Veins, Contusion of, 221
 — Diseases of, 75
 — Division of, see Wound of, 221
 — Inflammation of, see Phlebitis, 75

VEN

- Veins, Injuries of, (77), 13, 221
 — Obliteration of, 77
 — Obstruction of, 75
 — Operations on, 261
 — Parasitic disease of, (77), 11
 — Rupture of, 221
 — Varicose, see Varix, 75
 — Wound of, with entrance of air, (77), 13, 221
 — — Division of, partial or complete, 221
 — — Punctured, of, 221
 VELAMENTORUM HERNIARUM COHÆRENTIA, 108
 — — HYDROPS, 108
 — — INFLAMMATIO, 108
 — — LACERATIO, 108
 — — MORBI, 108
 — — SUPPURATIO, 108
 Vena porta, Obstruction of, 115
 VENÆ OBLITERATÆ, 76
 — OBSTRUCTÆ, 74
 — PORTÆ INFLAMMATIO, 114
 — — OBSTRUCTIO, 114
 VENARUM CONTUSIO, 220
 — DIRUPTIO, 220
 — — CUM EXTRAVASATIONE HYPODERMICA, 220
 — DISTRIBUTIO ABNORMIS, Deformitas ingenua, 14, 294
 — ET ARTERIARUM DISTRIBUTIO ABNORMIS, Deformitas ingenua, (74), 14, 294
 — SINUM CEREBRALIUM MORBI, (24), 74
 — LÆSIONES, 220
 — MORBI, 74
 — OBLITERATIO, 76
 — OBSTRUCTIO, 74
 — PUNCTIO, 220
 — SECTIO ABSOLUTA AUT NON ABSOLUTA, 220
 — VULNUS, 220
 VENENA, 198
 VENENA ANIMALIA, 10, 206
 VENENA INORGANICA, 10
 VENENA ORGANICA, 202
 VENENA VEGETABILLA, 10, 202
 VENENO AFFECTORUM CURATIO, 282
 VENENORUM EFFECTUS, 10
 Venery, Excessive, Effects of, 13
 Venomous animals, Wounds poisoned by, 211
 Venous thrombosis, (169), 77
 Ventral hernia, 107
 Ventricular septa of the heart incomplete, Malformation, (71), 15, 293

VEN

- VENTRICULI COARCTATIO, 102
 — DILATATIO, 102
 — ELOTIO, *Opus chirurgicum*, 264
 — HÆMORRHAGIA, 102
 — HERNIA, 102
 — INFLAMMATIO, 102
 — MORBI, 102
 — MORBUS LARDACEUS, 102
 — PERFORATIO, 102
 — SPONTANEA LACERATIO AUT DIRUPTIO, 102
 — STRICTURA, 102
 — ULCERATIO, 102
 — ULCUS PERFORANS, 102
Veratria, Poison, 207
 VERATRUM ALBUM, Venenum, 206
 VERRUCA, Tumor, 14, 310
 VERRUCÆ CUTIS, (196), 14, 310
 — VAGINÆ, (152), 14, 310
 — VULVÆ, (154), 14, 310
 VERSIO, *Opus obstetricum*, 276
 Version, Obstetric operation, 277
 VERTEBRARUM IN SPINA FISSURA, Deformitas ingenua, (24), 14, 300
Vertigo, 29
 — Auditory, (63), 29
 VERTIGO AUDITORIA, (62), 28
 VESICA FORAS PATENS, Deformitas ingenua, (132), 14, 298
 — IRRITABILIS, 132
 VESICÆ DIRUPTIO AUT LACERATIO IN PARTURI-
 ENTIBUS, 164
 — DISTENTIO, 130
 — EX FRACTURA RUPTIO AUT LACERATIO, (132),
 12, 240
 — HÆMORRHAGIA, 130
 — HERNIA, 130
 — HYPERTROPHIA, 130
 — INFLAMMATIO, 130
 — — ACUTA, 130
 — — CHRONICA, SIVE LONGA, 130
 — — MINUS ACUTA, 130
 — — SUPPURANS, 130
 — IN SACCULOS PARTITIO, 130
 — INVERSIO, 130

VIT

- VESICÆ LÆSIONES, (132), 12, 240
 — MORBI, 130
 — NEURALGIA, (132), 28
 — PARALYSIS, (132), 24
 — RUPTIO, 130
 — SINE VULNERE, RUPTIO AUT LACERATIO, (132),
 12, 240
 — SPASMUS, (132), 26
 — SPHACELUS, 130
 — ULCERATIO, 130
 — VULNUS, (132), 12, 240
Vesical calculi, Removal of, by various
 methods of Operation, 269, 271
Vesical hæmorrhage, 131
 — paracentesis, (tapping), Operation, 269
Vesico-intestinal fistula, 133
Vesico-vaginal fistula, (133), 153
 — — — consequent on parturition, (169), 153
 — — — Operation for, 275
 VESICULÆ FELLIS DEFECTUS, Deformitas in-
 genita, (116), 14, 294
 — — DILATATIO, 114
 — — ULCERATIO, 114
Vesicular stomatitis, 89
Vessels, Injuries of, (75), (77), 13, 219, 221
Vicarious menstruation, 157
VIRIUM DEFECTIO, 184, 214
Viscera, Injuries of, 13, 221
 — Transposition of, Malformation, 15, 303
VISCERA INTER SE TRANSPOSITA, Deformitas
 ingenua, 14, 302
VISCERUM VULNUS SINE ABDOMINIS VULNERE, 238
VISUS BREVIOR, 48
VISUS DEFLECTIONES, 48
VISUS LONGIOR, 48
Vision, Disorders of, 49
Vitelline duct persistent, Malformation, 15,
 295
Vitiligoidea, see *Xanthelasma*, 195
Vitreous humour, Diseases of, 47
 — — Hæmorrhage of, 47
 — — Inflammation of, see *Hyalitis*, 47
 — — Malformations of, (47), 15, 293
 — — New blood-vessels in, 47

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the sake of classification only, and not for registration.

VIT

- Vitreous humour, Opacities of, 47
 — — Parasitic disease of, (47), 11
 VITRUM CONTUSUM, Venenum, 210
 Volvulus of intestine, 107
 Vomica of lung, 83
 Vomiting, 105
 VOMITUS, 104
 VULNERA VASORUM LYMPHIFERORUM, 220
 VULNERA VENENO INFECTA, 210
 VULNERA VENENO INFECTA EX ANIMALIBUS QUÆ
 MALE HABENT MORBI CONTAGIOSI, (210), 4, 10
 — — — — ANIMALIBUS VENENOSIS, 210
 — — — — ANIMALIUM MORTUORUM CORPORIBUS, 212
 — — — — EQUINA, 212
 — — — — FARCIMINO, 212
 — — — — HUMORIBUS MORBIDIS, 212
 — — — — HYDROPHOBLA, (210), 10
 — — — — INJECTIONE HYPODERMICA, 212
 — — — — INSECTIS ACULEATIS, 210
 — — — — MATERIA MINERALI, *sive* METALLICA, 212
 — — — — — VEGETABILI, 212
 — — — — PISCIBUS, 210
 — — — — PUSTULA MALIGNA, (212), 10
 — — — — RABIE, (210), 10
 — — — — SAGITTIS VENENATIS, 212
 — — — — SCORPIONIBUS, 210
 — — — — SERPENTIBUS, 210
 — — — — URALIA, (212), 206
 — — — — VACCINIA, (210), 4
 VULNUS, 216
 — ABDOMINIS, 238
 — — CUM VISCERUM ILLÆSORUM PROLAPSIONE 238
 — — — — LÆSORUM, 238
 — — — — VULNERE VISCERUM IN SEDE MANENTIIUM, 238
 — ANI, (110), 12, 240
 — ARTICULORUM IN MEMBRIS INFERIORIBUS, (180), 12, 244
 — — — — SUPERIORIBUS, (180), 12, 242
 — ARTERIARUM, (74), 12, 220
 — A TERGO, 236
 — CALVARIÆ, 226
 — CEREBRI, (22), 12, 226
 — CERVICIS, 232
 — — EX ORE, 232
 — — IN SUMMA CARNE, 232
 — — ŒSOPHAGUM PENETRANS, 232
 — — VIAS AËRIAS PENETRANS, 232

VUL

- VULNUS COLIS (PENIS), (136), 12, 240
 — CONJUNCTIVÆ, (34), 12, 228
 — CORNEÆ, (36), 12, 230
 — CUM CORPORIBUS ADVENTITIIS INFIXIS, 216
 — — TOTA CORPORIS PARTIS DISJUNCTIONE, 216
 — EPICRANI, OSSE NON NUDATO, 224
 — — — — NUDATO, 224
 — EX CONTUSIONE, 216
 — — INCISIONE, 216
 — — LACERATIONE, 216
 — — PUNCTURA, 216
 — — TORMENTORUM PILIS, 216
 — FACIÆ, 226
 — IRIDIS, (40), 12, 230
 — LATERUM THORACIS, 234
 — LENTIS, 230
 — LINGUÆ, 226
 — MEDIASTINI PRIORIS, 234
 — MEMBRORUM INFERIORUM, 244
 — — SUPERIORUM, 242
 — PALPERARUM, 228
 — PENETRANS PLEURÆ VEL PULMONIS, (84) (86), 12, 234
 — PENIS, (136), 12, 240
 — PERFORANS THORACIS, 234
 — PERICARDII ET CORDIS, (70), 12, 234
 — PERINEI MULIEBRIS ET VULVÆ, (154), 12, 240
 — — MASCULI, 240
 — RECTI INTESTINI, (110), 12, 240
 — SCLEROTICÆ, (36), 12, 228
 — SCROTI, 240
 — VAGINÆ ET PARTIUM INTERIORUM MULIEBRIIUM, (152), 12, 240
 — VASORUM LYMPHIFERORUM, (122), 12, 220
 — VENARUM, (76), 12, 220
 — VENENO INFECTUM, 216
 — VESICÆ, (132), 12, 240
 — VISCERUM SINE ABDOMINIS VULNERE, 238
 Vulva, Abscess of, 155
 — Condyloma of, (155), 15, 311
 — Cyst of, 155
 — Diseases of, 153
 — Eczema of, (155), 191
 — Gangrene of, 155
 — Gonorrhœa of, (155), 11
 — Hæmorrhage of, 153
 — Hypertrophy of, 153
 — Inflammation of, 155
 — Malformations of, (155), 15, 297
 — Malignant New Growth of, (155), 15

VUL

- Vulva, Non-malignant New Growth of, (155), 15
 — Occlusion of, Note, 155
 — Œdema of, 155
 — Phagedæna of, (155), 9
 — Pruritus of, 159
 — — during pregnancy, (161), 159
 — Syphilis of, (155), 9
 — Thrombus of, (155), 75, 77
 — Varicose veins of, (155), 75
 — Wound of, 241
 — Ulcer of, 155
 VULVÆ ABSCESSUS, 154
 — CONDYLOMA, (154), 14, 310
 — CYSTITIS, 154
 — DEFORMITATES INGENITÆ, (154), 14, 296
 — DIRUPTIO AUT LACERATIO, 164
 — GANGRENA, 154
 — GONORRHOEA, (154), 10
 — HÆMORRHAGIA, 152
 — HYPERTROPHIA, 152
 — INFLAMMATIO, 154
 — LABIORUM ECZEMA, (154), 190
 — — ŒDEMA, 154
 — MEMBRANA IMPERVIA, Deformitas ingenua, (152), 14, 296
 VULVÆ MORBI, 152
 VULVÆ OCCLUSIO, 154
 — PHAGEDÆNA, (154), 8
 — PRURITUS, (160), 158
 — SYPHILIS, (154), 8
 — THROMBUS, (154), 76
 — TUMORES MALIGNI, (154), 14
 — — NON MALIGNI, (154), 14
 — ULCUS, 154
 — VARIX, (154), 74

- Wart, see Papilloma, Tumour, 311
 — of the nose, (65), 15, 311
 Warts, see Non-malignant New Growth of Skin, (197), 15, 311
 Warty growth of the larynx, see Non-malignant New Growth of, (79), 15, 311

WOU

- Warty tumour, see Papilloma, 311
 Washing out Stomach, Operation, 265
 Water-brash, see Pyrosis, 105
 Water-hemlock, Poison, 207
 Watery tumour, see Hygroma, (307)
 Waxy disease, see Lardaceous Degeneration, (3)
 — kidney, see Lardaceous K., 127
 — liver, see Lardaceous L., 113
 — spleen, see Lardaceous S., 119
 — supra-renal capsule, 125
 Wen, (309), 195
 White Hellebore, Poison, 207
 — softening of the brain or cord, 23
 Whitlow, 195
 Whooping cough, 7
 Wool-sorter's disease, 11, (No. 34)
 Woorara, see Wourali, Poison, 207
 Worms, Intestinal, see Parasitic disease of Intestines, (109), 11
 Wound of the abdomen, of the parietes, 13, 239
 — — — — — with protrusion of uninjured viscera, 13, 239
 — — — — — wounded viscera, 13, 239
 — — — — — with wound of unprotruded viscera, 13, 239
 — — abdominal viscera, without wound of the parietes, 13, 239
 — — anterior mediastinum, 13, 235
 — — anus, (111), 13, 241
 — — arteries, (75), 13, 221
 — — division, partial or complete, (75), 13, 221
 — — punctured, (75), 13, 221
 — — back, 13, 237
 — — bladder, (131), 13, 241
 — — brain, (23), 13, 227
 — — chest, of the parietes, 13, 235
 — — Perforating, 13, 235
 — — conjunctiva, (35), 13, 229
 — — Contused, 13, 217
 — — of the cornea, (37), 13, 231
 — — ducts of secreting glands, 13, 221

EXPLANATIONS.—The names for common use are printed in Egyptian type, Latin names proper in ROMAN SMALL CAPITALS, and Synonyms, which are not to be employed in the registration of diseases, in *Italics*. The figures refer to the page where the disease is to be met with; the figures without brackets indicating where the disease should be registered; and the figures within brackets where the disease is entered for the ekas of classification only, and not for registration.

WOU

- Wound of the eyelid, (57), 13, 229
 — — face, 13, 227
 — — female organs of generation, internal, (153), 13, 241
 — Gunshot, 13, 217
 — of the heart, (71), 13, 235, 237
 — Incised, 13, 217
 — of the iris, (41), 13, 231
 — Lacerated, 13, 217
 — of the lens, 13, 231
 — — lower extremity, 13, 245
 — — — joints of the, 13, 245
 — — lung, Penetrating, (85), 13, 235
 — — lymph-gland, (123), 13, 221
 — — lymph-vessels, (123), 13, 221
 — — membrana tympani, (63), 13, 231
 — — mucous membrane, 13, 225
 — — muscles, (185), 13, 223
 — — neck, 13, 233
 — — — from the mouth, 233
 — — — opening air-passages, 233
 — — — — œsophagus, 233
 — — — — from within, 233
 — — — — from without, 233
 — — — superficial, 233
 — — nerves, (23), 13, 219
 — — parietes of chest, 13, 235
 — — parts within the orbit, (59), 13, 231
 — — penis, (137), 13, 241
 — — pericardium and heart, (69), 13, 235
 — — perineum, female, 13, 241
 — — — male, 13, 241
 — — pinna, 13, 231
 — — pleura, Penetrating, (87), 13, 235
 — Poisoned, for their subdivision see Poisoned
 Wounds, 13, 211, 217
 — Punctured, 13, 217
 — — of roof of nasal cavity, 13, 227
 — of rectum, (111) 13, 241
 — — scalp, bone exposed, 13, 225
 — — — bone not exposed, 13, 225
 — — sclerotic, (37), 13, 229
 — — scrotum, 13, 241
 — — secreting glands, 13, 225
 — — skin, 13, 223
 — — skull, 13, 227
 — — spinal cord, (23), 13, 237
 — — spine, (183), 13, 237
 — — tendon, 13, 223

ZON

- Wound of the testicle, (143), 13, 243
 — — thoracic duct, 13, 221
 — — tongue, 13, 227
 — — upper extremity, 13, 243
 — — — joints of the, 13, 243
 — — urethra, male, (135), 13, 241
 — — vagina, (153), 13, 241
 — — vein, (77), 13, 221
 — — — division, partial or complete, 13, 221
 — — — Punctured, 13, 221
 — — — with entrance of air, 13, 221
 — — viscera, 13, 221
 — — vulva, (155), 13, 241
 — with complete separation of a part of the body, 13, 217
 — — lodgment of foreign bodies, 13, 217
 Wounds and injuries of parts within the orbit, 13, 231
 Wourali, Poison, 207
 Wrist and carpus, Dislocation of, 245
 Wrist-drop, see Lead palsy, 27
 Writer's cramp, see Spasm of Muscle, 27
 Wry-neck, see Spasm of Muscle, 27

 Xanthelasma, (55), 195
 XANTHINA (CALCULUS), 132
 Xanthic oxide calculus, 133
 Xanthin calculus, 133
 Xanthoma, see Xanthelasma, 195
 Xerophthalmia, 33

 Yaws, (197, 313), 17
 Yellow fever, 7
 — — jasmine, Poison, 205
 — — softening of the brain or cord, 23
 — — tubercle, (23), 15, 315
 — — Inflammatory, 315
 — — Nervous system, 23
 — — Retrograde and cicatricial, 315
 — — Simple, 315
 — — Ulcerative and destructive, 315
 Yew, Poison, 207

 Zinc, Poison, 199
 ZINCUM, Venenum, 198
 Zona, 191

LONDON :

PRINTED BY HARRISON AND SONS, ST. MARTIN'S LANE,

Printers in Ordinary to Her Majesty.

7



